





LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS











JUN 6 1969

65

PAY  
OF



STATE OF CALIFORNIA  
The Resources Agency

Department of Water Resources

BULLETIN No. 130-65

HYDROLOGIC DATA: 1965

Volume III: CENTRAL COASTAL AREA

JULY 1967

RONALD REAGAN  
Governor  
State of California



WILLIAM R. GIANELLI  
Director  
Department of Water Resources

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS

100

STATE OF CALIFORNIA  
The Resources Agency  
Department of Water Resources

BULLETIN No. 130-65

HYDROLOGIC DATA: 1965  
Volume III: CENTRAL COASTAL AREA

JULY 1967

RONALD REAGAN  
*Governor*  
State of California

WILLIAM R. GIANELLI  
*Director*  
Department of Water Resources

ORGANIZATION OF BULLETIN NO. 130 SERIES

Volume I - NORTH COASTAL AREA

Volume II - NORTHEASTERN CALIFORNIA

Volume III - CENTRAL COASTAL AREA

Volume IV - SAN JOAQUIN VALLEY

Volume V - SOUTHERN CALIFORNIA

Each volume consists of the following:

TEXT and


Appendix A - CLIMATE

Appendix B - SURFACE WATER FLOW

Appendix C - GROUND WATER MEASUREMENTS

Appendix D - SURFACE WATER QUALITY

Appendix E - GROUND WATER QUALITY



STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 HYDROLOGIC DATA  
**AREA ORIENTATION MAP**

SCALE OF MILES  
 40 0 40 80

- I NORTH COASTAL AREA
- II NORTHEASTERN CALIFORNIA
- III CENTRAL COASTAL AREA
- IV SAN JOAQUIN VALLEY
- V SOUTHERN CALIFORNIA

## METRIC CONVERSION TABLE

| ENGLISH UNIT                  | EQUIVALENT METRIC UNIT         |
|-------------------------------|--------------------------------|
| Inch (in)                     | 2.54 Centimeters               |
| Foot (ft)                     | 0.3048 Meter                   |
| Mile (mi)                     | 1.609 Kilometers               |
| Acre                          | 0.405 Hectare                  |
| Square mile (sq. mi.)         | 2.590 Square kilometer         |
| U. S. gallon (gal)            | 3.785 Liters                   |
| Acre foot (acre-ft)           | 1,233.5 Cubic meters           |
| U. S. gallon per minute (gpm) | 0.0631 Liters per second       |
| Cubic feet per second (cfs)   | 1.7 Cubic meters<br>per minute |



## FOREWORD

The Bulletin No. 130 series is published annually in five volumes. Each volume presents hydrologic data for one of five reporting areas of the State. These areas and the organization of this bulletin are outlined on pages ii and iii.

The basic data programs of the Department of Water Resources have been coordinated with the activities of other interested agencies to satisfy specific needs of agencies within the State. The specific objectives and authorizations for the basic data programs are enumerated in Table 1 of the text.

Bulletin No. 130-65 presents useful, comprehensive, accurate, and timely hydrologic data which are prerequisites for effective planning, design, construction, and operation of water facilities.



William R. Gianelli, Director  
Department of Water Resources  
The Resources Agency  
State of California  
May 10, 1967

TABLE OF CONTENTS

|  | <u>Page</u> |
|--|-------------|
| ORGANIZATION OF BULLETIN NO. 130 SERIES. . . . . | ii          |
| AREA ORGANIZATION MAP. . . . .                   | iii         |
| METRIC CONVERSION TABLE . . . . .                | iv          |
| FOREWORD . . . . .                               | v           |
| ORGANIZATION . . . . .                           | x           |
| ACKNOWLEDGMENTS. . . . .                         | xi          |
| ABSTRACT . . . . .                               | xii         |
| CHAPTER I. INTRODUCTION . . . . .                | 1           |
| CHAPTER II. SUMMARY OF DATA ACTIVITIES. . . . .  | 2           |
| Climate. . . . .                                 | 2           |
| Surface Water Flow . . . . .                     | 2           |
| Ground Water Measurement . . . . .               | 4           |
| Surface Water Quality. . . . .                   | 6           |
| Ground Water Quality . . . . .                   | 6           |
| APPENDIXES                                       |             |
| Appendix A: CLIMATE . . . . .                    | 7           |
| Introduction . . . . .                           | 9           |
| Methods and Procedures . . . . .                 | 9           |
| Coding . . . . .                                 | 9           |
| Drainage Basin Designation . . . . .             | 9           |
| Alpha Order Number and Subnumber . . . . .       | 10          |
| Explanation of Tables . . . . .                  | 10          |
| Climatological Station Index . . . . .           | 10          |
| Precipitation Data . . . . .                     | 12          |
| Temperature Data . . . . .                       | 12          |
| Evaporation Data . . . . .                       | 12          |
| Appendix B: SURFACE WATER FLOW. . . . .          | 47          |
| Introduction . . . . .                           | 49          |
| Definition of Terms. . . . .                     | 49          |
| Methods and Procedures . . . . .                 | 49          |
| Streamflow Measurements. . . . .                 | 49          |
| Tidal Stage Measurements . . . . .               | 50          |
| Coding System. . . . .                           | 50          |

TABLE OF CONTENTS

|   | <u>Page</u> |
|---|-------------|
| APPENDIXES (Continued)  |             |
| Appendix B: SURFACE WATER FLOW  |             |
| Explanation of Tables . . . . .   | 50          |
| Daily Mean Discharge . . . . .  | 50          |
| Imports . . . . .   | 51          |
| Daily Mean Gage Height . . . . .  | 51          |
| Daily Maximum and Minimum Tides . . . . .   | 51          |
| Corrections and Revisions to Previously<br>Published Surface Water Data . . . . . | 52          |
| Appendix C: GROUND WATER MEASUREMENTS . . . . .                                   | 59          |
| Introduction . . . . .  | 61          |
| Methods and Procedures . . . . .  | 61          |
| Coding . . . . .  | 61          |
| Region and Basin Numbers . . . . .  | 61          |
| State Well Number . . . . .   | 61          |
| Explanation of Figures and Tables . . . . .                                       | 62          |
| Hydrographs . . . . .   | 62          |
| Ground Water Level Changes . . . . .  | 63          |
| Description of Selected Wells . . . . .   | 63          |
| Ground Water Levels at Wells . . . . .  | 67          |
| Appendix D: SURFACE WATER QUALITY . . . . .                                       | 117         |
| Introduction . . . . .  | 119         |
| Methods and Procedures . . . . .  | 119         |
| Coding . . . . .  | 119         |
| Explanation of Figures and Tables . . . . .                                       | 120         |
| Specific Conductance . . . . .  | 121         |
| Sampling Station Data and Index . . . . .   | 121         |
| Analyses of Surface Water . . . . .   | 121         |
| Summary of Coliform Analyses . . . . .  | 122         |
| Analyses of Trace Elements in Surface Water . . . . .                             | 122         |
| Radioassays of Surface Water . . . . .  | 122         |
| Salinity Observations at Bay and Delta Stations . . . . .                         | 123         |
| Nutrients . . . . .   | 123         |
| Pesticides . . . . .  | 123         |
| Appendix E: GROUND WATER QUALITY . . . . .  | 185         |
| Introduction . . . . .  | 187         |
| Methods and Procedures . . . . .  | 187         |
| Coding . . . . .  | 187         |
| Explanation of Tables . . . . .   | 188         |
| Analyses of Ground Water . . . . .  | 189         |
| Radioassays of Ground Water . . . . .   | 189         |

TABLE OF CONTENTS

FIGURES

| <u>Figure<br/>Number</u> |   | <u>Page</u> |
|--------------------------|---|-------------|
| <u>Appendix C</u>        |   |             |
| C-1                      | Fluctuation of Water Level in Wells   |             |
|                          | North Coastal Region. . . . .   | 69          |
|                          | San Francisco Bay Region. . . . .   | 70          |
|                          | Central Coastal Region. . . . .   | 73          |
| <u>Appendix D</u>        |   |             |
| D-1                      | Specific Conductance - Daily Mean,<br>Alameda Creek near Niles (Station 73) . . . . .   | 124         |
| D-2                      | Specific Conductance - Daily Readings at<br>1300 Hours, Bethany Forebay at South<br>Bay Pumping Plant (Station 207) . . . . . | 125         |

TABLES

| <u>Table<br/>Number</u> |  |    |
|-------------------------|--|----|
| 1                       | Summary of Data Activities in the<br>Central Coastal Area. . . . .                           | 3  |
| 2                       | Summary of Ground Water Data Collected in<br>the Central Coastal Area. . . . .               | 5  |
| <u>Appendix A</u>       |  |    |
| A-1                     | Climatological Station Index. . . . .  | 13 |
| A-2                     | Precipitation Data. . . . .  | 17 |
| A-3                     | Temperature Data. . . . .  | 26 |
| A-4                     | Evaporation Data. . . . .  | 42 |
| <u>Appendix B</u>       |  |    |
| B-1                     | Daily Mean Discharge. . . . .  | 53 |
| B-2                     | Surface Water Imports to the Central<br>Coastal Area. . . . .                                | 54 |
| B-3                     | Daily Mean Gage Height. . . . .  | 55 |
| B-4                     | Daily Maximum and Minimum Tides . . . . .  | 56 |
| B-5                     | Corrections and Revisions to Previously<br>Published Reports of Surface Water Data . . . . . | 58 |
| <u>Appendix C</u>       |  |    |
| C-1                     | Ground Water Level Conditions in the<br>Central Coastal Area. . . . .                        | 77 |

TABLES (Continued)

| <u>Table<br/>Number</u> |                                    | <u>Page</u> |
|-------------------------|------------------------------------|-------------|
| <u>Appendix C</u>       |                                    |             |
| C-2                     | Description of Selected Wells      |             |
|                         | North Coastal Region . . . . .     | 78          |
|                         | San Francisco Bay Region . . . . . | 79          |
|                         | Central Coastal Region . . . . .   | 84          |
| C-3                     | Ground Water Levels at Wells       |             |
|                         | North Coastal Region . . . . .     | 87          |
|                         | San Francisco Bay Region . . . . . | 92          |
|                         | Central Coastal Region . . . . .   | 107         |

Appendix D

|     |   |     |
|-----|---|-----|
| D-1 | Sampling Station Data and Index. . . . .  | 126 |
| D-2 | Analyses of Surface Water   |     |
|     | North Coastal Region (No. 1) . . . . .  | 129 |
|     | San Francisco Bay Region (No. 2) . . . . .  | 144 |
|     | Central Coastal Region (No. 3) . . . . .  | 150 |
|     | South Bay Aqueduct . . . . .  | 168 |
| D-3 | Summary of Coliform Analyses . . . . .  | 171 |
| D-4 | Analysis of Trace Elements in Surface Water. . . . .  | 172 |
| D-5 | Radioassay of Surface Waters . . . . .  | 173 |
| D-6 | Description of Salinity Observation Station<br>and Maximum Observed Salinity at Bay<br>and Delta Stations . . . . . | 175 |
| D-7 | Salinity Observations at Bay and Delta<br>Stations . . . . .  |     |
| D-8 | Nutrients in Surface Water . . . . .  | 179 |
| D-9 | Pesticides in Surface Waters and Sediments . . . . .  | 183 |

Appendix E

|     |  |     |
|-----|--|-----|
| E-1 | Analyses of Ground Water                   |     |
|     | North Coastal Region (No. 1) . . . . .     | 190 |
|     | San Francisco Bay Region (No. 2) . . . . . | 195 |
|     | Central Coastal Region (No. 3) . . . . .   | 226 |
| E-2 | Radioassays of Ground Water. . . . .       | 244 |

PLATES

(Bound at Back of Bulletin)

| <u>Plate<br/>Number</u> |  |
|-------------------------|--|
| 1                       | Climatological Stations in the Central Coastal Area,<br>1965.              |
| 2                       | Ground Water Basins or Units in the Central Coastal<br>Area, 1965.         |
| 3                       | Surface Water Stations in the Central Coastal Area,<br>1965.               |
| 4                       | Status of Sea-Water Intrusion, Santa Clara Valley,<br>East Bay Area, 1965. |
| 5                       | Status of Sea-Water Intrusion, Salinas Valley, 1965.                       |

State of California  
The Resources Agency  
DEPARTMENT OF WATER RESOURCES

RONALD REAGAN, Governor  
WILLIAM R. GIANELLI, Director, Department of Water Resources

SAN FRANCISCO BAY DISTRICT

Charles A. McCullough. . . . . District Engineer

Vernon Bengal. . . . . Chief, Water Supply and Quality Section

Activities covered by this report were under the supervision

of

Glenn R. Peterson. . . . . Chief, Water Supply Unit

Assisted by

Reuben Busch. . . . . Water Resources Engineering Associate

Paul F. Schmied. . . . . Water Resources Engineering Associate

James R. Haupt . . . . . Assistant Civil Engineer

William J. McCune. . . . . Assistant Civil Engineer

John S. Bartok. . . . . Water Resources Technician II

Willie D. Crosby . . . . . Water Resources Technician I

Harold Schlegel. . . . . Water Resources Technician I

Flenoid Vernon . . . . . Water Resources Technician I

Woodfin P. Riley . . . . . Engineering Aid II

Look Lee . . . . . Engineering Aid I

Reviewed and coordinated by  
Statewide Planning Office  
Data Coordination Branch

## ACKNOWLEDGMENTS

The Department is grateful for the data supplied and the cooperation rendered by many agencies and individuals. It is especially fitting to commend the following agencies:

| <u>Federal</u>  | <u>Local</u>  |
|---|---|
| United States Army Corps of Engineers                           | Marin Municipal Water District  |
| United States Army, Post Engineer,<br>Fort Ord                  | Mendocino County  |
| United States Bureau of Reclamation                             | Monterey County Flood Control and<br>Water Conservation District        |
| United States Coast Guard                                       | Napa County   |
| United States Geological Survey                                 | North Los Altos Water Company   |
| United States Soil Conservation Service                         | Pacheco Pass Water District   |
| United States Weather Bureau                                    | San Benito County   |
|   | San Francisco Water Department  |
| <u>State</u>  | San Jose Water Works  |
| California Department of Public Health                          | San Luis Obispo County Flood Control<br>and Water Conservation District |
| California Department of Veterans<br>Affairs                    | Santa Clara County Flood Control<br>and Water District                  |
| California Division of Highways                                 | Santa Clara Valley Water Conserva-<br>tion District                     |
| California Division of Forestry                                 | Santa Cruz County, Department of<br>Public Works                        |
| University of California, Agricultural<br>Extension Service     | Solano Irrigation District  |
|   | Solano County, Department of<br>Public Works                            |
| <u>Local</u>  | Sonoma County Flood Control and<br>Water Conservation District          |
| Alameda County Flood Control and Water<br>Conservation District | South Santa Clara Valley Water<br>Conservation District                 |
| Alameda County Water District                                   |   |
| Campbell Water Company  |   |
| East Bay Municipal Utility District                             |   |
| Marin County  |   |

ENGINEERING CERTIFICATION

This report has been prepared under my direction as the professional engineer in direct responsible charge of the work, in accordance with the provisions of the Civil and Professional Engineers' Act of the State of California.

Alvin Ray Peterson  
Registered Civil Engineer

Registration No. C10561

Date March 10, 1967

ATTEST:

C. A. McCullough  
District Engineer  
San Francisco Bay District

Registration No. C8123

Date 3/13/67

ABSTRACT

Tables show data on climate, surface water flow, ground water levels, and surface and ground water quality during the 1964-65 water year. Figures show fluctuation of water levels in wells and specific conductance in Alameda Creek near Niles and in Bethany Forebay at the South Bay Pumping Plant. Plates show locations of climatological stations, surface water measurement stations, surface water quality stations, and ground water basins or units, and the status of sea-water intrusion in the Santa Clara Valley East Bay area and in the Salinas Valley.



## CHAPTER I. INTRODUCTION

The Department of Water Resources is concerned with development and use of water supplies and with methods that are employed to observe and measure hydrologic conditions. Hydrologic data are used for the planned development of new water supplies, hydropower, drainage, flood control, navigation, and other associated engineering projects.

This report contains a record of hydrologic data collected and assembled by the San Francisco Bay District of the Department of Water Resources. It brings together in a permanent and usable form data on Surface Water Quality and Measurements from October 1, 1964, to September 30, 1965, and data on Climate, Ground Water Measurements, and Ground Water Quality from July 1, 1964, to September 30, 1965.

Other reports of basic water resources data include:

Surface Water Records of California, Vol. 1  
(U. S. Geological Survey)

Climatological Data (U. S. Weather Bureau)

Hourly Precipitation (U. S. Weather Bureau)

Users of hydrologic data should be aware of the limitations inherent in the data. Most standard texts on hydrology contain a description of the instrumentation and methods used in collecting the data together with methods of using and interpreting the data. The report of the Hydrology Subcommittee of the Pacific Southwest Inter-Agency Committee entitled "Limitations in Hydrologic Data as Applied to Studies of Water Control and Water Management", dated February 1966, gives a detailed presentation of the subject and includes references to other publications.

## CHAPTER II. SUMMARY OF DATA ACTIVITIES

A summary of the basic data activities in the Central Coastal Area is presented on Table 1. The summary indicates for each activity the origin, purpose, authorization, type of data collected, frequency of measurements or service, agency collecting the data, and number of stations of each type.

### Climate

The objective of the climate activity is to assure sufficient historical records of climatological data to plan water development projects to meet the social, economic, and physical needs of the people of California. This objective is achieved by providing cooperative assistance to the U. S. Weather Bureau in the maintenance of its climatological station network. Information collected includes data on precipitation, temperature, evaporation, and wind. These data are supplemented with data gathered by the Department where necessary for the Department's needs.

The optimum operation of reservoirs requires data of precipitation, evaporation, and wind movement. Reservoir spillway design requires data on duration, frequency, and intensity of rainfall over the entire drainage area. Precipitation data from a few stations are needed for early forecasting of possible flooding and water supply conditions.

Climatological data summaries are published in Appendix A.

### Surface Water Flow

The objective of the surface water flow activity is to provide a historical record of the flows and stages of surface water throughout the State. This activity augments that of the U. S. Geological Survey and other agencies to provide a statewide base network of primary and secondary stream gaging stations that will satisfy the full needs of the Department and State

TABLE I

## SUMMARY OF DATA ACTIVITIES IN THE CENTRAL COASTAL AREA

| Activity                   | Origin | Purpose  | Authorization                      | Data  |  |   |   |
|----------------------------|--------|--|------------------------------------|---|--|---|---|
|                            |        |  |                                    | Type Collected  | Collected By                                 | Frequency Measured or Served                  | Number of Stations                          |
| Climate                    | 1956   | To supplement records compiled by the Weather Bureau and to index and file all available data for ready use.   | Secs. 228, of Water Code           | Precipitation   | Cooperators<br>USWB<br>USWB                  | Daily<br>Daily<br>Hourly                      | 77<br>95<br>58                              |
|                            |        |  |                                    | Temperature   | Cooperators<br>USWB                          | Daily<br>Daily                                | 51<br>62                                    |
|                            |        |  |                                    | Evaporation and Wind  | Cooperators<br>USWB                          | Daily<br>Daily                                | 12<br>6                                     |
| Surface Water Flow         | 1924   | To provide an inventory of data on surface water which will be available now and in the future for: (1) forecasting streamflow; (2) planning water development projects; (3) operation of flood control and multiple purpose projects; (4) studying tidal action; and (5) formulation of agreement on water rights without expensive litigation. | Secs. 225, 226 of Water Code       | 1. Streamflow   | DWR<br><br>USGS (Fed.-State)<br>USGS (Other) | 1. Measured monthly                           | 1<br><br>60<br>60                           |
|                            |        |  |                                    | 2. Tidal Stage  | DWR  | 2. Visited monthly                            | 2   |
|                            |        |  |                                    | 3. Stage  | DWR  | 3. Visited semi-annually                      | 1   |
| Ground Water Measurement   | 1917   | To compile representative ground water data so that: (1) information will be available for future conjunctive operations; (2) appraisal can be made of drainage and overdraft problems; (3) local interest and cooperation will be stimulated; and (4) planning to develop the potential ground water basins can be facilitated.                 | Secs. 225, 226, 228, of Water Code | Depth to Ground Water   | DWR, USGS and Cooperators                    | Key wells measured once a month               | 391 monthly wells, of which DWR measured 33 |
|                            |        |  |                                    |   |  | Grid wells measured annually or semi-annually | 1589 grid wells, of which DWR measured 48   |
| Surface Water Quality Data | 1951   | Objectives of this program are: (1) to determine the quality of the State's surface waters; (2) to detect changes in quality and alert control agencies when adverse changes occur; (3) to determine trends; (4) to record and catalogue the data in a readily available form; and (5) to disseminate the data and information gathered.         | Sec. 229 of Water Code             | Mineral (complete mineral semiannually; partial mineral remaining months) | DWR  | Monthly                                       | 24  |
|                            |        |  |                                    | Spectrographic (trace elements)   | DWR  | Semiannually                                  | 7   |
|                            |        |  |                                    | Radiological  | DWR  | Annually                                      | 23  |
|                            |        |  |                                    | Bacteriological   | DWR  | Monthly                                       | 22  |
|                            |        |  |                                    | Specific conductance (continuous recorder)                                | DWR  | Twice each month                              | 1   |
| Ground Water Quality       | 1953   | To compile representative ground water quality data to: (1) establish the quality of existing ground water bodies in the State; (2) provide for organization and ready dissemination of ground water quality data.   | Sec. 229 of Water Code             | Standard and partial mineral  | DWR and Cooperators                          | Annually                                      | 371   |
|                            |        |  |                                    | Heavy metal   | DWR  | Semiannually                                  | 159   |
|                            |        |  |                                    | Radiological  | DWR  | Quarterly                                     | 2   |

in connection with water-associated engineering activities. Knowledge of the occurrence of surface water, quantitatively with time and location, is basic to development of the water resources of the State. Continuous historic records of natural streamflow are essential to select and operate water development projects, to determine the maximum amount of water that can be anticipated on a firm basis at a storage site, and to determine the size of a reservoir required to obtain certain firm yields at that site. Long-time records of streamflow are also essential to formulate and operate flood control projects. These records can provide the basis for development of agreements on water rights without expensive litigation.

The surface water activities in the Central Coastal Area involve the operation and maintenance of stream gaging and tidal stage stations, and the collection and compilation of surface water imports and stage records.

Surface water flow data gathered by the Department and similar data collected from other agencies are included in Appendix B of this report.

#### Ground Water Measurement

The objectives of the ground water measurement activity are to provide sufficient records of ground water level data for the planning and development of the ground water resources of the State; to determine the amount of water in storage and the change in storage over time; and to determine the direction and magnitude of the movement of ground water. All studies of ground water problems and plans for solution of these problems must be founded upon records of water level measurements and upon quality analyses of water samples obtained over a period of years.

Table 2 gives an areal summary of the ground water data collected in the Central Coastal Area. Ground water level data from selected wells are included in Appendix C.



### Surface Water Quality

The surface water quality data activity provides basic information about chemical, physical, and sanitary quality characteristics of the State's surface waters. The information is used to assess the usability of these waters; to determine water treatment needs; to assess fish, wildlife, and recreational potentials; to identify conditions requiring remedial action or intensive investigation; and to support hydrologic studies.

Most of the data have been collected by scheduled sampling of an established network of stations covering major streams. Additional data are obtained as a result of special studies. Surface water quality data developed by this Department in the Central Coastal Area, except data from investigational stations in the San Francisco Bay System below Antioch, are presented in Appendix D.

### Ground Water Quality

The ground water quality data activity provides basic information about quality characteristics of the State's ground waters. The information is used to assess the usability of ground waters, to determine treatment needs, to support hydrologic studies, and to identify conditions requiring remedial action or intensive investigation.

Most of the data have been collected by scheduled sampling of an established network of wells in the larger ground water basins. Additional data are obtained as a result of special studies.

Table 2 gives an areal summary of ground water data collected in the Central Coastal Area. Records of ground water quality are presented in Appendix E.

Appendix A

CLIMATE

mod

the

Me

st

by

in

Co

f

n

t

t

c

c



## INTRODUCTION

This appendix contains station index, monthly precipitation, monthly temperatures, and monthly evaporation tables. The tables cover the period from July 1, 1964, to September 30, 1965.

### Methods and Procedures

Standard meteorological equipment is used at most of the stations. The stations are operated according to practices established by the U. S. Weather Bureau. Commonly accepted procedures are employed in summing up monthly totals and computing mean values.

### Coding

The numbering system used by the Department was developed to facilitate station identification for data processing machines. Station numbers are composed of three components - the drainage basin designation, the alpha order number, and the subnumber.

### Drainage Basin Designation

The State was divided into major hydrographic areas and each of these areas was assigned an alphabetical letter which is the first digit of the drainage basin designation. The second digit was obtained by dividing the major hydrographic areas into stream basins of primary importance and assigning a number of 0-9 with 0 generally being the valley floor.

The major hydrographic areas and the subareas which are reported in this volume are as follows:

#### Hydrographic Area D Central Coastal Area

|                               |                          |
|-------------------------------|--------------------------|
| D0 - Santa Cruz Coast         | D3 - Upper Salinas River |
| D1 - Pajaro-San Benito Rivers | D4 - Monterey Coast      |
| D2 - Lower Salinas River      |                          |

Hydrographic Area E  
San Francisco Bay Area

|                        |                         |
|------------------------|-------------------------|
| E0 - San Francisco Bay | E4 - East Bay           |
| E1 - Coast-Marín       | E5 - Alameda Creek      |
| E2 - Marin-Sonoma      | E6 - Santa Clara Valley |
| E3 - Napa-Solano       | E7 - Bayside-San Mateo  |
|                        | E8 - Coast-San Mateo    |

Hydrographic Area F  
North Coastal Area

F8 - Mendocino Coast  
F9 - Russian River

Alpha Order Number and Subnumber

The four digit alpha order numbers are assigned each station to denote its order in alphabetical sequence, mainly for machine processing. As the collection of data progressed, it was found necessary to add a subnumber of two digits to the four-digit alpha number to maintain the alphabetical order of all station names.

EXPLANATION OF TABLES

Symbols and abbreviations used in this appendix are:

B Adjusted to a full month.  
E Wholly or partially estimated.  
M All or part of record missing. When used with a value, less than ten days of records are missing.  
- Record missing.  
RB Record begins.  
RE Record ends.  
T Trace, an amount too small to measure.  
V Includes total for previous month.  
\* Amount included in following measurement, time distribution unknown.

Climatological Station Index

Table A-1 is an index of climatological stations. Tabulated are:

station number, name, elevation, location, (See page 62 for 40 acre tract and base & meridian description), cooperator number, cooperator's index number, period of record, and county. The cooperator numbers assigned are as follows:

- 000 Private Cooperator
- 403 Sonoma County Flood Control and Water Conservation District
- 407 San Benito County
- 411 Marin County
- 413 Marin Municipal Water District
- 414 Santa Clara Valley Water Conservation District
- 418 Vallejo Water Department
- 426 Santa Clara County Flood Control and Water District
- 801 Pomology Department, U. C. Davis
- 804 State Department of Beaches and Parks
- 806 State Department of Water Resources
- 808 State Division of Forestry
- 809 State Division of Highways
- 900 U. S. Weather Bureau
- 901 Corps of Engineers, San Francisco District
- 902 U. S. Air Force
- 907 State Climatologist (unpublished USWB)
- 909 U. S. Soil Conservation Service

The code for counties listed in this index is as follows:

|              |    |                 |    |
|--------------|----|-----------------|----|
| Alameda      | 60 | San Francisco   | 80 |
| Contra Costa | 07 | San Luis Obispo | 40 |
| Marin        | 21 | San Mateo       | 41 |
| Mendocino    | 23 | Santa Clara     | 43 |
| Monterey     | 27 | Santa Cruz      | 44 |
| Napa         | 28 | Solano          | 48 |
| San Benito   | 35 | Sonoma          | 49 |

Precipitation Data

Table A-2 presents total monthly and seasonal precipitation in inches for the period from July 1, 1964, through September 30, 1965.

Temperature Data

Table A-3 for the period July 1, 1964, through September 30, 1965, includes the maximum and minimum temperatures, the average of the daily maximum temperatures, the average of the daily minimum temperatures, and the average of the daily maximum and minimum temperatures recorded during the month. The temperatures are recorded in degrees Fahrenheit.

Evaporation Data

Table A-4 presents total evaporation during each month in inches, total wind movement during the month in miles, the monthly average of daily maximum water temperatures, and the monthly average of daily minimum water temperatures for the period July 1, 1964, through September 30, 1965.

TABLE A-1  
CLIMATOLOGICAL STATION INDEX  
1964-65

| STATION    |                      | ELEVATION<br>(IN FEET) | SECTION | TOWNSHIP  | RANGE | AC-ACRE TRACT<br>BASE & MERIDIAN | LATITUDE  |           | LONGITUDE |   | COOPERATOR<br>NUMBER | COOPERATOR'S<br>INDEX<br>NUMBER | RECORD<br>BEGIN | RECORD<br>ENDED | YEARS<br>MISSING | COUNTY<br>CODE |
|------------|----------------------|------------------------|---------|-----------|-------|----------------------------------|-----------|-----------|-----------|---|----------------------|---------------------------------|-----------------|-----------------|------------------|----------------|
| NUMBER     | NAME                 |                        |         |           |       |                                  | "         | "         | "         | " |                      |                                 |                 |                 |                  |                |
| E6 0053    | ALAMITOS PERC POND   | 185                    |         |           |       |                                  | 37 15 18  | 121 52 18 | 414       |   |                      | 1959                            |                 |                 | 43               |                |
| E4 0064    | ALAMO IN             | 410                    |         |           |       |                                  | 37 52     | 122 02    | 900       |   |                      | 1957                            |                 |                 | 07               |                |
| E6 0125    | ALMAOEN RESERVOIR    | 640                    | SEC 11  | T09S R01E | E     | M 37 10 00                       | 121 50 00 | 414       |           |   |                      | 1936                            |                 |                 | 43               |                |
| F9 0135    | ALPINE DAM           | 680                    |         | T01N R07W | N     | M 37 56 30                       | 122 38 18 | 413       |           |   |                      | 1925                            |                 |                 | 21               |                |
| E3 0212    | ANGWIN P U C         | 1815                   | SEC 05  | T08N R05W | M     | M 38 34 18                       | 122 26 12 | 900       |           |   |                      | 1939                            |                 |                 | 28               |                |
| D2 0322    | ARROYO SECO          | 800                    | SEC 36  | T19S R04E | M     | M 36 14 00                       | 121 29 00 | 900       |           |   |                      | 1931                            |                 |                 | 27               |                |
| D3 0360-01 | ATASCADERO MAINT STN | 940                    | SEC 26  | T28S R12E | R     | M 35 27 30                       | 120 38 24 | 809       | L145      |   |                      | 1948                            |                 |                 | 40               |                |
| E3 0372    | ATLAS ROAD           | 1735                   | SEC 25  | T07N R04W | M     | M 38 25 00                       | 122 15 00 | 900       |           |   |                      | 1940                            |                 |                 | 28               |                |
| D0 0674    | BEN LOMOND           | 304                    | SEC 09  | T10S R02W | M     | M 37 05 00                       | 122 06 00 | 900       |           |   |                      | 1937                            |                 |                 | 44               |                |
| E4 0693    | BERKELEY             | 293                    |         | T01S R03W | M     | M 37 52 00                       | 122 15 00 | 900       |           |   |                      | 1887                            |                 |                 | 60               |                |
| E6 0706    | BERRYESSA 1 E        | 205                    | SEC 23  | T06S R01E | P     | M 37 23 00                       | 121 50 00 | 000       |           |   |                      | 1921                            | 1965            |                 | 43               |                |
| D4 0790    | BIG SUR STATE PARK   | 240                    | SEC 30  | T19S R02E | M     | M 36 15 00                       | 121 47 00 | 900       |           |   |                      | 1914                            |                 |                 | 27               |                |
| E6 0850    | BLACK MTN 2 SW       | 2331                   | SEC 36  | T07S R03W | M     | M 37 18 00                       | 122 10 00 | 900       |           |   |                      | 1943                            |                 |                 | 43               |                |
| F9 0876    | BLAKES LANDING       | 40                     | SEC 13  | T04N R10W | M     | M 38 11 42                       | 122 55 00 | 000       |           |   |                      | 1956                            |                 |                 | 21               |                |
| F9 0969    | BON TEMPE DAM        | 723                    | SEC 11  | T01N R07W | M     | M 37 57 24                       | 122 36 36 | 413       |           |   |                      | 1958                            |                 |                 | 21               |                |
| F8 0973    | BOONVILLE HMS        | 340                    | SEC 02  | T13N R14W | F     | M 39 00 54                       | 123 22 18 | 900       | PN0971    |   |                      | 1936                            |                 |                 | 23               |                |
| F8 0973-02 | BOONVILLE FARRER     | 395                    |         | T13N R14W | M     | M 39 00 48                       | 123 22 12 | 901       |           |   |                      | 1951                            |                 |                 | 23               |                |
| D0 1005    | BOULDER CK LOCATELLI | 2180                   | SEC 16  | T09S R03W | M     | M 37 09 00                       | 122 12 00 | 900       |           |   |                      | 1943                            |                 |                 | 44               |                |
| D3 1034    | BRADLEY              | 540                    | SEC 08  | T24S R11E | M     | M 35 52                          | 120 08    | 900       |           |   |                      | 1946                            |                 |                 | 27               |                |
| D3 1142    | BRYSON               | 925                    | SEC 34  | T24S R08E | M     | M 35 48                          | 121 05    | 900       |           |   |                      | 1946                            |                 |                 | 27               |                |
| D1 1170    | BUENA VISTA          | 1640                   | SEC 27  | T13S R07E | R     | M 36 46 00                       | 121 11 00 | 900       |           |   |                      | 1932                            |                 |                 | 35               |                |
| E7 1206    | BURLINGAME           | 10                     |         | T04S R05W | M     | M 37 35 00                       | 122 21 00 | 900       |           |   |                      | 1946                            |                 |                 | 41               |                |
| E4 1216    | BURTON RANCH         | 530                    | SEC 09  | T01S R02W | M     | M 37 52 00                       | 122 05 00 | 900       |           |   |                      | 1955                            |                 |                 | 07               |                |
| E5 1247    | BUZZARD LAGOON       | 1275                   | SEC 26  | T10S R01E | M     | M 37 02 00                       | 121 50 00 | 000       |           |   |                      | 1959                            |                 |                 | 44               |                |
| E1 1281    | CALAVERAS RESERVOIR  | 805                    | SEC 24  | T05S R01E | M     | M 37 29 12                       | 121 49 06 | 900       |           |   |                      | 1874                            |                 |                 | 60               |                |
| E6 1285    | CALERO RESERVOIR     | 500                    | SEC 04  | T09S R02E | E     | M 37 10 48                       | 121 45 48 | 414       |           |   |                      | 1958                            |                 |                 | 43               |                |
| E3 1312    | CALISTOGA            | 365                    | SEC 36  | T09N R07W | M     | M 38 35 00                       | 122 35 00 | 900       |           |   |                      | 1873                            |                 |                 | 28               |                |
| E6 1341-10 | CAMBRIAN PARK        |                        |         |           | M     | M 37 15 12                       | 121 55 24 | 426       |           |   |                      | 1943                            |                 |                 | 43               |                |
| E6 1377-01 | CAMPBELL WATER CO    | 192                    | SEC 35  | T01S R01W | C     | M 37 17 00                       | 121 57 00 | 000       |           |   |                      | 1897                            |                 | 09              | 43               |                |
| D4 1534    | CARMEL VALLEY        | 425                    |         | T17S R02E | M     | M 36 29 00                       | 121 44 00 | 900       |           |   |                      | 1957                            |                 |                 | 27               |                |
| F9 1602    | CAZADERO             | 1040                   | SEC 13  | T08N R12W | M     | M 38 32 00                       | 123 07 00 | 900       |           |   |                      | 1939                            |                 |                 | 49               |                |
| D1 1739    | CHITTENDEN PASS      | 125                    | SEC 12  | T12S R03E | M     | M 36 54 00                       | 121 36 00 | 900       |           |   |                      | 1945                            |                 |                 | 35               |                |
| D1 1739-01 | CHITTENDEN           | 104                    | SEC 11  | T12S R03E | K     | M 36 54 08                       | 121 36 17 | 909       |           |   |                      | 1960                            |                 |                 | 44               |                |
| D3 1743    | CHOLAME HATCH RANCH  | 1975                   | SEC 12  | T26S R16E | M     | M 35 41 00                       | 120 12 00 | 900       |           |   |                      | 1925                            |                 |                 | 40               |                |
| D1 1766    | CIENEGA              | 900                    | SEC 18  | T14S R06E | B     | M 36 42 54                       | 121 20 48 | 407       |           |   |                      | 1950                            |                 |                 | 35               |                |
| F9 1838    | CLOVERDALE 3 SSE     | 320                    | SEC 29  | T11N R10W | M     | M 38 46 00                       | 122 59 00 | 900       |           |   |                      | 1950                            |                 |                 | 49               |                |
| F9 1840    | CLOVERDALE 11 W      | 1820                   | SEC 17  | T11N R12W | M     | M 38 46 00                       | 123 13 00 | 900       |           |   |                      | 1939                            |                 |                 | 49               |                |
| E3 1919    | COLLINSVILLE         | 34                     | SEC 22  | T03N R01E | F     | M 38 05 26                       | 121 51 17 | 000       |           |   |                      | 1947                            |                 |                 | 46               |                |
| E4 1962    | CONCORD 3 E          | 200                    |         | T01N R01W | M     | M 37 58 00                       | 121 59 00 | 900       |           |   |                      | 1954                            |                 |                 | 07               |                |
| D0 2048    | CORRALITOS           | 260                    |         |           |       | 36 59                            | 121 48    | 900       |           |   |                      | 1958                            |                 |                 | 43               |                |
| F9 2105    | COYOTE DAM           | 720                    | SEC 34  | T16N R12W | M     | M 39 11 00                       | 123 11 00 | 901       |           |   |                      | 1960                            |                 |                 | 23               |                |
| E6 2109    | COYOTE RESERVOIR     | 800                    | SEC 09  | T10S R04E | C     | M 37 05 06                       | 121 32 24 | 414       |           |   |                      | 1938                            |                 |                 | 43               |                |
| D0 2159    | CREST RANCH          | 2640                   |         |           | M     | M 37 05 06                       | 122 08 00 | 000       |           |   |                      | 1948                            |                 |                 | 44               |                |
| E4 2177    | CROCKETT             | 12                     | SEC 32  | T03N R03W | M     | M 38 02 00                       | 122 13 00 | 900       |           |   |                      | 1918                            |                 |                 | 07               |                |
| D0 2290    | DAVENPORT            | 273                    | SEC 32  | T10S R03W | G     | M 37 01                          | 122 12    | 900       |           |   |                      | 1910                            |                 |                 | 44               |                |
| D2 2362    | DEL MONTE            | 46                     |         | T15S R01E | M     | M 36 36 00                       | 121 52 00 | 900       |           |   |                      | 1911                            |                 |                 | 27               |                |
| E3 2399-48 | DENVERTON 1 S        | 22                     | SEC 08  | T04N R01E | F     | M 38 12 23                       | 121 53 28 | 000       |           |   |                      | 1950                            |                 |                 | 46               |                |
| E3 2580    | DUTTONS LANDING      | 20                     |         |           | M     | M 38 12 00                       | 122 18 00 | 900       |           |   |                      | 1955                            |                 |                 | 28               |                |
| E6 2919    | EVERGREEN            | 340                    | SEC 20  | T07S R02E | G     | M 37 19 00                       | 122 02 00 | 000       |           |   |                      | 1942                            |                 |                 | 43               |                |
| E3 2933    | FAIRFIELD            | 15                     | SEC 25  | T05N R02W | M     | M 38 15 00                       | 122 03 00 | 900       |           |   |                      | 1940                            |                 |                 | 48               |                |
| E3 2934    | FAIRFIELD POLICE STA | 19                     | SEC 26  | T05N R02W | M     | M 38 15 00                       | 122 03 00 | 900       |           |   |                      | 1951                            |                 |                 | 48               |                |
| F8 3161    | FORT BRAGG           | 80                     | SEC 07  | T18N R17W | M     | M 39 27 00                       | 123 48 00 | 900       |           |   |                      | 1895                            |                 |                 | 23               |                |
| F8 3164    | FORT BRAGG AVIATION  | 61                     |         |           | M     | M 39 24 00                       | 123 49 00 | 900       |           |   |                      | 1940                            |                 |                 | 23               |                |
| F8 3191    | FORT ROSS            | 116                    | SEC 30  | T08N R12W | D     | M 38 31                          | 123 15    | 900       |           |   |                      | 1874                            |                 |                 | 49               |                |
| D1 3232    | FREEDOM 8 NNW        | 1495                   | SEC 24  | T10S R01E | M     | M 37 03 00                       | 121 49 00 | 900       |           |   |                      | 1952                            |                 |                 | 44               |                |
| D1 3238    | FREMONT PEAK         | 2500                   |         |           |       | 36 45 36                         | 121 29 54 | 000       |           |   |                      | 1950                            |                 |                 | 35               |                |
| E5 3387    | GERBER RCH           | 2140                   | SEC 36  | T06S R04E | P     | M 37 22 00                       | 121 29 12 | 900       |           |   |                      | 1912                            |                 |                 | 43               |                |
| D1 3417    | GILROY               | 194                    | SEC 06  | T11S R04E | M     | M 37 00 00                       | 121 34 00 | 900       |           |   |                      | 1957                            |                 |                 | 43               |                |
| D1 3419    | GILROY RNE           | 1050                   | SEC 28  | T10S R05E | M     | M 37 02 00                       | 122 06 00 | 900       |           |   |                      | 1942                            |                 |                 | 43               |                |
| D1 3422    | GILROY 14 ENE        | 1350                   | SEC 05  | T10S R06E | M     | M 37 06 00                       | 121 20 00 | 900       |           |   |                      | 1940                            |                 |                 | 43               |                |
| D2 3502    | GONZALES 9 ENE       | 2350                   | SEC 15  | T16S R06E | M     | M 36 33 00                       | 121 18 00 | 900       |           |   |                      | 1943                            |                 |                 | 35               |                |
| F9 3577    | GRATON               | 200                    | SEC 21  | T07N R09W | M     | M 38 25 54                       | 122 51 48 | 000       |           |   |                      | 1928                            |                 |                 | 49               |                |
| F9 3578    | GRATON 1 W           | 210                    |         | T07N R09W | M     | M 38 26 00                       | 122 53 00 | 900       |           |   |                      | 1896                            |                 |                 | 49               |                |
| D2 3591    | GREENFIELD BAKER     | 280                    |         |           | M     | M 36 19 24                       | 121 14 36 | 901       |           |   |                      | 1943                            |                 |                 | 27               |                |
| E3 3612-01 | GREEN VALLEY         | 414                    | SEC 03  | T05N R03W | M     | M 38 17 00                       | 122 10 00 | 418       |           |   |                      | 1893                            |                 | 18              | 48               |                |
| E6 3681    | GUADALUPE RESERVOIR  | 450                    | SEC 29  | T08S R01E | O     | M 37 12 00                       | 121 53 00 | 414       |           |   |                      | 1936                            |                 |                 | 43               |                |
| F9 3683    | GUERNEVILLE          | 115                    | SEC 25  | T08N R10W | M     | M 38 30 00                       | 123 00 00 | 900       |           |   |                      | 1939                            |                 |                 | 49               |                |
| E8 3714    | HALF MOON BAY 2 NNW  | 60                     | SEC 19  | T05S R05W | M     | M 37 29 00                       | 122 27 00 | 900       |           |   |                      | 1939                            |                 |                 | 41               |                |
| D3 3722    | HAMES VALLEY         | 725                    | SEC 32  | T23S R10E | M     |                                  |           |           |           |   |                      | 1963                            |                 |                 | 27               |                |
| E4 3863    | MAYNARD 6 ESE        | 925                    | SEC 28  | T03S R01W | M     | M 37 39 00                       | 121 58 00 | 900       |           |   |                      | 1940                            |                 |                 | 60               |                |

TABLE A-1  
CLIMATOLOGICAL STATION INDEX  
1964-65

| STATION    |                      | ELEVATION<br>(IN FEET) | SECTION | T-WNSHIP  | RANGE     | 10-ACRE TRACT<br>BASE & MERIDIAN | LATITUDE  |     |   | LONGITUDE |   |   | COOPERATION<br>NUMBER | COOPERATOR'S<br>INDEX<br>NUMBER | RECORD<br>BEGIN | RECORD<br>ENDED | YEARS MISSING | COUNTY CODE |  |
|------------|----------------------|------------------------|---------|-----------|-----------|----------------------------------|-----------|-----|---|-----------|---|---|-----------------------|---------------------------------|-----------------|-----------------|---------------|-------------|--|
| NUMBER     | NAME                 |                        |         |           |           |                                  | °         | '   | " | °         | ' | " |                       |                                 |                 |                 |               |             |  |
| F9 3875    | HEALDSBURG           | 101                    | SEC 19  | T09N R09W | M         | 38 37                            | 122 50    | 900 |   |           |   |   | 1877                  |                                 |                 |                 | 49            |             |  |
| F9 3878    | HEALDSBURG 2 E       | 102                    |         | T09N R09W | M         | 38 37                            | 122 50    | 900 |   |           |   |   | 1943                  |                                 |                 |                 | 49            |             |  |
| D1 3925    | HERNANDEZ 2 NW       | 2160                   | SEC 29  | T17S R10E | M         | 36 25 00                         | 120 55 00 | 900 |   |           |   |   | 1940                  |                                 |                 |                 | 35            |             |  |
| D1 3928    | HERNANDEZ 7 SE       | 2765                   | SEC 06  | T19S R12E | M         | 36 18 00                         | 120 42 00 | 900 |   |           |   |   | 1940                  |                                 |                 |                 | 35            |             |  |
| D1 4022    | HOLLISTER            | 285                    |         | T12S R05E | M         | 36 51 00                         | 121 24 00 | 900 |   |           |   |   | 1874                  |                                 |                 |                 | 35            |             |  |
| D1 4022-10 | HOLLISTER COSTA      | 170                    | SEC 32  | T11S R05E | M         | 36 55 15                         | 121 26 46 | 806 |   |           |   |   | 1962                  |                                 |                 |                 | 35            |             |  |
| D1 4025    | HOLLISTER 2          | 284                    |         | T12S R05E | M         | 36 51 00                         | 121 24 00 | 900 |   |           |   |   | 1938                  |                                 |                 |                 | 35            |             |  |
| D1 4035    | HOLLISTER 10 ENE     | 3000                   | SEC 05  | T12S R07E | M         | 36 55 00                         | 121 14 00 | 900 |   |           |   |   | 1954                  |                                 |                 |                 | 35            |             |  |
| F9 4100    | HOPLAND LARGO STA    | 550                    |         | T19N R12W | M         | 39 01 00                         | 123 07 00 | 900 |   |           |   |   | 1948                  |                                 |                 |                 | 23            |             |  |
| F9 4277    | INVERNESS MERY       | 150                    |         | T38 05 24 | 122 51 06 | 000                              |           |     |   |           |   |   | 1951                  |                                 |                 |                 | 21            |             |  |
| F9 4480    | KELLOGG              | 1800                   | SEC 09  | T09N R07W | M         | 38 40 00                         | 122 40 00 | 900 |   |           |   |   | 1936                  |                                 |                 |                 | 49            |             |  |
| E2 4500    | KENTFIELD            | 50                     |         | T02N R08W | M         | 37 57 00                         | 122 33 00 | 900 |   |           |   |   | 1888                  |                                 |                 |                 | 21            |             |  |
| F9 4502    | KENT LAKE            | 360                    |         | T02N R08W | M         | 37 59 54                         | 122 42 30 | 413 |   |           |   |   | 1954                  |                                 |                 |                 | 21            |             |  |
| D2 4555    | KING CITY            | 320                    | SEC 18  | T20S R08E | M         | 38 21 00                         | 121 08 00 | 900 |   |           |   |   | 1887                  |                                 |                 |                 | 27            |             |  |
| F9 4593    | KNIGHTS VALLEY       | 480                    | SEC 18  | T09N R07W | M         | 38 37 00                         | 122 40 00 | 900 |   |           |   |   | 1964                  |                                 |                 |                 | 49            |             |  |
| E4 4633    | LAFAYETTE 2 NNE      | 540                    |         | T03N R07W | M         | 37 55 00                         | 122 06 00 | 900 |   |           |   |   | 1956                  |                                 |                 |                 | 07            |             |  |
| F9 4652    | LAGUNITAS LAKE       | 785                    |         | T01N R07W | M         | 37 56 48                         | 122 35 42 | 413 |   |           |   |   | 1881                  |                                 |                 |                 | 21            |             |  |
| E8 4660    | LA HONDA             | 670                    | SEC 14  | T07S R04W | M         | 37 19 00                         | 122 16 00 | 900 |   |           |   |   | 1950                  |                                 |                 |                 | 41            |             |  |
| E3 4677    | LAKE CURRY           | 396                    | SEC 19  | T06N R02W | M         | 38 21 18                         | 122 07 18 | 418 |   |           |   |   | 1926                  |                                 |                 |                 | 09            | 28          |  |
| D3 4767    | LA PANZA RANCH       | 1550                   | SEC 20  | T29S R17E | M         | 35 23 08                         | 120 10 00 | 900 |   |           |   |   | 1946                  |                                 |                 |                 | 40            |             |  |
| E6 4914    | LERoy ANDERSON DAM   | 700                    | SEC 10  | T09S R03E | K M       | 37 09 48                         | 121 37 48 | 414 |   |           |   |   | 1950                  |                                 |                 |                 | 43            |             |  |
| E6 4922    | LEXINGTON RESERVOIR  | 700                    | SEC 05  | T09S R01W | J M       | 37 10 36                         | 121 59 18 | 414 |   |           |   |   | 1951                  |                                 |                 |                 | 43            |             |  |
| D3 4963    | LINN RANCH           | 870                    | SEC 07  | T26S R12E | F M       | 35 41 06                         | 120 43 24 | 000 |   |           |   |   | 1925                  |                                 |                 |                 | 40            |             |  |
| E5 4996    | LIVERMORE SEWAGE PLT | 405                    | SEC 12  | T03S R01E | A M       | 37 41 28                         | 121 48 20 | 000 |   |           |   |   | 1961                  |                                 |                 |                 | 60            |             |  |
| E5 4997    | LIVERMORE 2 SSW      | 545                    | SEC 20  | T03S R02E | M         | 37 39 00                         | 121 47 00 | 900 |   |           |   |   | 1871                  |                                 |                 |                 | 60            |             |  |
| D3 5017    | LOCKWOOD 2 N         | 1104                   | SEC 34  | T22S R08E | M         | 35 58 00                         | 121 05 00 | 900 |   |           |   |   | 1940                  |                                 |                 |                 | 27            |             |  |
| E6 5123    | LOS GATOS            | 428                    |         | T08S R01W | M         | 37 13 00                         | 121 59 00 | 900 |   |           |   |   | 1885                  |                                 |                 |                 | 43            |             |  |
| E6 5123-04 | LOS GATOS WRIGHT     | 1610                   | SEC 26  | T09S R01W | H M       | 37 07 24                         | 121 56 00 | 000 |   |           |   |   | 1947                  |                                 |                 |                 | 43            |             |  |
| D0 5125    | LOS GATOS 4 SW       | 2215                   | SEC 01  | T09S R02W | M         | 37 11 12                         | 122 02 00 | 900 |   |           |   |   | 1957                  |                                 |                 |                 | 43            |             |  |
| D4 5184    | LUCIA WILLOW SPRINGS | 360                    | SEC 05  | T24S R05E | M         | 35 53 00                         | 121 27 00 | 900 |   |           |   |   | 1941                  |                                 |                 |                 | 27            |             |  |
| E3 5333    | MARE ISLAND NAVY     | 52                     |         | T03N R03W | M         | 38 06 12                         | 122 16 12 | 900 |   |           |   |   | 1867                  |                                 |                 |                 | 48            |             |  |
| E4 5371    | MARTINEZ 3 S         | 225                    |         | T02N R02W | M         | 37 58 00                         | 122 08 00 | 900 |   |           |   |   | 1941                  |                                 |                 |                 | 07            |             |  |
| E4 5372    | MARTINEZ 3 SSE       | 280                    |         | T02N R02W | M         | 37 58 12                         | 122 06 00 | 900 |   |           |   |   | 1956                  |                                 |                 |                 | 07            |             |  |
| E4 5377    | MARTINEZ FIRE STN    | 26                     |         | T02N R02W | M         | 38 01 00                         | 122 08 00 | 900 |   |           |   |   | 1891                  |                                 |                 |                 | 07            |             |  |
| E2 5647    | MILL VALLEY          | 10                     | SEC 31  | T01N R06W | M         | 37 53 48                         | 122 31 36 | 411 |   |           |   |   | 1944                  |                                 |                 |                 | 21            |             |  |
| D4 5795    | MONTEREY             | 335                    |         | T15S R01E | M         | 36 36 00                         | 121 54 00 | 900 |   |           |   |   | 1876                  |                                 |                 |                 | 27            |             |  |
| E6 5844    | MORGAN HILL 2 E      | 225                    |         | T09S R03E | M         | 37 08 00                         | 121 37 00 | 900 |   |           |   |   | 1943                  |                                 |                 |                 | 43            |             |  |
| E6 5846    | MORGAN HILL 6 WNW    | 660                    |         | T09S R03E | M         | 37 09 12                         | 121 46 00 | 900 |   |           |   |   | 1945                  |                                 |                 |                 | 43            |             |  |
| D1 5853    | MORGAN HILL SCS      | 350                    | SEC 28  | T09S R03E | M         | 37 08 00                         | 121 39 00 | 900 |   |           |   |   | 1945                  |                                 |                 |                 | 43            |             |  |
| E4 5915    | MOUNT DIABLO N GATE  | 2100                   | SEC 12  | T01S R01W | M         | 37 52 00                         | 121 56 00 | 900 |   |           |   |   | 1952                  |                                 |                 |                 | 07            |             |  |
| E5 5933    | MOUNT HAMILTON       | 4206                   |         | T07S R03E | M         | 37 20 00                         | 121 39 00 | 900 |   |           |   |   | 1881                  |                                 |                 |                 | 43            |             |  |
| D1 5973    | MOUNT MADONNA        | 1800                   | SEC 35  | T10S R02E | M         | 37 01 00                         | 121 43 00 | 900 |   |           |   |   | 1945                  |                                 |                 |                 | 44            |             |  |
| D1 5973-11 | MT MADONNA CO PK     | 1880                   | SEC 01  | T11S R02E | B M       | 37 00 42                         | 121 42 12 | 909 |   |           |   |   | 1937                  |                                 |                 |                 | 43            |             |  |
| E2 5996    | MT TAMALPAIS 2 SW    | 1480                   |         | T07S R03E | M         | 37 54 12                         | 122 36 00 | 900 |   |           |   |   | 1959                  |                                 |                 |                 | 21            |             |  |
| E2 6027    | MUIR WOODS           | 170                    |         | T07S R03E | M         | 37 54 00                         | 122 34 00 | 900 |   |           |   |   | 1940                  |                                 |                 |                 | 21            |             |  |
| D3 6056    | NACIMIENTO DAM       | 770                    | SEC 15  | T25S R10E | M         | 35 46 00                         | 120 53 00 | 900 |   |           |   |   | 1957                  |                                 |                 |                 | 40            |             |  |
| E3 6065    | NAPA                 | 16                     | SEC 03  | T05N R04W | M         | 38 18 00                         | 122 17 00 | 900 |   |           |   |   | 1945                  |                                 |                 |                 | 28            |             |  |
| E3 6074    | NAPA STATE HOSPITAL  | 60                     | SEC 14  | T05N R04W | H M       | 38 17 00                         | 122 16 00 | 900 |   |           |   |   | 1877                  |                                 |                 |                 | 28            |             |  |
| F9 6105    | NAVARRO 1 NW         | 220                    |         | T05S R02W | O M       | 37 31 18                         | 122 01 43 | 900 |   |           |   |   | 1958                  |                                 |                 |                 | 23            |             |  |
| E5 6144    | NEWARK               | 14                     | SEC 01  | T05S R02W | O M       | 37 31 18                         | 122 01 43 | 900 |   |           |   |   | 1891                  |                                 |                 |                 | 60            |             |  |
| F9 6187    | NICASIO              | 75                     |         | T04S R01N | M         |                                  |           | 413 |   |           |   |   |                       |                                 |                 |                 |               | 21          |  |
| E5 6199-10 | MILLS PINNA          | 350                    | SEC 24  | T04N R08W | M         | 38 08 00                         | 122 43 00 | 900 |   |           |   |   | 1943                  |                                 |                 |                 | 21            |             |  |
| E2 6290    | NOVATO 8 WNW         | 18                     |         | T02S R03W | M         | 38 06 30                         | 122 33 42 | 411 |   |           |   |   | 1957                  |                                 |                 |                 | 21            |             |  |
| E4 6332-02 | NOVATO FIRE HOUSE    | 18                     |         | T02S R03W | M         | 38 06 30                         | 122 33 42 | 411 |   |           |   |   | 1960                  |                                 |                 |                 | 60            |             |  |
| E4 6332-01 | OAKLAND 39TH ST      | 40                     | SEC 35  | T01S R04W | M         | 37 48 00                         | 122 16 00 | 900 |   |           |   |   | 1949                  |                                 |                 |                 | 40            |             |  |
| E4 6333    | OAKLAND CITY HALL    | 40                     | SEC 35  | T01S R04W | M         | 37 48 00                         | 122 16 00 | 900 |   |           |   |   | 1939                  |                                 |                 |                 | 60            |             |  |
| E4 6335    | OAKLAND WR AP        | 3                      |         | T02N R05W | M         | 38 27 00                         | 122 25 00 | 900 |   |           |   |   | 1906                  |                                 |                 |                 | 28            |             |  |
| E3 6351    | OAKVILLE 1 NW        | 160                    | SEC 21  | T07N R05W | M         | 38 24 00                         | 122 28 00 | 900 |   |           |   |   | 1963                  |                                 |                 |                 | 28            |             |  |
| E3 6356    | OAKVILLE 4SW MO. 2   | 1685                   | SEC 01  | T06N R06W | M         | 38 24 00                         | 122 28 00 | 900 |   |           |   |   | 1940                  |                                 |                 |                 | 49            |             |  |
| F9 6370    | OCCIDENTAL           | 1000                   | SEC 33  | T07N R10W | M         | 38 25 00                         | 122 59 00 | 900 |   |           |   |   | 1940                  |                                 |                 |                 | 49            |             |  |
| D1 6610    | PAICINES OMRWALL RCH | 950                    | SEC 12  | T14S R05E | M         | 36 44 00                         | 121 22 00 | 900 |   |           |   |   | 1924                  |                                 |                 |                 | 35            |             |  |
| E6 6646    | PALO ALTO CITY HALL  | 23                     | SEC 01  | T06S R03W | M         | 37 27 00                         | 122 08 00 | 900 |   |           |   |   | 1953                  |                                 |                 |                 | 43            |             |  |
| D2 6650    | PALOMA               | 1835                   | SEC 23  | T18S R04E | M         | 36 21 00                         | 121 30 00 | 900 |   |           |   |   | 1940                  |                                 |                 |                 | 27            |             |  |
| D3 6703    | PARKFIELD            | 1442                   | SEC 35  | T23S R14E | M         | 35 53 00                         | 120 26 00 | 900 |   |           |   |   | 1938                  |                                 |                 |                 | 27            |             |  |
| D3 6706    | PARKFIELD 7 NW       | 3590                   | SEC 21  | T22S R14E | M         | 36 59 46                         | 120 28 26 | 900 |   |           |   |   | 1946                  |                                 |                 |                 | 10            |             |  |
| D3 6730    | PASO ROBLES          | 700                    | SEC 33  | T26S R12E | M         | 35 38 00                         | 120 41 00 | 900 |   |           |   |   | 1887                  |                                 |                 |                 | 40            |             |  |
| D3 6736    | PASO ROBLES 5 NW     | 995                    | SEC 13  | T26S R11E | M         | 35 41 00                         | 120 45 00 | 900 |   |           |   |   | 1940                  |                                 |                 |                 | 40            |             |  |
| D3 6742    | PASO ROBLES FAA AP   | 803                    | SEC 13  | T26S R12E | M         | 35 40 00                         | 120 38 00 | 900 |   |           |   |   | 1944                  |                                 |                 |                 | 40            |             |  |
| E6 6791-43 | PENITENCIA RAIN GAGE | 17                     |         | T05S R01E | M         | 37 24 00                         | 120 49 54 | 426 |   |           |   |   | 1871                  |                                 |                 |                 | 43            |             |  |
| E2 6826    | PETALUMA FS NO 2     | 16                     | SEC 33  | T05N R07W | M         | 38 14 00                         | 122 38 00 | 900 |   |           |   |   | 1871                  |                                 |                 |                 | 49            |             |  |





**TABLE A-1**  
**CLIMATOLOGICAL STATION INDEX**  
**1964-65**

| STATION    |                       | ELEVATION<br>(IN FEET) | SECTION | TOWNSHIP  | RANGE | 10-ACRE TRACT<br>BASE & MERIDIAN | LATITUDE  |     |        | LONGITUDE |   |   | COOPERATOR<br>NUMBER | COOPERATOR'S<br>INDEX<br>NUMBER | RECORD<br>BEGIN | RECORD<br>ENDED | YEARS MISSING | COUNTY CODE |
|------------|-----------------------|------------------------|---------|-----------|-------|----------------------------------|-----------|-----|--------|-----------|---|---|----------------------|---------------------------------|-----------------|-----------------|---------------|-------------|
| NUMBER     | NAME                  |                        |         |           |       |                                  | °         | '   | "      | °         | ' | " |                      |                                 |                 |                 |               |             |
| E2 8920-21 | TIBURON TOPHAM        | 400                    |         | T01S R05W | M     | 37 52 24                         | 122 27 12 | 000 |        |           |   |   | 1960                 |                                 |                 |                 |               | 21          |
| B9 9001    | TRACY PUMPING PLANT   |                        | SEC 31  | T01S R04E | M     | 37 48 00                         | 121 35 00 |     |        |           |   |   |                      |                                 |                 |                 |               |             |
| F9 9122    | UKIAH                 | 623                    | SEC 17  | T15N R12W | M     | 39 09 00                         | 123 12 00 | 900 |        |           |   |   |                      | 1877                            |                 |                 |               | 23          |
| F9 9124    | UKIAH 4 WSW           | 1900                   |         |           |       | 39 08                            | 123 17    | 900 |        |           |   |   |                      | 1951                            |                 |                 |               | 23          |
| E4 9185    | UPPER SAN LEANDRO FIL | 390                    | SEC 11  | T02S R03W | G     | 37 46 00                         | 122 10 00 | 900 |        |           |   |   |                      | 1944                            |                 |                 |               | 07          |
| D1 9189    | UPPER TRES PINOS      | 2050                   | SEC 07  | T15S R09E | M     | 36 38                            | 121 02    | 900 |        |           |   |   |                      | 1940                            |                 |                 |               | 35          |
| D3 9221    | VALLETON              | 950                    | SEC 32  | T23S R12E | M     | 35 53 00                         | 120 42 00 | 900 |        |           |   |   |                      | 1940                            |                 |                 |               | 27          |
| E6 9270    | VASONA RESERVOIR      | 300                    |         |           |       | 37 14 36                         | 121 58 00 | 426 |        |           |   |   |                      |                                 |                 |                 |               | 43          |
| F9 9273    | VENADO                | 1260                   | SEC 19  | T09N R10W | M     | 38 37 00                         | 123 01 00 | 900 |        |           |   |   |                      | 1939                            |                 |                 |               | 49          |
| E3 9305    | VETERANS HOME         | 170                    | SEC 01  | T06N R05W | M     | 38 23                            | 122 22    | 000 |        |           |   |   |                      | 1912                            |                 |                 |               | 28          |
| E4 9420    | WALMAR SCHOOL         | 128                    |         |           |       | 37 57 00                         | 122 05 00 | 900 |        |           |   |   |                      | 1954                            |                 |                 |               | 07          |
| E4 9423    | WALNUT CREEK 2 ESE    | 245                    | SEC 36  | T01N R02W | M     | 37 53 00                         | 122 02 00 | 900 |        |           |   |   |                      | 1887                            |                 |                 |               | 07          |
| E4 9426    | WALNUT CREEK 2 ENE    | 220                    | SEC 30  | T01N R02W | M     | 37 54 00                         | 122 01 00 | 900 |        |           |   |   |                      | 1944                            |                 |                 |               | 07          |
| E4 9427    | WALNUT CREEK 4 E      | 400                    |         |           |       | 37 54 00                         | 121 59 00 | 900 |        |           |   |   |                      | 1954                            |                 |                 |               | 07          |
| D1 9473    | WATSONVILLE WATERWKS  | 95                     |         |           |       | 36 56 00                         | 121 46 00 | 900 |        |           |   |   |                      | 1880                            |                 |                 |               | 44          |
| D0 9675    | WILDER RANCH          | 50                     |         |           |       | 36 57 36                         | 122 05 24 |     |        |           |   |   |                      | 1924                            |                 |                 |               | 44          |
| E3 9675-41 | WILD HORSE VALLEY     | 1240                   | SEC 10  | T05N R03W | D     | 38 17 53                         | 122 11 13 | 418 |        |           |   |   |                      |                                 |                 |                 |               | 48          |
| F9 9770    | WOODACRE              | 430                    |         |           |       | 38 00 24                         | 122 38 30 | 808 | 049770 |           |   |   |                      | 1950                            |                 |                 |               | 21          |
| E6 9814    | WRIGHTS               | 1600                   | SEC 23  | T09S R01W | M     | 37 08 00                         | 121 57 00 | 900 |        |           |   |   |                      | 1918                            |                 |                 |               | 43          |
| F8 9851    | YORKVILLE             | 1100                   | SEC 02  | T12N R13W | M     | 38 55 00                         | 123 16 00 | 900 |        |           |   |   |                      | 1939                            |                 |                 |               | 23          |
| E3 9861    | YOUNTVILLE GAMBLE     | 120                    | SEC 24  | T07N R05W | P     | 38 26 05                         | 122 22 05 | 806 |        |           |   |   |                      | 1962                            |                 |                 |               | 28          |

TABLE A-2  
PRECIPITATION DATA



TABLE A-2  
PRECIPITATION DATA

| STATION NAME                                  | Precipitation in Inches |      |       |      |      |       |        |       |      |       |       |      | TOTAL<br>Oct. 1<br>to<br>Sept. 30 |      |      |       |       |
|---|-------------------------|------|-------|------|------|-------|--------|-------|------|-------|-------|------|-----------------------------------|------|------|-------|-------|
|   | 1964                    |      |       |      |      |       | 1965   |       |      |       |       |      |                                   |      |      |       |       |
|   | JULY                    | AUG. | SEPT. | OCT. | NOV. | DEC.  | JAN.   | FEB.  | MAR. | APR.  | MAY   | JUNE |                                   | JULY | AUG. | SEPT. |       |
| HYDROGRAPHIC AREA D<br>(Central Coastal Area) |                         |      |       |      |      |       |        |       |      |       |       |      |                                   |      |      |       |       |
| <u>SANTA CRUZ COAST (OO)</u>                  |                         |      |       |      |      |       |        |       |      |       |       |      |                                   |      |      |       |       |
| Ben Lomond                                    | 60.80                   | 0.00 | 0.15  | 0.00 | 4.44 | 8.53  | 22.81  | 11.16 | 2.34 | 4.26  | 7.11  | 0.00 | 0.00                              | 0.00 | 0.04 | 0.00  | 60.69 |
| Boulder Creek Locatelli Rch                   | 73.44                   | 0.00 | 0.09  | 0.00 | 2.80 | 11.93 | 26.57  | 14.08 | 2.96 | 4.88  | 10.13 | 0.00 | 0.00                              | 0.00 | 0.20 | 0.00  | 73.64 |
| Corralitos                                    | 26.54                   | 0.00 | 0.12  | 0.00 | 1.31 | 4.07  | 10.82  | 3.33  | 1.37 | 2.72  | 2.80  | 0.00 | 0.00                              | 0.00 | 0.00 | 0.00  | -     |
| Crest Ranch                                   | 78.23                   | 0.00 | 0.11  | 0.00 | 3.33 | 11.90 | 28.40  | 13.92 | 2.90 | 7.55  | 9.90  | 0.10 | 0.00                              | 0.00 | 0.00 | 0.00  | 78.12 |
| Davenport                                     | 28.31                   | 0.02 | 0.09  | 0.04 | 1.97 | 4.90  | 9.77   | 3.51  | 1.75 | 2.83  | 3.31  | 0.00 | 0.12                              | 0.00 | 0.05 | 0.00  | 28.21 |
| Santa Cruz                                    | 30.90                   | 0.00 | 0.17  | 0.20 | 1.67 | 3.81  | 13.06  | 3.78  | 1.71 | 2.98  | 3.43  | 0.02 | 0.07                              | 0.00 | 0.11 | 0.00  | 30.64 |
| San Gabriel State Park                        | 18.75                   | 0.00 | 0.10  | 0.00 | 1.08 | 2.82  | 7.66   | 1.70  | 1.04 | 2.22  | 2.13  | 0.00 | 0.00                              | 0.00 | 0.20 | 0.00  | 18.85 |
| Wilder Ranch                                  | 21.54                   | 0.00 | 0.10  | 0.00 | 0.66 | 3.22  | 8.31   | 3.19  | 1.76 | 2.63  | 1.67  | 0.00 | 0.00                              | 0.00 | 0.10 | 0.00  | 21.54 |
| <u>PAJARO-SAN BENITO RIVERS (DL)</u>          |                         |      |       |      |      |       |        |       |      |       |       |      |                                   |      |      |       |       |
| Buena Vista                                   | 13.18                   | 0.00 | 0.24  | 0.00 | 1.16 | 2.21  | 4.04   | 1.66  | 0.76 | 1.59  | 1.46  | 0.00 | 0.00                              | 0.00 | 0.00 | 0.00  | 13.12 |
| El Estero                                     | 41.10                   | 0.00 | 0.25  | 0.00 | 1.76 | 5.38  | 20.25  | 6.14  | 2.35 | 4.68  | 4.29  | 0.00 | 0.00                              | 0.00 | 0.27 | 0.00  | 45.12 |
| El Estero                                     | 20.88                   | 0.00 | 0.16  | 0.00 | 1.23 | 2.94  | 9.38   | 1.60  | 0.93 | 2.33  | 2.31  | 0.00 | 0.00                              | 0.00 | 0.65 | 0.02  | 21.39 |
| Chittenden Pass                               | 22.39                   | 0.00 | 0.05  | 0.13 | 1.15 | 2.99  | 9.72   | 2.51  | 0.88 | 2.30  | 2.66  | 0.00 | 0.00                              | 0.00 | 0.66 | 0.03  | 22.90 |
| Cienega                                       | 21.11                   | 0.00 | 0.00  | 0.32 | 1.98 | 3.71  | 7.25   | 2.57  | 0.34 | 2.12  | 2.82  | 0.00 | 0.00                              | 0.00 | 0.46 | 0.00  | 21.55 |
| Freedom 8 NW                                  | -                       | 0.00 | 0.14  | 0.00 | 1.73 | 5.44  | 17.20  | 6.82  | -    | 3.40  | -     | 0.00 | 0.00                              | 0.00 | 0.00 | 0.00  | -     |
| Gilroy  | 21.71                   | 0.00 | 0.05  | 0.09 | 1.19 | 3.01  | 8.40   | 3.55  | 0.76 | 2.03  | 2.63  | 0.00 | 0.00                              | 0.00 | 0.58 | 0.00  | 22.15 |
| Gilroy 14 ENE                                 | 20.80                   | 0.00 | 0.26  | 0.19 | 1.64 | 2.95  | 6.74   | 4.01  | 0.78 | 1.84E | 2.65E | 0.00 | 0.00                              | 0.00 | 0.27 | 0.00  | 20.88 |
| Hernandez 2 NW                                | 16.20                   | T    | 0.00  | 0.00 | 1.90 | 2.75  | 3.84   | 1.85  | 0.44 | 2.41  | 2.75  | 0.00 | 0.00                              | 0.00 | 0.06 | 0.00  | 16.22 |
| Hernandez 7 SE                                | 19.68                   | 0.00 | 0.13  | 0.00 | 1.65 | 3.34  | 4.22   | 3.48  | 0.80 | 3.08  | 2.98  | 0.00 | 0.00                              | 0.17 | 0.00 | 0.05  | 19.77 |
| Hollister                                     | 14.39                   | 0.00 | 0.17  | 0.00 | 1.30 | 1.65  | 5.73   | 1.50  | 0.49 | 2.30  | 1.25  | 0.00 | 0.00                              | T    | 0.31 | 0.02  | 14.55 |
| Hollister Costa                               | 15.68                   | 0.00 | 0.15  | 0.00 | 1.28 | 1.94  | 5.67   | 1.47  | 0.49 | 1.75  | 1.72  | T    | 0.01                              | 0.00 | 0.15 | 0.01  | 15.69 |
| Hollister No. 2                               | 13.89                   | 0.00 | 0.21  | 0.00 | 1.19 | 1.65  | 5.87   | 1.47  | 0.44 | 1.94  | 1.12  | 0.00 | 0.00                              | 0.00 | 0.31 | 0.02  | 14.01 |
| Hollister 10 ENE                              | -                       | 0.00 | 0.22  | 0.00 | 1.47 | 4.16  | 9.53   | 2.69  | 0.81 | 2.97  | -     | 0.09 | 0.06                              | 0.02 | 0.30 | 0.07  | -     |
| Morgan Hill SCS                               | 22.10                   | 0.00 | 0.20  | 0.00 | 1.10 | 2.70  | 7.40   | 4.80  | 0.80 | 1.90  | 3.20  | 0.00 | 0.00                              | 0.00 | 0.40 | 0.00  | 22.30 |
| Morgan Hill 2 E                               | 20.57                   | 0.00 | 0.14  | 0.01 | 1.12 | 2.57  | 6.28   | 4.45  | 0.67 | 1.78  | 3.51  | 0.00 | 0.00                              | T    | 0.50 | 0.00  | 20.82 |
| Mount Madonna                                 | 40.45                   | 0.00 | 0.21  | 0.00 | 1.52 | 5.10  | 18.58E | 6.13  | 1.50 | 3.52  | 4.48  | 0.00 | 0.00                              | 0.00 | 0.40 | 0.00  | 40.64 |
| Mount Madonna County Park                     | 40.99                   | 0.06 | 0.23  | 0.21 | 1.93 | 5.85  | 18.53  | 6.83  | 1.50 | 3.52  | 4.48  | 0.16 | 0.35                              | 0.01 | 0.33 | 0.07  | 40.90 |
| Paicines Orwall Ranch                         | 16.46                   | 0.00 | 0.00  | 0.00 | 1.24 | 3.44  | 8.41   | 2.19  | 0.60 | 1.94  | 2.10  | 0.00 | 0.00                              | 0.05 | 0.50 | 0.00  | 16.77 |
| Queen Sabe - Hay Camp                         | 21.40                   | T    | 0.00  | 0.29 | 1.24 | 3.44  | 8.41   | 2.19  | 0.60 | 2.47  | 2.59  | 0.17 | 0.00                              | 0.05 | 0.18 | T     | 21.34 |
| Rancho Quisen Sabe                            | 21.31                   | 0.00 | 0.27  | 0.00 | 1.42 | 3.12  | 8.73   | 2.31  | 0.54 | 2.57  | 2.20  | 0.15 | 0.00                              | 0.00 | 0.19 | 0.00  | 21.23 |
| San Benito                                    | 13.28                   | 0.00 | 0.24E | 0.00 | 1.95 | 2.09  | 3.36   | 1.35  | 0.30 | 2.07  | 1.76  | 0.16 | 0.00                              | 0.00 | 0.03 | 0.06  | 13.13 |
| San Felipe Highway Station                    | 18.10                   | 0.00 | 0.17  | 0.00 | 1.74 | 2.44  | 7.23E  | 2.40  | 0.68 | 1.73  | 1.71  | 0.00 | 0.00                              | 0.00 | 0.00 | 0.05  | -     |
| San Juan Bautista 3 SSE                       | 18.90                   | 0.00 | 0.18  | 0.00 | 1.16 | 2.93  | 7.25   | 2.49  | 0.65 | 2.29  | 1.91  | 0.00 | 0.04                              | 0.00 | 0.10 | 0.00  | 18.82 |
| San Juan Bautista Mission                     | 16.91                   | 0.00 | 0.00  | 0.19 | 1.21 | 2.37  | 6.65   | 2.44  | 0.93 | 1.48  | 1.63  | 0.00 | 0.01                              | 0.02 | 0.32 | 0.00  | 17.06 |

TABLE A-2  
PRECIPITATION DATA

| STATION NAME                                  | Precipitation in Inches |      |       |      |       |       |      |      |      |      |      |      | TOTAL<br>Oct. 1<br>To<br>Sept. 30 |      |      |       |
|---|-------------------------|------|-------|------|-------|-------|------|------|------|------|------|------|-----------------------------------|------|------|-------|
|   | 1964                    |      |       |      |       |       | 1965 |      |      |      |      |      |                                   |      |      |       |
|   | JULY                    | AUG. | SEPT. | OCT. | NOV.  | DEC.  | JAN. | FEB. | MAR. | APR. | MAY  | JUNE |                                   | JULY | AUG. | SEPT. |
| HYDROGRAPHIC AREA D<br>(Central Coastal Area) |                         |      |       |      |       |       |      |      |      |      |      |      |                                   |      |      |       |
| PAJARO-SAN BENTO RIVERS (01)                  |                         |      |       |      |       |       |      |      |      |      |      |      |                                   |      |      |       |
| Speckels Hill-Laguna Seca                     |                         |      |       |      |       |       |      |      |      |      |      |      |                                   |      |      |       |
| Upper Tree Pines                              |                         |      |       |      |       |       |      |      |      |      |      |      |                                   |      |      |       |
| Watsonville Water Works                       | 23.13                   | 0.00 | 0.09  | 1.10 | 3.39  | 10.49 | 1.97 | 1.08 | 2.38 | 2.63 | 0.02 | 0.01 | 0.00                              | 0.28 | 0.00 | 23.25 |
| LOMER SALINAS RIVER (02)                      |                         |      |       |      |       |       |      |      |      |      |      |      |                                   |      |      |       |
| Atroyo Seco                                   | 19.85                   | 0.00 | 0.15  | 1.63 | 2.72  | 5.44  | 3.21 | 1.07 | 2.67 | 2.96 | 0.00 | 0.00 | 0.00                              | 0.07 | 0.00 | 19.77 |
| Del Monte                                     | -                       | 0.04 | 0.26  | 0.63 | 2.21E | 2.96  | 0.95 | 0.74 | -    | 1.78 | 0.05 | 0.02 | 0.00                              | 0.26 | 0.00 | -     |
| Fremont Peak State Park                       | 26.61                   | 0.00 | 0.23  | 1.72 | 3.83  | 10.17 | 3.41 | 0.50 | 3.12 | 2.93 | 0.00 | 0.70 | 0.00                              | 0.31 | 0.08 | 26.77 |
| Gonzales 9 DNE                                | 17.48                   | 0.00 | 0.31  | 1.26 | 2.51  | 6.60  | 1.74 | 0.42 | 2.08 | 2.49 | 0.07 | 0.00 | 0.03                              | 0.17 | 0.05 | 17.42 |
| Greenfield Baker                              | 9.16                    | 0.00 | 0.00  | 1.28 | 1.10  | 2.17  | 0.86 | 0.32 | 1.51 | 1.72 | 0.00 | 0.00 | 0.04                              | 0.09 | 0.00 | 9.29  |
| Himes Valley                                  | 12.90                   | 0.00 | 0.05  | 1.38 | 1.98  | 2.45  | 0.84 | 0.65 | 2.39 | 3.15 | 0.00 | 0.00 | 0.10                              | 0.01 | 0.00 | 12.86 |
| Kings City                                    | 10.83                   | 0.00 | 0.13  | 1.20 | 1.59  | 2.29  | 1.29 | 1.24 | 1.58 | 1.58 | 0.00 | 0.00 | 0.00                              | 0.00 | 0.00 | 10.70 |
| Montevideo                                    | 19.60                   | 0.09 | 0.35  | 0.78 | 3.29  | 6.45  | 2.56 | 1.05 | 2.44 | 2.26 | 0.27 | 0.15 | 0.05                              | 0.16 | 0.02 | 19.38 |
| Paloma  | 22.18                   | 0.00 | 0.15  | 1.58 | 3.71  | 6.36  | 3.71 | 1.06 | 2.48 | 2.86 | 0.27 | 0.15 | 0.05                              | 0.31 | 0.00 | 22.34 |
| Pinnacles National Monument                   | 17.47                   | 0.00 | 0.26  | 1.84 | 2.98  | 4.23  | 1.86 | 0.50 | 2.65 | 3.06 | 0.09 | 0.09 | 0.22                              | 0.22 | 0.04 | 17.71 |
| Priest Valley                                 | 19.57                   | T    | 0.13  | 1.37 | 3.70  | 4.56  | 3.09 | 0.86 | 2.52 | 3.29 | T    | 0.00 | 0.19                              | T    | 0.00 | 19.58 |
| Salinas 2 E                                   | 13.88                   | 0.00 | 0.20  | 0.85 | 2.72  | 5.48  | 1.14 | 0.39 | 1.79 | 1.31 | T    | 0.00 | 0.00                              | 0.42 | 0.02 | 14.12 |
| Salinas FAA Airport                           | 12.51                   | T    | 0.20  | 0.71 | 2.16  | 5.13  | 0.85 | 0.44 | 1.70 | 1.31 | 0.01 | 0.00 | T                                 | 0.31 | 0.03 | 12.65 |
| San Ardo                                      | 10.63                   | 0.00 | 0.00  | 1.47 | 1.86  | 1.87  | 0.98 | 0.56 | 2.16 | 1.60 | 0.00 | 0.00 | 0.00                              | 0.05 | 0.02 | 10.37 |
| San Lucas Goldfct                             | 10.23                   | 0.00 | T     | 1.10 | 2.45  | 1.18  | 1.06 | 0.29 | 1.36 | 2.79 | 0.00 | 0.00 | 0.02                              | T    | 0.00 | 10.23 |
| Santa Rita Mather                             | -                       | 0.01 | 0.24  | 1.28 | 1.70  | 5.30  | 1.28 | 0.55 | 2.01 | -    | -    | -    | -                                 | -    | -    | -     |
| Slick Canyon                                  | 12.24                   | 0.00 | 0.13  | 0.92 | 2.50  | 2.25  | 1.77 | 0.68 | 1.82 | 2.17 | 0.00 | 0.00 | 0.02                              | 0.00 | 0.09 | 12.22 |
| Soledad                                       | 9.89                    | T    | 0.20  | 1.03 | 1.35  | 2.32  | 1.02 | 0.30 | 2.13 | 1.53 | T    | 0.01 | 0.20                              | 0.11 | 0.00 | 10.00 |
| Soledad CTF                                   | 9.96                    | 0.00 | 0.20  | 1.03 | 1.38  | 2.55  | 0.84 | 0.37 | 1.89 | 1.50 | 0.00 | 0.00 | 0.08                              | 0.22 | 0.00 | 9.86  |
| Speckels Highway Bridge                       | 13.95                   | T    | T     | 0.24 | 0.68  | 2.70  | 1.28 | 0.60 | 2.12 | 2.00 | 0.04 | 0.02 | 0.00                              | 0.36 | 0.03 | 14.10 |
| Speckels                                      | 11.60                   | 0.00 | 0.20  | 0.94 | 2.76  | 4.18  | 0.59 | 0.22 | 1.16 | 1.55 | 0.00 | 0.00 | 0.00                              | 0.40 | 0.02 | 11.82 |
| UPPER SALINAS RIVER (03)                      |                         |      |       |      |       |       |      |      |      |      |      |      |                                   |      |      |       |
| Atascadero BMS                                | 18.19                   | 0.00 | 0.00  | 0.93 | 3.40  | 4.27  | 2.59 | 0.82 | 2.42 | 3.64 | 0.00 | 0.00 | 0.04                              | 0.00 | 0.00 | 18.11 |
| Bridley                                       | 10.07                   | 0.00 | 0.00  | 1.31 | 1.54  | 1.33  | 1.02 | 0.53 | 1.40 | 2.74 | 0.00 | 0.00 | 0.23                              | 0.00 | 0.02 | 10.32 |
| Bryson  | 23.40                   | 0.00 | 0.10  | 2.05 | 4.18  | 4.35  | 4.99 | 0.88 | 3.63 | 3.22 | 0.00 | 0.00 | 0.15                              | 0.05 | 0.00 | 23.50 |
| Cholame Hatch Ranch                           | 8.18                    | 0.00 | 0.10  | 0.76 | 1.80  | 1.55  | 1.23 | 0.36 | 1.03 | 1.35 | 0.00 | 0.00 | 0.29                              | 0.05 | 0.07 | 8.49  |
| La Panza Ranch                                | -                       | 0.00 | 0.35  | 0.83 | 1.00  | 1.62  | 0.74 | 0.30 | -    | 1.35 | 0.00 | 0.00 | 0.10                              | 0.00 | 0.82 | -     |

TABLE A-2  
PRECIPITATION DATA

| STATION NAME                                  | Precipitation in Inches |      |       |      |      |       |       |      |      |      |      |      | TOTAL<br>To<br>Sept 30 |      |      |       |
|---|-------------------------|------|-------|------|------|-------|-------|------|------|------|------|------|------------------------|------|------|-------|
|   | 1964                    |      |       | 1965 |      |       |       |      |      | 1966 |      |      |                        |      |      |       |
|   | JULY                    | AUG. | SEPT. | OCT. | NOV. | DEC.  | JAN.  | FEB. | MAR. | APR. | MAY  | JUNE |                        | JULY | AUG. | SEPT. |
| HYDROGRAPHIC AREA D<br>(Central Coastal Area) |                         |      |       |      |      |       |       |      |      |      |      |      |                        |      |      |       |
| <u>UPPER SALINAS RIVER (031)</u>              |                         |      |       |      |      |       |       |      |      |      |      |      |                        |      |      |       |
| Linn Ranch                                    | 13.07                   | 0.00 | 0.04  | 0.00 | 0.83 | 2.35  | 2.99  | 2.31 | 1.80 | 2.31 | 0.00 | 0.00 | 0.02                   | T    | 0.09 | 13.14 |
| Lockwood 2 N                                  | 13.74                   | 0.00 | 0.20  | 0.00 | 1.72 | 2.09  | 2.52  | 1.76 | 0.64 | 2.11 | 0.00 | 0.00 | 0.00                   | 0.09 | 0.00 | 13.63 |
| Nacimiento Dam                                | 12.59                   | 0.00 | 0.00  | 0.00 | 0.98 | 1.25  | 2.23  | 1.76 | 0.62 | 2.29 | 0.00 | 0.00 | 0.00                   | 0.00 | 0.00 | 13.67 |
| Parkfield                                     | 13.40                   | 0.00 | 0.00  | 0.00 | 1.87 | 1.87  | 4.23  | 2.64 | 1.28 | 2.34 | 0.00 | 0.00 | 0.32                   | T    | 0.00 | 13.87 |
| Parkfield 7 NW                                | -                       | 0.00 | 0.25E | 0.00 | 0.71 | 1.40  | 1.84  | 1.49 | 1.60 | 1.85 | 0.00 | 0.00 | 0.25                   | 0.00 | 0.40 | -     |
| Paso Robles                                   | 12.45                   | 0.00 | 0.08  | 0.03 | 1.05 | 2.27  | 2.37  | 2.50 | 1.16 | 2.48 | 0.00 | T    | 0.04                   | 0.03 | 0.15 | 12.56 |
| Paso Robles 5 NW                              | 12.50                   | 0.00 | 0.08  | 0.00 | 0.90 | 2.37  | 1.76  | 2.61 | 2.02 | 2.29 | 0.00 | 0.00 | 0.08                   | 0.03 | 0.05 | 12.58 |
| Paso Robles FAA AP                            | 11.44                   | 0.02 | 0.04  | 0.00 | 0.83 | 1.54  | 1.74  | 2.18 | 0.51 | 1.98 | 2.60 | T    | 0.00                   | 0.05 | 0.12 | 11.57 |
| Salinas Dam                                   | 20.09                   | T    | 0.00  | 0.16 | 1.15 | 3.94  | 4.80  | 3.36 | 2.66 | 3.54 | T    | 0.00 | 0.00                   | T    | 0.00 | 19.93 |
| San Antonio Mission                           | 19.79                   | T    | 0.00  | 0.00 | 1.82 | 2.64  | 4.69  | 3.36 | 2.66 | 3.54 | T    | 0.00 | 0.00                   | T    | 0.00 | 19.79 |
| Santa Margarita 2 SW                          | 31.98                   | T    | 0.10  | 1.73 | 5.11 | 9.60  | 5.69  | 5.69 | 3.77 | 5.33 | 0.00 | T    | 0.00                   | 0.02 | T    | 31.90 |
| Santa Margarita Booster                       | 32.72                   | 0.01 | 0.09  | 1.03 | 3.49 | 6.08  | 3.96  | 3.85 | 3.85 | 5.30 | 0.00 | T    | 0.00                   | 0.02 | 0.05 | 32.37 |
| Waplecom                                      | 36.71                   | 0.00 | 0.08  | 1.03 | 3.13 | 6.08  | 3.19  | 3.77 | 1.92 | 3.03 | 0.00 | 0.00 | 0.01                   | 0.00 | 0.00 | 16.63 |
| Willeton                                      | 9.46                    | 0.00 | 0.10  | 1.00 | 1.67 | 1.58E | 0.67  | 0.56 | 1.64 | 2.24 | 0.00 | 0.00 | 0.18                   | 0.00 | 0.30 | 9.84  |
| MONTEREY COAST (04)                           |                         |      |       |      |      |       |       |      |      |      |      |      |                        |      |      |       |
| 818 Sur State Park                            | 42.99                   | 0.00 | 0.00  | 2.96 | 5.87 | 13.96 | 8.38  | 1.78 | 4.79 | 4.76 | 0.13 | T    | T                      | 0.07 | 0.00 | 42.70 |
| Carmel Valley                                 | 17.73                   | 0.00 | 0.25  | T    | 0.69 | 3.17  | 5.41  | 2.16 | 0.83 | 2.38 | 2.68 | 0.16 | 0.00                   | 0.17 | T    | 17.65 |
| Lucia Willow Springs                          | 31.07                   | 0.00 | 0.11  | 0.00 | 2.54 | 3.38E | 8.65  | 7.05 | 4.51 | 3.74 | 0.05 | 0.00 | 0.08                   | 0.05 | 0.00 | 31.09 |
| Roosevelt Ranch                               | 32.33                   | T    | 0.00  | 0.22 | 2.40 | 4.99  | 11.30 | 7.67 | 1.71 | 4.04 | T    | 0.00 | 0.00                   | 0.00 | 0.00 | 31.28 |
| San Clemente Dam                              | 19.33                   | 0.00 | 0.00  | 0.87 | 3.89 | 4.77  | 2.92  | 1.05 | 2.45 | 2.92 | 0.14 | 0.02 | 0.00                   | 0.25 | 0.00 | 19.28 |

TABLE A-2  
PRECIPITATION DATA

| STATION NAME                                      | Precipitation in Inches |       |       |      |       |        |       |      |      |      |      |      | TOTAL<br>July 1<br>To<br>June 30 | TOTAL<br>Oct. 1<br>To<br>Sept. 30 |      |       |
|---|-------------------------|-------|-------|------|-------|--------|-------|------|------|------|------|------|----------------------------------|-----------------------------------|------|-------|
|   | 1964                    |       |       |      |       |        | 1965  |      |      |      |      |      |                                  |                                   |      |       |
|   | JULY                    | AUG.  | SEPT. | OCT. | NOV.  | DEC.   | JAN.  | FEB. | MAR. | APR. | MAY  | JUNE |                                  |                                   | JULY | AUG.  |
| HYDROGRAPHIC AREA E<br>(San Francisco Bay Area)   |                         |       |       |      |       |        |       |      |      |      |      |      |                                  |                                   |      |       |
| SAN FRANCISCO BAY (E2)<br>S. E. Frecillon         | 0.00                    | 0.00  | 0.00  | 1.14 | 2.50E | 3.78E  | -     | .49  | 1.48 | -    | 0.00 | 0.00 | 0.00                             | .18                               | 0.00 | -     |
| CONIST-MARIN (E1)<br>Mt. Woods                    | 0.00                    | 0.03  | 0.00  | 3.21 | 6.32  | 11.57  | 7.12  | 2.07 | 3.70 | 6.88 | 0.00 | 0.07 | 0.00                             | 0.68                              | 0.00 | 41.62 |
| MARIN-SOROMA (E2)<br>Kenfield                     | T                       | 0.03  | 0.00  | 3.83 | 6.90  | 15.38  | 9.70  | 2.89 | 4.00 | 6.55 | 0.00 | 0.00 | 0.00                             | 0.63                              | 0.00 | 49.88 |
| Mill Valley                                       | 0.00                    | 0.02  | 0.00  | 2.64 | 4.73  | 9.42   | 6.05  | 1.94 | 3.10 | 5.11 | 0.00 | 0.00 | 0.00                             | 0.70                              | 0.00 | 33.69 |
| Devato Fire House                                 | 0.00                    | 0.00  | 0.00  | 3.22 | 7.53  | 15.35  | 6.87  | 1.51 | 1.88 | 4.13 | 0.00 | 0.00 | 0.00                             | 0.00                              | 0.00 | 47.81 |
| Devato Fire Station No. 2                         | 0.00                    | 0.00  | 0.00  | 2.42 | 5.15  | 15.35E | 11.40 | 1.26 | 2.52 | 6.25 | 0.00 | 0.00 | 0.00                             | 0.78                              | 0.00 | 47.88 |
| Petaluma Fire Station No. 2                       | 0.05                    | 0.02  | 0.00  | 2.42 | 5.42  | 5.81   | 5.19  | 1.14 | 1.53 | 3.57 | 0.00 | T    | 0.00                             | 0.41                              | 0.00 | 25.49 |
| Petaluma - Bernis                                 | 0.00                    | 0.00  | 0.00  | 3.40 | 6.25  | 8.80   | 7.45  | 1.60 | 1.90 | 4.85 | 0.00 | 0.00 | 0.00                             | 0.35                              | 0.00 | 34.66 |
| Fluorix Lake Dam                                  | 0.00                    | 0.04  | 0.00  | 4.60 | 8.11  | 11.80  | 11.80 | 2.45 | 4.40 | 6.70 | 0.00 | 0.00 | 0.00                             | 0.52                              | 0.00 | 54.93 |
| San Anselmo                                       | 0.00                    | 0.02  | 0.00  | 3.96 | 6.44  | 12.33  | 11.94 | 2.50 | 2.97 | 5.58 | 0.00 | 0.00 | 0.00                             | 0.55                              | 0.00 | 46.27 |
| San Rafael  | T                       | 0.03  | 0.00  | 3.20 | 5.83  | 12.27  | 8.93  | 2.05 | 2.62 | 4.64 | 0.00 | 0.00 | 0.02                             | 0.77                              | 0.00 | 40.33 |
| San Rafael No. 1                                  | 0.00                    | 0.03  | 0.00  | 4.17 | 4.67  | 12.29  | 8.95  | 2.07 | 1.90 | 5.63 | 0.00 | 0.00 | T                                | 0.80                              | 0.00 | 40.48 |
| Sonoma  | 0.04                    | 0.03  | 0.00  | 2.36 | 5.88  | 8.96   | 5.33  | 1.23 | 2.08 | 3.44 | 0.00 | 0.00 | 0.00                             | 0.66                              | 0.00 | 29.84 |
| Tiburon - Toplum                                  | 0.00                    | 0.00  | 0.00  | 1.92 | 4.08  | 10.83  | 7.19  | 1.08 | 2.47 | 4.18 | 0.00 | 0.08 | T                                | 1.86                              | 0.00 | 37.59 |
| Tiburon - Toplum                                  | T                       | 0.00  | 0.00  | 1.92 | 4.08  | 10.83  | 7.19  | 1.08 | 2.47 | 4.18 | T    | 0.00 | T                                | 1.29                              | 0.00 | 33.02 |
| MARIN-SOLANO (E3)<br>Angwin Pacific Union College | 0.00                    | 0.00  | 0.00  | 2.29 | 8.06  | 17.82  | 10.44 | 1.46 | 1.50 | 5.50 | 0.00 | 0.00 | 0.04                             | 0.80                              | 0.00 | 47.97 |
| Atlas Road  | 1.10                    | 0.00  | 0.00  | 2.80 | 5.70E | -      | -     | -    | -    | -    | 0.00 | 0.00 | 0.00                             | 0.90                              | 0.00 | -     |
| Calistoga   | 42.09                   | T     | 0.00  | 2.24 | 7.20  | 16.19  | 9.24  | 1.29 | 1.04 | 4.82 | 0.07 | T    | T                                | 0.59                              | 0.00 | 42.68 |
| Carmichael Valley                                 | 0.04                    | 0.02  | 0.00  | 2.36 | 5.73  | 10.84  | 6.81  | 1.39 | 2.01 | 4.50 | 0.13 | 0.00 | 0.00                             | 3.16                              | 0.00 | 36.93 |
| Collinsville                                      | -                       | -     | -     | 1.16 | 1.87  | 3.60   | 1.87  | -    | -    | -    | -    | -    | -                                | -                                 | -    | -     |
| Georgetown I. S.                                  | 0.00                    | 0.00  | T     | 1.82 | 2.88  | 4.08   | 2.97  | 1.03 | 1.02 | 2.41 | 0.12 | 0.00 | 0.00                             | 0.22                              | 0.00 | 16.34 |
| Buttosa Landing                                   | 18.76                   | T     | 0.04  | 1.71 | 2.92  | 4.55   | 4.33  | 1.03 | 1.36 | 2.62 | 0.00 | 0.00 | 0.00                             | 0.93                              | 0.00 | 19.45 |
| Fairfield   | 19.78                   | 0.04  | 0.03  | 1.90 | 3.05  | 5.47   | 4.00  | 0.85 | 1.52 | 2.79 | 0.13 | 0.00 | 0.00                             | 0.20                              | 0.00 | 19.91 |
| Fairfield Police Station                          | 19.88                   | 0.04  | 0.05  | 0.00 | 2.23  | 2.85   | 4.34  | 0.95 | 1.35 | 2.94 | 0.12 | 0.00 | 0.00                             | 0.43                              | 0.00 | 20.22 |
| Green Valley                                      | 31.63                   | 0.03  | 0.02  | 0.00 | 2.55  | 4.07   | 11.55 | 6.34 | 1.15 | 2.34 | 3.58 | 0.00 | 0.00                             | -                                 | -    | -     |
| Lake Geary  | 27.08                   | 0.03  | 0.00  | 1.97 | 3.84  | 8.88   | 6.23  | 0.88 | 1.56 | 3.57 | 0.12 | 0.00 | 0.00                             | -                                 | -    | -     |
| Narc Island Buoy                                  | 19.98                   | 0.00  | 0.04  | 1.75 | 2.97  | 5.51   | 4.46  | 0.59 | 1.85 | 2.81 | 0.00 | 0.00 | 0.00                             | 0.36                              | 0.00 | 20.30 |
| Napa  | 26.26                   | 0.10  | 0.04  | 1.54 | 3.40  | 10.86  | 5.02  | 0.97 | 1.23 | 3.08 | 0.00 | 0.00 | 0.04                             | 1.10                              | 0.00 | 27.31 |
| Napa State Hospital                               | 23.69                   | 0.00  | 0.00  | 1.54 | 3.40  | 10.86  | 5.02  | 0.97 | 1.23 | 3.08 | T    | 0.00 | 0.00                             | 0.00                              | 0.00 | 24.62 |
| Oak Hills 1 WRM                                   | -                       | 0.05E | 0.00  | 2.34 | 7.02  | 10.22  | 3.31  | 1.28 | -    | 3.29 | -    | -    | -                                | -                                 | -    | -     |

TABLE A-2  
PRECIPITATION DATA

| STATION NAME                                    | Precipitation in Inches |      |       |      |      |       |        |      |      |      |      |      | TOTAL<br>Oct. 1<br>To<br>Sept. 30 |      |      |        |
|---|-------------------------|------|-------|------|------|-------|--------|------|------|------|------|------|-----------------------------------|------|------|--------|
|   | 1964                    |      |       |      |      |       | 1965   |      |      |      |      |      |                                   |      |      |        |
|   | JULY                    | AUG. | SEPT. | OCT. | NOV. | DEC.  | JAN.   | FEB. | MAR. | APR. | MAY  | JUNE |                                   | JULY | AUG. | SEPT.  |
| HYDROGRAPHIC AREA E<br>(San Francisco Bay Area) |                         |      |       |      |      |       |        |      |      |      |      |      |                                   |      |      |        |
| <u>NAPA-SOLANO (E3)</u>                         |                         |      |       |      |      |       |        |      |      |      |      |      |                                   |      |      |        |
| Saint Helena                                    | 40.04                   | 0.04 | 0.00  | 2.18 | 6.81 | 14.22 | 9.63   | 1.24 | 1.33 | 4.59 | T    | T    | 0.02                              | 0.82 | T    | 46.84  |
| Saint Helena 4 HSN                              | 52.30                   | 0.00 | 0.00  | 2.61 | 9.53 | 18.21 | 9.18   | 1.72 | 2.90 | 8.10 | 0.00 | 0.00 | 0.00                              | 0.60 | 0.00 | 52.90  |
| Veterans Home                                   | -                       | 0.00 | 0.00  | 2.34 | 5.82 | 14.56 | 9.54   | 0.99 | 1.50 | 4.42 | -    | 0.00 | 0.00                              | 0.83 | 0.00 | -      |
| Wild Horse Valley                               | 35.47                   | 0.06 | 0.00  | 3.49 | 4.32 | 14.94 | 6.71   | 0.78 | 1.51 | 2.72 | 0.94 | 0.00 | 0.00                              | 0.00 | -    | -      |
| Yountville Gumble                               | 28.29                   | 0.03 | 0.00  | 0.13 | 6.54 | 8.65  | 6.56   | 1.12 | 1.28 | 3.89 | 0.06 | 0.00 | 0.11                              | 0.55 | T    | 28.89  |
| <u>EAST BAY (E2)</u>                            |                         |      |       |      |      |       |        |      |      |      |      |      |                                   |      |      |        |
| Alameda   | 26.05                   | T    | 0.03  | 1.18 | 4.02 | 9.60  | 5.77   | 0.68 | 1.54 | 3.23 | T    | T    | 0.05                              | 0.20 | 0.00 | 26.27  |
| Berkley   | 24.09                   | T    | 0.01  | 1.28 | 3.63 | 8.27  | 4.53   | 0.88 | 2.10 | 3.79 | 0.00 | 0.00 | 0.02                              | 0.18 | T    | 24.68  |
| Burton Ranch                                    | 28.20                   | T    | 0.01  | 1.04 | 3.64 | 10.47 | 5.99   | 0.85 | 1.74 | 4.46 | T    | 0.00 | 0.03                              | 0.05 | T    | 28.27  |
| Concord 3 E                                     | 16.78                   | 0.00 | 0.18  | 0.02 | 4.12 | 3.19  | 3.86   | 0.06 | 1.12 | 0.49 | 0.22 | 0.40 | 0.00                              | 0.03 | 0.00 | 16.61  |
| Crockett  | 20.92                   | 0.00 | 0.02  | 1.55 | 2.35 | 5.86  | 5.24   | 0.93 | 1.79 | 3.18 | 0.00 | 0.00 | 0.00                              | 0.39 | 0.00 | 21.29  |
| Hayward 6 ENE                                   | 29.69                   | 0.04 | 0.11  | 1.27 | 4.75 | 10.89 | 4.65   | 1.09 | 3.50 | 3.39 | 0.00 | 0.00 | 0.00                              | 0.11 | 0.01 | 29.66  |
| Lafayette 2 ENE                                 | 27.87                   | 0.00 | 0.02  | 1.00 | 3.93 | 10.12 | 5.94   | 0.92 | 1.82 | 4.12 | 0.00 | 0.00 | 0.00                              | 0.06 | 0.00 | 27.91  |
| Martinez 3 S                                    | 22.05                   | 0.00 | 0.00  | 1.01 | 3.37 | 7.32  | 4.52   | 0.75 | 1.79 | 3.29 | 0.00 | 0.00 | 0.00                              | 0.10 | 0.00 | 22.15  |
| Martinez 3 SSE                                  | 23.56                   | 0.00 | 0.02  | 1.10 | 3.48 | 8.01  | 4.84   | 0.74 | 1.76 | 3.58 | 0.03 | 0.00 | 0.00                              | 0.14 | 0.00 | 23.68  |
| Martinez Fire Station                           | 20.72                   | T    | 0.00  | 1.11 | 3.27 | 6.70  | 4.01   | 0.80 | 1.58 | 3.27 | 0.00 | 0.00 | T                                 | 0.16 | T    | 20.88  |
| Mount Diablo North Gate                         | 26.55                   | 0.02 | 0.14  | 1.52 | 4.03 | 9.13  | 4.20   | 0.83 | 2.23 | 4.45 | T    | 0.00 | 0.00                              | T    | 0.02 | 26.41  |
| Oakland City Hall                               | 19.04                   | T    | 0.00  | 1.37 | 3.48 | 4.76  | 4.03   | 0.98 | 1.40 | 3.01 | 0.00 | 0.00 | T                                 | 0.00 | 0.00 | 19.03  |
| Oakland 39th Avenue                             | 28.02                   | 0.10 | 0.05  | 1.38 | 4.18 | 8.66  | 5.58   | 1.15 | 2.55 | 4.37 | 0.00 | 0.00 | 0.00                              | 0.10 | 0.02 | 27.99  |
| Oakland MB AP                                   | 18.32                   | 0.03 | 0.03  | 1.46 | 3.23 | 5.31  | 2.95   | 0.82 | 1.95 | 2.54 | T    | 0.00 | 0.01                              | 0.06 | T    | 18.33  |
| Port Chicago Naval Depot                        | 15.90                   | 0.00 | 0.02  | 1.18 | 2.55 | 4.95  | 2.56   | 0.47 | 1.07 | 3.10 | T    | 0.00 | 0.00                              | 0.17 | T    | 16.05  |
| Richmond  | 23.49                   | T    | 0.01  | 1.60 | 4.10 | 6.93  | 4.53   | 1.24 | 1.61 | 3.47 | 0.00 | 0.00 | 0.00                              | 0.36 | 0.00 | 23.84  |
| Saint Mary's College                            | 33.97                   | 0.08 | 0.19  | 1.19 | 5.44 | 11.84 | 7.11   | 1.08 | 2.56 | 4.67 | 0.00 | 0.00 | 0.03                              | 0.07 | T    | 35.00  |
| Sundero Filters                                 | 22.04                   | 0.05 | 0.00  | 1.00 | 3.39 | 8.88  | 4.58   | 0.80 | 1.64 | 3.96 | 0.01 | 0.00 | T                                 | 0.00 | T    | 24.27  |
| Walnut School                                   | 22.27                   | 0.00 | 0.00  | 1.02 | 3.33 | 7.97  | 4.63   | 0.66 | 1.34 | 3.19 | 0.00 | 0.00 | 0.03                              | 0.18 | 0.00 | 22.35  |
| Walnut Creek 2 ESE                              | 22.17                   | 0.00 | 0.03  | 1.02 | 3.33 | 7.97  | 4.63   | 0.66 | 1.34 | 3.19 | 0.00 | 0.00 | 0.03                              | 0.18 | 0.00 | 22.35  |
| Walnut Creek 2 ENE                              | 19.47                   | 0.00 | 0.00  | 0.96 | 2.90 | 7.16  | 4.11   | 0.56 | 1.45 | 2.83 | 0.00 | 0.00 | 0.00                              | 0.17 | 0.00 | 20.14  |
| Walnut Creek 4 E                                | 18.93                   | T    | 0.01  | 1.18 | 2.63 | 6.25  | 3.47   | 0.57 | 1.47 | 2.85 | T    | 0.00 | 0.01                              | 0.20 | 0.00 | 18.63  |
| <u>ALAMEDA CREEK (E2)</u>                       |                         |      |       |      |      |       |        |      |      |      |      |      |                                   |      |      |        |
| Calaveras Reservoir                             | 24.03                   | 0.00 | 0.04  | 0.23 | 3.57 | 8.93  | 3.15   | 0.92 | 2.34 | 3.80 | 0.00 | 0.00 | 0.00                              | 0.35 | 0.00 | 24.29  |
| Center Ranch                                    | 22.04                   | 0.00 | 0.15  | 1.04 | 2.75 | 7.15  | 3.33   | 0.83 | 1.92 | 4.20 | 0.01 | 0.00 | T                                 | 0.65 | 0.00 | 22.66  |
| Center Ranch Sewage Plant                       | 15.35                   | 0.00 | 0.20  | 1.04 | 2.66 | 4.71  | 2.72   | 0.55 | 1.97 | 1.39 | 0.00 | 0.00 | 0.00                              | 0.24 | 0.02 | 15.30  |
| Livermore 2 SSW                                 | 14.32                   | T    | 0.12  | 0.04 | 0.85 | 2.44  | 4.91   | 2.11 | 0.59 | 1.73 | 1.53 | 0.00 | 0.00                              | 0.21 | T    | 14.37  |
| Mount Hamilton                                  | 28.468                  | T    | 0.12  | 0.00 | 0.83 | 4.64  | 11.51E | 1.24 | 2.49 | 4.82 | 0.00 | 0.03 | T                                 | T    | 0.00 | 28.34E |

TABLE A-2  
PRECIPITATION DATA

| STATION NAME             | Precipitation in Inches          |      |      |       |      |       |       |       |      |      |      |      | TOTAL<br>July 1<br>To<br>June 30 | 1964 |      |      |       | 1965  |  |  |  | TOTAL<br>Oct. 1<br>To<br>Sept. 30 |
|--------------------------|----------------------------------|------|------|-------|------|-------|-------|-------|------|------|------|------|----------------------------------|------|------|------|-------|---|--|--|--|-----------------------------------|
|                          | TOTAL<br>July 1<br>To<br>June 30 | JULY | AUG. | SEPT. | OCT. | NOV.  | DEC.  | JAN.  | FEB. | MAR. | APR. | MAY  |                                  | JUNE | JULY | AUG. | SEPT. |   |  |  |  |                                   |
|                          |                                  |      |      |       |      |       |       |       |      |      |      |      |                                  |      |      |      |       | HYDROGRAPHIC AREA E<br>(San Francisco Bay Area) |  |  |  |                                   |
| ALAMEDA CREEK (E5)       | 12.25                            | 0.00 | 0.09 | 0.00  | 0.67 | 1.99  | 4.23  | 1.45  | 0.50 | 1.55 | 1.77 | 0.00 | 0.00                             | 0.00 | 0.18 | 0.00 | 12.34 |   |  |  |  |                                   |
| Nevada-K                 | 21.21                            | 0.00 | 0.23 | 0.00  | 1.10 | 3.73  | 7.08  | 2.93  | 0.84 | 2.60 | 2.70 | 0.00 | 0.00                             | 0.00 | 0.10 | 0.00 | 21.31 |   |  |  |  |                                   |
| Miles-Pinna              | 23.37                            | 0.00 | 0.06 | 0.00  | 1.03 | 3.82  | 8.10  | 4.21  | 0.77 | 2.24 | 3.14 | 0.00 | 0.00                             | 0.08 | 0.10 | 0.00 | 23.49 |   |  |  |  |                                   |
| Pleasanton Nursery       |                                  |      |      |       |      |       |       |       |      |      |      |      |                                  |      |      |      |       |   |  |  |  |                                   |
| SANTA CLARA VALLEY (E6)  | 15.49                            | 0.00 | 0.12 | 0.01  | 0.85 | 2.62  | 4.86  | 2.55  | 0.58 | 1.67 | 2.23 | T    | 0.00                             | 0.00 | 0.11 | 0.00 | 15.47 |   |  |  |  |                                   |
| Altamont Reservoir       | 35.47                            | 0.00 | 0.11 | 0.00  | 1.45 | 3.17  | 11.19 | 7.96  | 1.13 | 2.11 | 6.35 | 0.00 | 0.00                             | T    | 0.33 | 0.00 | 35.69 |   |  |  |  |                                   |
| Almaden Reservoir        | 43.69                            | 0.06 | 0.09 | T     | 1.26 | 7.83  | 16.58 | 8.57  | 1.45 | 3.05 | 4.20 | 0.00 | 0.00                             | 0.00 | 0.00 | 0.08 | 63.51 |   |  |  |  |                                   |
| Black Mountain 2 SW      | 22.30                            | 0.00 | 0.10 | 0.00  | 1.09 | 3.01  | 6.96  | 4.72  | 0.77 | 2.18 | 3.47 | 0.00 | 0.00                             | T    | 0.20 | 0.00 | 22.40 |   |  |  |  |                                   |
| Calaveras Reservoir      |                                  |      |      |       |      |       |       |       |      |      |      |      |                                  |      |      |      |       |   |  |  |  |                                   |
| Cambrian Park            | 17.36                            | 0.00 | 0.15 | 0.02  | 1.04 | 3.68  | 5.40  | 2.72  | 0.72 | 1.20 | 2.43 | 0.00 | 0.00                             | T    | 0.15 | 0.00 | 17.34 |   |  |  |  |                                   |
| Campbell Water Company   | 15.81                            | T    | 0.16 | 0.00  | 1.01 | 2.89  | 5.09  | 2.65  | 0.40 | 1.35 | 2.26 | 0.00 | 0.00                             | 0.00 | 0.03 | T    | 15.68 |   |  |  |  |                                   |
| Coyote Reservoir         | 22.81                            | 0.00 | 0.06 | 0.07  | 1.31 | 3.45  | 7.90  | 4.04  | 0.75 | 1.94 | 3.29 | T    | 0.78                             | 0.02 | 0.19 | 0.00 | 23.67 |   |  |  |  |                                   |
| Evergreen                | 15.59                            | 0.00 | 0.08 | 0.00  | 0.86 | 2.21  | 4.38  | 2.76  | 0.67 | 1.27 | 3.36 | 0.00 | 0.00                             | T    | 0.30 | 0.00 | 15.81 |   |  |  |  |                                   |
| Gilroy 8 NE              | 21.35                            | 0.00 | 0.15 | 0.00  | 1.25 | 2.96  | 8.18  | 3.58  | 0.75 | 1.86 | 2.58 | 0.00 | 0.04                             | 0.00 | 0.31 | 0.00 | 21.51 |   |  |  |  |                                   |
| Guadalupe Reservoir      | 29.86                            | 0.00 | 0.15 | 0.01  | 1.39 | 4.24  | 10.15 | 6.63  | 0.93 | 1.46 | 4.80 | 0.00 | 0.00                             | T    | 0.12 | 0.00 | 29.82 |   |  |  |  |                                   |
| Leroy Anderson Dam       | 19.94                            | 0.00 | 0.16 | 0.00  | 1.32 | 2.61  | 5.62  | 4.23  | 0.63 | 1.67 | 3.50 | 0.00 | 0.00                             | T    | 0.50 | 0.17 | 20.28 |   |  |  |  |                                   |
| Lexington Reservoir      | 40.18                            | 0.00 | 0.22 | 0.01  | 2.32 | 7.11  | 15.24 | 3.07  | 1.36 | 3.08 | 7.77 | 0.00 | 0.00                             | 0.00 | 0.20 | 0.00 | 40.15 |   |  |  |  |                                   |
| Los Gatos                | 24.41                            | 0.00 | 0.18 | 0.00  | 1.26 | 4.55  | 7.71  | 4.68  | 0.85 | 1.82 | 3.36 | T    | 0.00                             | 0.00 | 0.12 | 0.00 | 24.35 |   |  |  |  |                                   |
| Los Gatos                | -                                | 0.00 | 0.10 | 0.00  | 1.10 | -     | 5.61  | 3.43  | 0.81 | 1.51 | 2.94 | 0.00 | 0.00                             | T    | 0.21 | 0.00 | -     |   |  |  |  |                                   |
| Los Gatos 4 SW           | 57.07                            | 0.00 | 0.23 | 0.00  | 2.92 | 9.70  | 18.18 | 12.67 | 2.10 | 3.78 | 7.39 | 0.00 | 0.10                             | T    | 0.08 | 0.00 | 56.92 |   |  |  |  |                                   |
| Morgan Hill 2 E          | 20.53                            | 0.00 | 0.14 | 0.01  | 1.12 | 2.57  | 6.28  | 4.45  | 0.67 | 1.78 | 3.51 | 0.00 | 0.00                             | T    | 0.50 | 0.00 | 20.88 |   |  |  |  |                                   |
| Morgan Hill 6 NW         | 16.39                            | 0.00 | 0.10 | 0.00  | 1.32 | 3.56  | 8.48  | 6.26  | 1.01 | 1.58 | 4.03 | 0.00 | 0.00                             | 0.00 | 0.00 | 0.00 | 16.19 |   |  |  |  |                                   |
| Palo Alto City Hall      | 19.13                            | 0.00 | 0.12 | 0.00  | 0.80 | 2.93  | 5.29  | 2.33  | 0.77 | 1.58 | 2.47 | 0.00 | 0.00                             | T    | 0.01 | 0.01 | 19.47 |   |  |  |  |                                   |
| Piedra Vista             | 17.77                            | 0.00 | 0.00 | 0.09  | 1.00 | 3.44  | 6.62  | 2.55  | 0.70 | 1.75 | 2.78 | 0.00 | 0.00                             | T    | 0.43 | 0.00 | 17.77 |   |  |  |  |                                   |
| Pontonencia Rain Gage    | 21.77                            | T    | 0.08 | 0.00  | 1.30 | 3.59  | 6.83  | 3.88  | 1.08 | 1.96 | 3.25 | 0.00 | T                                | 0.00 | 0.07 | 0.01 | 21.77 |   |  |  |  |                                   |
| Redwood City             | 15.03                            | T    | 0.10 | 0.00  | 0.96 | 2.69  | 5.00  | 2.13  | 0.48 | 1.74 | 1.93 | 0.00 | 0.00                             | T    | 0.16 | T    | 15.09 |   |  |  |  |                                   |
| San Jose                 | 14.20                            | 0.00 | 0.13 | 0.00  | 0.72 | 2.73  | 4.60  | 1.94  | 0.39 | 1.41 | 2.28 | 0.00 | 0.00                             | 0.00 | 0.06 | 0.00 | 14.13 |   |  |  |  |                                   |
| San Jose Occid. F. F. S. | 14.13                            | T    | 0.18 | 0.00  | 1.10 | 2.47  | 4.50  | 1.62  | 0.48 | 1.63 | 2.15 | 0.00 | T                                | 0.07 | 0.00 | 0.00 | 14.02 |   |  |  |  |                                   |
| Santa Clara University   | 21.34                            | 0.00 | 0.11 | 0.00  | 1.32 | 4.25  | 6.46  | 4.02  | 0.77 | 1.55 | 2.80 | 0.00 | 0.00                             | T    | 0.10 | 0.00 | 21.27 |   |  |  |  |                                   |
| Saratoga-Clerk           |                                  |      |      |       |      |       |       |       |      |      |      |      |                                  |      |      |      |       |   |  |  |  |                                   |
| Saratoga Gap Maintenance | 63.37                            | 0.00 | 0.14 | 0.00  | 2.32 | 11.85 | 22.20 | 12.36 | 2.21 | 3.39 | 8.80 | 0.00 | 0.00                             | 0.00 | 0.19 | 0.12 | 63.54 |   |  |  |  |                                   |
| Saratoga Ridge           | 34.74                            | 0.00 | 0.20 | 0.00  | 1.06 | 4.72  | 8.89  | 4.25  | 0.84 | 1.81 | 3.42 | 0.00 | 0.00                             | T    | -    | 0.00 | 34.74 |   |  |  |  |                                   |
| Shasta Lake              | 36.00                            | 0.00 | 0.12 | 0.02  | 1.19 | 7.36  | 11.33 | 7.08  | 1.00 | 2.17 | 5.97 | 0.00 | 0.00                             | T    | 0.03 | 0.00 | 35.82 |   |  |  |  |                                   |
| Stevens Creek Reservoir  | 22.84                            | 0.00 | 0.18 | 0.00  | 1.22 | 4.28  | 7.13  | 3.76  | 0.93 | 1.98 | 3.36 | 0.00 | 0.00                             | T    | 0.12 | 0.00 | 22.78 |   |  |  |  |                                   |
| Vasona Reservoir         |                                  |      |      |       |      |       |       |       |      |      |      |      |                                  |      |      |      |       |   |  |  |  |                                   |

TABLE A-2  
PRECIPITATION DATA

TABLE A-2  
PRECIPITATION DATA

| STATION NAME                                    | Precipitation in Inches |      |       |      |      |       |       |       |      |      |      |      | TOTAL<br>Oct. 1<br>To<br>Sept. 30 |      |      |       |       |
|---|-------------------------|------|-------|------|------|-------|-------|-------|------|------|------|------|-----------------------------------|------|------|-------|-------|
|   | 1964                    |      |       |      |      |       | 1965  |       |      |      |      |      |                                   |      |      |       |       |
|   | JULY                    | AUG. | SEPT. | OCT. | NOV. | DEC.  | JAN.  | FEB.  | MAR. | APR. | MAY  | JUNE |                                   | JULY | AUG. | SEPT. |       |
| HYDROGRAPHIC AREA E<br>(San Francisco Bay Area) |                         |      |       |      |      |       |       |       |      |      |      |      |                                   |      |      |       |       |
| SANTA CLARA VALLEY (E5)<br>WETTERS              | 55.18                   | 0.00 | 0.28  | 0.00 | 2.95 | 7.61  | 21.16 | 11.05 | 2.00 | 3.41 | 6.59 | 0.00 | 0.13                              | 0.00 | 0.19 | 0.00  | 55.09 |
| BAYSIDE-SAN MATEO (E7)                          | 22.03                   | 0.00 | 0.02  | 1.18 | 3.40 | 6.01  | 4.49  | 1.01  | 1.92 | 1.76 | 4.00 | 0.00 | 0.00                              | 0.00 | 0.23 | 0.00  | 22.24 |
| San Francisco WB AP                             | 20.52                   | T    | 0.01  | 1.26 | 3.32 | 5.42  | 4.37  | 0.91  | 1.76 | 3.47 | 3.47 | T    | T                                 | T    | 0.29 | T     | 20.80 |
| San Francisco Fed. Off. Bldg.                   | 22.29                   | T    | 0.01  | 1.90 | 3.99 | 5.35  | 3.97  | 0.94  | 2.92 | 3.21 | 3.21 | T    | T                                 | 0.02 | 0.49 | T     | 22.79 |
| San Mateo                                       | 18.36                   | 0.00 | 0.08  | 0.89 | 2.92 | 5.65  | 3.23  | 0.47  | 1.88 | 3.24 | 0.00 | 0.00 | 0.00                              | 0.00 | 0.16 | 0.00  | 18.44 |
| COAST-SAN MATEO (E8)                            | 25.17                   | 0.00 | T     | 1.89 | 3.11 | 7.50  | 4.41  | 1.40  | 1.58 | 5.22 | T    | T    | 0.06                              | T    | 0.23 | T     | 25.40 |
| Half Moon Bay                                   | 22.87                   | 0.30 | 0.10  | 1.11 | 6.24 | 10.34 | 6.09  | 1.46  | 3.58 | 5.43 | 0.00 | 0.00 | 0.19                              | 0.00 | 0.18 | 0.04  | 34.66 |
| La Honda  | 22.87                   | 0.01 | 0.07  | 1.62 | 7.88 | 17.29 | 11.21 | 1.87  | 3.46 | 7.59 | 0.09 | 0.00 | 0.05                              | 0.03 | 0.08 | 0.03  | 51.20 |
| San Francisco State Park                        | 51.14                   | 0.06 | T     | 1.58 | 3.75 | 5.25  | 4.49  | 0.96  | 2.71 | 3.57 | T    | T    | 0.01                              | T    | 1.20 | 0.00  | 23.52 |
| San Francisco Richmond Sunset                   | 22.38                   | 0.06 | 0.09  | 1.18 | 4.57 | 8.44  | 5.35  | 1.27  | 2.99 | 4.48 | 0.03 | 0.03 | 0.16                              | 0.02 | 0.25 | 0.03  | 28.77 |
| San Gregorio 3 SE                               | 28.71                   | 0.15 | 0.09  | 1.18 | 4.57 | 8.44  | 5.35  | 1.27  | 2.99 | 4.48 | 0.03 | 0.03 | 0.16                              | 0.02 | 0.25 | 0.03  | 28.77 |



TABLE A-2  
PRECIPITATION DATA

| STATION NAME                                | Precipitation in Inches |              |              |              |                |                 |                |              |              |               |              |              | TOTAL<br>Oct. 1<br>to<br>Sept. 30 |              |      |                 |
|---|-------------------------|--------------|--------------|--------------|----------------|-----------------|----------------|--------------|--------------|---------------|--------------|--------------|-----------------------------------|--------------|------|-----------------|
|   | 1964                    |              |              |              |                |                 | 1965           |              |              |               |              |              |                                   |              |      |                 |
|   | JULY                    | AUG.         | SEPT.        | OCT.         | NOV.           | DEC.            | JAN.           | FEB.         | MAR.         | APR.          | MAY          | JUNE         |                                   | JULY         | AUG. | SEPT.           |
| HYDROGRAPHIC AREA F<br>(North Coastal Area) |                         |              |              |              |                |                 |                |              |              |               |              |              |                                   |              |      |                 |
| <b>MENDOCCINO COAST (F8)</b>                |                         |              |              |              |                |                 |                |              |              |               |              |              |                                   |              |      |                 |
| Boonville RES.                              | 49.04                   | T            | 0.02         | 2.38         | 8.80           | 18.83           | 9.45           | 0.84         | 2.48         | 6.50          | 0.01         | 0.04         | 0.00                              | 0.38         | 0.00 | 49.40           |
| Boonville-Barter                            | 34.08                   | T            | 0.01         | 1.13         | 10.07          | 18.42           | 10.05          | 2.32         | 2.31         | 6.77          | 0.00         | T            | 0.00                              | 0.64         | 0.00 | 54.78           |
| Fort Sigsbee 11 W                           | 41.52                   | 0.00         | 0.00         | 4.79         | 12.52          | 26.54E          | 15.17          | 5.17         | 9.53         | 9.53          | 0.00         | 0.00         | 0.00                              | 0.45         | 0.00 | -               |
| Fort Sigsbee 11 E                           | 41.52                   | 0.18         | 0.07         | 2.57         | 9.63           | 14.58           | 5.27           | 1.87         | 2.06         | 4.96          | 0.13         | 0.14         | 0.11                              | 0.24         | 0.14 | 41.70           |
| Port Beag Aviation                          | 39.01E                  | 0.13         | 0.00         | 3.03         | 9.27           | 13.66           | 3.88           | 1.65         | 2.45         | 4.75          | 0.08         | 0.11E        | 0.08                              | 0.24E        | 0.04 | 39.24E          |
| Port Ross                                   | 38.41                   | 0.03         | T            | 4.45         | 7.91           | 9.07            | 6.05           | 1.68         | 2.71         | 6.38          | 0.05         | 0.08         | 0.16                              | 0.38         | 0.06 | 38.98           |
| Navarro 1 NW                                | 46.41                   | 0.00         | 0.00         | 2.47         | 9.70           | 17.63           | 8.00           | 1.39         | 1.68         | 5.44          | 0.00         | 0.10         | 0.00                              | 0.45         | 0.00 | 46.86           |
| Philo 2 NW                                  | 48.99                   | 0.00         | 0.00         | 2.79         | 9.62           | 18.21           | 8.60           | 1.56         | 1.72         | 6.49          | 0.00         | 0.00         | 0.06                              | 0.44         | 0.00 | 49.49           |
| Philo 4 NW                                  | 48.71                   | 0.00         | 0.00         | 2.73         | 10.16          | 17.27           | 9.38           | 1.49         | 1.71         | 5.73          | 0.00         | 0.06         | 0.09                              | 0.33         | 0.00 | 49.13           |
| Point Arena                                 | 42.25                   | 0.08         | 0.00         | 4.06         | 9.14           | 10.87           | 6.98           | 1.83         | 2.46         | 6.39          | 0.04         | 0.20         | 0.23                              | 0.27         | 0.11 | 42.78           |
| Staggas Spr. Las Lomas Ranch<br>Yorkville   | 81.80<br>61.19E         | 0.00<br>0.02 | 0.00<br>0.00 | 6.65<br>4.16 | 14.18<br>10.18 | 27.32<br>21.84E | 15.75<br>11.38 | 2.62<br>2.02 | 3.81<br>2.58 | 11.42<br>9.01 | 0.00<br>0.00 | 0.05<br>0.00 | 0.02<br>0.03                      | 0.60<br>0.47 | 0.00 | 82.42<br>61.07E |
| RUSSIAN RIVER (F9)                          |                         |              |              |              |                |                 |                |              |              |               |              |              |                                   |              |      |                 |
| Alpine Dam                                  | 58.80                   | 0.00         | 0.00         | 3.93         | 9.76           | 17.11           | 10.90          | 3.35         | 5.10         | 8.65          | 0.00         | 0.00         | 0.00                              | 0.46         | 0.00 | 59.26           |
| Blakes Landing                              | 31.20                   | 0.00         | 0.00         | 3.40         | 5.74           | 5.95            | 7.61           | 1.44         | 1.90         | 5.16          | 0.00         | 0.00         | 0.00                              | 0.35         | 0.00 | 31.55           |
| Bon Tempe Dam                               | 37.72                   | 0.00         | 0.00         | 4.05         | 6.48           | 11.73           | 8.27           | 2.77         | 4.42         | 0.00          | 0.00         | 0.00         | 0.00                              | 0.42         | 0.00 | 38.14           |
| Cezadero                                    | 75.08                   | 0.02         | T            | 6.79         | 13.94          | 23.46           | 13.08          | 3.13         | 5.04         | 7.84          | 0.00         | T            | 0.02                              | 0.55         | 0.00 | 75.08           |
| Cloverdale 3 SSE                            | 55.39                   | 0.05         | 0.00         | 4.37         | 10.21          | 17.98           | 11.15          | 1.77         | 1.95         | 7.91          | 0.00         | T            | 0.03                              | 0.50         | 0.00 | 56.07           |
| Coyote Dam                                  | 46.07                   | 0.16         | 0.00         | 1.92         | 9.85           | 18.97           | 8.05           | *            | 2.80         | 4.29          | 0.00         | 0.03         | 0.00                              | 0.62         | 0.00 | 46.53           |
| Graton                                      | 42.21                   | 0.17         | 0.03         | 3.84         | 7.85           | 11.53           | 9.93           | 1.81         | 1.72         | 5.29          | 0.02         | 0.02         | 0.02                              | 0.32         | 0.00 | 42.53           |
| Graton 1 W                                  | 43.69                   | 0.20         | 0.02         | 4.22         | 8.47           | 11.71           | 9.68           | 1.88         | 2.38         | 5.13          | 0.00         | T            | 0.01                              | 0.45         | 0.00 | 44.00           |
| Guerneville                                 | 53.98                   | 0.04         | T            | 4.46         | 10.38          | 14.53           | 11.00          | 2.47         | 2.68         | 8.92          | T            | T            | 0.00                              | 0.40         | 0.00 | 53.94           |
| Headburg                                    | 47.47                   | 0.03         | 0.00         | 3.50         | 9.14           | 15.07           | 10.64          | 1.94         | 1.58         | 5.75          | T            | 0.00         | 0.04                              | 0.49         | 0.00 | 47.97           |
| Headburg No. 2                              | 48.41                   | 0.06         | 0.00         | 4.40         | 8.18           | 15.54           | 10.53          | 1.92         | 1.56         | 6.22          | 0.00         | 0.00         | 0.04                              | 0.52         | 0.00 | 48.91           |
| Hopland Largo Station                       | 46.40                   | 0.11         | 0.00         | 3.73         | 8.80           | 16.20           | 8.91           | 1.33         | 1.73         | 5.59          | 0.00         | 0.00         | 0.00                              | 0.55         | T    | 45.86           |
| Kellogg                                     | 39.12                   | 0.00         | 0.00         | 3.95         | 7.25           | 9.65            | 8.22           | 1.80         | 2.45         | 5.80          | 0.00         | 0.00         | 0.00                              | 0.50         | 0.00 | 39.62           |
| Kellogg-very                                | 65.02                   | 0.05         | T            | 2.35         | 10.95          | 26.82           | 13.37          | 3.80         | 2.02         | 7.46          | 0.06         | 0.05         | T                                 | 0.74         | 0.01 | 65.63           |
| Kent Lake                                   | 58.10                   | 0.00         | 0.05         | 5.03         | 9.27           | 16.73           | 11.20          | 1.09         | 4.66         | 8.05          | 0.02         | 0.00         | 0.00                              | 0.54         | 0.00 | 58.64           |
| Knights Valley                              | 45.75E                  | 0.02         | 0.00         | 2.34         | 7.89           | 16.83           | 10.53          | 1.41         | 1.34         | 5.35          | 0.02         | 0.02E        | 0.01E                             | 0.60E        | T    | 45.75E          |
| Lagunitas Lake                              | 58.35                   | 0.00         | 0.00         | 4.95         | 9.01           | 16.79           | 12.02          | 3.18         | 5.08         | 7.02          | 0.00         | 0.00         | 0.00                              | 0.65         | 0.00 | 59.00           |
| Mr. Tamalpais 2 SW                          | 46.45                   | 0.00         | 0.05         | 4.39         | 7.88           | 13.64           | 7.80           | 1.85         | 2.28         | 5.46          | 0.01         | 0.00         | 0.00                              | 0.68         | 0.00 | 47.05           |
| Nicasio                                     | 34.53                   | 0.00         | 0.04         | 3.16         | 6.42           | 8.97            | 5.01           | 1.51         | 2.31         | 3.90          | 0.00         | 0.00         | 0.00                              | 0.33         | 0.00 | 34.82           |
| Novato 8 NW                                 | 28.28                   | 0.00         | 0.00         | 3.17         | 5.41           | 6.97            | 5.01           | 1.51         | 2.31         | 3.90          | 0.00         | 0.00         | 0.00                              | 0.34         | 0.00 | 28.62           |



TABLE A-2  
PRECIPITATION DATA

| STATION NAME                                | Precipitation in Inches          |      |      |       |       |        |        |       |      |      |       |      | TOTAL<br>Oct. 1<br>To<br>Sept. 30 |      |      |      |       |
|---|----------------------------------|------|------|-------|-------|--------|--------|-------|------|------|-------|------|-----------------------------------|------|------|------|-------|
|   | 1964                             |      |      |       |       |        | 1965   |       |      |      |       |      |                                   |      |      |      |       |
|   | TOTAL<br>July 1<br>To<br>June 30 | JULY | AUG. | SEPT. | OCT.  | NOV.   | DEC.   | JAN.  | FEB. | MAR. | APR.  | MAY  |                                   | JUNE | JULY | AUG. | SEPT. |
| HYDROGRAPHIC AREA F<br>(North Coastal Area) |                                  |      |      |       |       |        |        |       |      |      |       |      |                                   |      |      |      |       |
| RUSSIAN RIVER (E9)                          |                                  |      |      |       |       |        |        |       |      |      |       |      |                                   |      |      |      |       |
| Occidental                                  | 56.17                            | 0.02 | 0.04 | 0.00  | 4.65  | 11.24  | 15.33  | 11.35 | 2.80 | 3.23 | 7.49  | 0.02 | 0.00                              | 0.00 | 0.38 | 0.00 | 56.69 |
| Potter Valley 3 SE                          | -                                | 0.02 | 0.00 | 0.00  | 1.51E | 8.99   | 17.61E | 6.78  | 1.10 | -    | 3.74  | 0.00 | 0.00                              | 0.00 | 0.36 | 0.00 | -     |
| Potter Valley F. H.                         | 56.76                            | 0.05 | 0.00 | 0.00  | 1.61  | 11.06  | 26.12  | 9.82  | 1.54 | 1.76 | 4.74  | 0.00 | 0.06                              | 0.00 | 0.66 | 0.00 | 57.37 |
| Redwood Valley                              | 27.98                            | 0.10 | 0.00 | 0.00  | 2.01  | 9.73   | 17.37E | 9.25  | 1.30 | -    | 3.23  | 0.00 | 0.00                              | 0.05 | 0.34 | 0.00 | 28.51 |
| Santa Rosa Sewage Plant                     |                                  | 0.00 | 0.01 | 0.00  | 2.72  | 5.31   | 7.00   | 5.77  | 1.27 | 1.03 | 4.87  | T    | 0.00                              | 0.03 | 0.31 | 0.00 |       |
| Santa Rosa                                  | 30.97                            | T    | 0.02 | 0.00  | 2.31  | 6.12   | 8.64   | 6.63  | 1.24 | 0.97 | 5.04  | T    | 0.00                              | 0.01 | 0.50 | 0.00 | 31.46 |
| Santa Rosa Pedranzini                       | -                                | 0.04 | 0.02 | 0.00  | 0.30  | 7.08   | 5.68   | RE    | -    | 1.80 | 4.60  | 0.00 | 0.00                              | 0.00 | 0.40 | 0.00 | -     |
| Sebastopol 4 SSE                            | -                                | 0.10 | 0.00 | 0.00  | 2.90  | 7.50E  | 8.66   | -     | -    | 2.75 | 10.79 | 0.00 | 0.00                              | 0.03 | 0.46 | 0.00 | -     |
| The Geysers                                 | 50.61                            | 0.00 | 0.00 | 0.12  | 3.00  | 11.30E | 21.66E | -     | 1.65 | 1.67 | 4.90  | 0.01 | 0.03                              | 0.02 | 0.57 | T    | 51.06 |
| Ukiah                                       |                                  | 0.14 | 0.00 | 0.00  | 1.97  | 10.25  | 21.05  | 9.27  | 1.32 | 1.67 | 4.90  | 0.01 | 0.03                              | 0.02 | 0.57 | T    |       |
| Ukiah 4, MSW                                | 68.43                            | 0.04 | 0.05 | 0.00  | 2.18  | 15.29  | 28.06  | 11.47 | 1.79 | 2.28 | 7.12  | 0.01 | 0.12                              | 0.01 | 0.52 | T    | 68.85 |
| Venado                                      | 69.64E                           | 0.02 | 0.00 | 0.00  | 5.46  | 11.74  | 24.28E | 13.74 | 2.37 | 2.84 | 9.19  | 0.00 | 0.00                              | 0.00 | 0.48 | 0.00 | -     |
| Woodacre                                    | 46.31                            | T    | 0.04 | 0.00  | 3.96  | 6.62   | 14.68  | 9.83  | 2.29 | 3.44 | 5.45  | 0.00 | 0.00                              | 0.00 | 0.48 | 0.00 | 46.75 |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME                  | Temperature in Degrees Fahrenheit |      |       |      |      |      |      |      |      |      |      |      | SEASON             |      |       |      |
|-------------------------------|-----------------------------------|------|-------|------|------|------|------|------|------|------|------|------|--------------------|------|-------|------|
|                               | 1964                              |      |       |      |      |      | 1965 |      |      |      |      |      | OCT. 1 to Sept. 30 |      |       |      |
|                               | JULY                              | AUG. | SEPT. | OCT. | NOV. | DEC. | JAN. | FEB. | MAR. | APR. | MAY  | JUNE | JULY               | AUG. | SEPT. |      |
| SANTA CRUZ COAST (DO)         | Max.                              | 93   | 98    | 91   | 67   | 66   | 67   | 74   | 73   | 84   | 84   | 81   | 88                 | 90   | 88    | 91   |
|                               | Min.                              | 41   | 45    | 40   | 39   | 28   | 31   | 27   | 32   | 38   | 35   | 40   | 42                 | 49   | 53    | 45   |
|                               | Avg. Max.                         | 83.1 | 82.4  | 79.5 | 78.4 | 58.1 | 57.0 | 56.7 | 64.3 | 62.0 | 69.1 | 73.2 | 69.5               | 79.2 | 80.7  | 74.1 |
|                               | Avg. Min.                         | 49.4 | 48.0  | 47.2 | 47.0 | 40.3 | 42.2 | 39.9 | 41.1 | 43.3 | 48.1 | 47.1 | 51.2               | 55.9 | 55.2  | 52.0 |
|                               | Avg.                              | 57.3 | 56.3  | 55.4 | 55.7 | 49.2 | 49.6 | 48.3 | 52.7 | 52.7 | 58.6 | 60.2 | 60.4               | 66.1 | 68.0  | 63.1 |
| Davenport                     | Max.                              | 84   | 82    | 84   | 84   | 67   | 61   | 70   | 67   | 78   | M    | 64   | 68                 | 78   | 70    | 84   |
|                               | Min.                              | 34   | 46    | 48   | 45   | 45   | 39   | 34   | 38   | 42   | 39   | 40   | 43                 | 46   | 50    | 47   |
|                               | Avg. Max.                         | 61.6 | 77.7  | 64.5 | 66.2 | 67.9 | 60.0 | 57.2 | 57.3 | 59.1 | 56.6 | 59.1 | 57.1               | 59.0 | 61.7  | 66.5 |
|                               | Avg. Min.                         | 47.8 | 50.1  | 51.7 | 50.4 | 46.3 | 46.9 | 45.6 | 44.3 | 45.6 | 47.0 | 45.1 | 49.1               | 50.4 | 53.5  | 51.5 |
|                               | Avg.                              | 54.7 | 54.7  | 57.6 | 58.3 | 53.2 | 52.1 | 51.5 | 51.2 | 51.1 | 51.1 | 51.1 | 54.1               | 56.1 | 60.4  | 58.0 |
| SanLa Cruz                    | Max.                              | 100  | 95    | 96   | 100  | 72   | 67   | 75   | 76   | 78   | 82   | 79   | 83                 | 83   | 98    | 89   |
|                               | Min.                              | 41   | 42    | 40   | 40   | 28   | 28   | 27   | 30   | 34   | 33   | 36   | 41                 | 40   | 48    | 40   |
|                               | Avg. Max.                         | 68.7 | 78.2  | 76.3 | 77.2 | 63.6 | 63.6 | 60.6 | 63.8 | 63.4 | 66.2 | 62.8 | 69.2               | 74.7 | 79.7  | 75.8 |
|                               | Avg. Min.                         | 44.3 | 49.1  | 49.7 | 47.1 | 40.4 | 42.2 | 39.4 | 38.5 | 41.5 | 44.8 | 43.3 | 48.1               | 50.4 | 52.6  | 48.5 |
|                               | Avg.                              | 56.5 | 57.7  | 57.0 | 57.2 | 52.0 | 51.0 | 50.0 | 51.2 | 52.5 | 55.1 | 56.6 | 58.7               | 62.6 | 66.2  | 62.2 |
| PAJARO-SAN BENITO RIVERS (DI) | Max.                              | 103  | 103   | 105  | 98   | 75   | 67   | 70   | 75   | 81   | 90   | 89   | 94                 | 95   | 98    | 92   |
|                               | Min.                              | 25   | 42    | 39   | 42   | 25   | 26   | 25   | 28   | 31   | 35   | 37   | 44                 | 47   | 51    | 41   |
|                               | Avg. Max.                         | 72.9 | 88.4  | 83.3 | 82.2 | 63.1 | 59.4 | 58.5 | 64.0 | 65.6 | 68.8 | 76.6 | 76.1               | 85.3 | 88.4  | 80.7 |
|                               | Avg. Min.                         | 43.6 | 50.4  | 51.0 | 47.6 | 39.3 | 40.2 | 35.6 | 36.4 | 40.4 | 44.6 | 43.7 | 48.9               | 52.6 | 55.3  | 49.2 |
|                               | Avg.                              | 55.4 | 59.4  | 57.7 | 55.4 | 51.2 | 49.2 | 47.1 | 50.2 | 53.0 | 56.7 | 60.2 | 62.5               | 69.0 | 71.9  | 65.0 |
| Gallist                       | Max.                              | 103  | 92    | 95   | 103  | 97   | 75   | 71   | 71   | 80   | 80   | 90   | 85                 | 86   | 89    | 96   |
|                               | Min.                              | 43   | 43    | 40   | 40   | 25   | 26   | 23   | 27   | 33   | 34   | 40   | 40                 | 42   | 45    | 39   |
|                               | Avg. Max.                         | M    | 80.5  | 81.7 | 81.0 | 81.5 | 61.0 | 60.5 | 61.0 | 66.2 | 67.0 | 69.7 | 71.7               | 69.6 | 77.7  | 83.2 |
|                               | Avg. Min.                         | M    | 49.1  | 46.9 | M    | 46.7 | 35.6 | 35.1 | 41.9 | 45.2 | 41.7 | 47.0 | 48.9               | 52.8 | 45.1  | 43.4 |
|                               | Avg.                              | M    | 64.8  | 64.3 | M    | 64.1 | 51.3 | 50.0 | 48.8 | 50.7 | 54.5 | 57.5 | 56.7               | 63.3 | 68.0  | 61.7 |
| Hollist:                      | Max.                              | 101  | 101   | 95   | 101  | 95   | 76   | 69   | 71   | 79   | 85   | 92   | 88                 | 95   | 93    | 90   |
|                               | Min.                              | 18   | 35    | 34   | 33   | 18   | 20   | 18   | 20   | 23   | 27   | 26   | 36                 | 37   | 42    | 33   |
|                               | Avg. Max.                         | 62.2 | 85.6  | 83.1 | 79.9 | 78.8 | 59.7 | 52.6 | 54.2 | 61.8 | 66.1 | 70.8 | 73.7               | 84.5 | 86.1  | 77.9 |
|                               | Avg. Min.                         | 34.4 | 47.3  | 47.3 | 40.8 | 41.9 | 34.2 | 38.4 | 33.6 | 30.4 | 37.2 | 39.9 | 36.8               | 43.9 | 46.9  | 50.0 |
|                               | Avg.                              | 54.1 | 66.5  | 64.2 | 60.4 | 60.4 | 47.0 | 45.5 | 43.9 | 46.1 | 49.6 | 53.8 | 48.8               | 65.7 | 69.1  | 51.3 |

# TABLE A-3 TEMPERATURE DATA

| STATION NAME                                  | Temperature in Degrees Fahrenheit |      |       |      |       |      |      |      |      |      |       |      | SEASON<br>July 1<br>to<br>June 30 |       |       |                                    |      |
|---|-----------------------------------|------|-------|------|-------|------|------|------|------|------|-------|------|-----------------------------------|-------|-------|------------------------------------|------|
|   | 1964                              |      |       | 1965 |       |      |      |      |      | 1966 |       |      |                                   | SEPT. |       |                                    |      |
|   | JULY                              | AUG. | SEPT. | OCT. | NOV.  | DEC. | JAN. | FEB. | MAR. | APR. | MAY   | JUNE | JULY                              | AUG.  | SEPT. | SEASON<br>Oct. 1<br>to<br>Sept. 30 |      |
| HYDROGRAPHIC AREA D<br>(Central Coastal Area) |                                   |      |       |      |       |      |      |      |      |      |       |      |                                   |       |       |                                    |      |
| PAJARO-SAN BENITO RIVERS<br>(D)               | Max.<br>97                        | 80   | 91    | 97   | 72    | 67   | 76   | 75   | 80   | 85   | 75    | 75   | 75                                | 92    | 83    | 97                                 |      |
|   | Min.<br>28                        | 43   | 40    | 41   | 29    | 32   | 28   | 31   | 35   | 35   | 36    | 42   | 48                                | 49    | 41    | 42                                 |      |
|   | Avg. Max.<br>65.7                 | 70.3 | 71.6  | 73.7 | 63.3  | 59.7 | 60.0 | 62.1 | 65.2 | 66.1 | 66.1  | 64.5 | 68.4                              | 73.4  | 70.0  | 65.7                               |      |
|   | Avg. Min.<br>45.3                 | 50.3 | 50.5  | 47.3 | 41.3  | 43.6 | 40.4 | 39.6 | 41.9 | 46.1 | 45.6  | 49.0 | 51.6                              | 53.9  | 49.7  | 45.9                               |      |
|   | Avg.<br>55.4                      | 60.2 | 60.4  | 59.5 | 52.3  | 51.7 | 50.2 | 50.9 | 52.0 | 54.7 | 54.8  | 56.8 | 60.0                              | 63.7  | 59.3  | 55.5                               |      |
| LOWER SALINAS RIVER (D2)                      | Max.<br>97                        | 94   | 89    | 90   | 78    | 65   | 78   | 82   | 78   | 88   | 88    | 84   | 102                               | 102   | 91    | 97                                 |      |
|   | Min.<br>23                        | 36   | 31    | 34   | 28    | 28   | 23   | 29   | 38   | 28   | 28    | 38   | 45                                | 46    | 42    | 43                                 |      |
|   | Avg. Max.<br>66.5                 | 73.5 | 79.4  | 72.8 | 58.1  | 51.6 | 57.7 | 61.1 | 58.4 | 62.1 | 67.7  | 73.1 | 88.3                              | 87.2  | 78.2  | 68.0                               |      |
|   | Avg. Min.<br>47.7                 | 50.8 | 57.6  | 48.2 | 41.3  | 43.0 | 42.5 | 42.1 | 43.5 | 48.0 | 45.8  | 47.1 | 60.2                              | 60.7  | 56.1  | 48.5                               |      |
|   | Avg.<br>57.1                      | 62.2 | 68.5  | 60.5 | 52.6  | 47.3 | 50.1 | 51.6 | 53.0 | 56.8 | 60.1  | 74.3 | 74.0                              | 67.2  | 61.3  | 54.3                               |      |
|   | Max.<br>104                       | 95   | 104   | 98   | 78    | 70   | 75   | 82   | 83   | 93   | 89    | 92   | 93                                | 98    | 93    | 98                                 |      |
|   | Min.<br>46                        | M    | 40    | 39   | 25    | 28   | 25   | 24   | 32   | 33   | 35    | 40   | 44                                | 46    | 39    | 24                                 |      |
|   | Avg. Max.<br>M                    | M    | 83.6M | 82.3 | 65.6M | 62.5 | 62.5 | 67.8 | 67.8 | 76.1 | 77.1M | 77.0 | 81.9                              | 84.8  | 80.0  | 73.5                               |      |
|   | Avg. Min.<br>M                    | M    | 46.3M | 46.4 | 39.8M | 42.9 | 38.6 | 35.8 | 39.9 | 43.8 | 43.4M | 48.4 | 51.3                              | 53.7  | 47.0  | 44.3                               |      |
|   | Avg.<br>M                         | M    | 65.0M | 61.4 | 52.7M | 52.7 | 50.6 | 53.8 | 53.9 | 58.0 | 60.3M | 62.7 | 66.6                              | 69.3  | 63.5  | 58.7                               |      |
|   | Max.<br>84                        | 81   | 95    | 91   | 68    | 67   | 73   | 73   | 76   | 81   | 73    | 74   | 72                                | 83    | 84    | 71                                 |      |
|   | Min.<br>33                        | 48   | 48    | 48   | 46    | 35   | 33   | 39   | 42   | 39   | 42    | 46   | 46                                | 50    | 48    | 33                                 |      |
|   | Avg. Max.<br>62.9                 | 66.3 | 66.3  | 69.3 | 70.8  | 61.4 | 58.5 | 59.7 | 59.9 | 59.4 | 62.1  | 59.5 | 62.0                              | 64.2  | 70.0  | 69.2                               | 63.1 |
|   | Avg. Min.<br>48.1                 | 51.6 | 52.2  | 51.7 | 52.8  | 45.6 | 46.7 | 44.9 | 43.6 | 45.5 | 47.1  | 46.4 | 49.4                              | 51.3  | 54.0  | 53.1                               | 61.3 |
|   | Avg.<br>55.6                      | 59.0 | 59.3  | 60.5 | 61.8  | 53.5 | 52.6 | 52.3 | 51.8 | 52.5 | 54.6  | 53.0 | 55.7                              | 57.8  | 63.0  | 55.7                               |      |
|   | Max.<br>105                       | 105  | 102   | 104  | 101   | 78   | 71   | 77   | 82   | 80   | 89    | 94   | 101                               | 103   | 98    | 103                                |      |
|   | Min.<br>20                        | 42   | 42    | 38   | 38    | 21   | 24   | 20   | 24   | 30   | 27    | 29   | 38                                | 41    | 43    | 20                                 |      |
|   | Avg. Max.<br>76.1                 | 95.5 | 95.1  | 89.2 | 86.1  | 63.4 | 59.7 | 62.0 | 67.0 | 65.5 | 67.8  | 79.2 | 82.9                              | 94.1  | 94.7  | 85.5                               |      |
|   | Avg. Min.<br>41.2                 | 50.8 | 50.2  | 44.4 | 45.9  | 35.5 | 38.2 | 35.9 | 33.3 | 37.2 | 39.3  | 39.7 | 43.4                              | 46.3  | 51.8  | 44.1                               |      |
|   | Avg.<br>58.7                      | 73.2 | 72.7  | 66.8 | 66.0  | 49.5 | 49.0 | 50.2 | 51.4 | 53.6 | 59.5  | 63.2 | 71.2                              | 73.3  | 65.1  | 61.4                               |      |
|   | Max.<br>103                       | 103  | 101   | 99   | 96    | 76   | 67   | 75   | 73   | 74   | 84    | 91   | 91                                | 99    | 103   | 94                                 |      |
|   | Min.<br>16                        | 36   | 40    | 30   | 30    | 17   | 16   | 19   | 22   | 26   | 23    | 32   | 40                                | 39    | 30    | 16                                 |      |
|   | Avg. Max.<br>72.3                 | 93.7 | 93.1  | 86.2 | 82.1  | 59.0 | 55.8 | 55.8 | 61.9 | 60.2 | 64.0  | 75.9 | 80.3                              | 92.1  | 93.0  | 82.1                               |      |
|   | Avg. Min.<br>37.6                 | 49.0 | 49.0  | 38.7 | 40.7  | 32.1 | 34.1 | 32.9 | 28.7 | 32.2 | 36.4  | 35.2 | 41.2                              | 47.7  | 48.8  | 36.3                               |      |
|   | Avg.<br>55.5                      | 71.4 | 71.1  | 62.5 | 61.4  | 45.5 | 44.4 | 45.3 | 46.2 | 50.0 | 55.9  | 63.8 | 69.9                              | 70.3  | 60.3  | 54.6                               |      |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                  | SEASON<br>July -<br>Sept. 30 | Temperature in Degrees Fahrenheit |      |       |      |      |       |       |      |      |      |      |      | SEASON<br>Oct. 1<br>Sept. 30 |      |      |       |
|---|------------------------------|-----------------------------------|------|-------|------|------|-------|-------|------|------|------|------|------|------------------------------|------|------|-------|
|   |                              | 1964                              |      |       |      |      |       | 1965  |      |      |      |      |      |                              |      |      |       |
|   |                              | JULY                              | AUG. | SEPT. | OCT. | NOV. | DEC.  | JAN.  | FEB. | MAR. | APR. | MAY  | JUNE |                              | JULY | AUG. | SEPT. |
| HYDROGRAPHIC AREA D<br>(Central Coastal Area) |                              |                                   |      |       |      |      |       |       |      |      |      |      |      |                              |      |      |       |
| 005 - SULLY'S RIVER (12)                      | Max.                         | 95                                | 84   | 97    | 95   | 75   | 59    | 77    | 76   | 81   | 87   | 79   | 77   | 76                           | 88   | 90   | 95    |
|   | Min.                         | 47                                | 45   | 37    | 39   | 29   | 32    | 27    | 23   | 35   | 32   | 38   | 45   | 50                           | 50   | 44   | 27    |
| 006 - ...                                     | Avg. Max.                    | 74.4                              | 72.7 | 74.4  | 75.4 | 64.3 | 60.4  | 62.5  | 62.9 | 63.4 | 66.6 | 66.6 | 67.1 | 70.0                         | 73.5 | 74.4 | 67.4  |
|   | Avg. Min.                    | 46.2                              | 53.1 | 49.4  | 49.7 | 41.1 | 44.1  | 40.3  | 38.2 | 42.5 | 45.9 | 47.1 | 51.3 | 53.0                         | 54.6 | 51.1 | 46.6  |
| 007 - ...                                     | Avg.                         | 61.2                              | 62.9 | 61.9  | 62.6 | 52.7 | 52.2  | 51.4  | 50.6 | 53.0 | 56.3 | 56.9 | 59.2 | 61.5                         | 65.0 | 62.5 | 57.0  |
|   | Max.                         | 87                                | 85   | 98    | 97   | 73   | 68    | 75    | 74   | 80   | 88   | 80   | 77   | 76                           | 88   | 91   | 97    |
| 008 - ...                                     | Min.                         | 50                                | 47   | 46    | 41   | 32   | 33    | M     | 30   | 34   | 33   | 35   | 44   | 50                           | 51   | 45   | 29    |
|   | Avg. Max.                    | 66.6                              | 71.4 | 73.7  | 75.8 | 63.6 | 61.7M | 61.8M | 62.1 | 62.0 | 65.2 | 65.2 | 66.1 | 69.0                         | 73.1 | 73.9 | 66.8  |
| 009 - ...                                     | Avg. Min.                    | 46.7                              | 53.9 | 51.5  | 51.6 | 42.2 | 46.3M | 40.8M | 37.7 | 41.8 | 44.7 | 46.1 | 49.9 | 52.5                         | 55.5 | 52.4 | 46.8  |
|   | Avg.                         | 56.5                              | 62.6 | 62.6  | 63.7 | 52.9 | 54.0M | 51.3M | 49.9 | 51.9 | 55.4 | 55.7 | 58.0 | 60.8                         | 66.7 | 63.2 | 56.8  |
| 010 - ...                                     | Max.                         | 94                                | 77   | 90    | 93   | 70   | 64    | 70    | 73   | 78   | M    | M    | M    | M                            | M    | M    | M     |
|   | Min.                         | 40                                | 44   | 43    | 39   | 32   | 34    | 30    | 30   | 35   | M    | M    | M    | M                            | M    | M    | M     |
| 011 - ...                                     | Avg. Max.                    | 65.0                              | 63.0 | 66.5  | 70.5 | 61.4 | 55.3  | 57.3  | 59.5 | 60.8 | M    | M    | M    | M                            | M    | M    | M     |
|   | Avg. Min.                    | 50.7                              | 50.9 | 49.5  | 50.3 | 43.2 | 42.8  | 42.8  | 38.9 | 42.7 | M    | M    | M    | M                            | M    | M    | M     |
| 012 - ...                                     | Avg.                         | 58.2                              | 57.0 | 58.0  | 60.4 | 52.3 | 49.1  | 49.8  | 49.7 | 51.8 | M    | M    | M    | M                            | M    | M    | M     |
|   | Max.                         | 96                                | 86   | 100   | 96   | 75   | 69    | 77    | 79   | 81   | 84   | 79   | 79   | 78                           | 92   | 91   | 96    |
| 013 - ...                                     | Min.                         | 46                                | 46   | 49    | 51   | 27   | 29    | 27    | 28   | 33   | 33   | 37   | 42   | 44                           | 47   | 40   | 27    |
|   | Avg. Max.                    | 74.5                              | 75.0 | 76.0  | 77.2 | 63.3 | 61.1  | 59.8  | 64.4 | 63.4 | 66.2 | 68.7 | 69.0 | 72.8                         | 76.9 | 74.9 | 67.1  |
| 014 - ...                                     | Avg. Min.                    | 49.2                              | 51.2 | 50.6  | 52.8 | 39.8 | 39.1  | 36.5  | 40.4 | 43.5 | 44.2 | 44.8 | 50.2 | 52.5                         | 48.1 | 45.0 | 45.0  |
|   | Avg.                         | 61.8                              | 63.1 | 63.3  | 65.0 | 51.6 | 52.1  | 49.5  | 50.5 | 51.9 | 54.9 | 56.5 | 59.4 | 61.5                         | 64.9 | 61.5 | 56.6  |
| 015 - ...                                     | Max.                         | 99                                | 99   | M     | 99   | 75   | 68    | 82    | 78   | 73   | 87   | 79   | 78   | 75                           | 83   | 90   | 95    |
|   | Min.                         | 44                                | 44   | M     | 43   | 29   | 30    | 30    | 30   | 27   | 34   | 40   | 42   | 41                           | 42   | 40   | 27    |
| 016 - ...                                     | Avg. Max.                    | M                                 | M    | M     | M    | 65.3 | M     | M     | M    | M    | 67.7 | M    | M    | M                            | M    | M    | M     |
|   | Avg. Min.                    | M                                 | M    | M     | M    | 53.9 | M     | M     | M    | M    | 44.5 | M    | M    | M                            | M    | M    | M     |
| 017 - ...                                     | Avg.                         | 109                               | 104  | 109   | 108  | 74   | 74    | 73    | 76   | 80   | 90   | 94   | 94   | 102                          | 102  | 90   | 102   |
|   | Max.                         | 109                               | 104  | 109   | 108  | 74   | 74    | 73    | 76   | 80   | 90   | 94   | 94   | 102                          | 102  | 90   | 102   |
| 018 - ...                                     | Min.                         | 46                                | 46   | 46    | 46   | 46   | 46    | 46    | 46   | 46   | 46   | 46   | 46   | 46                           | 46   | 46   | 46    |
|   | Avg. Max.                    | 74.4                              | 74.4 | 74.4  | 74.4 | 61.6 | 61.6  | 61.6  | 61.6 | 61.6 | 65.2 | 70.4 | 79.4 | 77.6                         | 81.2 | 80.2 | 74.4  |
| 019 - ...                                     | Avg. Min.                    | 46.2                              | 46.2 | 46.2  | 46.2 | 38.6 | 38.6  | 38.6  | 38.6 | 40.8 | 44.4 | 44.4 | 44.4 | 47.4                         | 57.6 | 47.4 | 44.4  |
|   | Avg.                         | 60.3                              | 60.3 | 60.3  | 60.3 | 50.2 | 50.2  | 50.2  | 50.2 | 51.2 | 55.3 | 62.4 | 61.9 | 62.7                         | 64.4 | 64.4 | 59.3  |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME            | Temperature in degrees Fahrenheit |      |       |      |      |      |      |      |      |      |      |      | SEASON<br>Oct 1<br>to<br>Sept 30 |      |       |       |       |
|-------------------------|-----------------------------------|------|-------|------|------|------|------|------|------|------|------|------|----------------------------------|------|-------|-------|-------|
|                         | 1964                              |      |       |      |      |      | 1965 |      |      |      |      |      |                                  |      |       |       |       |
|                         | JULY                              | AUG. | SEPT. | OCT. | NOV. | DEC. | JAN. | FEB. | MAR. | APR. | MAY  | JUNE |                                  | JULY | AUG.  | SEPT. |       |
| UPPER SALINAS RIVER (D) | Max.                              | 104  | 103   | 100  | 97   | 94   | 74   | 66   | 68   | 75   | 76   | 86   | 93                               | 92   | 100   | 93    | 100   |
|                         | Min.                              | 44   | 46    | 45   | 41   | 45   | 26   | 26   | 25   | 24   | 29   | 30   | 34                               | 38   | 46    | 48    | 41    |
|                         | Avg. Max.                         | 73.4 | 73.1  | 71.8 | 69.4 | 68.7 | 58.7 | 57.2 | 63.3 | 63.5 | 68.7 | 77.9 | 79.2                             | 79.2 | 90.5  | 92.7  | 80.8  |
|                         | Avg. Min.                         | 43.2 | 43.2  | 43.2 | 43.1 | 43.0 | 34.0 | 32.9 | 32.9 | 32.9 | 32.9 | 43.0 | 44.3                             | 44.4 | 48.4  | 53.7  | 49.5  |
|                         | Avg.                              | 58.7 | 58.1  | 57.2 | 56.0 | 55.0 | 46.0 | 44.8 | 48.1 | 48.2 | 51.4 | 61.1 | 61.1                             | 63.6 | 72.1  | 75.5  | 65.2  |
| Nacimiento Dam          | Max.                              | 106  | 105   | 104  | 100  | 79   | 78   | 73   | 80   | 80   | 89   | 95   | 95                               | 95   | 104   | 100   | 104   |
|                         | Min.                              | 39   | 43    | 42   | 42   | 28   | 24   | 24   | 24   | 29   | 32   | 33   | 33                               | 40   | 43    | 47    | 41    |
|                         | Avg. Max.                         | 76.3 | 76.6  | 77.9 | 78.8 | 87.8 | 64.0 | 61.8 | 58.6 | 66.2 | 66.2 | 68.9 | 80.6                             | 81.5 | 94.4  | 97.0  | 84.8  |
|                         | Avg. Min.                         | 43.2 | 43.1  | 43.0 | 42.9 | 38.4 | 39.6 | 37.0 | 34.4 | 39.2 | 42.4 | 43.8 | 45.6                             | 45.6 | 50.2  | 54.2  | 47.2  |
|                         | Avg.                              | 59.8 | 59.8  | 59.4 | 58.7 | 63.2 | 51.2 | 50.7 | 47.8 | 52.6 | 54.7 | 61.3 | 63.6                             | 63.6 | 72.3  | 75.6  | 66.0  |
| Paso Robles             | Max.                              | 107  | 107   | 103  | 100  | 80   | 72   | 75   | 79   | 80   | 90   | 94   | 93                               | 101  | 101   | 97    | 101   |
|                         | Min.                              | 20   | 40    | 41   | 35   | 37   | 20   | 24   | 23   | 27   | 40   | 30   | 35                               | 40   | 46    | 46    | 35    |
|                         | Avg. Max.                         | 75.9 | 76.1  | 74.2 | 73.3 | 85.7 | 65.7 | 61.6 | 60.8 | 66.2 | 65.3 | 70.6 | 80.8                             | 78.1 | 90.6M | 94.6  | 84.7M |
|                         | Avg. Min.                         | 43.6 | 43.6  | 43.6 | 42.6 | 44.4 | 35.5 | 32.5 | 37.2 | 32.4 | 39.6 | 42.6 | 43.2                             | 43.1 | 48.4M | 52.8  | 42.6M |
|                         | Avg.                              | 59.8 | 59.8  | 59.4 | 58.1 | 65.0 | 50.7 | 49.0 | 49.3 | 52.5 | 52.6 | 61.0 | 63.6                             | 63.6 | 72.3  | 75.6  | 66.0  |
| Paso Robles FAA Airport | Max.                              | 106  | 105   | 102  | 100  | 79   | 69   | 73   | 78   | 80   | 91   | 96   | 94                               | 104  | 109   | 96    | 105   |
|                         | Min.                              | 22   | 46    | 44   | 39   | 41   | 23   | 23   | 23   | 22   | 28   | 29   | 34                               | 38   | 42    | 48    | 39    |
|                         | Avg. Max.                         | 75.8 | 76.1  | 74.2 | 73.3 | 86.7 | 65.7 | 61.6 | 60.8 | 66.2 | 65.3 | 70.6 | 80.8                             | 78.1 | 90.6M | 94.6  | 84.7M |
|                         | Avg. Min.                         | 43.6 | 43.6  | 43.6 | 42.6 | 44.4 | 35.5 | 32.5 | 37.2 | 32.4 | 39.6 | 42.6 | 43.2                             | 43.1 | 48.4M | 52.8  | 42.6M |
|                         | Avg.                              | 59.8 | 59.8  | 59.4 | 58.1 | 65.0 | 50.7 | 49.0 | 49.3 | 52.5 | 52.6 | 61.0 | 63.6                             | 63.6 | 72.3  | 75.6  | 66.0  |
| San Antonio Mission     | Max.                              | 106  | 106   | 104  | 104  | 78   | 72   | 74   | 78   | 75   | 87   | 95   | 94                               | 105  | 103   | 95    | 105   |
|                         | Min.                              | 21   | 39    | 39   | 37   | 35   | 22   | 21   | 24   | 24   | 28   | 25   | 34                               | 41   | 40    | 38    | 21    |
|                         | Avg. Max.                         | 77.4 | 78.0  | 77.5 | 77.5 | 84.6 | 61.4 | 61.3 | 66.8 | 64.9 | 68.8 | 81.7 | 85.2                             | 96.8 | 97.5  | 87.6  | 77.0  |
|                         | Avg. Min.                         | 40.3 | 40.6  | 40.3 | 40.3 | 36.2 | 38.3 | 35.4 | 31.2 | 36.3 | 39.8 | 37.9 | 42.2                             | 48.9 | 51.5  | 42.4  | 40.5  |
|                         | Avg.                              | 58.3 | 58.3  | 58.3 | 58.3 | 60.4 | 49.3 | 48.4 | 49.0 | 50.6 | 54.3 | 62.3 | 63.7                             | 74.2 | 71.5  | 66.0  | 58.2  |
| Tempeh                  | Max.                              | 106  | 106   | 104  | 101  | 100  | 79   | 68   | 74   | 79   | 86   | 93   | 93                               | 103  | 96    | 105   | 105   |
|                         | Min.                              | 22   | 39    | 42   | 36   | 40   | 23   | 22   | 25   | 24   | 29   | 31   | 31                               | 38   | 42    | 46    | 28    |
|                         | Avg. Max.                         | 73.7 | 73.1  | 71.1 | 71.1 | 83.6 | 63.5 | 59.5 | 61.8 | 63.5 | 69.3 | 76.6 | 76.0                             | 85.2 | 92.1  | 80.4  | 72.8  |
|                         | Avg. Min.                         | 42.8 | 42.8  | 42.8 | 42.8 | 36.8 | 40.1 | 38.9 | 33.0 | 39.5 | 43.5 | 43.9 | 45.7                             | 50.3 | 53.9  | 45.3  | 43.1  |
|                         | Avg.                              | 58.3 | 58.3  | 58.3 | 58.3 | 60.2 | 49.8 | 49.1 | 48.9 | 51.5 | 56.4 | 63.3 | 63.0                             | 73.0 | 73.0  | 66.0  | 59.0  |



TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                  | SEASON<br>July 1<br>to<br>June 30 | Temperature in Degrees Fahrenheit |      |       |      |      |      |       |      |      |      |      |      | SEASON<br>Oct. 1<br>to<br>Sept. 30 |      |      |       |
|---|-----------------------------------|-----------------------------------|------|-------|------|------|------|-------|------|------|------|------|------|------------------------------------|------|------|-------|
|   |                                   | 1984                              |      |       |      |      |      | 1985  |      |      |      |      |      |                                    |      |      |       |
|   |                                   | JULY                              | AUG. | SEPT. | OCT. | NOV. | DEC. | JAN.  | FEB. | MAR. | APR. | MAY  | JUNE |                                    | JULY | AUG. | SEPT. |
| HYDROGRAPHIC AREA D<br>(Central Coastal Area) |                                   |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
| MONTEREY COAST (D4)                           | Max.                              | 88                                | 91   | 98    | 98   | 74   | 72   | 80    | 78   | 76   | 88   | 82   | 84   | 79                                 | 93   | 94   | 98    |
|   | Min.                              | 34                                | 34   | 36    | 34   | 27   | 31   | 25    | 24   | 33   | 33   | 33   | 38   | 37                                 | 41   | 40   | 25    |
|   | Avg. Max.                         | 75.3                              | 77.5 | 77.5  | 72.8 | 64.9 | 61.2 | 64.3M | 64.4 | 63.0 | 66.8 | 68.1 | 70.0 | 73.4                               | 79.5 | 76.4 | 69.3  |
|   | Avg. Min.                         | 47.6                              | 47.0 | 47.0  | 48.2 | 39.3 | 42.5 | 37.1M | 37.1 | 40.3 | 42.6 | 40.3 | 41.9 | 46.2                               | 49.7 | 46.4 | 43.2  |
|   | Avg.                              | 61.5                              | 62.3 | 62.2  | 64.0 | 52.1 | 51.9 | 50.7M | 50.8 | 51.7 | 54.7 | 54.3 | 58.0 | 59.8                               | 64.6 | 61.4 | 56.3  |
|   | Max.                              | 80                                | 84   | 80    | 74   | 68   | 73   | 72    | 74   | 73   | 82   | 84   | 78   | 77                                 | 88   | 81   | 88    |
|   | Min.                              | 50                                | 52   | 50    | 40   | 42   | 40   | 38    | 44   | 44   | 40   | 44   | 45   | 51                                 | 52   | 53   | 38    |
|   | Avg. Max.                         | 73.5                              | 74.4 | 70.2  | 74.2 | 61.0 | 58.8 | 60.5  | 61.0 | 59.7 | 63.8 | 66.6 | 64.0 | 68.6                               | 77.5 | 69.0 | 65.3  |
|   | Avg. Min.                         | 52.4                              | 57.9 | 56.1  | 50.2 | 50.1 | 50.0 | 47.5  | 49.2 | 49.3 | 50.1 | 50.8 | 49.6 | 54.1                               | 60.2 | 56.5 | 52.3  |
|   | Avg.                              | 65.7                              | 66.2 | 63.1  | 66.1 | 55.6 | 54.4 | 54.2  | 55.1 | 54.0 | 57.0 | 58.7 | 56.8 | 61.4                               | 69.2 | 62.8 | 58.8  |
|   | Max.                              |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Min.                              |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Avg. Max.                         |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Avg. Min.                         |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Avg.                              |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Max.                              |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Min.                              |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Avg. Max.                         |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Avg. Min.                         |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Avg.                              |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Max.                              |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Min.                              |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Avg. Max.                         |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Avg. Min.                         |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |
|   | Avg.                              |                                   |      |       |      |      |      |       |      |      |      |      |      |                                    |      |      |       |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                    | SEASON<br>July 1<br>to<br>June 30 | Temperature in Degrees Fahrenheit |       |       |       |       |       |       |       |       |       |       |       | SEASON<br>Oct. 1<br>to<br>Sept. 30 |       |       |
|---|-----------------------------------|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------------------------|-------|-------|
|   |                                   | 1964                              |       |       |       |       |       | 1965  |       |       |       |       |       |                                    |       |       |
|   |                                   | JULY                              | AUG.  | SEPT. | OCT.  | NOV.  | DEC.  | JAN.  | FEB.  | MAR.  | APR.  | MAY   | JUNE  |                                    | JULY  | AUG.  |
| HYDROGRAPHIC AREA E<br>(San Francisco Bay Area) |                                   |                                   |       |       |       |       |       |       |       |       |       |       |       |                                    |       |       |
| MARSH-SONGMA (E3)                               | 100                               | 99                                | 100   | 93    | 72    | 65    | 62    | 73    | 77    | 88    | 86    | 81    | 82    | 85                                 | 75    | 75    |
| Max.  | 100                               | 99                                | 100   | 93    | 72    | 65    | 62    | 73    | 77    | 88    | 86    | 81    | 82    | 85                                 | 75    | 75    |
| Min.  | 28                                | 45                                | 47    | 42    | 31    | 30    | 28    | 33    | 37    | 36    | 39    | 39    | 45    | 44                                 | 47    | 42    |
| Avg. Max.                                       | 69.5                              | 83.3                              | 82.8M | 77.6  | 60.3M | 58.1  | 55.5  | 61.3M | 62.8M | 66.2M | 72.5M | 72.5M | 70.4  | 72.4                               | 63.2M | 76.2M |
| Avg. Min.                                       | 45.6                              | 52.1                              | 51.5M | 49.3  | 40.2  | 43.1  | 30.2  | 30.3M | 40.2M | 45.2M | 44.8M | 49.5  | 42.5  | 53.2M                              | 47.2M | 46.5  |
| Avg.  | 57.6                              | 67.0                              | 67.2M | 64.6  | 51.6M | 50.6  | 47.6  | 50.3M | 53.7M | 55.8M | 59.3M | 61.0  | 64.3  | 62.3                               | 55.3M | 61.3  |
| Max.  | 104                               | 99                                | 100   | 96    | 70    | 64    | 64    | 72    | 77    | 90    | 82    | 88    | 83    | 96                                 | 93    | 96    |
| Min.  | 25                                | 42                                | 42    | 41    | 25    | 26    | 26    | 26    | 34    | 33    | 37    | 44    | 44    | 49                                 | 39    | 35    |
| Avg. Max.                                       | 69.0                              | 82.4                              | 83.6  | 83.0  | 61.3  | 59.1  | 55.6  | 65.7  | 63.1  | 65.8  | 71.5M | 72.5  | 70.2  | 84.2                               | 79.2  | 81.4  |
| Avg. Min.                                       | 44.8                              | 50.1                              | 50.4  | 49.0  | 41.5  | 43.0  | 32.8  | 37.5  | 40.6  | 45.1  | 42.2M | 48.7  | 50.5  | 53.2                               | 49.8  | 45.1  |
| Avg.  | 57.4                              | 66.3                              | 67.0  | 66.0  | 51.4  | 50.6  | 47.7  | 51.1  | 52.0  | 55.5  | 57.2M | 61.6  | 65.4  | 62.7                               | 54.5  | 57.3  |
| Max.  | 101                               | 97                                | 97    | 101   | 94    | 73    | 66    | 64    | 75    | 91    | 86    | 91    | 86    | 95                                 | 90    | 101   |
| Min.  | 29                                | 47                                | 42    | 46    | 33    | 34    | 29    | 36    | 38    | 39    | 31    | 47    | 42    | 49                                 | 40    | 29    |
| Avg. Max.                                       | 71.0                              | 83.4                              | 82.5  | 79.5  | 61.5  | 58.9M | 57.4M | 65.0  | 64.7  | 68.0  | 73.7  | 73.2  | 70.2M | 84.2M                              | 77.7  | 76.3  |
| Avg. Min.                                       | M                                 | 52.5                              | 52.7  | 51.4  | 52.0  | 44.3  | 44.3M | 41.8  | 43.9  | M     | 46.0M | 50.3  | 51.3M | 54.0M                              | 51.2  | M     |
| Avg.  | M                                 | 68.0                              | 68.1  | 67.0  | 65.8  | 55.9  | 51.3M | 49.2M | 54.3  | M     | 59.2M | 62.0  | 65.3M | 69.1M                              | 64.2  | M     |
| Max.  | 104                               | 104                               | 100   | 102   | 96    | 76    | 65    | 62    | 72    | 78    | 89    | 93    | 90    | 99                                 | 99    | 99    |
| Min.  | 24                                | 42                                | 43    | 39    | 26    | 24    | 24    | 25    | 30    | 31    | 30    | 36    | 42    | 44                                 | 34    | 24    |
| Avg. Max.                                       | 72.7                              | 88.6                              | 88.5  | 85.7M | 61.0  | 60.8  | 59.9  | 64.9  | 65.4  | 68.6  | 78.1  | 77.6  | 87.5  | 87.9                               | 82.0  | 76.2  |
| Avg. Min.                                       | 43.3                              | 48.6                              | 49.1  | 46.5  | 44.7  | 40.4  | 42.3  | 36.4  | 39.2  | 43.9  | 42.3  | 48.0  | 47.7  | 50.3                               | 44.6  | 43.2  |
| Avg.  | 58.0                              | 68.6                              | 68.8  | 66.1M | 62.9  | 50.6  | 50.1  | 46.7  | 50.7  | 52.3  | 56.3  | 66.2  | 65.8  | 67.6                               | 62.1  | 57.7  |
| Max.  | 99                                | 99                                | 99    | 98    | 91    | 68    | 59    | 66    | 69    | 72    | 82    | 87    | 90    | 97                                 | 94    | 97    |
| Min.  | 25                                | 43                                | 44    | 38    | 28    | 28    | 28    | 25    | 32    | 31    | 28    | 31    | 49    | 42                                 | 42    | 25    |
| Avg. Max.                                       | 67.7                              | 87.8                              | 88.0  | 81.1M | 75.9  | 53.6  | 50.8  | 51.5  | 54.0  | 57.9  | 60.3  | 73.2  | 74.4  | 85.1                               | 85.3  | 76.1  |
| Avg. Min.                                       | 44.8                              | 53.2                              | 53.1  | 48.8M | 50.2  | 39.2  | 40.2  | 32.4  | 32.6  | 42.9  | 45.6  | 46.5  | 51.9  | 54.6                               | 48.0  | 44.8  |
| Avg.  | 56.3                              | 70.5                              | 70.6  | 65.0M | 63.1  | 46.4  | 45.5  | 45.4  | 48.7  | 48.8  | 51.6  | 59.4  | 60.5  | 68.5                               | 70.0  | 62.1  |
| Max.  | 107                               | 107                               | 104   | 105   | 97    | 73    | 63    | 68    | 71    | 77    | 94    | 89    | 89    | 97                                 | 95    | 97    |
| Min.  | 22                                | 40                                | 42    | 37    | 33    | 22    | 22    | 22    | 26    | 29    | 28    | 27    | 37    | 41                                 | 45    | 33    |
| Avg. Max.                                       | 71.8                              | 92.1                              | 91.5  | 86.0  | 79.9  | 58.9  | 54.3  | 55.7  | 62.3  | 62.5  | 66.6  | 76.8  | 75.4  | 88.0                               | 89.3  | 82.2  |
| Avg. Min.                                       | 41.9                              | 48.0                              | 49.5  | 47.6  | 43.0  | 38.9  | 40.8  | 36.6  | 33.3  | 37.4  | 42.8  | 39.7  | 45.7  | 47.6                               | 50.2  | 44.7  |
| Avg.  | 56.4                              | 70.1                              | 70.5  | 65.8  | 51.5  | 48.9  | 47.6  | 46.2  | 47.8  | 50.0  | 54.7  | 58.3  | 60.6  | 67.8                               | 66.8  | 63.3  |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                    | Temperature in Degrees Fahrenheit |       |       |       |       |      |       |       |      |      |       |       | SEASON<br>July 1<br>to<br>June 30 |                                    |       |      |   |
|---|-----------------------------------|-------|-------|-------|-------|------|-------|-------|------|------|-------|-------|-----------------------------------|------------------------------------|-------|------|---|
|   | 1964                              |       |       |       |       |      | 1965  |       |      |      |       |       |                                   | SEASON<br>Oct. 1<br>to<br>Sept. 30 |       |      |   |
|   | JULY                              | AUG.  | SEPT. | OCT.  | NOV.  | DEC. | JAN.  | FEB.  | MAR. | APR. | MAY   | JUNE  | JULY                              | AUG.                               | SEPT. |      |   |
| HYDROGRAPHIC AREA E<br>(San Francisco Bay Area) |                                   |       |       |       |       |      |       |       |      |      |       |       |                                   |                                    |       |      |   |
| NAPA-SOLANO (ES)                                | Max. 105                          | 104   | 102   | 95    | 65    | 67   | 64    | 69    | 86   | 88   | 93    | 96    | 98                                | 97                                 | 94    | 98   |   |
|   | Min. 50                           | 52    | 48    | 40    | 25    | 23   | 25    | 28    | 31   | 36   | 38    | 46    | 50                                | M                                  | 42    | 23   |   |
| Derivation 1 South                              | Avg. Max. 73.3                    | 71.2  | 71.2  | 66.4  | 61.6  | 58.1 | 53.3  | 62.7  | 66.2 | 68.3 | 61.7  | 70.2  | 68.6                              | 69.6                               | 63.5  | 72.9 |   |
|   | Avg. Min. 46.5                    | 46.2  | 47.4  | 53.1  | 50.2  | 49.2 | 46.5  | 35.8  | 41.6 | 47.5 | 48.2  | 50.3  | 54.4                              | 57.9                               | 50.2  | 46.1 |   |
|   | Max. 50.0                         | 73.1  | 74.3  | 69.4  | 66.0  | 49.3 | 45.1  | 49.3  | 54.3 | 57.9 | 65.0  | 65.1  | 71.5                              | 73.8                               | 66.9  | 59.5 |   |
|   | Min. 9.0                          | 9.6   | 9.6   | 9.6   | 9.2   | 7.5  | 6.4   | 6.6   | 7.5  | 8.8  | 8.2   | 8.7   | 8.4                               | 9.6                                | 8.7   | 9.2  |   |
|   | Avg. Max. 44                      | 47    | 42    | 38    | 31    | 31   | 29    | 34    | 37   | 37   | 38    | 44    | 47                                | 50                                 | 42    | 29   |   |
| Dottons Landing                                 | Avg. Max. M                       | 78.6M | 80.2M | 77.6M | M     | M    | 55.0M | 61.4  | 62.3 | 64.6 | 71.3M | 70.3  | 74.1                              | 78.5M                              | 73.9  | M    |   |
|   | Avg. Min. M                       | 52.0M | 53.5M | 50.0M | 47.5M | M    | M     | 39.5M | 38.7 | 41.9 | 45.4  | 45.7M | 49.8                              | 50.8                               | 54.6M | 48.4 | M |
|   | Avg. M                            | 65.3M | 66.2M | 65.2M | 65.6M | M    | M     | 47.3M | 50.1 | 52.1 | 55.0  | 58.5M | 60.1                              | 62.5                               | 66.6M | 61.2 | M |
| Fairfield Police Station                        | Max. 103                          | 103   | 102   | 95    | 72    | 65   | 60    | 73    | 77   | 89   | 89    | 92    | 97                                | 97                                 | 92    | 97   |   |
|   | Min. 27                           | 27    | 27    | 48    | 41    | 28   | 27    | 31    | 36   | 36   | 41    | 48    | 50                                | 54                                 | 43    | 27   |   |
|   | Avg. Max. 72.6                    | 88.7  | 89.3  | 86.4  | 81.8  | 60.9 | 58.3  | 63.3  | 65.1 | 68.6 | 78.1  | 77.0  | 86.6                              | 87.9                               | 81.3  | 71.9 |   |
|   | Avg. Min. 47.7                    | 55.8  | 56.3  | 53.4  | 50.4  | 42.2 | 43.5  | 40.1  | 39.3 | 43.0 | 47.1  | 49.1  | 54.3                              | 57.8                               | 51.3  | 47.5 |   |
|   | Avg. 64.6                         | 72.2  | 72.8  | 69.7  | 66.1  | 51.6 | 50.2  | 56.2  | 54.1 | 57.9 | 63.6  | 64.5  | 70.5                              | 72.9                               | 66.3  | 59.7 |   |
| More Island                                     | Max. 99                           | 95    | 95    | 94    | 72    | 69   | 65    | 69    | 76   | 90   | 85    | 91    | 89                                | 91                                 | 86    | 93   |   |
|   | Min. 35                           | 55    | 58    | 53    | 33    | 32   | 38    | 35    | 43   | 45   | 44    | 52    | 55                                | 57                                 | 52    | 35   |   |
|   | Avg. Max. 69.7                    | 82.0  | 82.4  | 76.4  | 70.8  | 58.2 | 53.6  | 59.2  | 62.6 | 68.6 | 74.0  | 77.5  | 80.8                              | 81.2                               | 76.2  | 69.2 |   |
|   | Avg. Min. 52.8                    | 59.6  | 60.2  | 59.2  | 57.6  | 46.4 | 44.2  | 45.5  | 48.5 | 52.0 | 52.8  | 56.5  | 58.4                              | 61.4                               | 56.7  | 52.5 |   |
|   | Avg. 61.3                         | 70.8  | 71.2  | 69.2  | 67.0  | 54.1 | 53.4  | 57.2  | 56.1 | 60.3 | 63.4  | 67.0  | 69.6                              | 71.7                               | 66.5  | 60.9 |   |
|   | Max. 104                          | 101   | 98    | 104   | 95    | 78   | 65    | 62    | 74   | 78   | 91    | 90    | 89                                | 96                                 | 91    | 96   |   |
|   | Min. 29                           | 46    | 49    | 42    | 40    | 29   | 29    | 32    | 34   | 33   | 37    | 43    | 45                                | 50                                 | 40    | 29   |   |
| Napa State Hospital                             | Avg. Max. 71.0                    | 83.2  | 83.0  | 79.5  | 62.0  | 57.4 | 55.4  | 65.1  | 64.0 | 68.3 | 75.6  | 74.3  | 80.8                              | 84.1                               | 78.0  | 70.4 |   |
|   | Avg. Min. 45.9                    | 52.9  | 53.4  | 49.7  | 48.3  | 42.9 | 43.5  | 38.7  | 40.7 | 46.1 | 45.7  | 49.1  | 50.5                              | 54.6                               | 48.3  | 45.7 |   |
|   | Avg. 58.4                         | 68.3  | 68.3  | 66.4  | 63.9  | 52.5 | 50.5  | 47.4  | 51.9 | 52.4 | 60.7  | 61.7  | 65.7                              | 69.4                               | 63.2  | 58.1 |   |
|   | Max. 106                          | 105   | 105   | 106   | 98    | 78   | 66    | 65    | 74   | 82   | 91    | 90    | 93                                | 100                                | 98    | 100  |   |
|   | Min. 44                           | 45    | 40    | 38    | 26    | 25   | 25    | 30    | 31   | 30   | 36    | 44    | 43                                | 47                                 | 37    | 35   |   |
| Saint Helena                                    | Avg. Max. 72.1                    | 90.2  | 90.2  | 86.3  | 82.6  | 60.2 | 58.3  | 63.8  | 65.2 | 67.5 | 78.3  | 78.4  | 87.7                              | 88.2                               | 81.3  | 72.3 |   |
|   | Avg. Min. 44.5                    | 51.8  | 51.2  | 48.9  | 46.3  | 40.6 | 42.1  | 37.8  | 36.0 | 30.7 | 44.6  | 43.0  | 49.8                              | 50.6                               | 53.5  | 46.4 |   |
|   | Avg. 58.3                         | 71.1  | 71.1  | 67.6  | 64.5  | 50.0 | 46.8  | 49.2  | 52.5 | 56.1 | 61.1  | 64.1  | 69.2                              | 72.4                               | 63.7  | 58.3 |   |



TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                    | Temperature in Degrees Fahrenheit |      |       |      |      |      |       |       |       |       |      |       | SEASON<br>July 1<br>to<br>June 30 | 1964 |      |       |      |      |      |      |      |      |      |      |      | 1965 |      |       |  |  |  |  |  |  |  |  |  | SEASON<br>Oct. 1<br>to<br>Sept. 30 |
|---|-----------------------------------|------|-------|------|------|------|-------|-------|-------|-------|------|-------|-----------------------------------|------|------|-------|------|------|------|------|------|------|------|------|------|------|------|-------|--|--|--|--|--|--|--|--|--|------------------------------------|
|   |                                   |      |       |      |      |      |       |       |       |       |      |       |                                   |      |      |       |      |      |      |      |      |      |      |      |      |      |      |       |  |  |  |  |  |  |  |  |  |                                    |
|   | JULY                              | AUG. | SEPT. | OCT. | NOV. | DEC. | JAN.  | FEB.  | MAR.  | APR.  | MAY  | JUNE  |                                   | JULY | AUG. | SEPT. | OCT. | NOV. | DEC. | JAN. | FEB. | MAR. | APR. | MAY  | JUNE | JULY | AUG. | SEPT. |  |  |  |  |  |  |  |  |  |                                    |
| HYDROGRAPHIC AREA E<br>(San Francisco Bay Area) |                                   |      |       |      |      |      |       |       |       |       |      |       |                                   |      |      |       |      |      |      |      |      |      |      |      |      |      |      |       |  |  |  |  |  |  |  |  |  |                                    |
| NAPA-SOLANO (E3)                                | Max.                              | 105  | 100   | 100  | 92   | 76   | 66    | 62    | 68    | 76    | 76   | 94    | 94                                | 92   | 94   | 94    | 94   | 94   | 94   | 94   | 94   | 94   | 94   | 94   | 94   | 94   | 94   | 94    |  |  |  |  |  |  |  |  |  |                                    |
|   | Min.                              | 46   | 46    | 48   | 42   | 40   | 30    | 30    | 28    | 36    | 34   | 35    | 38                                | 40   | 38   | 48    | 48   | 44   | 44   | 44   | 44   | 44   | 44   | 44   | 44   | 44   | 44   | 44    |  |  |  |  |  |  |  |  |  |                                    |
| Veterans Home                                   | Avg. Max.                         | 72.6 | 69.0  | 83.4 | 77.8 | 61.2 | 58.4  | 54.8  | 61.1  | 66.6  | 69.3 | 79.2  | 81.5                              | 85.7 | 85.7 | 85.7  | 85.7 | 85.7 | 85.7 | 85.7 | 85.7 | 85.7 | 85.7 | 85.7 | 85.7 | 85.7 | 85.7 | 85.7  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg. Min.                         | 47.0 | 53.6  | 54.4 | 50.3 | 48.3 | 43.0  | 44.6  | 38.6  | 45.6  | 46.7 | 47.1  | 52.6                              | 51.5 | 57.2 | 57.2  | 57.2 | 57.2 | 57.2 | 57.2 | 57.2 | 57.2 | 57.2 | 57.2 | 57.2 | 57.2 | 57.2 | 57.2  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg.                              | 59.8 | 71.2  | 71.2 | 66.3 | 63.1 | 52.1  | 51.5  | 47.2  | 56.2  | 58.5 | 63.2  | 67.1                              | 68.6 | 67.1 | 68.6  | 67.1 | 68.6 | 67.1 | 68.6 | 67.1 | 68.6 | 67.1 | 68.6 | 67.1 | 68.6 | 67.1 | 68.6  |  |  |  |  |  |  |  |  |  |                                    |
|   | Max.                              | 101  | 99    | 96   | 101  | 93   | 79    | 65    | 60    | 69    | 75   | 88    | 86                                | 93   | 96   | 93    | 96   | 93   | 96   | 93   | 96   | 93   | 96   | 93   | 96   | 93   | 96   | 93    |  |  |  |  |  |  |  |  |  |                                    |
|   | Min.                              | 22   | 38    | 38   | 34   | 31   | 22    | 22    | 25    | 26    | 29   | 28    | 30                                | 38   | 38   | 38    | 38   | 38   | 38   | 38   | 38   | 38   | 38   | 38   | 38   | 38   | 38   | 38    |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg. Max.                         | 70.0 | 83.0  | 83.5 | 81.7 | 82.5 | 58.7  | 57.7  | 54.2  | 63.1  | 65.5 | 64.0  | 74.4                              | 75.6 | 81.0 | 83.4  | 83.4 | 83.4 | 83.4 | 83.4 | 83.4 | 83.4 | 83.4 | 83.4 | 83.4 | 83.4 | 83.4 | 83.4  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg. Min.                         | 41.5 | 47.0  | 46.1 | 43.0 | 41.8 | 40.9  | 42.1  | 37.8  | 35.5  | 38.4 | 40.3  | 39.5                              | 46.1 | 46.6 | 46.6  | 46.6 | 46.6 | 46.6 | 46.6 | 46.6 | 46.6 | 46.6 | 46.6 | 46.6 | 46.6 | 46.6 | 46.6  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg.                              | 55.8 | 65.5  | 64.8 | 62.4 | 62.2 | 49.8  | 49.9  | 46.0  | 48.3  | 50.5 | 52.0  | 57.0                              | 60.9 | 63.8 | 66.5  | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5  |  |  |  |  |  |  |  |  |  |                                    |
| EAST BAY (E4)                                   | Max.                              | 101  | 99    | 96   | 90   | 69   | 66    | 63    | 70    | 73    | 86   | 87    | 90                                | 96   | 95   | 92    | 98   | 98   | 98   | 98   | 98   | 98   | 98   | 98   | 98   | 98   | 98   | 98    |  |  |  |  |  |  |  |  |  |                                    |
|   | Min.                              | 46   | 42    | 43   | 40   | 27   | 32    | 29    | 30    | 35    | 33   | 36    | 43                                | 43   | 41   | 41    | 41   | 41   | 41   | 41   | 41   | 41   | 41   | 41   | 41   | 41   | 41   | 41    |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg. Max.                         | 70.1 | 87.5  | 86.8 | 80.7 | 77.3 | 58.4  | 57.4  | 53.0  | 58.7  | 63.1 | 67.8  | 75.1                              | 75.8 | 84.7 | 85.8  | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8 | 78.8  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg. Min.                         | 45.1 | 52.1  | 54.3 | 49.4 | 46.4 | 46.4  | 42.9  | 37.7  | 41.1  | 40.2 | 45.0  | 45.2                              | 49.2 | 51.3 | 53.6  | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg.                              | 57.7 | 69.8  | 70.6 | 65.1 | 62.4 | 47.4  | 50.2  | 44.4  | 47.9  | 51.7 | 56.4  | 62.1                              | 62.5 | 67.5 | 70.2  | 65.0 | 65.0 | 65.0 | 65.0 | 65.0 | 65.0 | 65.0 | 65.0 | 65.0 | 65.0 | 65.0 | 65.0  |  |  |  |  |  |  |  |  |  |                                    |
|   | Max.                              | 111  | 82    | 82   | 91   | 84   | 69    | 62    | 63    | 69    | 73   | 83    | 74                                | 77   | 72   | 85    | 81   | 85   | 85   | 85   | 85   | 85   | 85   | 85   | 85   | 85   | 85   | 85    |  |  |  |  |  |  |  |  |  |                                    |
|   | Min.                              | 32   | 51    | 53   | 51   | 50   | 36    | 37    | 32    | 30    | 41   | 39    | 43                                | 41   | 43   | 51    | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46    |  |  |  |  |  |  |  |  |  |                                    |
| Berkeley  | Avg. Max.                         | 63.4 | 69.3  | 64.5 | 71.0 | 60.8 | 56.0  | 55.0M | 55.5  | 59.6  | 59.8 | 61.0  | 65.0                              | 63.7 | 66.7 | 70.5  | 67.8 | 67.8 | 67.8 | 67.8 | 67.8 | 67.8 | 67.8 | 67.8 | 67.8 | 67.8 | 67.8 | 67.8  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg. Min.                         | 49.1 | 53.8  | 55.4 | 55.0 | 53.6 | 46.3  | 46.6M | 43.0  | 44.9  | 44.7 | 48.6  | 47.3M                             | 48.5 | 51.0 | 55.4  | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg.                              | 56.3 | 61.7  | 60.5 | 63.0 | 57.2 | 51.3M | 49.3  | 51.3  | 52.2  | 52.2 | 54.8  | 52.4M                             | 56.5 | 58.3 | 63.0  | 60.1 | 60.1 | 60.1 | 60.1 | 60.1 | 60.1 | 60.1 | 60.1 | 60.1 | 60.1 | 60.1 | 60.1  |  |  |  |  |  |  |  |  |  |                                    |
|   | Max.                              | 100  | 100   | 97   | 99   | 93   | 71    | 66    | 59    | 69    | 77   | 91    | 85                                | 91   | 90   | 95    | 89   | 89   | 89   | 89   | 89   | 89   | 89   | 89   | 89   | 89   | 89   | 89    |  |  |  |  |  |  |  |  |  |                                    |
|   | Min.                              | 30   | 59    | 53   | 48   | 47   | 33    | 34    | 30    | 33    | 39   | 38    | 42                                | 48   | 51   | 52    | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46    |  |  |  |  |  |  |  |  |  |                                    |
| Crockett  | Avg. Max.                         | 69.6 | 84.5  | 84.1 | 80.4 | 77.8 | 59.3  | 58.4  | 53.3  | 60.4M | 63.8 | 65.5M | 74.1                              | 73.2 | 80.9 | 85.0  | 77.3 | 77.3 | 77.3 | 77.3 | 77.3 | 77.3 | 77.3 | 77.3 | 77.3 | 77.3 | 77.3 | 77.3  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg. Min.                         | 48.3 | 54.4  | 56.2 | 54.4 | 53.0 | 44.6  | 45.2  | 40.4  | 39.3M | 44.1 | 47.4M | 48.3                              | 53.2 | 53.6 | 57.9  | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9 | 52.9  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg.                              | 59.0 | 69.5  | 70.2 | 67.4 | 65.4 | 52.3  | 51.8  | 46.9  | 50.1M | 54.0 | 56.5M | 61.2                              | 63.4 | 67.2 | 71.4  | 65.1 | 65.1 | 65.1 | 65.1 | 65.1 | 65.1 | 65.1 | 65.1 | 65.1 | 65.1 | 65.1 | 65.1  |  |  |  |  |  |  |  |  |  |                                    |
|   | Max.                              | 102  | 102   | 100  | 102  | 93   | 73    | 66    | 66    | 72    | 76   | 92    | 87                                | 91   | 95   | 95    | 86   | 86   | 86   | 86   | 86   | 86   | 86   | 86   | 86   | 86   | 86   | 86    |  |  |  |  |  |  |  |  |  |                                    |
|   | Min.                              | 26   | 49    | 52   | 48   | 45   | 30    | 31    | 28    | 33    | 38   | 37    | 41                                | 44   | 48   | 52    | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46   | 46    |  |  |  |  |  |  |  |  |  |                                    |
| Martinez Ferry Station                          | Avg. Max.                         | 70.5 | 86.6  | 86.7 | 82.2 | 78.3 | 57.8  | 53.5  | 61.8M | 63.9  | 67.0 | 75.3  | 73.0                              | 82.2 | 85.5 | 79.6  | 73.0 | 73.0 | 73.0 | 73.0 | 73.0 | 73.0 | 73.0 | 73.0 | 73.0 | 73.0 | 73.0 | 73.0  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg. Min.                         | 47.2 | 55.0  | 55.7 | 52.8 | 50.9 | 41.2  | 43.9  | 39.8  | 38.8M | 43.1 | 46.9  | 47.7                              | 51.4 | 57.3 | 56.7  | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4  |  |  |  |  |  |  |  |  |  |                                    |
|   | Avg.                              | 59.1 | 70.8  | 71.2 | 67.5 | 64.6 | 50.3  | 47.7  | 50.3M | 53.5  | 57.0 | 61.5  | 63.2                              | 67.3 | 71.4 | 68.1  | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2 | 62.2  |  |  |  |  |  |  |  |  |  |                                    |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME             | Temperature in Degrees Fahrenheit |      |       |      |      |      |      |      |      |      |      |      | SEASON<br>Oct. 1<br>to<br>Sept. 30 |      |      |       |
|--------------------------|-----------------------------------|------|-------|------|------|------|------|------|------|------|------|------|------------------------------------|------|------|-------|
|                          | 1964                              |      |       |      |      |      | 1965 |      |      |      |      |      |                                    |      |      |       |
|                          | JULY                              | AUG. | SEPT. | OCT. | NOV. | DEC. | JAN. | FEB. | MAR. | APR. | MAY  | JUNE |                                    | JULY | AUG. | SEPT. |
| EAST BAY (EA)            | Max.                              | 104  | 100   | 100  | 96   | 74   | 60   | 71   | 73   | 74   | 83   | 88   | 91                                 | 100  | 98   | 100   |
|                          | Min.                              | 28   | 45    | 46   | 44   | 31   | 28   | 28   | 32   | 32   | 32   | 34   | 41                                 | 46   | 50   | 41    |
|                          | Avg. Max.                         | 69.2 | 87.9  | 88.9 | 81.5 | 79.8 | 57.1 | 53.2 | 53.3 | 61.2 | 58.8 | 61.0 | 73.8M                              | 74.6 | 88.4 | 89.0  |
|                          | Avg. Min.                         | 47.7 | 58.8  | 59.0 | 54.6 | 52.8 | 41.0 | 41.5 | 40.8 | 44.7 | 40.9 | 44.5 | 47.1M                              | 47.0 | 57.8 | 60.2  |
|                          | Avg.                              | 58.5 | 73.4  | 74.5 | 68.1 | 67.8 | 49.1 | 47.4 | 47.1 | 51.5 | 49.9 | 52.8 | 60.2M                              | 61.8 | 74.6 | 75.6  |
| Oakland City Hall        | Max.                              | 94   | 87    | 87   | 94   | 87   | 72   | 63   | 72   | 75   | 88   | 76   | 80                                 | 73   | 88   | 87    |
|                          | Min.                              | 36   | 53    | 55   | 54   | 48   | 41   | 40   | 36   | 42   | 46   | 42   | 47                                 | 51   | 51   | 55    |
|                          | Avg. Max.                         | 63.8 | 68.9  | 70.1 | 72.3 | 72.0 | 59.2 | 56.2 | 53.6 | 60.4 | 59.9 | 62.3 | 65.7                               | 65.1 | 67.9 | 72.4  |
|                          | Avg. Min.                         | 58.1 | 55.3  | 57.7 | 58.1 | 57.2 | 49.7 | 49.6 | 45.8 | 47.2 | 50.0 | 51.4 | 51.4                               | 53.7 | 55.8 | 59.2  |
|                          | Avg.                              | 56.1 | 62.4  | 63.9 | 65.2 | 64.6 | 54.5 | 52.9 | 49.7 | 53.8 | 55.0 | 56.9 | 58.6                               | 59.4 | 61.9 | 65.8  |
| Oakland 39th Avenue      | Max.                              | 36   | 93    | 90   | 96   | 91   | 71   | 63   | 67   | 74   | 77   | 84   | 85                                 | 85   | 91   | 89    |
|                          | Min.                              | 31   | 50    | 50   | 44   | 45   | 32   | 35   | 31   | 38   | 40   | 36   | 39                                 | 45   | 47   | 51    |
|                          | Avg. Max.                         | 67.5 | 77.3  | 77.9 | 76.0 | 75.8 | 69.7 | 56.3 | 55.2 | 61.8 | 62.1 | 65.5 | 70.8                               | 69.8 | 75.2 | 78.8  |
|                          | Avg. Min.                         | 47.1 | 52.6  | 53.0 | 51.5 | 50.7 | 44.5 | 42.1 | 42.2 | 44.6 | 46.8 | 45.9 | 45.9                               | 50.4 | 53.7 | 53.6  |
|                          | Avg.                              | 57.3 | 65.0  | 65.5 | 63.8 | 63.3 | 51.6 | 50.4 | 49.2 | 52.0 | 53.4 | 56.2 | 58.4                               | 59.4 | 62.8 | 64.1  |
| Oakland WB Airport       | Max.                              | 89   | 84    | 83   | 89   | 85   | 67   | 62   | 64   | 65   | 72   | 79   | 73                                 | 76   | 75   | 87    |
|                          | Min.                              | 35   | 53    | 55   | 53   | 49   | 37   | 38   | 35   | 38   | 43   | 39   | 45                                 | 51   | 53   | 57    |
|                          | Avg. Max.                         | 63.4 | 68.3  | 70.1 | 71.6 | 70.7 | 59.3 | 56.4 | 54.4 | 58.5 | 59.9 | 61.5 | 64.6                               | 65.6 | 68.0 | 71.7  |
|                          | Avg. Min.                         | 51.2 | 56.1  | 57.8 | 56.6 | 55.2 | 47.5 | 48.2 | 44.2 | 44.5 | 48.3 | 50.8 | 50.9                               | 54.1 | 56.7 | 60.1  |
|                          | Avg.                              | 57.3 | 62.2  | 64.0 | 64.1 | 63.0 | 53.4 | 52.3 | 49.3 | 51.5 | 54.1 | 56.2 | 57.8                               | 59.9 | 62.4 | 65.9  |
| Port Chicago Naval Depot | Max.                              | 104  | 104   | 100  | 99   | 92   | 69   | 65   | 62   | 71   | 75   | 88   | 88                                 | 91   | 95   | 92    |
|                          | Min.                              | 25   | 49    | 48   | 45   | 33   | 28   | 29   | 25   | 32   | 33   | 35   | 38                                 | 45   | 45   | 40    |
|                          | Avg. Max.                         | 70.8 | 87.5  | 87.2 | 82.7 | 79.2 | 59.6 | 57.9 | 53.5 | 60.2 | 63.2 | 66.8 | 76.0                               | 76.0 | 83.7 | 86.9  |
|                          | Avg. Min.                         | 45.0 | 53.5  | 53.8 | 50.5 | 48.7 | 40.4 | 41.8 | 37.3 | 36.1 | 38.5 | 44.4 | 44.7                               | 49.7 | 52.5 | 54.8  |
|                          | Avg.                              | 57.9 | 70.5  | 70.5 | 66.6 | 64.0 | 50.0 | 49.9 | 45.4 | 48.2 | 50.9 | 55.6 | 60.4                               | 62.9 | 68.1 | 70.9  |
| Richmond                 | Max.                              | 95   | 85    | 84   | 95   | 90   | 71   | 67   | 66   | 72   | 88   | 77   | 76                                 | 75   | 90   | 85    |
|                          | Min.                              | 32   | 51    | 54   | 52   | 48   | 36   | 37   | 32   | 32   | 42   | 39   | 46                                 | 48   | 51   | 54    |
|                          | Avg. Max.                         | 65.1 | 68.8  | 69.9 | 73.0 | 73.4 | 60.6 | 58.3 | 57.1 | 61.3 | 62.7 | 64.3 | 67.2                               | 64.9 | 67.5 | 72.0  |
|                          | Avg. Min.                         | 49.9 | 54.7  | 56.8 | 55.8 | 54.0 | 46.2 | 47.6 | 42.1 | 43.3 | 46.5 | 49.6 | 50.3                               | 52.3 | 54.2 | 57.6  |
|                          | Avg.                              | 57.5 | 61.8  | 63.4 | 64.4 | 63.7 | 53.0 | 49.6 | 52.3 | 54.6 | 57.0 | 58.8 | 58.6                               | 60.9 | 64.8 | 62.1  |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                    | SEASON<br>July 1<br>to<br>June 30 | Temperature in Degrees Fahrenheit |       |       |       |       |       |       |       |       |       |       |       | SEASON<br>Oct. 1<br>to<br>Sept. 30 |       |       |       |      |
|---|-----------------------------------|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------------------------|-------|-------|-------|------|
|   |                                   | 1964                              |       |       |       |       |       | 1965  |       |       |       |       |       |                                    |       |       |       |      |
|   |                                   | JULY                              | AUG.  | SEPT. | OCT.  | NOV.  | DEC.  | JAN.  | FEB.  | MAR.  | APR.  | MAY   | JUNE  |                                    | JULY  | AUG.  | SEPT. |      |
| HYDROGRAPHIC AREA E<br>(San Francisco Bay Area) |                                   |                                   |       |       |       |       |       |       |       |       |       |       |       |                                    |       |       |       |      |
| EAST BAY (E1)                                   | Max.                              | 101                               | 101   | 99    | 96    | 90    | 69    | 63    | 57    | 70    | 73    | 86    | 85    | 90                                 | 96    | 95    | 88    | 96   |
|   | Min.                              | 33                                | 45    | 44    | 41    | 38    | 25    | 27    | 23    | 26    | 31    | 30    | 33    | 41                                 | 45    | 49    | 37    | 23   |
|   | Avg. Max.                         | 68.0                              | 83.2  | 81.8  | 73.0  | 77.2  | 57.1  | 54.2  | 52.2  | 60.4  | 62.7  | 64.7  | 72.3  | 70.1                               | 81.1  | 82.2  | 75.6  | 67.5 |
|   | Avg. Min.                         | 44.0                              | 54.0  | 53.6  | 49.5  | 47.3  | 38.3  | 41.4  | 36.7  | 33.5  | 36.9  | 43.8  | 43.7  | 48.8                               | 52.3  | 54.3  | 49.4  | 43.9 |
| Unrep S in Leandro<br>Filters                   | Avg.                              | 68.6                              | 68.0  | 64.3  | 64.3  | 62.3  | 47.7  | 47.8  | 44.5  | 47.0  | 49.8  | 54.3  | 58.0  | 59.5                               | 66.3  | 68.3  | 62.5  | 55.7 |
|   | Max.                              | 96                                | 90    | 90    | 88    | 88    | 73    | 63    | 66    | 73    | 77    | 87    | 77    | 83                                 | 77    | 81    | 85    | 88   |
|   | Min.                              | 31                                | 50    | 51    | 45    | 48    | 35    | 35    | 31    | 36    | 38    | 36    | 39    | 45                                 | 46    | 53    | 47    | 31   |
|   | Avg. Max.                         | M                                 | 73.3  | 74.3  | 73.9  | 74.1  | 60.7  | 56.5  | 56.2  | M     | 60.7  | 63.5  | M     | 66.5                               | 68.8  | 74.7  | 71.6  | M    |
| Walnut Creek<br>2 ESE                           | Avg. Min.                         | M                                 | 52.5  | 53.2  | 53.0  | 52.9  | 44.1  | 44.8  | 41.2  | 40.7  | 42.7  | 45.4  | 45.0M | 48.7                               | 50.7  | 54.6  | 51.4  | M    |
|   | Avg.                              | M                                 | 62.9  | 64.1  | 63.5  | 63.5  | 50.4  | 50.7  | 48.7  | M     | 51.7  | 54.5  | M     | 57.6                               | 59.8  | 64.7  | 61.5  | M    |
|   | Max.                              | 103                               | 103   | 101   | 99    | 93    | 71    | 67    | 62    | 72    | 77    | 89    | 90    | 92                                 | 98    | 95    | 91    | 91   |
|   | Min.                              | 24                                | 45    | 45    | 40    | 40    | 24    | 27    | 25    | 28    | 32    | 32    | 32    | 32                                 | 41    | 45    | 50    | 36   |
| ALAMEDA CREEK (E5)                              | Avg. Max.                         | 71.3                              | 87.5  | 88.1  | 82.6  | 79.7  | 59.6  | 58.3  | 54.1  | 61.3  | 64.2  | 68.5  | 77.0  | 74.9                               | 84.7  | 86.7  | 78.6  | 71.6 |
|   | Avg. Min.                         | 43.8                              | 52.4  | 52.6  | 47.6  | 46.3  | 38.6  | 41.6  | 36.9  | 34.1  | 39.4  | 44.6  | 42.2  | 48.8                               | 52.1  | 54.8  | 45.2  | 43.2 |
|   | Avg.                              | 57.6                              | 70.0  | 70.4  | 65.1  | 63.0  | 49.1  | 50.0  | 45.5  | 47.7  | 51.8  | 56.6  | 59.6  | 61.9                               | 68.4  | 70.8  | 60.8  | 57.0 |
|   | Max.                              | 102                               | 102   | 101   | 100   | 95    | 81    | 66    | 65    | 72    | 74    | 86    | 88    | 91                                 | 98    | 98    | 94    | 94   |
| Livermore Sewage<br>Plant                       | Min.                              | 24                                | 45    | 44    | 36    | 36    | 24    | 26    | 28    | 27    | 31    | 30    | 32    | 40                                 | 44    | 48    | 38    | 34   |
|   | Avg. Max.                         | 71.8                              | 85.5  | 86.7  | 84.4  | 81.0  | 65.9  | 58.5  | 56.3  | 61.2  | 63.3  | 67.4  | 76.0  | 75.0                               | 86.2  | 88.2  | 79.7  | 71.6 |
|   | Avg. Min.                         | 43.4                              | 52.6  | 51.7  | 47.5  | 46.2  | 38.2  | 40.0  | 37.1  | 34.2  | 40.2  | 42.3  | 42.4  | 48.5                               | 51.9  | 53.9  | 47.4  | 43.5 |
|   | Avg.                              | 57.6                              | 69.6  | 69.2  | 65.5  | 63.6  | 50.1  | 49.3  | 46.7  | 47.7  | 51.8  | 54.2  | 59.0  | 61.8                               | 69.1  | 71.8  | 61.6  | 57.6 |
| Livermore 2 SSM                                 | Max.                              | 105                               | 105   | 104   | 100   | 96    | 71    | 66    | 64    | 71    | 73    | 87    | 92    | 95                                 | 100   | 99    | 94    | 100  |
|   | Min.                              | 26                                | 42    | 43    | 44    | 40    | 27    | 30    | 26    | 30    | 33    | 32    | 33    | 41                                 | 45    | 49    | 41    | 26   |
|   | Avg. Max.                         | 71.3                              | 88.9  | 88.6  | 83.0  | 81.4  | 59.8  | 57.2  | 55.0  | 60.4  | 61.6  | 66.5  | 77.1  | 77.4                               | 86.5  | 88.2  | 81.4  | 71.8 |
|   | Avg. Min.                         | 44.3                              | 50.4  | 50.1  | 49.9  | 49.1  | 39.8  | 42.5  | 37.0  | 35.9  | 40.4  | 43.8  | 42.2  | 48.0                               | 51.1  | 54.6  | 48.0  | 44.4 |
| Mount Hamilton                                  | Avg.                              | 57.8                              | 69.7  | 70.4  | 65.5  | 65.2  | 49.8  | 49.0  | 46.0  | 47.7  | 51.0  | 55.2  | 59.7  | 62.7                               | 68.8  | 73.4  | 64.5  | 57.7 |
|   | Max.                              | 89                                | 89    | 88    | 89    | 85    | 63    | 56    | 67    | 65    | 63    | 74    | 76    | 80                                 | 87    | 85    | 79    | 87   |
|   | Min.                              | 17                                | 38    | 38    | 38    | 39    | 24    | M     | 17    | 29    | 31    | 24    | 27    | 35                                 | 44    | 50    | 38    | 17   |
|   | Avg. Max.                         | 60.5                              | 78.3M | 78.0M | 72.0M | 70.6M | 49.9M | 49.0M | 52.0M | 49.2M | 51.9M | 52.9M | 62.9M | 68.3M                              | 77.3M | 77.4M | 68.1M | 60.1 |
| Avg. Min.                                       | 45.8                              | 60.9M                             | 60.0M | 54.4M | 56.0M | 35.4M | 37.0M | 38.5M | 36.4M | 38.9M | 42.4M | 47.0M | 59.7M | 59.7M                              | 64.4M | 53.7M | 45.7  |      |
|   | Avg.                              | 53.2                              | 69.6M | 70.0M | 63.3M | 63.3M | 41.7M | 43.5M | 45.5M | 45.8M | 45.4M | 54.0M | 60.7M | 66.5M                              | 69.7M | 65.3M | 58.3M |      |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME               | SEASON<br>July 1<br>June 30 | Temperature in Degrees Fahrenheit |      |       |       |       |      |       |      |      |       |      |      | SEASON<br>Oct 1<br>Sept 30 |      |      |       |   |
|----------------------------|-----------------------------|-----------------------------------|------|-------|-------|-------|------|-------|------|------|-------|------|------|----------------------------|------|------|-------|---|
|                            |                             | 1964                              |      |       |       |       |      | 1965  |      |      |       |      |      |                            |      |      |       |   |
|                            |                             | JULY                              | AUG. | SEPT. | OCT.  | NOV.  | DEC. | JAN.  | FEB. | MAR. | APR.  | MAY  | JUNE |                            | JULY | AUG. | SEPT. |   |
| MOUNTAIN SPRING (Elev.)    | Max.                        | 94                                | 92   | 94    | 87    | 71    | 63   | 72    | 74   | 74   | 64    | 61   | 64   | 64                         | 64   | 64   | 64    |   |
|                            | Min.                        | 55                                | 52   | 54    | 50    | 55    | 56   | 57    | 42   | 48   | 44    | 44   | 50   | 51                         | 54   | 41   | 31    |   |
|                            | Avg. Max.                   | M                                 | 75.5 | 76.28 | 76.06 | 74.68 | M    | 56.28 | 56.2 | 59.6 | 61.7  | 64.0 | 67.9 | 69.9                       | 76.5 | 72.6 | M     |   |
|                            | Avg. Min.                   | M                                 | 57.0 | 58.1M | 55.8M | 54.9  | M    | 46.78 | 42.0 | 43.1 | 46.6  | 49.4 | 49.7 | 53.6                       | 54.4 | 58.9 | 54.8  | M |
|                            | Avg.                        | M                                 | 66.3 | 67.2M | 65.9M | 64.8M | M    | 52.8M | 49.1 | 53.4 | 54.2  | 56.7 | 58.8 | 61.3                       | 64.2 | 67.1 | 62.7  | M |
| Flensdanton Nursery        | Max.                        | 104                               | 104  | 103   | 98    | 72    | 66   | 62    | 78   | 78   | 88    | 90   | 92   | 98                         | 95   | 91   | 85    |   |
|                            | Min.                        | 24                                | 44   | 47    | 43    | 38    | 24   | 27    | 26   | 28   | 32    | 36   | 42   | 46                         | 46   | 46   | 38    |   |
|                            | Avg. Max.                   | 71.6                              | 88.9 | 85.7  | 83.9  | 81.7  | 59.5 | 54.6  | 62.5 | 63.2 | 66.6  | 76.2 | 76.7 | 87.8                       | 80.4 | 71.1 | 84    |   |
|                            | Avg. Min.                   | 49.0                              | 51.5 | 51.6  | 48.0  | 40.6  | 44.3 | 39.2  | 41.5 | 45.6 | 43.3  | 40.8 | 52.3 | 54.4                       | 47.3 | 45.2 | 41.2  |   |
|                            | Avg.                        | 58.3                              | 70.2 | 70.2  | 66.1  | 64.1  | 50.1 | 46.9  | 49.4 | 52.4 | 56.1  | 59.8 | 63.3 | 70.1                       | 71.1 | 62.1 | 58.3  |   |
| MANTA CLARA VALLEY (Elev.) | Max.                        | 101                               | 95   | 101   | 93    | 92    | 70   | 70    | 63   | 71   | 75    | 84   | 85   | 87                         | 90   | 92   | 91    |   |
|                            | Min.                        | 28                                | 45   | 48    | 44    | 42    | 28   | 29    | 28   | 31   | 34    | 34   | 30   | 43                         | 46   | 51   | 43    |   |
|                            | Avg. Max.                   | 70.0                              | 82.9 | 81.5  | 81.4  | 77.8  | 61.3 | 58.6  | 61.4 | 64.0 | 66.7  | 73.6 | 73.7 | 80.5                       | 81.4 | 77.3 | 69.4  |   |
|                            | Avg. Min.                   | 46.5                              | 53.9 | 54.1  | 51.8  | 50.4  | 41.7 | 44.7  | 39.5 | 41.6 | 45.8  | 49.9 | 49.9 | 53.0                       | 58.2 | 50.7 | 46.7  |   |
|                            | Avg.                        | 58.3                              | 68.4 | 67.8  | 66.6  | 64.1  | 51.5 | 51.7  | 48.1 | 50.2 | 52.8  | 56.3 | 59.7 | 63.8                       | 66.4 | 64.0 | 58.1  |   |
| Coyote Reservoir           | Max.                        | 103                               | 103  | 100   | 102   | 86    | 74   | 66    | 69   | 73   | 78    | 84   | 80   | 92                         | 98   | 97   | 90    |   |
|                            | Min.                        | 28                                | 39   | 41    | 36    | 39    | 22   | 22    | 23   | 26   | 32    | 30   | 35   | 41                         | 43   | 40   | 30    |   |
|                            | Avg. Max.                   | 70.7                              | 82.0 | 84.5  | 82.1  | 79.8  | 59.9 | 56.5  | 57.1 | 63.3 | 66.5  | 69.5 | 73.7 | 74.7                       | 81.5 | 81.7 | 70.4  |   |
|                            | Avg. Min.                   | 41.7                              | 49.4 | 48.1  | 44.5  | 44.4  | 35.8 | 39.4  | 31.9 | 35.1 | 38.1  | 41.7 | 41.6 | 45.2                       | 46.1 | 51.2 | 41.2  |   |
|                            | Avg.                        | 56.2                              | 68.2 | 67.5  | 64.5  | 62.6  | 47.9 | 48.0  | 46.8 | 48.2 | 50.1  | 53.6 | 57.7 | 60.0                       | 67.3 | 64.4 | 62.5  |   |
| Lexington Reservoir        | Max.                        | 101                               | 100  | 101   | 94    | 73    | 69   | 65    | 73   | 75   | 81    | 86   | 91   | 99                         | 95   | 90   | 89    |   |
|                            | Min.                        | 24                                | 40   | 40    | 38    | 39    | 25   | 27    | 24   | 27   | 31    | 29   | 30   | 35                         | 39   | 43   | 38    |   |
|                            | Avg. Max.                   | 69.9                              | 80.7 | 84.8  | 81.6  | 78.3  | 59.5 | 56.6  | 60.7 | 61.7 | 64.9  | 73.9 | 74.5 | 85.8                       | 86.4 | 79.1 | 69.8  |   |
|                            | Avg. Min.                   | 41.9                              | 48.5 | 46.7  | 47.3  | 46.4  | 37.3 | 39.7  | 36.4 | 35.0 | 38.0  | 41.2 | 39.8 | 43.9                       | 50.1 | 44.1 | 41.9  |   |
|                            | Avg.                        | 55.9                              | 67.3 | 67.5  | 64.4  | 62.4  | 48.4 | 48.2  | 46.2 | 47.8 | 49.9  | 53.1 | 56.8 | 59.2                       | 68.4 | 67.9 | 61.6  |   |
| Los Ocho                   | Max.                        | 99                                | 99   | 98    | 98    | 92    | 70   | 68    | 66   | 72   | 80    | 88   | 85   | 89                         | 92   | 93   | 89    |   |
|                            | Min.                        | 27                                | 46   | 47    | 44    | 43    | 27   | 31    | 27   | 31   | 37    | 35   | 37   | 43                         | 44   | 50   | 41    |   |
|                            | Avg. Max.                   | 70.5                              | 83.5 | 83.7  | 81.2  | 78.6  | 60.5 | 58.5  | 57.8 | 62.5 | 63.2M | 66.9 | 74.6 | 74.9                       | 82.2 | 83.4 | 78.0  |   |
|                            | Avg. Min.                   | 46.1                              | 53.7 | 53.4  | 50.3  | 49.5  | 43.7 | 44.1  | 39.8 | 39.2 | 42.1M | 40.3 | 45.5 | 48.6                       | 52.9 | 55.8 | 50.3  |   |
|                            | Avg.                        | 58.3                              | 68.6 | 68.6  | 65.8  | 64.1  | 51.1 | 51.3  | 48.8 | 50.3 | 52.7M | 56.1 | 60.1 | 61.8                       | 67.6 | 64.2 | 56.2  |   |

**TABLE A-3**  
**TEMPERATURE DATA**

| STATION NAME                                    | Temperature in Degrees Fahrenheit |       |       |       |      |      |       |       |      |       |       |      | SEASON<br>July 1<br>to<br>June 30 |       |       |       |
|---|-----------------------------------|-------|-------|-------|------|------|-------|-------|------|-------|-------|------|-----------------------------------|-------|-------|-------|
|   | 1964                              |       |       |       |      |      | 1965  |       |      |       |       |      |                                   |       |       |       |
|   | JULY                              | AUG.  | SEPT. | OCT.  | NOV. | DEC. | JAN.  | FEB.  | MAR. | APR.  | MAY   | JUNE |                                   | JULY  | AUG.  | SEPT. |
| HYDROGRAPHIC AREA 8<br>(San Francisco Bay Area) |                                   |       |       |       |      |      |       |       |      |       |       |      |                                   |       |       |       |
| SANTA CLARA VALLEY (56)                         | Max.                              | 93    | 93    | 94    | 88   | 69   | 67    | 65    | 70   | 75    | 81    | 86   | 70                                | 91    | 85    | 91    |
|   | Min.                              | 45    | 47    | 44    | 40   | 28   | 29    | 26    | 30   | 35    | 41    | 45   | 48                                | 51    | 41    | 26    |
|   | Avg. Max.                         | 76.8M | 77.6  | 77.2  | 73.9 | 58.2 | 57.4M | 55.5  | 60.0 | 61.6  | 65.1M | 70.0 | 71.1                              | 72.6M | 77.5M | 72.1  |
|   | Avg. Min.                         | 54.7M | 54.4  | 49.2  | 48.0 | 40.9 | 42.6M | 39.2  | 39.2 | 47.0M | 45.9  | 50.9 | 54.4M                             | 56.9  | 51.2  | 46.6  |
| Redwood City                                    | Max.                              | 99    | 98    | 98    | 90   | 72   | 73    | 67    | 74   | 83    | 90    | 87   | 87                                | 94    | 90    | 95    |
|   | Min.                              | 45    | 48    | 45    | 42   | 30   | 31    | 28    | 31   | 36    | 36    | 40   | 44                                | 46    | 42    | 38    |
|   | Avg. Max.                         | 83.6  | 84.3  | 82.8  | 77.8 | 62.4 | 59.9  | 58.5  | 63.0 | 64.9  | 69.3  | 75.9 | 77.7                              | 81.0  | 84.5  | 78.5  |
|   | Avg. Min.                         | 52.4  | 53.6  | 49.9  | 49.6 | 42.1 | 45.1  | 40.6  | 40.3 | 42.9  | 46.7  | 45.7 | 50.1                              | 53.4  | 55.9  | 46.8  |
| San Jose  | Max.                              | 98    | 94    | 98    | 90   | 69   | 68    | 64    | 72   | 77    | 85    | 88   | 89                                | 92    | 89    | 92    |
|   | Min.                              | 46    | 48    | 46    | 46   | 43   | 29    | 27    | 32   | 36    | 35    | 39   | 46                                | 49    | 50    | 45    |
|   | Avg. Max.                         | 79.4  | 80.8  | 80.3M | 77.4 | 61.3 | 59.3  | 57.7  | 62.3 | 65.2  | 68.5  | 73.7 | 74.8                              | 80.3  | 82.3  | 77.4  |
|   | Avg. Min.                         | 55.1  | 55.8  | 54.0M | 50.2 | 42.4 | 44.7  | 40.7  | 40.1 | 43.9  | 47.0  | 47.3 | 51.7                              | 54.8  | 57.1  | 47.8  |
| San Jose Deciduous<br>P. F. S.                  | Max.                              | 98    | 94    | 98    | 93   | 72   | 68    | 67    | 72   | 80    | 91    | 87   | 91                                | 94    | 94    | 94    |
|   | Min.                              | 48    | 48    | 46    | 45   | 32   | 35    | 32    | 34   | 39    | 38    | 41   | 46                                | 50    | 53    | 46    |
|   | Avg. Max.                         | 79.9  | 79.4  | M     | 79.6 | 63.5 | 60.6  | 58.8  | 63.5 | 66.0  | 67.0  | 76.0 | 76.1                              | 80.9  | 80.4  | 78.9  |
|   | Avg. Min.                         | 55.1  | 55.1  | M     | 52.3 | 45.0 | 48.0  | 42.5  | 41.1 | 45.0  | 50.0  | 48.0 | 52.2                              | 55.5  | 58.1  | 53.1  |
| Santa Clara<br>University                       | Max.                              | 96    | 92    | 96    | 90   | 70   | 69    | M     | 74   | 79    | 88    | 85   | 89                                | 88    | 93    | M     |
|   | Min.                              | 48    | 50    | 47    | 45   | 31   | 31    | 29    | 35   | 39    | 41    | 46   | 49                                | 53    | M     | 29    |
|   | Avg. Max.                         | 81.7M | 84.5  | 81.3M | 77.0 | 62.4 | 60.1  | 59.6M | 62.8 | 64.7  | 67.9  | 73.8 | 74.5                              | 78.8  | 80.9M | M     |
|   | Avg. Min.                         | 53.8M | 57.3  | 52.6M | 51.8 | 43.3 | 44.5  | 40.4M | 43.1 | 44.9  | 47.6  | 47.7 | 51.2                              | 54.5  | 57.3M | M     |
| BAYSIDE-SAN MATEO (87)                          | Max.                              | 95    | 95    | 94    | 84   | 71   | 65    | 66    | 68   | 77    | 88    | 82   | 81                                | 88    | 85    | 88    |
|   | Min.                              | 46    | 46    | 47    | 44   | 43   | 32    | 33    | 34   | 38    | 38    | 42   | 45                                | 48    | 36    | 29    |
|   | Avg. Max.                         | 78.0  | 78.8  | 78.4  | 74.1 | 60.5 | 58.7  | 55.9  | 62.6 | 64.6  | 67.4  | 70.5 | 73.1                              | 75.1  | 78.9  | 76.2  |
|   | Avg. Min.                         | 52.3  | 51.9  | 49.3  | 49.9 | 44.6 | 46.2  | 41.0  | 41.3 | 43.9  | 46.4  | 45.2 | 50.6                              | 50.5M | 53.7  | 48.0  |
| Burlingame                                      | Max.                              | 96    | 96    | 94    | 88   | 62   | 61    | 58    | 65   | 72    | 80    | 82   | 82                                | 82    | 82    | 82    |
|   | Avg.                              | 57.8  | 65.2  | 65.4  | 63.9 | 62.0 | 52.6  | 52.5  | 52.0 | 54.3  | 56.9  | 58.2 | 61.9                              | 63.0M | 61.3  | 62.1  |



TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                    | Temperature in Degrees Fahrenheit |      |       |       |       |       |       |      |       |      |      |      | SEASON<br>July 1<br>June 30 | SEASON<br>Oct. 1<br>Sept. 30 |       |       |       |      |
|---|-----------------------------------|------|-------|-------|-------|-------|-------|------|-------|------|------|------|-----------------------------|------------------------------|-------|-------|-------|------|
|   | 1964                              |      |       |       |       |       | 1965  |      |       |      |      |      |                             |                              |       |       |       |      |
|   | JULY                              | AUG. | SEPT. | OCT.  | NOV.  | DEC.  | JAN.  | FEB. | MAR.  | APR. | MAY  | JUNE |                             |                              | JULY  | AUG.  | SEPT. |      |
| HYDROGRAPHIC AREA B<br>(San Francisco Bay Area) |                                   |      |       |       |       |       |       |      |       |      |      |      |                             |                              |       |       |       |      |
| BAYSIDE-SAN MATEO (E7)                          | Max.                              | 91   | 89    | 92    | 85    | 69    | 64    | 62   | 68    | 74   | 83   | 80   | 77                          | 85                           | 83    | 85    |       |      |
|   | Min.                              | 53   | 52    | 48    | 46    | 35    | 31    | 37   | 39    | 39   | 41   | 47   | 48                          | 52                           | 47    | 31    |       |      |
|   | Avg. Max.                         | 63.8 | 71.6  | 73.1  | 70.2  | 57.9  | 56.2  | 54.6 | 58.2  | 59.4 | 61.4 | 64.0 | 65.9                        | 68.3                         | 71.3  | 70.2  | 63.1  |      |
|   | Avg. Min.                         | 48.5 | 54.5  | 53.7  | 51.5  | 45.3  | 46.3  | 42.3 | 42.5  | 45.2 | 47.6 | 46.5 | 50.7                        | 52.3                         | 55.3  | 51.9  | 46.1  |      |
| San Francisco<br>WB AP                          | Avg.                              | 56.2 | 63.1  | 64.3  | 63.5  | 60.9  | 51.6  | 53.3 | 49.5  | 50.4 | 52.3 | 54.5 | 58.3                        | 60.3                         | 63.3  | 61.1  | 55.6  |      |
|   | Max.                              | 92   | 81    | 80    | 92    | 86    | 74    | 65   | 62    | 73   | 75   | 85   | 74                          | 69                           | 81    | 84    | 92    |      |
|   | Min.                              | 40   | 50    | 52    | 50    | 50    | 44    | 40   | 40    | 42   | 46   | 43   | 46                          | 49                           | 48    | 52    | 40    |      |
|   | Avg. Max.                         | 62.1 | 64.6  | 65.5  | 69.0  | 70.7  | 60.2  | 57.3 | 55.9  | 59.9 | 61.0 | 60.7 | 60.7                        | 61.9                         | 66.5  | 66.9  | 61.8  |      |
| San Francisco<br>Federal Office<br>Building     | Avg. Min.                         | 51.2 | 53.1  | 54.5  | 55.8  | 50.4  | 50.0  | 46.9 | 46.1  | 49.3 | 50.3 | 49.0 | 51.6                        | 52.9                         | 55.9  | 55.4  | 51.3  |      |
|   | Avg.                              | 56.7 | 58.9  | 60.0  | 62.4  | 63.1  | 55.3  | 53.7 | 51.4  | 54.0 | 55.7 | 54.9 | 56.2                        | 57.4                         | 61.2  | 61.2  | 56.6  |      |
|   | Max.                              | 96   | 94    | 91    | 96    | 88    | 73    | 68   | 63    | 72   | 77   | 87   | 80                          | 85                           | 80    | 89    | 85    | 89   |
|   | Min.                              | 44   | 50    | 52    | 44    | 47    | 36    | 36   | 34    | 37   | 42   | 40   | 43                          | 48                           | 50    | 52    | 46    | 34   |
| San Mateo                                       | Avg. Max.                         | 65.8 | 75.8M | 76.3M | 76.4  | 74.6M | 60.5  | 58.1 | 56.9M | 61.1 | 61.6 | 65.0 | 67.3M                       | 68.4                         | 72.7M | 76.8  | 73.5  | 66.4 |
|   | Avg. Min.                         | 51.1 | 57.9  | 58.0M | 54.6  | 53.5M | 46.3M | 48.1 | 44.5M | 44.7 | 48.5 | 50.8 | 54.3                        | 55.8M                        | 58.3  | 55.8  | 51.0  |      |
|   | Avg.                              | 59.0 | 66.9M | 67.2M | 65.4  | 64.1M | 53.4M | 53.1 | 50.7M | 52.9 | 55.1 | 57.9 | 59.6M                       | 61.4                         | 64.3M | 67.6  | 64.7  | 58.7 |
|   | Max.                              | 86   | 72    | 69    | 84    | 86    | 69    | 62   | 67    | 64   | 68   | 72   | 68                          | 70                           | 70    | 84    | 74    | 86   |
| Half Moon Bay                                   | Min.                              | 32   | 46    | 48    | 46    | 44    | 35    | 38   | 32    | 37   | 39   | 37   | 38                          | 41                           | 44    | 50    | 42    | 32   |
|   | Avg. Max.                         | 61.3 | 64.4  | 66.0M | 66.2  | 66.2  | 59.8  | 56.8 | 57.2  | 58.8 | 60.4 | 61.2 | 60.6M                       | 62.1                         | 67.0  | 64.7  | 61.1  |      |
|   | Avg. Min.                         | 47.4 | 51.8  | 52.3M | 50.9  | 50.0  | 46.5  | 46.0 | 44.3  | 41.5 | 44.3 | 46.5 | 46.3                        | 48.9M                        | 49.8  | 53.7  | 52.6  | 47.5 |
|   | Avg.                              | 59.4 | 58.1  | 59.2M | 58.6  | 58.4  | 53.2  | 51.4 | 51.4  | 49.4 | 51.6 | 53.5 | 53.8                        | 54.8M                        | 56.0  | 60.4  | 58.7  | 54.3 |
| San Francisco<br>Richmond Square                | Max.                              | 90   | 68    | 69    | 90    | 84    | 74    | 62   | 65    | 68   | 75   | 66   | 62                          | 62                           | 72    | 61    | 64    |      |
|   | Min.                              | 34   | 46    | 49    | 47    | 45    | 34    | 38   | 40    | 37   | 40   | 38   | 40                          | 36                           | 42    | 50    | 48    | 34   |
|   | Avg. Max.                         | 60.6 | 62.1  | 64.8  | 67.3  | 66.7  | 59.9  | 56.8 | 57.8  | 59.2 | 59.1 | 57.3 | 59.1                        | 61.3                         | 63.6  | 64.7  | 60.2  |      |
|   | Avg. Min.                         | 48.9 | 52.3  | 55.0  | 55.3  | 52.5  | 45.1  | 47.9 | 45.2M | 44.3 | 45.9 | 47.6 | 47.2                        | 47.8                         | 52.7  | 59.9  | 54.6  |      |
| San Gregorio 3 SE                               | Avg.                              | 59.3 | 57.2  | 59.9  | 61.3  | 59.6  | 52.5  | 52.4 | 53.3M | 53.1 | 52.3 | 52.3 | 53.5                        | 57.0                         | 59.2  | 55.0  | 48.9  |      |
|   | Max.                              | 95   | 83    | 83    | 89    | 95    | 71    | 63   | 73    | 69   | 72   | 78   | 68                          | 74                           | 75    | 87    | 85    | 95   |
|   | Min.                              | 29   | 40    | 41    | 39    | 36    | 29    | 33   | 31    | 31   | 35   | 35   | 34                          | 37                           | 42    | 44    | 35    | 29   |
|   | Avg. Max.                         | 63.7 | 63.2  | 63.5  | 71.1M | 73.0  | 61.5  | 57.5 | 59.9  | 59.5 | 59.4 | 61.0 | 61.3                        | 63.8                         | 67.3  | 71.0M | 70.3  | 63.6 |
| San Gregorio 3 SE                               | Avg. Min.                         | 45.0 | 49.6  | 49.4  | 48.4M | 47.6  | 41.8  | 45.0 | 42.0  | 38.4 | 42.5 | 44.5 | 43.4                        | 47.4                         | 49.0  | 51.1M | 46.2  | 45.1 |
|   | Avg.                              | 54.4 | 58.9  | 59.5  | 59.8M | 59.3  | 51.7  | 51.3 | 51.0  | 49.0 | 51.0 | 52.8 | 52.4                        | 55.6                         | 58.2  | 61.1M | 59.3  | 54.4 |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                | SEASON<br>July 1<br>to<br>June 30 | Temperature in Degrees Fahrenheit |       |       |      |       |       |       |       |      |       |       |       | SEASON<br>Oct. 1<br>to<br>Sept. 30 |       |       |       |      |
|---|-----------------------------------|-----------------------------------|-------|-------|------|-------|-------|-------|-------|------|-------|-------|-------|------------------------------------|-------|-------|-------|------|
|   |                                   | 1984                              |       |       |      |       |       | 1985  |       |      |       |       |       |                                    |       |       |       |      |
|   |                                   | JULY                              | AUG.  | SEPT. | OCT. | NOV.  | DEC.  | JAN.  | FEB.  | MAR. | APR.  | MAY   | JUNE  |                                    | JULY  | AUG.  | SEPT. |      |
| HYDROGRAPHIC AREA F<br>(North Coastal Area) |                                   |                                   |       |       |      |       |       |       |       |      |       |       |       |                                    |       |       |       |      |
| MENDOCINO COAST (F5)                        | Max.                              | 106                               | 106   | 106   | 100  | 78    | 66    | 78    | 80    | 85   | 92    | M     | 96    | 98                                 | 100   | 94    | 107   |      |
|   | Min.                              | 41                                | 43    | 38    | 32   | 24    | 24    | 26    | 28    | 31   | 32    | M     | 40    | 41                                 | 45    | 33    | 24    |      |
| Boonville RMS                               | Avg. Max.                         | M                                 | 88.6  | 88.2  | M    | M     | 59.0  | 61.7  | M     | 65.8 | 67.1  | M     | 76.5  | 88.2                               | 86.2  | M     | M     |      |
|   | Avg. Min.                         | M                                 | 46.5  | 43.0  | M    | 30.2  | 39.8  | M     | 40.7  | 44.3 | M     | 46.0  | 48.4  | 51.6                               | M     | M     | M     |      |
|   | Avg.                              | M                                 | 67.6  | 65.6  | M    | 49.5  | M     | 43.3  | 55.7  | M    | 61.3  | 68.3  | 64.9  | M                                  | M     | M     | M     |      |
|   | Max.                              | 81                                | 68    | 73    | 81   | 77    | 69    | 60    | 64    | 68   | 70    | 69    | 61    | 65                                 | 72    | 71    | 74    | 77   |
| Fort Brags                                  | Min.                              | 31                                | 44    | 45    | 41   | 39    | 31    | 32    | 32    | 36   | 38    | 38    | 42    | 45                                 | 49    | 41    | 31    |      |
|   | Avg. Max.                         | 59.8                              | 65.5  | 65.2  | 64.1 | 59.6  | 55.1  | 54.6  | 54.9  | 58.8 | 58.5  | 58.4  | 59.7  | 61.5                               | 63.2  | 59.2  | 59.2  |      |
|   | Avg. Min.                         | 45.0                              | 49.1  | 50.0  | 47.4 | 47.9  | 43.2  | 43.8  | 41.0  | 42.8 | 45.2  | 43.5M | 47.4  | 49.1                               | 56.1  | 47.8  | 45.2  |      |
|   | Avg.                              | 52.4                              | 56.3  | 57.6  | 56.0 | 51.4  | 49.5  | 47.8  | 46.5  | 50.8 | 51.9  | 51.0M | 53.6  | 55.3                               | 58.8  | 55.5  | 52.4  |      |
| Fort Brags<br>Aviation                      | Max.                              | 76                                | 68    | 71    | 76   | 74    | 68    | 60    | 61    | 67   | 69    | 66    | 60    | 69                                 | 72    | 75    | 75    |      |
|   | Min.                              | 29                                | 39    | 42    | 38   | 39    | 29    | 30    | 31    | 31   | 32    | 34    | 37    | M                                  | M     | 36    | 29    |      |
|   | Avg. Max.                         | M                                 | 63.5M | 64.9M | 64.2 | 63.7M | 58.9M | 55.0M | 55.2M | 55.3 | 58.0M | 56.7M | 57.8M | M                                  | 59.0M | 65.6M | 62.2  | M    |
|   | Avg. Min.                         | M                                 | 46.9M | 47.8M | 44.6 | 46.7M | 40.8M | 43.3M | 41.0M | 37.3 | 40.3M | 44.1M | 42.4M | M                                  | 47.5M | 50.1M | 44.9  | M    |
| Fort Rosa                                   | Avg.                              | M                                 | 55.2M | 56.4M | 54.4 | 55.2M | 49.9M | 49.2M | 44.1M | 46.3 | 49.2M | 53.4M | 50.1M | M                                  | 53.7M | 57.9M | 53.6  | M    |
|   | Max.                              | 91                                | 72    | 78    | 91   | 80    | 69    | 60    | 62    | 63   | 71    | 69    | 63    | 65                                 | 76    | 74    | 82    | 80   |
|   | Min.                              | 42                                | 44    | 44    | 42   | 41    | 35    | 34    | 33    | 36   | 38    | 36    | 39    | 42                                 | 43    | 45    | 51    | 33   |
|   | Avg. Max.                         | 60.9                              | 65.5  | 67.2  | 68.3 | 66.3  | 59.3  | 56.0  | 54.8  | 56.5 | 58.4  | 59.0  | 60.6  | 63.9                               | 68.0  | 65.7  | 60.6  | 60.6 |
| Point Arep                                  | Avg. Min.                         | 45.3                              | 47.4  | 48.1  | 47.3 | 46.0  | 44.8  | 45.4  | 43.2  | 40.6 | 43.1  | 45.5  | 42.9  | 46.7                               | 48.3  | 49.0  | 45.6  | 45.6 |
|   | Avg.                              | 53.1                              | 56.5  | 57.7  | 57.8 | 56.1  | 54.7  | 44.0  | 48.6  | 50.8 | 53.0  | 51.0  | 53.7  | 56.1                               | 58.9  | 57.4  | 53.1  | 53.1 |
|   | Max.                              | 91                                | 72    | 76    | 91   | 81    | 69    | 59    | 67    | 62   | 66    | 65    | 64    | 65                                 | 70    | 77    | 83    | 83   |
|   | Min.                              | 31                                | 43    | 44    | 39   | 39    | 32    | 35    | 31    | 32   | 37    | 37    | 38    | 43                                 | 45    | 49    | 40    | 31   |
| RUSSIAN RIVER (F5)                          | Avg. Max.                         | 64.4                              | 66.0  | 65.9  | 64.8 | 59.1  | 54.7  | 54.6  | 54.8  | 57.4 | 57.0M | 58.4  | 60.0  | 62.9                               | 68.2  | 65.1M | 59.8  | 59.8 |
|   | Avg. Min.                         | 45.4                              | 48.9  | 50.3M | 46.3 | 47.1  | 44.1  | 44.1  | 43.5  | 40.6 | 42.6  | 45.9M | 44.0  | 47.6                               | 48.9  | 53.7  | 48.3M | 45.7 |
|   | Avg.                              | 52.6                              | 56.7  | 58.2M | 56.1 | 56.0  | 51.6  | 49.7  | 49.1  | 47.7 | 50.0  | 51.9M | 51.2  | 53.8                               | 55.9  | 60.0  | 56.7M | 56.7 |
|   | Max.                              | 107                               | 105   | 104   | 107  | 100   | 76    | 67    | 71    | 78   | 81    | 92    | 90    | 93                                 | 98    | 99    | 95    | 107  |
| Cloverdale 3 SSE                            | Min.                              | 28                                | 47    | 48    | 42   | 44    | 30    | 30    | 32    | 35   | 33    | 33    | 40    | 47                                 | 46    | 49    | 43    | 28   |
|   | Avg. Max.                         | 73.0                              | 91.9  | 91.2  | 85.6 | 81.5  | 60.8  | 57.3  | 57.0  | 62.9 | 66.4  | 65.9  | 77.4  | 77.8                               | 87.6  | 88.9  | 80.6  | 72.0 |
|   | Avg. Min.                         | 45.7                              | 52.2  | 53.5  | 49.7 | 50.7  | 40.8  | 41.2  | 37.7  | 38.3 | 41.2  | 45.5  | 47.1  | 50.1                               | 50.8  | 54.7  | 47.8  | 45.5 |
|   | Avg.                              | 59.4                              | 72.1  | 72.7  | 67.7 | 66.1  | 50.8  | 49.3  | 47.4  | 50.6 | 53.6  | 55.7  | 62.3  | 64.0                               | 69.2  | 71.8  | 64.2  | 58.8 |

TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                | SEASON<br>July 1<br>to<br>June 30 | Temperature in Degrees Fahrenheit |      |       |      |      |      |      |      |      |      |      |      | SEASON<br>Oct. 1<br>to<br>Sept. 30 |      |      |       |
|---|-----------------------------------|-----------------------------------|------|-------|------|------|------|------|------|------|------|------|------|------------------------------------|------|------|-------|
|   |                                   | 1964                              |      |       |      |      |      | 1965 |      |      |      |      |      |                                    |      |      |       |
|   |                                   | JULY                              | AUG. | SEPT. | OCT. | NOV. | DEC. | JAN. | FEB. | MAR. | APR. | MAY  | JUNE |                                    | JULY | AUG. | SEPT. |
| HYDROGRAPHIC AREA F<br>(North Coastal Area) |                                   |                                   |      |       |      |      |      |      |      |      |      |      |      |                                    |      |      |       |
| RUSSIAN RIVER (F9)                          | Max.                              | 106.                              | 103. | 104.  | 94.  | 76.  | 66.  | 73.  | 76.  | 79.  | 88.  | 92.  | 96.  | 102.                               | 100. | 93.  | 102.  |
|   | Min.                              | 44.                               | 47.  | 38.   | 37.  | 25.  | 25.  | 24.  | 24.  | 31.  | 30.  | 28.  | 41.  | 41.                                | 49.  | 35.  | 24.   |
|   | Avg. Max.                         | M                                 | 89.0 | 87.5  | 81.0 | M    | 54.3 | 54.3 | 63.7 | 64.3 | 64.6 | M    | 81.3 | 91.0                               | 88.4 | 86.3 | M     |
|   | Avg. Min.                         | M                                 | 50.8 | 51.9  | 44.7 | 43.1 | M    | 38.8 | 38.3 | 35.7 | 42.7 | M    | 47.0 | 48.4                               | 52.6 | 43.9 | M     |
|   | Avg.                              | M                                 | 69.9 | 72.0  | 65.1 | 62.1 | M    | 46.6 | 44.3 | 48.2 | 50.5 | 53.7 | M    | 64.2                               | 69.7 | 70.5 | 65.1  |
|   | Max.                              | 106.                              | 104. | 102.  | 106. | 100. | 74.  | 65.  | 64.  | 72.  | 79.  | 95.  | 89.  | 95.                                | 91.  | 99.  | 95.   |
|   | Min.                              | 41.                               | 43.  | 36.   | 37.  | 28.  | 27.  | 27.  | 30.  | 33.  | 33.  | 35.  | 42.  | 41.                                | 47.  | 34.  | 27.   |
|   | Avg. Max.                         | 70.9                              | 85.2 | 84.7  | 80.7 | 60.1 | 55.9 | 53.8 | 62.4 | 63.6 | 66.6 | 77.0 | 74.2 | 82.3                               | 85.9 | 79.6 | 70.2  |
|   | Avg. Min.                         | 44.2                              | 49.5 | 50.0  | 47.0 | 46.5 | 42.8 | 42.1 | 40.0 | 36.5 | 40.4 | 44.8 | 42.5 | 48.0                               | 49.4 | 51.8 | 44.4  |
|   | Avg.                              | 57.6                              | 67.4 | 68.4  | 65.9 | 63.6 | 51.5 | 49.0 | 49.5 | 49.5 | 52.0 | 55.7 | 59.8 | 61.1                               | 65.9 | 68.9 | 63.5  |
|   | Max.                              | 101.                              | 99.  | 99.   | 101. | 94.  | 65.  | 64.  | 62.  | 71.  | 76.  | 90.  | 85.  | 89.                                | 95.  | 88.  | 95.   |
|   | Min.                              | 40.                               | 42.  | 38.   | 37.  | 28.  | 28.  | 26.  | 30.  | 32.  | 31.  | 35.  | 41.  | 40.                                | 45.  | 35.  | 26.   |
|   | Avg. Max.                         | 69.7                              | 85.4 | 82.9  | 78.0 | 58.1 | 56.4 | 54.0 | 61.3 | 62.2 | 65.6 | 74.8 | 72.4 | 80.9                               | 83.7 | 74.9 | 68.5  |
|   | Avg. Min.                         | 43.1                              | 48.1 | 46.7  | 46.3 | 41.1 | 42.3 | 38.1 | 35.4 | 39.6 | 43.6 | 41.4 | 46.4 | 47.1                               | 50.2 | 45.6 | 43.1  |
|   | Avg.                              | 56.4                              | 66.3 | 64.8  | 62.2 | 49.6 | 49.4 | 46.1 | 48.4 | 50.9 | 54.6 | 58.1 | 59.4 | 64.0                               | 67.0 | 60.3 | 55.8  |
|   | Max.                              | 108.                              | 106. | 108.  | 100. | 75.  | 67.  | 68.  | 76.  | 82.  | 96.  | 90.  | 95.  | 97.                                | 99.  | 95.  | 100.  |
|   | Min.                              | 29.                               | 46.  | 47.   | 42.  | 42.  | 30.  | 29.  | 34.  | 35.  | 34.  | 41.  | 45.  | 45.                                | 48.  | 39.  | 29.   |
|   | Avg. Max.                         | 73.7                              | 91.1 | 90.9  | 87.7 | 61.6 | 58.4 | 55.9 | 64.1 | 66.9 | 68.7 | 78.4 | 77.8 | 87.4                               | 89.5 | 82.3 | 72.8  |
|   | Avg. Min.                         | 46.3                              | 52.9 | 51.4  | 49.5 | 42.1 | 42.8 | 39.5 | 39.0 | 42.3 | 46.5 | 46.6 | 50.4 | 51.1                               | 54.1 | 49.2 | 46.1  |
|   | Avg.                              | 60.0                              | 71.6 | 71.9  | 69.6 | 51.9 | 50.6 | 47.7 | 51.6 | 54.5 | 57.6 | 62.5 | 61.1 | 69.3                               | 71.8 | 65.8 | 59.5  |
|   | Max.                              | 93.                               | 82.  | 92.   | 93.  | 77.  | 70.  | 73.  | 73.  | 74.  | 78.  | 78.  | 80.  | 84.                                | 87.  | 92.  | 93.   |
|   | Min.                              | 28.                               | 40.  | 42.   | 40.  | 32.  | 32.  | 28.  | 33.  | 36.  | 36.  | 38.  | 44.  | 42.                                | 51.  | 42.  | 28.   |
|   | Avg. Max.                         | 65.4                              | 74.4 | 74.6  | 73.1 | 61.4 | 56.6 | 57.9 | 60.7 | 61.5 | 62.1 | 63.0 | 65.2 | 72.2                               | 72.8 | 73.5 | 65.0  |
|   | Avg. Min.                         | 46.3                              | 50.3 | 51.2  | 49.8 | 41.8 | 41.8 | 44.8 | 44.0 | 44.0 | 44.6 | 44.4 | 49.4 | 50.2                               | 53.2 | 50.4 | 46.5  |
|   | Avg.                              | 55.9                              | 62.7 | 63.0  | 62.2 | 61.9 | 52.6 | 50.7 | 49.9 | 50.5 | 52.8 | 53.4 | 53.7 | 57.3                               | 61.2 | 63.0 | 55.8  |
|   | Max.                              | 101.                              | 99.  | 101.  | 98.  | 76.  | 66.  | 70.  | 73.  | 76.  | 88.  | 86.  | M    | M                                  | M    | M    | M     |
|   | Min.                              | 22.                               | 39.  | 40.   | 36.  | 31.  | 23.  | 22.  | 27.  | 27.  | 29.  | 29.  | M    | M                                  | M    | M    | 22.   |
|   | Avg. Max.                         | M                                 | 85.0 | 89.7  | M    | 83.1 | 66.8 | 57.7 | 62.8 | 63.7 | 65.8 | 75.9 | M    | M                                  | M    | M    | M     |
|   | Avg. Min.                         | M                                 | 46.1 | 49.0  | M    | 40.1 | 38.8 | 39.0 | 37.5 | 33.7 | 37.0 | 41.5 | 38.6 | M                                  | M    | M    | M     |
|   | Avg.                              | M                                 | 67.1 | 69.4  | M    | 61.6 | 49.8 | 48.4 | 47.6 | 48.3 | 50.4 | 53.7 | M    | M                                  | M    | M    | M     |



TABLE A-3  
TEMPERATURE DATA

| STATION NAME                                | SEASON<br>July 1<br>to<br>June 30 | Temperature in Degrees Fahrenheit |       |       |       |       |       |       |       |       |       |       |      | SEPT. | AUG. | JULY | JUNE | MAY | APR. | MAY | JUNE | JULY | AUG. | SEPT. | SEASON<br>Oct. 1<br>to<br>Sept. 30 |      |      |       |      |      |      |      |      |      |      |     |      |
|---|-----------------------------------|-----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|------|------|------|-----|------|-----|------|------|------|-------|------------------------------------|------|------|-------|------|------|------|------|------|------|------|-----|------|
|   |                                   | 1964                              |       |       |       |       |       |       |       |       |       |       |      |       |      |      |      |     |      |     |      |      |      |       |                                    | 1965 |      |       |      |      |      |      |      |      |      |     |      |
|   |                                   | JULY                              | AUG.  | SEPT. | OCT.  | NOV.  | DEC.  | JAN.  | FEB.  | MAR.  | APR.  | MAY   | JUNE |       |      |      |      |     |      |     |      |      |      |       |                                    | JULY | AUG. | SEPT. | OCT. | NOV. | DEC. | JAN. | FEB. | MAR. | APR. | MAY | JUNE |
| HYDROGRAPHIC AREA F<br>(North Coastal Area) |                                   |                                   |       |       |       |       |       |       |       |       |       |       |      |       |      |      |      |     |      |     |      |      |      |       |                                    |      |      |       |      |      |      |      |      |      |      |     |      |
| RUSSIAN RIVER (Fy)                          | Max.                              | 108                               | 104   | 105   | 98    | 75    | 64    | 74    | 74    | 81    | 110   | 92    | 98   | 102   | 97   | 102  |      |     |      |     |      |      |      |       |                                    |      |      |       | 102  |      |      |      |      |      |      |     |      |
|   | Min.                              | 44                                | 39    | 38    | 32    | 23    | 23    | 23    | 23    | 27    | 29    | 31    | 37   | 37    | 37   | 37   |      |     |      |     |      |      |      |       |                                    |      |      | 34    | 23   |      |      |      |      |      |      |     |      |
| Potter Valley P. H.                         | Avg. Max.                         | 95.3M                             | 95.4M | M     | 85.5M | 61.1M | 53.2M | 57.0M | 55.6M | 66.0M | 70.9M | 78.7M | M    | M     | M    | M    |      |     |      |     |      |      |      |       |                                    |      |      | 89.0M | M    |      |      |      |      |      |      |     |      |
|   | Avg. Min.                         | 50.6M                             | 50.3M | M     | 40.7M | 34.9M | 36.5M | 33.8M | 30.8M | 35.1M | 40.4M | 39.2M | M    | M     | M    | M    |      |     |      |     |      |      |      |       |                                    |      |      | 43.6M | M    |      |      |      |      |      |      |     |      |
|   | Avg.                              | 73.0M                             | 72.0M | M     | 63.1M | 48.0M | 44.2M | 45.4M | 48.2M | 51.0M | 55.7M | 59.0M | M    | M     | M    | M    |      |     |      |     |      |      |      |       |                                    |      |      | 66.3M | M    |      |      |      |      |      |      |     |      |
|   | Max.                              | 99                                | 102   | 104   | 97    | 76    | 68    | 66    | 74    | 78    | 93    | 87    | 89   | 91    | 96   | 93   |      |     |      |     |      |      |      |       |                                    |      |      | 93    | 77   |      |      |      |      |      |      |     |      |
|   | Min.                              | 45                                | 45    | 42    | 39    | 27    | 22    | 26    | 31    | 34    | 32    | 38    | 43   | 43    | 48   | 48   |      |     |      |     |      |      |      |       |                                    |      |      | 37    | 22   |      |      |      |      |      |      |     |      |
|   | Avg. Max.                         | 84.5                              | 86.0  | 83.4  | 81.0  | 68.7  | 58.7  | 56.3  | 63.3  | 65.4  | 66.8  | 75.6  | 73.5 | 81.3  | 85.9 | 79.9 |      |     |      |     |      |      |      |       |                                    |      |      | 79.9  | 70.2 |      |      |      |      |      |      |     |      |
| Santa Rosa                                  | Avg. Min.                         | 49.9                              | 50.5  | 49.0  | 46.5  | 38.9  | 40.4  | 37.6  | 35.2  | 39.0  | 43.6  | 47.7  | 49.5 | 52.2  | 46.7 | 43.5 |      |     |      |     |      |      |      |       |                                    |      |      | 46.7  | 43.5 |      |      |      |      |      |      |     |      |
|   | Avg.                              | 67.2                              | 68.3  | 66.2  | 63.8  | 50.8  | 49.6  | 47.0  | 49.3  | 52.2  | 55.2  | 59.6  | 60.6 | 65.4  | 63.3 | 57.2 |      |     |      |     |      |      |      |       |                                    |      |      | 63.3  | 57.2 |      |      |      |      |      |      |     |      |
|   | Max.                              | 96                                | 95    | 96    | 93    | 73    | 67    | 64    | 71    | 75    | 91    | 84    | 85   | 90    | 92   | 91   |      |     |      |     |      |      |      |       |                                    |      |      | 91    | 83   |      |      |      |      |      |      |     |      |
|   | Min.                              | 44                                | 45    | 42    | 37    | 26    | 25    | 26    | 30    | 33    | 30    | 38    | 42   | 45    | 49   | 46   |      |     |      |     |      |      |      |       |                                    |      |      | 46    | 35   |      |      |      |      |      |      |     |      |
| Santa Rosa Sewage Plant                     | Avg. Max.                         | 78.9                              | 78.4  | 76.8  | 75.6  | 60.2  | 57.4  | 55.2  | 61.4  | 61.7  | 64.3  | 71.4  | 70.5 | 77.6  | 81.5 | 76.3 |      |     |      |     |      |      |      |       |                                    |      |      | 76.3  | 67.8 |      |      |      |      |      |      |     |      |
|   | Avg. Min.                         | 49.7                              | 51.2  | 49.2  | 46.3  | 40.2  | 41.0  | 38.3  | 35.8  | 40.2  | 44.1  | 43.5  | 48.3 | 50.2  | 57.3 | 47.3 |      |     |      |     |      |      |      |       |                                    |      |      | 47.3  | 44.0 |      |      |      |      |      |      |     |      |
|   | Avg.                              | 64.3                              | 64.8  | 63.0  | 61.0  | 50.2  | 49.2  | 46.8  | 48.6  | 51.0  | 54.2  | 57.5  | 59.4 | 63.9  | 61.8 | 55.9 |      |     |      |     |      |      |      |       |                                    |      |      | 61.8  | 55.9 |      |      |      |      |      |      |     |      |
|   | Max.                              | 110                               | 105   | 108   | 98    | 77    | 65    | 74    | 75    | 82    | 92    | 91    | 98   | 103   | 101  | 96   |      |     |      |     |      |      |      |       |                                    |      |      | 103   | 103  |      |      |      |      |      |      |     |      |
|   | Min.                              | 46                                | 48    | 42    | 37    | 26    | 27    | 26    | 29    | 31    | 32    | 32    | 42   | 48    | 50   | 37   |      |     |      |     |      |      |      |       |                                    |      |      | 37    | 26   |      |      |      |      |      |      |     |      |
|   | Avg. Max.                         | 90.9                              | 92.5  | 88.1  | 81.8  | 60.0  | 54.7  | 57.9  | 64.3  | 66.0  | 67.7  | 76.6  | 81.7 | 92.5  | 90.1 | 85.3 |      |     |      |     |      |      |      |       |                                    |      |      | 85.3  | 73.2 |      |      |      |      |      |      |     |      |
| UK 101                                      | Avg. Min.                         | 53.9                              | 53.7  | 47.2  | 47.1  | 39.3  | 41.1  | 38.0  | 34.8  | 39.1  | 43.5  | 43.7  | 48.7 | 53.4  | 55.1 | 46.6 |      |     |      |     |      |      |      |       |                                    |      |      | 46.6  | 44.2 |      |      |      |      |      |      |     |      |
|   | Avg.                              | 72.4                              | 73.1  | 67.7  | 64.5  | 49.7  | 47.9  | 48.0  | 49.6  | 52.6  | 55.6  | 60.2  | 65.2 | 73.0  | 72.6 | 66.0 |      |     |      |     |      |      |      |       |                                    |      |      | 66.0  | 58.7 |      |      |      |      |      |      |     |      |
|   | Max.                              | 97                                | 99    | 100   | 93    | 70    | 62    | 63    | 73    | 76    | 90    | 84    | 89   | 93    | 94   | 89   |      |     |      |     |      |      |      |       |                                    |      |      | 89    | 74   |      |      |      |      |      |      |     |      |
|   | Min.                              | 42                                | 42    | 38    | 35    | 24    | 25    | 25    | 29    | 30    | 32    | 32    | 40   | 42    | 46   | 34   |      |     |      |     |      |      |      |       |                                    |      |      | 34    | 21   |      |      |      |      |      |      |     |      |
| W 100                                       | Avg. Max.                         | 81.6                              | 82.4  | 80.7  | 77.0  | 58.0  | 55.8  | 48.9  | 60.0  | 62.3  | 65.7  | 73.9  | 70.9 | 81.4  | 81.4 | 74.1 |      |     |      |     |      |      |      |       |                                    |      |      | 81.4  | 67.5 |      |      |      |      |      |      |     |      |
|   | Avg. Min.                         | 49.9                              | 49.1  | 45.6  | 44.8  | 41.1  | 41.0  | 36.5  | 33.7  | 40.2  | 42.4  | 42.4  | 46.5 | 46.7  | 51.7 | 47.4 |      |     |      |     |      |      |      |       |                                    |      |      | 47.4  | 47.4 |      |      |      |      |      |      |     |      |
|   | Avg.                              | 65.8                              | 65.8  | 63.2  | 60.9  | 49.6  | 48.4  | 42.7  | 46.9  | 51.3  | 54.1  | 58.7  | 65.1 | 66.1  | 60.8 | 55.2 |      |     |      |     |      |      |      |       |                                    |      |      | 60.8  | 55.2 |      |      |      |      |      |      |     |      |
|   | Max.                              |                                   |       |       |       |       |       |       |       |       |       |       |      |       |      |      |      |     |      |     |      |      |      |       |                                    |      |      |       |      |      |      |      |      |      |      |     |      |
|   | Min.                              |                                   |       |       |       |       |       |       |       |       |       |       |      |       |      |      |      |     |      |     |      |      |      |       |                                    |      |      |       |      |      |      |      |      |      |      |     |      |
|   | Avg. Max.                         |                                   |       |       |       |       |       |       |       |       |       |       |      |       |      |      |      |     |      |     |      |      |      |       |                                    |      |      |       |      |      |      |      |      |      |      |     |      |
|   | Avg. Min.                         |                                   |       |       |       |       |       |       |       |       |       |       |      |       |      |      |      |     |      |     |      |      |      |       |                                    |      |      |       |      |      |      |      |      |      |      |     |      |
|   | Avg.                              |                                   |       |       |       |       |       |       |       |       |       |       |      |       |      |      |      |     |      |     |      |      |      |       |                                    |      |      |       |      |      |      |      |      |      |      |     |      |

TABLE A-4  
EVAPORATION DATA

| STATION NAME                                     | Evaporation in Inches   | Wind Movement in Total Miles |       |       |      |      |      |      |       |      |       |       |      | Water Temperature in Degrees Fahrenheit |       |       |                   |        |  |       |  |  |  |  |  |
|--|-------------------------|------------------------------|-------|-------|------|------|------|------|-------|------|-------|-------|------|---|-------|-------|-------------------|--------|--|-------|--|--|--|--|--|
|  |                         | 1964                         |       |       |      |      |      | 1965 |       |      |       |       |      | 1966                                    |       |       |                   |        |  | TOTAL |  |  |  |  |  |
|  |                         | JULY                         | AUG.  | SEPT. | OCT. | NOV. | DEC. | JAN. | FEB.  | MAR. | APR.  | MAY   | JUNE | JULY                                    | AUG.  | SEPT. | Oct. 1 To Sept 30 |        |  |       |  |  |  |  |  |
| HYDROGRAPHIC AREA D<br>(Central Coastal Area)    |                         |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
| PAJARO-SAN BERNITO RIVER (D1)<br>Hollister Coast | TOTAL July 1 To June 30 | 61.31                        | 8.80  | 7.82  | 7.47 | 5.81 | 4.12 | 1.96 | 1.61  | 1.96 | 3.25  | 3.79  | 7.08 | 7.67                                    | 6.93  | 6.75  | 4.51              | 55.44  |  |       |  |  |  |  |  |
|  | Evap. Wind Movement     |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Max.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Min.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
| LOWER SALINAS RIVER (D2)<br>San Lucas-Ouidici    | TOTAL July 1 To June 30 | 61.92E                       | 10.37 | 7.23  | 6.04 | 4.32 | 3.17 | 1.89 | 1.72E | 2.72 | 4.15E | 4.42E | 7.44 | 8.45                                    | 8.38  | 6.47  | 5.97              | 61.10E |  |       |  |  |  |  |  |
|  | Evap. Wind Movement     |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Max.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Min.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
| Santa Rita-Mother                                | TOTAL July 1 To June 30 | 5.88E                        | 5.30  | 4.96  | 4.23 | 2.76 | 1.29 | 2.12 | 2.41  | 3.52 | -     | -     | -    | -                                       | -     | -     | -                 | -      |  |       |  |  |  |  |  |
|  | Evap. Wind Movement     |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Max.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Min.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
| Saleshdn CTP                                     | TOTAL July 1 To June 30 | 62.83                        | 8.21  | 7.36  | 7.18 | 5.08 | 2.57 | 2.01 | 1.93  | 3.48 | 4.26  | 5.06  | 8.16 | 7.53                                    | 7.99  | 7.45  | 6.27              | 61.79  |  |       |  |  |  |  |  |
|  | Evap. Wind Movement     |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Max.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Min.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
| UPPER SALINAS RIVER (D3)<br>Nacimiento Div       | TOTAL July 1 To June 30 | 69.80                        | 11.44 | 10.58 | 7.25 | 6.05 | 2.02 | 1.54 | 1.52  | 2.44 | 3.72  | 5.27  | 9.01 | 8.92                                    | 10.45 | 10.94 | 7.61              | 68.95  |  |       |  |  |  |  |  |
|  | Evap. Wind Movement     |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Max.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |
|  | Water Temp. Avg. Min.   |                              |       |       |      |      |      |      |       |      |       |       |      |   |       |       |                   |        |  |       |  |  |  |  |  |

TABLE A-4  
EVAPORATION DATA


| STATION NAME                                      | Evaporation in Inches   |       |       |       |      |      |      |      |      |      |      |      | Wind Movement in Total Miles |      |       |      |       |       |                         |      |       |  |  |  | Water Temperature in Degree Fahrenheit |  |  |  |  |  |  |  |  |  |  |  |
|---|-------------------------|-------|-------|-------|------|------|------|------|------|------|------|------|------------------------------|------|-------|------|-------|-------|-------------------------|------|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|   | TOTAL July 1 to June 30 |       |       |       |      |      | 1964 |      |      |      |      |      | 1965                         |      |       |      |       |       | TOTAL Oct 1 to Sept. 30 |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | JULY                    | AUG.  | SEPT. | OCT.  | NOV. | DEC. | JAN. | FEB. | MAR. | APR. | MAY  | JUNE | JULY                         | AUG. | SEPT. | JULY | AUG.  | SEPT. | JULY                    | AUG. | SEPT. |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| HYDROGRAPHIC AREA E<br>(San Francisco Bay Area)   |                         |       |       |       |      |      |      |      |      |      |      |      |                              |      |       |      |       |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| MAPA-SOLANO (E3)<br><br>Dutton Landing            | Evap. Movement          | 62.42 | 9.73  | 9.37  | 7.56 | 4.88 | 2.33 | 1.06 | 1.03 | 2.67 | 3.52 | 3.68 | 8.17                         | 8.42 | 8.76  | 6.33 | 59.22 |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Avg. Max.               | 33859 | 4001  | 3853  | 2907 | 2120 | 2286 | 2059 | 2139 | 1837 | 2351 | 2284 | 3309                         | 4713 | 3918  | 2712 | 32783 |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Max.   | -     | 84.0  | 83.1  | 80.4 | 75.0 | -    | -    | 55.1 | 62.3 | 67.2 | 71.9 | 79.1                         | 77.6 | 82.4  | 84.2 | 77.8  | -     |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Min.   | -     | 54.6  | 55.0  | 52.6 | 50.3 | -    | -    | 41.5 | 39.8 | 44.3 | 48.0 | 48.5                         | 50.7 | 52.4  | 57.0 | 50.6  | -     |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Yountville-Gamble                                 | Evap. Movement          | 53.13 | 8.55  | 8.32  | 7.32 | 3.66 | 1.53 | 1.09 | 1.15 | 1.86 | 2.28 | 3.45 | 7.25                         | 6.67 | 9.12  | 5.06 | 50.44 |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Avg. Max.               | -     | 1492  | 1099  | 1119 | 1153 | 1270 | 1084 | 801  | 1557 | 1254 | 993  | -                            | -    | 2343  | 1802 | -     |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Max.   | -     | -     | -     | -    | -    | -    | -    | -    | -    | -    | -    | -                            | -    | -     | -    | -     |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Min.   | -     | -     | -     | -    | -    | -    | -    | -    | -    | -    | -    | -                            | -    | -     | -    | -     |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| ALAMEDA CREEK (E5)<br><br>Livermore Sewage Plant  | Evap. Movement          | 69.21 | 12.48 | 10.54 | 7.36 | 5.39 | 2.46 | 1.07 | 1.58 | 2.81 | 3.85 | 4.36 | 8.46                         | 8.85 | 11.02 | 7.69 | 67.35 |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Avg. Max.               | 22350 | 2580  | 2510  | 1690 | 1320 | 880  | 1100 | 1750 | 1620 | 2050 | 1850 | 2760                         | 2260 | 2150  | 2040 | 21170 |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Max.   | -     | -     | -     | -    | -    | -    | -    | -    | -    | -    | -    | -                            | -    | -     | -    | -     |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Min.   | -     | -     | -     | -    | -    | -    | -    | -    | -    | -    | -    | -                            | -    | -     | -    | -     |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Newark  | Evap. Movement          | 69.34 | 10.29 | 9.64  | 8.24 | 5.13 | 2.48 | 1.54 | 1.30 | 2.82 | 4.62 | 5.41 | 9.24                         | 8.63 | 8.69  | 6.59 | 65.36 |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Avg. Max.               | 10347 | 3803  | 3457  | 3087 | 2487 | 2752 | 3110 | 3001 | 2542 | 3540 | 3976 | 4714                         | 4437 | 3602  | 3458 | 2922  | 40541 |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Max.   | -     | -     | -     | -    | -    | -    | -    | -    | -    | -    | -    | -                            | -    | -     | -    | -     |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Min.   | -     | -     | -     | -    | -    | -    | -    | -    | -    | -    | -    | -                            | -    | -     | -    | -     |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| SANTA CLARA VALLEY (E6)<br><br>Alamitos Perc Pond | Evap. Movement          | 62.68 | 9.81  | 9.18  | 7.31 | 5.04 | 1.82 | 1.05 | 1.24 | 2.65 | 4.14 | 4.52 | 8.32                         | 7.60 | 8.50  | 8.41 | 58.74 |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Avg. Max.               | 19850 | 1527  | 1907  | 1721 | 1643 | 1364 | 1454 | 1500 | 1389 | 1741 | 1669 | 1095                         | 1000 | 1763  | 1586 | 1393  | 13457 |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Max.   | -     | -     | -     | -    | -    | -    | -    | -    | -    | -    | -    | -                            | -    | -     | -    | -     |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | Water Temp. Avg. Min.   | -     | -     | -     | -    | -    | -    | -    | -    | -    | -    | -    | -                            | -    | -     | -    | -     |       |                         |      |       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

TABLE A-4  
EVAPORATION DATA

| STATION NAME            | Evaporation in Inches                           |      |      |       |      |      |      |      |      |       |      |      | Wind Movement in Total Miles |      |      |       |                             |  |      |  |  |  |  |  | Water Temperature in Degrees Fahrenheit |  |  |  |  |  |  |  |  |  |  |  |
|-------------------------|---|------|------|-------|------|------|------|------|------|-------|------|------|------------------------------|------|------|-------|-----------------------------|--|------|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|
|                         | 1964  |      |      |       |      |      | 1965 |      |      |       |      |      | 1966                         |      |      |       |                             |  | 1967 |  |  |  |  |  | 1968                                    |  |  |  |  |  |  |  |  |  |  |  |
|                         | TOTAL<br>July 1<br>To<br>June 30                | JULY | AUG. | SEPT. | OCT. | NOV. | DEC. | JAN. | FEB. | MAR.  | APR. | MAY  | JUNE                         | JULY | AUG. | SEPT. | TOTAL<br>Oct. 1<br>Sept. 30 |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
|                         | HYDROGRAPHIC AREA 2<br>(San Francisco Bay Area) |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| SANTA CLARA VALLEY (56) | 48.42   | 8.88 | 7.84 | 5.35  | 4.44 | 1.21 | .93  | .92  | 1.68 | 2.392 | 2.98 | 6.26 | 6.04                         | 7.71 | 7.37 | 4.57  | 46.45                       |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Evap. Movement          |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Max.   |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Min.   |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Coyote Reservoir        |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Evap. Movement          | 55.01   | 9.25 | 8.58 | 6.60  | 4.41 | 1.74 | 1.64 | .93  | 1.98 | 2.92  | 3.49 | 6.54 | 6.73                         | 8.66 | 7.96 | 5.95  | 53.15                       |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Max.   | 15292   | 843  | 1323 | 1369  | 1327 | 1366 | 1842 | 1563 | 1158 | 1288  | 801  | 1130 | 944                          | 716  | 775  | 14142 |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Min.   |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Lexington Reservoir     |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Evap. Movement          |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Max.   |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Min.   |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| BAYSIDE-SAN MATEO (57)  |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Evap. Movement          |   | 5.04 | 7.47 | 6.08  | 3.73 | 2.32 | -    | 1.34 | 1.98 | 3.14  | 3.51 | 6.81 | 7.12                         | 7.65 | 6.22 | 4.07  | --                          |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Max.   | 8625  | 950  | 932  | 639   | 599  | 652  | 710  | 549  | 534  | 487   | 759  | 1034 | 850                          | 960  | 680  | 511   | 8294                        |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Min.   | 74.9  | 88.6 | 88.5 | 85.2  | 75.6 | 61.4 | 59.1 | 55.7 | 64.7 | 71.6  | 78.9 | 84.6 | 85.4                         | 91.2 | 92.8 | 85.0  | 75.5                        |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Burlingame              | 50.5  | 57.7 | 57.5 | 54.6  | 53.0 | 44.8 | 44.8 | 42.1 | 43.0 | 47.4  | 52.4 | 52.7 | 56.4                         | 59.2 | 58.5 | 55.1  | 50.8                        |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Evap. Movement          |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Max.   |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |
| Water Temp. Avg. Min.   |   |      |      |       |      |      |      |      |      |       |      |      |                              |      |      |       |                             |  |      |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |

TABLE A-4  
EVAPORATION DATA

| STATION NAME                                | Evaporation in Inches            |       |       |       | Wind Movement in Total Miles |                   |      |                   |                   |                   |      |      |       |       |       |       | Water Temperature in Degrees Fahrenheit |                                   |  |  |  |
|---|----------------------------------|-------|-------|-------|------------------------------|-------------------|------|-------------------|-------------------|-------------------|------|------|-------|-------|-------|-------|---|-----------------------------------|--|--|--|
|   | TOTAL<br>July 1<br>to<br>June 30 | 1964  |       |       |                              | 1965              |      |                   |                   |                   |      |      |       |       |       |       |   | TOTAL<br>July 1<br>to<br>Sept. 30 |  |  |  |
|   |                                  | JULY  | AUG.  | SEPT. | OCT.                         | NOV.              | DEC. | JAN.              | FEB.              | MAR.              | APR. | MAY  | JUNE  | JULY  | AUG.  | SEPT. |   |                                   |  |  |  |
| HYDROGRAPHIC AREA F<br>(North Channel Area) |                                  |       |       |       |                              |                   |      |                   |                   |                   |      |      |       |       |       |       |   |                                   |  |  |  |
| ELLSWORTH RIVER (P.)                        |                                  | 11.44 | 11.03 | 6.19  | B <sub>1</sub> 19            | B <sub>2</sub> 05 | -    | B <sub>1</sub> 69 | B <sub>2</sub> 07 | B <sub>3</sub> 09 | 4.80 | 8.30 | 8.56  | 11.37 | 7.40  | -     |   |                                   |  |  |  |
| Wind Movement                               |                                  | 1971  | 1871  | 1954  | B <sub>1</sub> 95            | 1152              | -    | B <sub>1</sub> 89 | B <sub>2</sub> 20 | B <sub>3</sub> 05 | 1424 | 1668 | 1951  | 1690  | 1640  | 1637  |   |                                   |  |  |  |
| Water Temp. Avg. Max.                       |                                  | 84.0  | 85.3  | 76.3  | 71.1                         | -                 | 54.5 | 49.0              | 55.5              | 63.2              | 65.9 | -    | 81.1  | 86.5  | 83.5  | 78.0  |   |                                   |  |  |  |
| Water Temp. Avg. Min.                       |                                  | 41.0  | 54.0  | 47.4  | 47.6                         | -                 | 39.5 | 35.8              | 39.6              | 43.5              | -    | 49.4 | 53.3  | 54.5  | 47.1  | -     |   |                                   |  |  |  |
| Evap. Wind Movement                         |                                  | 7.6   | 7.50  | -     | 4.24                         | 1.93              | 2.73 | .92               | 2.35              | 2.58              | 5.59 | 5.15 | -     | -     | -     | -     |   |                                   |  |  |  |
| Water Temp. Avg. Max.                       |                                  | 43    | 434   | 63    | 357                          | 744               | 701  | 623               | 846               | 887               | 967  | 670  | -     | -     | -     | -     |   |                                   |  |  |  |
| Water Temp. Avg. Min.                       |                                  | -     | -     | -     | -                            | -                 | 56.5 | 54.5              | 61.7              | 66.9              | 72.4 | 85.1 | -     | -     | -     | -     |   |                                   |  |  |  |
| Evap. Wind Movement                         |                                  | 10.13 | 8.69  | 7.12  | 4.48                         | 2.05              | .98  | 1.03              | 2.05              | 3.52              | 3.67 | 8.09 | 7.25  | 5.96  | 7.32  | 6.19  |   |                                   |  |  |  |
| Water Temp. Avg. Max.                       |                                  | 31.0  | 28.5  | 24.0  | 19.7                         | 21.3              | 26.0 | 15.6              | 16.8              | 22.3              | 27.3 | 30.2 | 31.38 | 27.0  | 29.67 | 30.1  |   |                                   |  |  |  |
| Water Temp. Avg. Min.                       |                                  | -     | -     | -     | -                            | -                 | -    | -                 | -                 | -                 | -    | -    | -     | -     | -     | -     |   |                                   |  |  |  |
| Evap. Wind Movement                         |                                  | 2.17  | 2.73  | 7.35  | 5.04                         | 2.29              | .92  | RE                | -                 | -                 | -    | -    | -     | -     | -     | -     |   |                                   |  |  |  |
| Water Temp. Avg. Max.                       |                                  | -     | -     | -     | -                            | -                 | -    | -                 | -                 | -                 | -    | -    | -     | -     | -     | -     |   |                                   |  |  |  |
| Water Temp. Avg. Min.                       |                                  | -     | -     | -     | -                            | -                 | -    | -                 | -                 | -                 | -    | -    | -     | -     | -     | -     |   |                                   |  |  |  |



Appendix B

SURFACE WATER FLOW

and a

colle

perio

Defin

disch

passi

above

the r

to a

galle

thro

the

Meth

reco

The

each

wate

proc



## INTRODUCTION

This appendix presents surface water measurement data collected and assembled by the Department of Water Resources. It contains information collected in the Central Coastal Area during the 1965 water year covering the period from October 1, 1964, through September 30, 1965.

### Definition of Terms

The following terms are commonly used:

Cubic foot per second, or second-foot, is the unit rate of discharge of water. One cubic foot per second is a cubic foot of water passing a given point in one second.

Gage Height or Stage is the elevation of the water surface above an assigned datum as measured by a gage. It is measured in feet to the nearest 0.01 foot.

Acre-foot is the quantity of water required to cover one acre to a depth of one foot. It is equivalent to 43,560 cubic feet or 325,850 gallons.

Water year is the 12-month period from October 1 of one year through September 30 of the subsequent year and is normally designated by the calendar year in which it is terminated.

### Methods and Procedures

#### Streamflow Measurements

A stream gaging station is equipped with a continuous water stage recorder for which a stage-discharge relationship or rating is developed. The rating gives the flow or discharge in cubic feet per second (c.f.s.) for each water stage or gage height at a station. Given the rating and continuous water stage record, mean daily discharges are determined by electronic data processing methods.

The rating is developed by making streamflow measurements with a current meter at various water stages ranging from near minimum to near maximum. Normally, the rating is fairly permanent where there is a fixed channel and a fixed flow regimen at the station. The rating varies, however, where the bed of the channel is of loose shifting sand and gravel or where vegetative growth builds up in the channel changing the flow regime. Where the rating is not permanent and varies periodically, more frequent measurements of discharge are necessary to accurately determine the discharge, and manual computation may be required. Measurement procedures which have been employed are consistent with those used by the U. S. Geological Survey.

#### Tidal Stage Measurements

Along the Pacific Coast, there are usually two high and two low tides in a day. The lunar or tidal day is about 50 minutes longer than the solar day because tides are more strongly influenced by the moon than by the sun. The two high and two low tides which are usually unequal are commonly designated as higher high, lower high, higher low, and lower low waters. Tidal stage stations are equipped with continuous water level recorders.

#### Coding System

The station numbering system is that which is given in the Department publication entitled "Index of Stream Gaging Stations In and Adjacent to California, 1966". The stations for which data are given in this report are described either in the explanation of tables or in the tables.

### EXPLANATION OF TABLES

#### Daily Mean Discharge

Table B-1 presents daily mean discharges in Butano Creek near Pescadero. The mean, maximum, and minimum values at the bottom of each

monthly column are representative of that month and year only. The acre-feet value for each month is a total of the daily values which are converted to acre-feet for the computation. The mean discharge under "Water Year Summary" is an average of the monthly means. The maximum and minimum discharges are instantaneous extremes that occurred during the year. The total acre-feet is the sum of the monthly acre-feet values. When flows at a single station are in excess of 140 percent of the highest measurement on the rating curve, the computed daily mean discharges from the electronic computer are shown as "estimates". Publication of the record of this station will be discontinued with this issue of Bulletin No. 130. Data for future years will be published in the "Surface Water Records" of the U. S. Geological Survey.

#### Imports

Table B-2 presents monthly deliveries of water into the Central Coastal Area. This table indicates the water user and the source of the supply. Monthly and water year total deliveries in acre-feet, average delivery in cubic feet per second, and monthly use in percent of annual are presented.

#### Daily Mean Gage Height

Table B-3 presents the daily mean gage height for Rector Reservoir near Yountville. These gage heights are from USC&GS mean sea level datum and are indicative of the amount of water in storage. The station is located on the outlet tower of the reservoir. Rector Reservoir is located about three miles northeast of Yountville on Rector Creek.

#### Daily Maximum and Minimum Tides

Table B-4 lists maximum and minimum tides at the Sacramento River at Collinsville and Suisun Bay at Benicia, respectively. These data are obtained from graphical charts plotted by continuous water stage recorders.

The values are in feet above -13.05 feet USC&GS mean sea level datum of 1929 at Collinsville and above -10.00 feet at Benicia. The values in most cases represent higher high water and lower low water. During a calendar day in which three instead of four tides occurred, the high and low values may represent lower high water or higher low water. The maximum and minimum values at the bottom of each monthly column represent the extremes observed during that month.

Station descriptions and historical data are provided at the bottom of Table B-4.

Corrections and Revisions to Previously Published Surface Water Data

Table B-5 lists corrections and revisions to previously published surface water data in order of publication date.

DAILY MEAN  
IN CUBIC FEET  
OCT  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
MEAN  
MAX  
MIN  
ACFT  
- ESTIMATED  
- NO RECORD  
- DISCONTINUED OBSERVATION  
- LAMP

TABLE B-1

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

| WATER YEAR | STATION NO. | STATION NAME              |
|------------|-------------|---------------------------|
| 1965       | E83200      | BUTANO CREEK NP PESCADERO |

| DAY     | OCT. | NOV. | DEC.  | JAN. | FEB.   | MAR. | APR. | MAY  | JUNE | JULY | AUG. | SEPT. | DAY     |
|---------|------|------|-------|------|--------|------|------|------|------|------|------|-------|---------|
| 1       | 0.8  | 5.3  | 2.7   | 39   | 31 E   | 10   | 16   | 19   | 11   | 4.4  | 1.8  | 1.5   | 1       |
| 2       | 0.7  | 5.2  | 3.3   | 44   | 30 E   | 10   | 15   | 19   | 11   | 4.4  | 1.8  | 1.6   | 2       |
| 3       | 0.6  | 4.2  | 3.2   | 25.8 | 29 E   | 10   | 13   | 18   | 11   | 4.2  | 1.8  | 1.9   | 4       |
| 4       | 0.6  | 2.7  | 2.7   | 26.9 | 28 E   | 10   | 11   | 18   | 11   | 4.0  | 1.9  | 2.1   | 4       |
| 5       | 0.5  | 2.4  | 2.5   | 32.3 | 27 E   | 12   | 11   | 17   | 10   | 3.9  | 2.1  | 2.3   | 5       |
| 6       | 0.5  | 2.2  | 2.3   | NR   | 27 E   | 15   | 10   | 16   | 9.3  | 3.7  | 2.0  | 2.5   | 6       |
| 7       | 0.6  | 2.3  | 2.3   | NR   | 25 E   | 12   | 11   | 16   | 9.0  | 3.6  | 1.8  | 2.8   | 7       |
| 8       | 0.4  | 4.8  | 2.2   | NR   | 24 E   | 11   | 62   | 16   | 9.0  | 3.5  | 1.8  | 2.9   | 9       |
| 9       | 0.3  | 23   | 2.2   | NR   | 23 E   | 11   | 301  | 16   | 9.0  | 3.3  | 1.9  | 3.3   | 10      |
| 10      | 0.4  | 2.8  | 2.3   | NR   | 22 E   | 10   | 242  | 16   | 8.8  | 3.2  | 2.0  | 3.3   | 10      |
| 11      | 0.5  | 16   | 3.4   | NR   | 21 E   | 10   | 134  | 16   | 8.6  | 3.2  | 2.0  | 2.4   | 11      |
| 12      | 0.5  | 17 * | 2.9   | NR   | 21 E   | 11   | 85   | 15   | 8.3  | 3.2  | 1.9  | 2.9   | 13      |
| 13      | 0.7  | 12 * | 2.3   | NR   | 20 E   | 13   | 58   | 15   | 8.6  | 3.0  | 1.8  | 3.0   | 14      |
| 14      | 0.8  | 7.5  | 2.4   | NR   | 19 E   | 14   | 50   | 12   | 8.6  | 2.9  | 1.7  | 1.0   | 15      |
| 15      | 0.8  | 5.5  | 2.5   | NR   | 18 E   | 12   | 58 * | 10   | 8.6  | 2.9  | 1.7  | 0.9   | 15      |
| 16      | 0.8* | 4.4  | 2.4   | NR   | 17 E   | 11   | 447  | 10   | 7.3* | 2.9  | 1.8  | 0.9   | 16      |
| 17      | 0.8  | 3.7  | 2.7   | NR   | 16 E   | 10   | 148  | 10   | 6.5  | 2.8  | 1.8  | 0.8   | 17      |
| 18      | 0.7  | 3.0* | 2.5   | NR   | 15 E   | 10   | 89   | 10   | 6.9  | 2.8  | 2.1  | 0.6   | 18      |
| 19      | 0.6  | 2.6  | 2.8   | 37 # | 15 E   | 9.5  | 65   | 10   | 6.7  | 2.9  | 2.4  | 0.8   | 19      |
| 20      | 0.5  | 2.4  | 3.7   | 32   | 14 E   | 9.5  | 53   | 10   | 6.9  | 2.9  | 2.4  | 0.7   | 20      |
| 21      | 0.3  | 2.5  | 144 * | 31   | 13 E   | 9.0  | 50   | 10   | 7.3  | 2.5* | 2.4  | 0.8   | 21      |
| 22      | 0.3  | 3.6  | 481 * | 29   | 12 E   | 8.6  | 43   | 10   | 7.7  | 2.3  | 2.4  | 1.0   | 22      |
| 23      | 0.5* | 2.4  | 389 * | 61   | 12 E   | 8.6  | 36   | 10   | 7.5  | 2.4  | 2.4  | 1.1   | 23      |
| 24      | 0.7  | 2.3  | 263   | 68   | 12 E   | 8.3  | 32   | 10   | 7.7  | 2.4  | 2.4  | 0.8   | 25      |
| 25      | 0.7  | 2.3  | 125   | 43   | 11 #   | 8.1* | 29   | 10 * | 8.1* | 2.2  | 1.8  | 0.8   | 25      |
| 26      | 0.9  | 2.4  | 113   | 38 E | 11     | 8.1  | 27   | 10   | 7.1  | 2.4  | 1.7  | 1.0   | 26      |
| 27      | 1.0  | 2.5  | 143   | 37 E | 15     | 18   | 25   | 10   | 5.5  | 2.2  | 1.6  | 1.1   | 27      |
| 28      | 2.5  | 2.3  | 100   | 36 E | 12     | 11   | 23   | 10   | 4.5* | 2.2  | 1.7  | 1.1   | 28      |
| 29      | 7.3  | 2.2  | 70    | 33 E |        | 9.5  | 21   | 11   | 4.4  | 2.2  | 1.9  | 1.1   | 30      |
| 30      | 6.1  | 2.2  | 65    | 32 E |        | 9.2  | 20   | 11   | 4.4  | 2.2  | 1.4  | 1.2   | 31      |
| 31      | 2.9  |      | 60    | 32 E |        | 22   |      | 11   |      | 2.4  | 1.8  |       | 31      |
| MEAN    | 1.1  | 6.0  | 66.6  | NR   | 19.3E  | 11.0 | 72.8 | 13.0 | 8.0  | 3.0  | 1.9  | 1.6   | MEAN    |
| MAX.    | 7.3  | 28.0 | 481   | NR   | 31.0E  | 22.0 | 447  | 19.0 | 11.0 | 4.4  | 2.4  | 3.3   | MAX.    |
| MIN.    | 0.3  | 2.2  | 2.2   | NR   | 11.0E  | 8.1  | 10.0 | 10.0 | 4.4  | 2.2  | 1.4  | 0.6   | MIN.    |
| AC. FT. | 7.1  | 355  | 4094  | NR   | 107.1E | 677  | 4336 | 797  | 677  | 185  | 119  | 96    | AC. FT. |

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

# - E AND \*

| MEAN      | MAXIMUM   |          |     |     |      | MINIMUM   |          |     |     | TOTAL |           |
|-----------|-----------|----------|-----|-----|------|-----------|----------|-----|-----|-------|-----------|
| DISCHARGE | DISCHARGE | GAGE HT. | MO. | DAY | TIME | DISCHARGE | GAGE HT. | MO. | DAY | TIME  | ACRE FEET |
| NR        | NR        |          |     |     |      | NR        |          |     |     |       | NR        |

| LOCATION    |              |                                | MAXIMUM DISCHARGE |          |         | PERIOD OF RECORD |              | DATUM OF GAGE |    |                    |              |
|-------------|--------------|--------------------------------|-------------------|----------|---------|------------------|--------------|---------------|----|--------------------|--------------|
| LATITUDE    | LONGITUDE    | 1/4 SEC. T. & R.<br>M.O.B.S.M. | OF RECORD         |          |         | DISCHARGE        | GAGE HEIGHT  | PERIOD        |    | ZERO<br>ON<br>GAGE | REF<br>DATUM |
|             |              |                                | CFS               | GAGE HT. | DATE    |                  |              | FROM          | TO |                    |              |
| 37° 13' 49" | 122° 21' 51" | SW14 88 4W                     | 1340              | 16.21    | 1/31/63 | June 62-Date     | June 62-Date | 1962          |    | 0.00               | Local        |

Station located 1.7 mi. SW intersection Pescadero Road and Old Stage Road in Pescadero.  
Tributary to Pescadero Creek. Recorder installed June 22, 1962.

TABLE B-2  
SURFACE WATER IMPORTS TO THE CENTRAL COASTAL AREA

| IMPORT   | 1965 WATER YEAR |        |        |        |        |        |        |        |        |        |        |        | TOTAL   |
|--|-----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
|  | OCT.            | NOV.   | DEC.   | JAN.   | FEB.   | MAR.   | APR.   | MAY    | JUN.   | JUL.   | AUG.   | SEP.   |         |
| <u>CITY OF VALLEJO FROM CACHE SLOUGH</u>       |                 |        |        |        |        |        |        |        |        |        |        |        |         |
| Total acre-feet                                | 1,358           |        | 670    | 774    | 731    | 875    | 714    | 1,481  | 1,488  | 1,604  | 1,608  | 1,493  | 13,539  |
| Average cubic feet per second                  | 22              | 13     | 11     | 13     | 13     | 14     | 12     | 24     | 25     | 26     | 26     | 25     | 19      |
| Monthly quantities in percent of seasonal      | 10              | 6      | 5      | 6      | 5      | 7      | 5      | 11     | 11     | 12     | 12     | 11     |         |
| <u>CONTRA COSTA CANAL</u>                      |                 |        |        |        |        |        |        |        |        |        |        |        |         |
| Total acre-feet                                | 5,255           | 3,884  | 3,463  | 3,075  | 3,162  | 3,704  | 3,695  | 5,654  | 5,474  | 6,608  | 7,168  | 5,385  | 56,527  |
| Average cubic feet per second                  | 85              | 65     | 56     | 50     | 57     | 60     | 62     | 92     | 92     | 107    | 117    | 90     | 96      |
| Monthly quantities in percent of seasonal      | 9               | 7      | 7      | 5      | 6      | 7      | 6      | 10     | 10     | 12     | 12     | 9      |         |
| <u>HETCH HETCHY AQUEDUCT</u>                   |                 |        |        |        |        |        |        |        |        |        |        |        |         |
| Total acre-feet                                | 16,155          | 15,747 | 16,298 | 9,682  | 6,295  | 13,043 | 14,358 | 14,542 | 14,150 | 18,720 | 15,548 | 14,959 | 169,497 |
| Average cubic feet per second                  | 263             | 265    | 265    | 157    | 113    | 212    | 241    | 237    | 238    | 304    | 253    | 251    | 233     |
| Monthly quantities in percent of seasonal      | 10              | 9      | 10     | 6      | 4      | 7      | 8      | 9      | 8      | 11     | 9      | 9      |         |
| <u>MOKELUMNE RIVER AQUEDUCT</u>                |                 |        |        |        |        |        |        |        |        |        |        |        |         |
| Total acre-feet                                | 17,916          | 14,143 | 12,129 | 4,536  | 13,278 | 9,427  | 9,688  | 17,689 | 17,489 | 18,115 | 18,095 | 17,313 | 169,818 |
| Average cubic feet per second                  | 291             | 238    | 197    | 74     | 239    | 153    | 163    | 288    | 294    | 295    | 294    | 291    | 234     |
| Monthly quantities in percent of seasonal      | 11              | 8      | 7      | 3      | 8      | 5      | 6      | 10     | 10     | 11     | 11     | 10     |         |
| <u>POTTER VALLEY POWERHOUSE FROM EEL RIVER</u> |                 |        |        |        |        |        |        |        |        |        |        |        |         |
| Total acre-feet                                | 17,090          | 18,310 | 15,650 | 18,580 | 16,930 | 9,450  | 17,680 | 18,560 | 12,330 | 13,480 | 13,880 | 16,970 | 188,900 |
| Average cubic feet per second                  | 277             | 308    | 255    | 302    | 305    | 154    | 297    | 302    | 207    | 219    | 226    | 285    | 261     |
| Monthly quantities in percent of seasonal      | 9               | 10     | 8      | 10     | 9      | 5      | 9      | 10     | 7      | 7      | 7      | 9      |         |
| <u>PUTAH SOUTH CANAL *</u>                     |                 |        |        |        |        |        |        |        |        |        |        |        |         |
| Total acre-feet                                | 7,824           | 26     | 355    | 0      | 311    | 3,285  | 3,294  | 20,773 | 27,624 | 29,179 | 25,131 | 29,486 | 147,288 |
| Average cubic feet per second                  | 127             | 0.4    | 5.8    | 0      | 5.6    | 53     | 55     | 338    | 464    | 475    | 409    | 496    | 202     |
| Monthly quantities in percent of seasonal      | 5               | 0.1    | 0.5    | 0      | 0.4    | 2      | 2      | 14     | 19     | 20     | 17     | 20     |         |
| <u>SOUTH BAY AQUEDUCT</u>                      |                 |        |        |        |        |        |        |        |        |        |        |        |         |
| Total acre-feet                                | 2,469           | 1,479  | 109    | 0      | 31     | 192    | 206    | 2,012  | 3,683  | 5,655  | 7,537  | 7,032  | 30,405  |
| Average cubic feet per second                  | 40              | 25     | 1.8    | 0      | 0.6    | 3.1    | 3.4    | 33     | 62     | 92     | 123    | 118    | 41      |
| Monthly quantities in percent of seasonal      | 8               | 5      | 0.3    | 0      | 0.1    | 0.6    | 1      | 6      | 12     | 19     | 25     | 23     |         |

\* A portion of this water is delivered to the Central Coastal Area by the Solano Irrigation District.



TABLE B-3

| WATER YEAR | STATION NO. | STATION NAME                     |
|------------|-------------|----------------------------------|
| 1965       | E31400      | RECTOR RESERVOIR NEAR YOUNTVILLE |

DAILY MEAN GAGE HEIGHT  
(IN FEET)

| DAY | OCT.   | NOV.   | DEC.   | JAN.   | FEB.   | MAR.   | APR.   | MAY    | JUNE   | JULY   | AUG.   | SEPT.  | DAY |
|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----|
| 1   | 348.41 | 345.90 | 346.61 | 370.13 | 370.23 | 370.15 | 370.14 | 370.17 | 368.28 | 364.85 | 360.73 | 356.49 | 1   |
| 2   | 348.27 | 345.85 | 346.50 | 370.11 | 370.24 | 370.16 | 370.14 | 370.17 | 368.06 | 364.78 | 360.60 | 356.33 | 2   |
| 3   | 348.11 | 345.87 | 346.46 | 370.42 | 370.24 | 370.17 | 370.16 | 370.15 | 367.99 | 364.65 | 360.46 | 356.10 | 3   |
| 4   | 348.00 | 345.90 | 346.42 | 370.50 | 370.24 | 370.17 | 370.17 | 370.14 | 367.83 | 364.49 | 360.28 | 356.05 | 4   |
| 5   | 348.00 | 345.90 | 346.40 | 371.00 | 370.28 | 370.12 | 370.16 | 370.14 | 367.76 | 364.35 | 360.11 | 355.90 | 5   |
| 6   | 347.95 | 345.92 | 346.38 | 370.75 | 370.27 | 370.13 | 370.14 | 370.14 | 367.70 | 364.22 | 359.94 | 355.76 | 6   |
| 7   | 347.81 | 345.93 | 346.30 | 370.47 | 370.21 | 370.14 | 370.04 | 370.11 | 367.65 | 364.12 | 359.87 | 355.69 | 7   |
| 8   | 347.68 | 345.99 | 346.26 | 370.43 | 370.21 | 370.11 | 370.02 | 370.10 | 367.59 | 363.99 | 359.70 | 355.58 | 8   |
| 9   | 347.54 | 346.22 | 346.20 | 370.35 | 370.18 | 370.11 | 370.30 | 370.05 | 367.47 | 363.86 | 359.60 | 355.42 | 9   |
| 10  | 347.40 | 346.74 | 346.20 | 370.31 | 370.17 | 370.07 | 370.33 | 370.03 | 367.34 | 363.71 | 359.45 | 355.27 | 10  |
| 11  | 347.26 | 346.89 | 346.19 | 370.30 | 370.16 | 370.01 | 370.29 | 370.03 | 367.22 | 363.56 | 359.33 | 355.13 | 11  |
| 12  | 347.11 | 347.11 | 346.17 | 370.28 | 370.18 | 369.95 | 370.25 | 369.95 | 367.12 | 363.48 | 359.27 | 355.04 | 12  |
| 13  | 346.98 | 347.07 | 346.14 | 370.27 | 370.18 | 369.96 | 370.23 | 369.84 | 366.98 | 363.32 | 359.12 | 354.98 | 13  |
| 14  | 346.86 | 347.07 | 346.12 | 370.26 | 370.19 | 369.92 | 370.23 | 369.76 | 366.90 | 363.22 | 358.94 | 354.90 | 14  |
| 15  | 346.72 | 347.06 | 346.02 | 370.25 | 370.17 | 369.92 | 370.20 | 369.73 | 366.84 | 363.00 | 358.77 | 354.75 | 15  |
| 16  | 346.57 | 346.95 | 346.00 | 370.23 | 370.15 | 369.94 | 370.43 | 369.63 | 366.79 | 362.86 | 358.65 | 354.59 | 16  |
| 17  | 346.43 | 346.92 | 345.98 | 370.24 | 370.13 | 369.90 | 370.34 | 369.59 | 366.63 | 362.75 | 358.58 | 354.48 | 17  |
| 18  | 346.30 | 346.90 | 345.88 | 370.23 | 370.10 | 369.89 | 370.33 | 369.47 | 366.49 | 362.62 | 358.43 | 354.43 | 18  |
| 19  | 346.17 | 346.88 | 345.92 | 370.24 | 370.12 | 369.90 | 370.37 | 369.36 | 366.34 | 362.53 | 358.29 | 354.40 | 19  |
| 20  | 346.02 | 346.84 | 346.02 | 370.21 | 370.14 | 369.91 | 370.32 | 369.27 | 366.21 | 362.39 | 358.13 | 354.36 | 20  |
| 21  | 345.90 | 346.82 | 348.00 | 370.21 | 370.15 | 369.92 | 370.31 | 369.17 | 366.13 | 362.24 | 358.02 | 354.30 | 21  |
| 22  | 345.88 | 346.80 | 359.05 | 370.21 | 370.15 | 369.95 | 370.30 | 369.13 | 366.03 | 362.09 | 357.80 | 354.15 | 22  |
| 23  | 345.85 | 346.80 | 370.68 | 370.21 | 370.14 | 369.97 | 370.28 | 369.03 | 365.89 | 361.92 | 357.71 | 354.02 | 23  |
| 24  | 345.83 | 346.70 | 370.38 | 370.41 | 370.10 | 369.96 | 370.25 | 368.95 | 365.74 | 361.86 | 357.60 | 353.90 | 24  |
| 25  | 345.81 | 346.68 | 370.21 | 370.31 | 370.06 | 369.92 | 370.23 | 368.84 | 365.68 | 361.72 | 357.45 | 353.86 | 25  |
| 26  | 345.79 | 346.66 | 370.29 | 370.27 | 370.08 | 369.93 | 370.21 | 368.72 | 365.57 | 361.66 | 357.30 | 353.75 | 26  |
| 27  | 345.78 | 346.65 | 370.34 | 370.26 | 370.14 | 370.00 | 370.20 | 368.59 | 365.40 | 361.56 | 357.13 | 353.70 | 27  |
| 28  | 345.79 | 346.63 | 370.29 | 370.23 | 370.15 | 370.04 | 370.18 | 368.47 | 365.31 | 361.40 | 357.03 | 353.68 | 28  |
| 29  | 345.89 | 346.61 | 370.20 | 370.23 | 370.07 | 370.07 | 370.18 | 368.40 | 365.19 | 361.13 | 356.87 | 353.53 | 29  |
| 30  | 345.95 | 346.60 | 370.20 | 370.23 | 370.09 | 370.09 | 370.17 | 368.37 | 365.01 | 360.95 | 356.79 | 353.40 | 30  |
| 31  | 345.98 | 370.18 | 370.18 | 370.23 | 368.33 | 370.13 | 370.13 | 368.33 | 360.86 | 360.86 | 356.66 | 353.40 | 31  |

CREST STAGES

| DATE   | TIME | STAGE  | DATE | TIME | STAGE | DATE | TIME | STAGE |
|--------|------|--------|------|------|-------|------|------|-------|
| 1-5-65 | 0900 |        |      |      |       |      |      |       |
|        |      | 372.33 |      |      |       |      |      |       |

E -- ESTIMATED

NR -- NO RECORD

NE -- NO FLOW



TABLE B-4  
DAILY MAXIMUM AND MINIMUM TIDES\*

SACRAMENTO RIVER AT COLLINSVILLE

in feet

|            |            |
|------------|------------|
| STATION NO | WATER YEAR |
| 831110     | 1965       |

| DATE    | OCT            | NOV            | DEC            | JAN            | FEB            | MAR            | APR            | MAY            | JUNE           | JULY           | AUG            | SEPT           | O&T     |
|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------|
| 1       | 15.29<br>11.97 | 16.40<br>12.77 | 16.26<br>12.26 | 17.20<br>13.24 | 16.70<br>12.39 | 15.84<br>11.51 | 15.91<br>12.53 | 16.13<br>11.69 | 17.09<br>11.43 | 16.75<br>11.19 | 15.81<br>11.73 | 16.12<br>12.40 | 1       |
| 2       | 16.10<br>11.96 | 15.79<br>12.05 | 16.52<br>12.33 | 17.34<br>13.80 | 16.54<br>12.31 | 15.88<br>11.69 | 16.09<br>12.41 | 16.23<br>11.42 | 16.93<br>11.42 | 16.57<br>11.41 | 15.95<br>12.05 | 16.22<br>12.27 | 2       |
| 3       | 16.09<br>12.13 | 15.70<br>11.86 | 16.58<br>11.67 | 17.82<br>14.12 | 16.37<br>12.35 | 15.85<br>11.37 | 15.99<br>12.10 | 16.28<br>11.28 | 16.78<br>11.43 | 16.29<br>11.59 | 16.03<br>12.35 | 16.15<br>12.41 | 3       |
| 4       | 16.05<br>12.41 | 15.86<br>11.89 | 16.15<br>11.62 | 17.65<br>13.76 | 16.21<br>12.55 | 16.00<br>12.22 | 16.31<br>12.05 | 16.48<br>11.42 | 16.60<br>11.49 | 15.72<br>11.49 | 16.08<br>12.44 | 16.11<br>12.06 | 4       |
| 5       | 15.87<br>12.52 | 15.96<br>11.89 | 16.02<br>11.59 | 18.02<br>14.41 | 16.02<br>12.89 | 15.72<br>12.22 | 16.39<br>12.00 | 16.09<br>10.93 | 16.03<br>11.43 | 15.96<br>11.77 | 16.18<br>12.17 | 16.24<br>11.94 | 5       |
| 6       | 15.94<br>12.55 | 16.03<br>11.83 | 15.83<br>11.46 | 17.93<br>14.70 | 16.39<br>12.93 | 15.74<br>12.28 | 16.31<br>11.80 | 15.68<br>10.70 | 15.71<br>11.35 | 16.06<br>12.06 | 16.25<br>11.71 | 16.07<br>12.00 | 6       |
| 7       | 16.05<br>12.44 | 15.86<br>11.29 | 16.15<br>11.55 | 17.65<br>14.27 | 16.21<br>12.91 | 16.00<br>12.85 | 16.31<br>11.77 | 16.48<br>10.80 | 16.60<br>10.80 | 15.72<br>11.60 | 16.08<br>11.54 | 16.11<br>11.86 | 7       |
| 8       | 15.86<br>12.14 | 16.41<br>12.10 | 15.74<br>11.73 | 16.61<br>13.88 | 16.18<br>13.09 | 16.04<br>12.18 | 16.61<br>12.24 | 15.14<br>10.84 | 15.96<br>11.96 | 16.48<br>12.08 | 14.91<br>11.72 | 16.13<br>11.91 | 8       |
| 9       | 15.89<br>13.19 | 16.52<br>12.43 | 15.54<br>11.72 | 16.52<br>14.25 | 16.11<br>12.44 | 16.15<br>12.01 | 16.54<br>12.15 | 15.30<br>11.06 | 16.16<br>11.97 | 16.39<br>11.89 | 16.28<br>11.71 | 16.12<br>12.03 | 9       |
| 10      | 15.85<br>12.17 | 15.93<br>11.91 | 15.18<br>11.48 | 16.76<br>14.01 | 16.25<br>11.96 | 16.11<br>11.91 | 16.38<br>11.72 | 14.96<br>11.68 | 14.83<br>11.80 | 14.81<br>11.49 | 16.25<br>11.75 | 16.17<br>12.22 | 10      |
| 11      | 15.79<br>12.10 | 15.93<br>12.16 | 15.24<br>11.48 | 17.05<br>14.01 | 16.47<br>11.96 | 16.18<br>11.91 | 16.18<br>11.72 | 15.89<br>11.68 | 15.53<br>11.80 | 16.43<br>11.49 | 16.36<br>11.75 | 16.29<br>12.22 | 11      |
| 12      | 16.18<br>12.18 | 15.60<br>12.51 | 15.01<br>12.76 | 17.19<br>13.81 | 16.65<br>11.80 | 16.50<br>11.80 | 16.09<br>11.96 | 15.82<br>11.98 | 16.54<br>11.63 | 16.40<br>11.50 | 16.11<br>11.64 | 15.78<br>12.24 | 12      |
| 13      | 15.62<br>12.45 | 15.49<br>12.20 | 14.89<br>11.38 | 17.08<br>13.12 | 17.04<br>11.99 | 16.02<br>11.30 | 16.04<br>12.18 | 16.18<br>12.01 | 16.36<br>11.39 | 16.53<br>11.65 | 15.95<br>11.59 | 15.73<br>12.46 | 13      |
| 14      | 15.35<br>12.01 | 15.32<br>11.80 | 15.39<br>11.78 | 17.22<br>12.90 | 17.20<br>12.09 | 16.23<br>11.58 | 16.11<br>11.51 | 16.18<br>11.31 | 16.38<br>11.31 | 16.39<br>11.38 | 15.94<br>11.59 | 15.70<br>12.48 | 14      |
| 15      | 15.54<br>11.93 | 15.65<br>11.65 | 15.86<br>11.92 | 17.55<br>12.78 | 17.58<br>12.08 | 16.39<br>11.89 | 16.39<br>12.60 | 16.11<br>11.38 | 16.35<br>11.42 | 16.34<br>11.64 | 15.83<br>12.03 | 16.04<br>12.28 | 15      |
| 16      | 15.35<br>12.06 | 15.71<br>12.05 | 16.30<br>11.87 | 17.38<br>12.46 | 16.73<br>11.93 | 16.13<br>11.60 | 16.33<br>11.29 | 16.18<br>11.36 | 16.31<br>11.31 | 16.31<br>11.82 | 15.55<br>12.13 | 16.22<br>12.37 | 16      |
| 17      | 15.32<br>11.92 | 15.83<br>12.03 | 16.41<br>12.41 | 17.41<br>12.41 | 16.41<br>11.96 | 15.72<br>11.68 | 16.34<br>12.04 | 16.18<br>11.25 | 16.26<br>11.67 | 16.09<br>11.84 | 15.82<br>12.44 | 16.27<br>11.94 | 17      |
| 18      | 15.30<br>11.95 | 16.28<br>12.33 | 16.92<br>11.89 | 17.38<br>12.48 | 16.04<br>12.08 | 16.04<br>11.78 | 16.32<br>12.01 | 15.98<br>11.26 | 15.73<br>11.25 | 15.75<br>11.78 | 15.92<br>12.60 | 16.37<br>11.97 | 18      |
| 19      | 15.37<br>12.03 | 16.33<br>11.70 | 17.55<br>12.19 | 17.44<br>12.70 | 15.93<br>12.32 | 15.58<br>11.82 | 16.22<br>11.94 | 15.86<br>11.28 | 15.48<br>11.38 | 15.50<br>11.90 | 15.97<br>12.60 | 16.26<br>11.78 | 19      |
| 20      | 15.65<br>12.12 | 16.51<br>11.66 | 17.29<br>12.11 | 17.09<br>12.70 | 16.15<br>12.81 | 15.49<br>11.68 | 16.03<br>11.92 | 15.41<br>11.20 | 15.46<br>11.62 | 15.58<br>11.81 | 16.27<br>12.13 | 16.30<br>11.65 | 20      |
| 21      | 15.88<br>11.98 | 16.58<br>13.33 | 17.46<br>14.22 | 16.44<br>12.48 | 16.30<br>12.85 | 15.64<br>11.65 | 15.71<br>11.91 | 15.20<br>11.31 | 15.70<br>11.79 | 15.72<br>12.07 | 16.52<br>11.95 | 15.15<br>11.87 | 21      |
| 22      | 16.16<br>12.04 | 16.39<br>11.87 | 17.71<br>12.55 | 16.25<br>12.61 | 16.29<br>11.86 | 15.85<br>11.95 | 15.61<br>11.17 | 14.86<br>11.17 | 15.92<br>11.17 | 16.13<br>12.22 | 16.70<br>11.79 | 16.34<br>12.48 | 22      |
| 23      | 16.58<br>13.35 | 16.19<br>11.48 | 17.05<br>13.50 | 16.35<br>13.82 | 15.75<br>12.27 | 15.83<br>11.79 | 14.96<br>11.81 | 15.03<br>11.35 | 16.10<br>12.33 | 16.40<br>12.14 | 16.80<br>11.73 | 16.41<br>11.91 | 23      |
| 24      | 16.53<br>12.19 | 15.85<br>11.45 | 17.58<br>13.55 | 16.91<br>13.38 | 15.80<br>11.70 | 15.52<br>11.65 | 15.17<br>11.75 | 15.12<br>11.35 | 16.24<br>12.37 | 16.71<br>11.86 | 15.29<br>11.78 | 16.43<br>12.16 | 24      |
| 25      | 16.40<br>12.04 | 15.72<br>11.58 | 18.02<br>13.22 | 16.20<br>12.78 | 15.54<br>11.55 | 15.34<br>11.51 | 14.85<br>11.92 | 15.40<br>11.61 | 16.50<br>11.95 | 16.95<br>11.81 | 16.89<br>11.80 | 16.29<br>12.39 | 25      |
| 26      | 16.35<br>13.94 | 15.69<br>11.87 | 18.15<br>12.83 | 15.91<br>11.65 | 15.71<br>11.45 | 15.07<br>11.45 | 15.34<br>12.01 | 15.86<br>11.99 | 14.58<br>11.40 | 14.96<br>11.82 | 16.77<br>11.78 | 16.21<br>12.39 | 26      |
| 27      | 16.05<br>11.96 | 15.60<br>11.97 | 18.26<br>15.85 | 15.87<br>12.13 | 16.08<br>11.78 | 15.40<br>11.55 | 15.61<br>12.25 | 14.74<br>12.12 | 16.42<br>11.23 | 16.87<br>11.40 | 16.54<br>11.78 | 16.21<br>12.66 | 27      |
| 28      | 15.92<br>11.81 | 15.72<br>12.05 | 18.10<br>15.22 | 16.11<br>12.15 | 15.81<br>11.48 | 15.22<br>11.40 | 15.92<br>12.45 | 16.03<br>11.71 | 16.70<br>11.24 | 16.82<br>11.42 | 16.29<br>11.87 | 16.12<br>12.17 | 28      |
| 29      | 15.61<br>12.05 | 15.59<br>12.01 | 17.93<br>14.71 | 16.30<br>12.21 | 15.34<br>11.52 | 16.05<br>12.48 | 16.27<br>12.48 | 16.97<br>11.39 | 16.77<br>11.41 | 16.73<br>12.04 | 15.95<br>12.00 | 15.96<br>12.00 | 29      |
| 30      | 15.59<br>11.96 | 15.75<br>12.00 | 17.81<br>14.38 | 16.46<br>12.23 | 15.28<br>11.79 | 16.09<br>12.03 | 16.66<br>12.03 | 16.56<br>11.47 | 17.14<br>11.47 | 16.45<br>11.40 | 16.15<br>12.50 | 15.75<br>11.77 | 30      |
| 31      | 15.67<br>12.19 | 16.19<br>11.87 | 17.70<br>13.81 | 16.66<br>12.40 | 15.95<br>12.16 | 15.95<br>12.16 | 17.12<br>11.72 | 17.12<br>11.72 | 17.12<br>11.72 | 16.13<br>11.48 | 16.18<br>12.61 | 16.43<br>11.65 | 31      |
| MAXIMUM | 16.58          | 16.58          | 18.26          | 18.02          | 17.20          | 16.50          | 16.61          | 17.12          | 17.14          | 16.95          | 16.89          | 16.43          | MAXIMUM |
| MINIMUM | 11.81          | 11.45          | 11.38          | 12.13          | 11.48          | 11.30          | 11.72          | 10.70          | 11.23          | 11.19          | 11.59          | 11.65          | MINIMUM |

E - Estimated  
NR - No Record

\*In order to machine process the data in this table, it was necessary to avoid negative gage heights. Subtract 10.00 feet to obtain recorder gage height.

| LOCATION  |            | MAXIMUM DISCHARGE              |           |          |           | PERIOD OF RECORD |              | DATUM OF GAGE |              |            |
|-----------|------------|--------------------------------|-----------|----------|-----------|------------------|--------------|---------------|--------------|------------|
| LATITUDE  | LONGITUDE  | 1/4 SEC. T. & R<br>M.D.B. & M. | OF RECORD |          | DISCHARGE | GAGE HEIGHT      | PERIOD       |               | ZERO ON GAGE | REF. DATUM |
|           |            |                                | CFS       | GAGE HT. |           |                  | DATE         | FROM          |              |            |
| 38°04'25" | 121°51'18" | SW27 3N 1E                     | 9.2       |          | 4/6/58    |                  | June 29-Date | 1929          | -3.05        | USGS       |

Station located 0.4 mi. SW of Collinsville, 3.3 mi. NE of Pittsburg.  
Maximum gage height does not indicate maximum discharge.

TABLE B-4  
DAILY MAXIMUM AND MINIMUM TIDES\*

SUNSHIN BAY AT BENICIA

in feet

|            |            |
|------------|------------|
| STATION NO | WATER YEAR |
| E03300     | 1965       |

| DATE    | OCT            | NOV            | DEC           | JAN           | FEB            | MAR           | APR           | MAY           | JUNE          | JULY          | AUG           | SEPT           | DATE    |
|---------|----------------|----------------|---------------|---------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------|
| 1       | NR<br>NR       | 13.40<br>8.41  | 13.48<br>7.89 | 13.18<br>6.78 | 13.40<br>7.30  | 13.17<br>7.32 | 13.20<br>8.39 | 13.24<br>6.78 | 14.40<br>6.47 | 14.05<br>6.44 | 13.79<br>7.54 | 13.32<br>9.32  | 1       |
| 2       | NR<br>NR       | 12.92<br>7.66  | 13.02<br>8.03 | 13.40<br>7.00 | 13.47<br>8.08  | 13.17<br>7.10 | 13.30<br>8.39 | 13.30<br>6.40 | 14.10<br>6.39 | 13.69<br>6.37 | 13.49<br>8.24 | 13.34<br>8.29  | 2       |
| 3       | NR<br>NR       | 12.90<br>7.49  | 12.66<br>6.55 | 13.00<br>7.16 | 13.30<br>7.23  | 13.20<br>7.55 | 13.20<br>7.89 | 13.37<br>6.30 | 13.47<br>6.30 | 13.00<br>6.37 | 13.34<br>7.30 | 13.29<br>8.35  | 3       |
| 4       | NR<br>NR       | 13.01<br>7.47  | 12.51<br>6.26 | 13.76<br>7.50 | 13.17<br>7.60  | 13.24<br>7.92 | 13.57<br>7.78 | 13.65<br>6.30 | 13.65<br>6.12 | 12.97<br>7.47 | 13.39<br>8.16 | 13.15<br>8.11  | 4       |
| 5       | NR<br>NR       | 13.10<br>7.45  | 12.34<br>6.29 | 14.22<br>8.17 | 13.16<br>8.13  | 13.10<br>8.11 | 13.67<br>7.60 | 13.21<br>5.88 | 13.07<br>5.88 | 13.20<br>6.00 | 13.38<br>8.28 | 13.28<br>7.97  | 5       |
| 6       | NR<br>NR       | 13.08<br>7.32  | 12.20<br>6.25 | 13.80<br>8.20 | 13.27<br>8.41  | 13.18<br>8.40 | 13.57<br>7.38 | 14.11<br>5.95 | 12.90<br>5.95 | 13.42<br>8.37 | 13.35<br>8.02 | 13.25<br>8.03  | 6       |
| 7       | NR<br>NR       | 13.20<br>7.14  | 12.06<br>6.39 | 12.82<br>7.04 | 12.90<br>9.03  | 13.24<br>8.31 | 13.68<br>7.55 | 12.54<br>6.28 | 13.18<br>7.06 | 13.46<br>8.34 | 13.44<br>7.84 | 13.29<br>7.73  | 7       |
| 8       | NR<br>NR       | 13.29<br>8.20  | 11.94<br>6.66 | 12.36<br>8.11 | 12.92<br>8.85  | 13.27<br>8.09 | 13.90<br>8.30 | 12.29<br>6.46 | 13.27<br>8.12 | 13.67<br>8.12 | 13.44<br>7.59 | 13.31<br>7.81  | 8       |
| 9       | NR<br>NR       | 13.20<br>8.30  | 11.75<br>6.07 | 12.32<br>9.17 | 12.80<br>7.74  | 13.30<br>7.90 | 13.80<br>7.92 | 12.58<br>6.71 | 13.44<br>7.88 | 13.58<br>8.97 | 13.50<br>7.51 | 12.62<br>7.87  | 9       |
| 10      | NR<br>NR       | 13.25<br>8.25  | 11.85<br>6.25 | 12.50<br>8.20 | 12.92<br>8.20  | 13.20<br>8.20 | 13.20<br>8.20 | 12.95<br>7.20 | 13.74<br>8.20 | 13.25<br>8.20 | 13.50<br>7.50 | 13.43<br>8.04  | 10      |
| 11      | NR<br>NR       | 12.64<br>8.06  | 11.56<br>6.80 | 12.89<br>8.04 | 13.25<br>6.82  | 13.25<br>7.60 | 13.20<br>7.14 | 13.10<br>7.14 | 13.10<br>7.44 | 13.10<br>7.44 | 13.20<br>7.44 | 12.23<br>7.59  | 11      |
| 12      | NR<br>NR       | 12.40<br>8.36  | 11.37<br>6.70 | 13.74<br>8.58 | 13.47<br>8.36  | 13.64<br>7.47 | 13.34<br>7.41 | 13.52<br>7.64 | 12.11<br>7.12 | 12.24<br>7.45 | 13.37<br>7.45 | 13.00<br>8.21  | 12      |
| 13      | NR<br>NR       | 12.25<br>7.92  | 11.30<br>6.67 | 13.74<br>7.55 | 14.01<br>8.42  | 13.63<br>7.60 | 13.30<br>7.30 | 12.35<br>7.30 | 13.57<br>6.78 | 13.37<br>7.43 | 13.22<br>7.46 | 13.06<br>8.51  | 13      |
| 14      | NR<br>NR       | 12.26<br>7.86  | 11.91<br>7.17 | 13.92<br>7.00 | 14.25<br>8.43  | 13.60<br>7.34 | 13.47<br>7.34 | 13.33<br>8.15 | 13.38<br>6.71 | 13.41<br>6.71 | 13.14<br>7.77 | 13.10<br>8.41  | 14      |
| 15      | NR<br>NR       | 12.29<br>7.32  | 12.36<br>6.95 | 14.38<br>6.50 | 14.26<br>6.44  | 13.78<br>7.20 | 13.76<br>8.20 | 13.20<br>6.62 | 13.47<br>6.60 | 13.35<br>7.69 | 12.90<br>7.95 | 13.38<br>8.53  | 15      |
| 16      | 12.20<br>7.84  | 12.92<br>7.96  | 12.81<br>6.71 | 14.35<br>6.14 | 13.86<br>6.42  | 13.54<br>6.97 | 13.91<br>7.69 | 13.25<br>6.46 | 13.34<br>6.03 | 13.30<br>7.87 | 12.79<br>8.22 | 13.48<br>7.97  | 16      |
| 17      | 12.24<br>7.62  | 13.17<br>7.57  | 13.10<br>6.30 | 14.45<br>6.11 | 13.51<br>6.69  | 13.14<br>7.09 | 13.62<br>8.32 | 13.24<br>6.49 | 13.20<br>8.32 | 13.00<br>7.88 | 13.10<br>8.67 | 13.47<br>10.46 | 17      |
| 18      | 12.34<br>7.66  | 13.50<br>7.37  | 13.50<br>6.37 | 14.54<br>6.28 | 13.09<br>7.13  | 14.25<br>7.48 | 13.50<br>7.30 | 13.02<br>6.55 | 12.84<br>6.95 | 12.70<br>7.94 | 13.16<br>8.97 | 13.48<br>8.16  | 18      |
| 19      | 12.54<br>7.81  | 13.58<br>6.98  | 13.98<br>6.43 | 14.50<br>6.74 | 13.05<br>7.78  | 12.96<br>7.98 | 13.34<br>7.20 | 12.91<br>6.63 | 12.58<br>7.29 | 12.58<br>8.25 | 12.72<br>8.79 | 13.18<br>7.83  | 19      |
| 20      | 12.90<br>7.87  | 13.80<br>6.82  | 13.80<br>6.40 | 14.08<br>7.03 | 13.20<br>8.38  | 13.01<br>7.48 | 13.15<br>7.38 | 12.49<br>6.83 | 12.27<br>7.67 | 12.85<br>8.31 | 13.33<br>8.30 | 13.50<br>7.57  | 20      |
| 21      | 13.12<br>7.61  | 13.78<br>6.70  | 13.88<br>7.01 | 13.48<br>7.21 | 13.27<br>8.46  | 13.00<br>7.94 | 12.80<br>7.62 | 12.19<br>7.11 | 12.73<br>8.07 | 13.08<br>8.80 | 13.63<br>7.92 | 13.60<br>7.41  | 21      |
| 22      | 13.40<br>7.51  | 13.50<br>7.31  | 13.87<br>7.21 | 13.29<br>7.96 | 13.02<br>8.26  | 13.07<br>7.95 | 12.43<br>7.81 | 11.83<br>7.60 | 13.00<br>8.19 | 13.35<br>8.19 | 13.87<br>7.38 | 13.70<br>7.38  | 22      |
| 23      | 13.60<br>7.46  | 13.20<br>6.70  | 13.01<br>7.26 | 13.35<br>9.47 | 12.48<br>8.07  | 12.94<br>7.89 | 11.98<br>7.89 | 11.94<br>7.51 | 13.19<br>8.81 | 13.60<br>8.20 | 14.13<br>7.39 | 12.98<br>7.56  | 23      |
| 24      | 13.60<br>7.39  | 12.80<br>7.09  | 13.22<br>6.76 | 13.73<br>8.49 | 12.65<br>10.49 | 12.65<br>7.80 | 12.72<br>7.85 | 12.21<br>7.75 | 13.39<br>8.47 | 13.91<br>7.66 | 14.26<br>7.27 | 13.72<br>7.81  | 24      |
| 25      | 13.40<br>7.39  | 12.60<br>10.03 | 13.67<br>7.11 | 13.02<br>8.37 | 12.73<br>7.57  | 12.27<br>7.78 | 12.25<br>7.92 | 12.53<br>8.00 | 13.65<br>8.00 | 14.15<br>7.36 | 12.70<br>7.30 | 13.60<br>8.16  | 25      |
| 26      | 13.28<br>10.39 | 12.88<br>8.27  | 13.79<br>8.05 | 12.64<br>1.25 | 12.90<br>7.46  | 12.21<br>7.69 | 12.62<br>8.03 | 13.03<br>8.38 | 13.72<br>7.19 | 14.24<br>7.04 | 14.20<br>7.25 | 13.69<br>8.35  | 26      |
| 27      | 12.94<br>7.54  | 12.83<br>7.77  | 12.83<br>9.23 | 12.62<br>7.43 | 13.18<br>7.43  | 12.89<br>7.49 | 12.48<br>8.20 | 13.28<br>7.92 | 13.99<br>6.61 | 12.30<br>6.65 | 13.99<br>7.33 | 13.69<br>8.08  | 27      |
| 28      | 12.81<br>7.57  | 13.01<br>8.02  | 13.86<br>8.39 | 12.98<br>6.95 | 12.99<br>7.05  | 12.36<br>7.30 | 13.15<br>8.17 | 13.57<br>7.30 | 12.19<br>6.49 | 14.21<br>6.59 | 13.71<br>7.55 | 13.53<br>7.90  | 28      |
| 29      | 12.70<br>7.86  | 12.90<br>7.93  | 13.74<br>8.13 | 13.12<br>6.90 | 12.50<br>7.32  | 12.50<br>8.03 | 12.43<br>6.87 | 12.14<br>6.87 | 14.31<br>7.65 | 14.09<br>6.53 | 13.39<br>7.90 | 13.36<br>7.80  | 29      |
| 30      | 12.50<br>7.68  | 13.10<br>7.79  | 13.70<br>7.84 | 13.30<br>6.85 | 12.85<br>7.68  | 12.85<br>7.68 | 13.23<br>7.34 | 13.98<br>6.84 | 14.35<br>6.57 | 13.82<br>6.57 | 13.50<br>7.50 | 12.98<br>7.80  | 30      |
| 31      | 12.45<br>7.89  | 13.55<br>7.16  | 13.55<br>7.09 | 13.53<br>7.09 | 13.24<br>8.07  | 13.24<br>8.07 | 13.24<br>8.07 | 14.31<br>6.72 | 14.31<br>6.72 | 13.48<br>7.09 | 13.43<br>8.36 | 13.43<br>8.36  | 31      |
| MAXIMUM | NR             | 13.80          | 14.00         | 14.54         | 14.26          | 14.25         | 13.90         | 14.31         | 14.40         | 14.24         | 14.26         | 13.72          | MAXIMUM |
| MINIMUM | NR             | 6.59           | 6.25          | 6.11          | 6.36           | 6.83          | 7.14          | 5.88          | 6.35          | 6.44          | 7.25          | 7.38           | MINIMUM |

E - Estimated  
NR - No Record

\* In order to machine process the data in this table, it was necessary to avoid negative gage heights.  
Subtract 10.00 feet to obtain recorder gage height.

| LOCATION  |            | MAXIMUM DISCHARGE          |           |          | PERIOD OF RECORD |                              |                      | DATUM OF GAGE |                        |                      |
|-----------|------------|----------------------------|-----------|----------|------------------|------------------------------|----------------------|---------------|------------------------|----------------------|
| LATITUDE  | LONGITUDE  | 1/4 SEC T & R<br>M O B & M | OF RECORD |          | DISCHARGE        | GAGE HEIGHT                  | PERIOD               |               | ZERO ON GAGE           | REF DATUM            |
|           |            |                            | CFS       | GAGE HT. |                  |                              | FROM                 | TO            |                        |                      |
| 38°02'26" | 122°08'44" | SW6 2N 2W                  |           | 5.7      | 4/6/58           | Jun 29-Apr 40<br>Apr 40-Date | 1929<br>1940<br>1942 | 1960<br>1942  | -2.21<br>-5.00<br>0.00 | USGS<br>USGS<br>USGS |

Station located on inshore side of wharf, immediately SE of Benicia.  
Maximum gage height listed does not indicate maximum discharge.  
Period of record intermittent from 1929-1940.

TABLE B-5

## CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

| Report              | Page | Name                             | Location of Error or Revision   |                  | Change or Revision                          |  |
|---------------------|------|----------------------------------|---|------------------|---|--|
|                     |      |                                  | Item  | From             | To  |  |
|                     |      |                                  | <u>1962</u>   |                  |   |  |
| Bull. No.<br>23-62  | 394  | Suisun Bay at<br>Benicia Arsenal | Daily Maximum and<br>Minimum Tides for<br>the period 3-1-62 to<br>3-28-62, inclusive. | Published values | 2.00 ft. lower<br>than published<br>values. |  |
|                     |      |                                  | Maximum for March 1962  | 16.72            | 14.72                                       |  |
|                     |      |                                  | <u>1963</u>   |                  |   |  |
| Bull. No.<br>130-63 | B-7  | Suisun Bay at<br>Benicia Arsenal | Maximum Gage Height<br>of Record  | 6.72             | 5.7   |  |
|                     |      |                                  | Date of Maximum Gage<br>Height of Record  | 3/5/62           | 4/6/58                                      |  |
|                     |      |                                  | <u>1964</u>   |                  |   |  |
| Bull. No.<br>130-64 | 48   | Suisun Bay at<br>Benicia Arsenal | Maximum Gage Height<br>of Record  | 6.72             | 5.7   |  |
|                     |      |                                  | Date of Maximum Gage<br>Height of Record  | 3/5/62           | 4/6/58                                      |  |

Appendix C

GROUND WATER MEASUREMENTS

reportin

reportin

future l

Methods

made vi

are mad

perform

person

a part

Coding

!

showm

are g

groum

as fo

the

## INTRODUCTION

This appendix includes a figure, three tables, and one plate reporting on ground water conditions in the Central Coastal Area. The reporting period is from July 1, 1964, through September 30, 1965. In future bulletins the reporting period will be the water year.


### Methods and Procedures

The depth to water in most wells is usually a direct measurement made with a tape; however, in some wells, especially deep ones, measurements are made with an air line and gauge or an electric sounder. Field work was performed by local cooperators, the U. S. Geological Survey and Department personnel. An electronic computer program has been developed to perform a part of the processing and tabulating.

### Coding

#### Region and Basin Numbers

The water pollution control board regions used in this report and shown on Plate 3, "Ground Water Basins or Units in the Central Coastal Area", are geographic areas defined in Section 13040 of the Water Code. Regions, ground water basins or units and subareas are listed by a numbering system as follows:



#### State Well Number

The state well numbering system used in this report is based on the township, range, and section subdivision of the Public Land Survey.

It is the system used in all ground water investigations made by the Department of Water Resources. In this report, the number of a well, assigned in accordance with this system, is referred to as the State Well Number. Under the system, each section is divided into 40-acre tracts lettered as follows:

|   |   |   |   |
|---|---|---|---|
| D | C | B | A |
| E | F | G | H |
| M | L | K | J |
| N | P | Q | R |

Wells are numbered within each 40-acre tract according to the chronological sequence in which they have been assigned State Well Numbers. For example, a well which has the number 16N/12W-17K1,M would be in Township 16 North, Range 12 West, Section 17, Mount Diablo Base and Meridian, and would be further designated as the first well assigned a State Well Number in Tract K.

#### EXPLANATION OF FIGURES AND TABLES

##### Hydrographs

Figure C-1, "Fluctuations of Water Levels in Wells", presents hydrographs of 21 selected wells in 19 selected basins or areas. These wells were selected insofar as possible as representative of their respective basins or areas.



Department  
der  
WS:

## Ground Water Level Changes

Table C-1, "Ground Water Level Conditions in the Central Coastal Area, Spring 1965", presents average depths to ground waters and average changes by basin and region from the spring of 1964 to the spring of 1965.

### Description of Selected Wells

Table C-2, "Description of Selected Wells", is arranged in region, basin, and well number order, and provides a description of 368 wells for which ground water level data are presented in Table C-3, "Ground Water Levels at Wells".

### Agency Well Number

The agency well number is the number assigned to a well by any agency other than the Department of Water Resources in accordance with the numbering system used by that agency. Agencies that use the State well numbering system normally coordinate assignment of well numbers with the Department. These numbers, when common, are not shown in the "Agency Well Number" column; when different, the last five digits are shown in the "Agency Well Number" column.

### Agency Supplying Data

Each number in this column is the code number for a cooperating agency. The agency code consists of a five-digit number, the first of which is a region number. Thus, 32100 refers to Agency 2100 in Region 3. Because of the limitations of punch card space, the agency code has been shown as a four-digit number without the region number. Therefore, the four-digit agency code should always be referred to the region in which the well is located.

The first digit of the four-digit agency code, as listed below, designates the type of well numbering system used by the agency.

| <u>Code</u> | <u>Well Numbering System</u>  |
|-------------|---|
| 1           | Location numbers  |
| 2           | Monterey County Flood Control and Water Conservation District or Santa Clara Valley Water Conservation District |
| 3           | Serial numbers  |
| 4           | Local numbers   |
| 5           | State or U. S. Geological Survey  |
| 6           | U. S. Bureau of Reclamation   |
| 7           | South San Joaquin Irrigation District   |

The last three digits of the agency code, as listed below, are numbers that designate, within specified serial limits, the type of agency from which the data were obtained.

| <u>Code</u> | <u>Type of Agency</u>                            |
|-------------|--|
| 000-049     | Federal  |
| 050-099     | State  |
| 100-199     | County   |
| 200-399     | Municipal  |
| 400-699     | District - Water, Irrigation, Conservation, etc. |
| 700-999     | Private  |

The agencies and code numbers assigned to them in each of the regions are listed in the following tabulation:

| Agency Code | Agency   |
|-------------|--|
|             | <u>North Coastal Region (No. 1)</u>                                  |
| 5000        | U. S. Geological Survey  |
| 5050        | Department of Water Resources  |
|             | <u>San Francisco Bay Region (No. 2)</u>                              |
| 2400        | Santa Clara Valley Water Conservation District                       |
| 5000        | U. S. Geological Survey  |
| 5050        | Department of Water Resources  |
| 5100        | Alameda County Flood Control and Water Conservation District         |
| 5101        | Napa County  |
| 5109        | Solano County  |
| 5401        | Alameda County Water District  |
|             | <u>Central Coastal Region (No. 3)</u>                                |
| 2100        | Monterey County Flood Control and Water Conservation District        |
| 2400        | Santa Clara Valley Water Conservation District                       |
| 5050        | Department of Water Resources  |
| 5005        | Post Engineer Fort Ord   |
| 5101        | San Benito County  |
| 5102        | Santa Cruz County  |
| 5117        | San Luis Obispo County Flood Control and Water Conservation District |
| 5200        | Gilroy, City of  |
| 5400        | South Santa Clara Valley Water Conservation District                 |

### Well Use

The well use is indicated as follows:

| <u>Code</u> | <u>Well Use</u>            |
|-------------|----------------------------|
| 1           | Domestic                   |
| 2           | Irrigation                 |
| 3           | Municipal                  |
| 4           | Industrial                 |
| 5           | Injection or Recharge      |
| 6           | Drainage                   |
| 7           | Domestic and Irrigation    |
| 8           | Test, Monitor, Measurement |
| 9           | Stock                      |
| 0           | Unused                     |

### Well Depth in Feet

Well depths shown were reported by the owner, obtained from a driller's log, or measured at the time of the well canvass.

### Data Available

Under this heading, code numbers, as listed below, indicate the type of data that are available with respect to well logs, water analyses, and production records.

| <u>Data</u>                                 | <u>Code</u> |
|---|-------------|
| <u>Log record</u>                           |             |
| Log   | 1           |
| Confidential log<br>(Sec. 7076, Water Code) | 2           |
| <u>Water Analyses</u>                       |             |
| Mineral                                     | 1           |
| Sanitary                                    | 2           |
| Heavy Metals                                | 3           |
| Mineral and Sanitary                        | 4           |
| <u>Production Record</u>                    |             |
| Available                                   | 1           |
| Pump Test Available                         | 2           |

### Record Begins and Record Ends

The last two digits of the year the record began or ended are shown.

### Ground Water Levels at Wells

Table C-3, "Ground Water Levels at Wells", is arranged in region, basin, well number and date order. It includes measurements of depths to water in wells made from July 1, 1964, through September 30, 1965. Table headings discussed below are only those that were not discussed under "Description of Selected Wells".

### Ground Surface Elevation in Feet

The numbers in this column give the elevation in feet of the ground surface from which depth to the water surface in the well is reported. The datum used is mean sea level, USC&GS datum, 1929. Elevations of ground surface are usually taken from topographic maps and the accuracy is controlled by topographic standards.

### Date

The date shown in the column is the date on which the depth measurement, shown in the next column, was made. If the date of the month is unknown, it is indicated by 00.

### Ground Surface to Water Surface in Feet

This is the measured depth in feet from the ground surface to the water surface in the well. Certain of the depth measurements in the column may be followed with an asterisk superscript to indicate a questionable measurement. Depth to ground water measurements may be questionable for such reasons as (a) well being pumped while undergoing measurement, (b) nearby pump operating, (c) casing leaking or wet, (d) well pumped recently, (e) air gauge measurement, or (f) recharge operations at well or nearby. The specific reason for any asterisk or any given measurement may be obtained from the Department of Water Resources.

Other symbols used are:

|                                  |   |
|----------------------------------|---|
| Measurement discontinued         | + |
| Well destroyed                   | ≠ |
| No measurement for other reasons | § |

Water Surface Elevation in Feet

This is the elevation in feet of the water surface in the well based on mean sea level, USC&GS datum, 1929. It was derived by subtraction of the depth measurement from the ground surface elevation. Negative values indicate elevations below datum.

The words FLOW and DRY are shown in this column to indicate a flowing or dry well respectively.


Agency Supplying Data

Each number in this column is the code number for the agency from which the water level data were obtained.


**FIGURE C1**  
**FLUCTUATION OF WATER LEVEL**  
**IN WELLS**  
**NORTH COASTAL REGION**

ELEVATION IN FEET - USCGS DATUM

**UKIAH VALLEY (1-15.00)**  
**MENDOCINO COUNTY**  
**WELL 15N/12W-8L1, M.D.B. & M**  
**GROUND SURFACE ELEVATION 665'**




**SANEL VALLEY (1-16.00)**  
**MENDOCINO COUNTY**  
**WELL 13N/11W-18E1, M.D.B. & M**  
**GROUND SURFACE ELEVATION 490'**







----- CONNECTS MEASUREMENTS MADE AT INTERVALS  
 OF A YEAR OR MORE

**SANTA ROSA VALLEY, SONOMA COUNTY (1-18.00)**  
**SANTA ROSA AREA (1-18.01)**  
**WELL 6N/8W-13R1, M.D.B. & M**  
**GROUND SURFACE ELEVATION 115'**






**FIGURE C1**  
**FLUCTUATION OF WATER LEVEL**  
**IN WELLS**  
**SAN FRANCISCO BAY REGION**



----- CONNECTS MEASUREMENTS MADE AT  
 INTERVALS OF A YEAR OR MORE.


**FIGURE C1**  
**FLUCTUATION OF WATER LEVEL**  
**IN WELLS**  
**SAN FRANCISCO BAY REGION**

SUISUN-FAIRFIELD VALLEY (2-3.00)  
 SOLANO COUNTY  
 WELL 4N/ZW - 6A1, M.D.B.M.  
 GROUND SURFACE ELEVATION 35'






----- CONNECTS MEASUREMENTS MADE AT  
 INTERVALS OF A YEAR OR MORE.

SANTA CLARA VALLEY (2-9.00)  
 SOUTH ALAMEDA COUNTY (2-9.01) UPPER AQUIFER  
 WELL 4S/IW - 29C4, WELL 4S/IW - 18G1, M.D.B.M.  
 GROUND SURFACE ELEVATION 55', 45'




**FIGURE C1**  
**FLUCTUATION OF WATER LEVEL**  
**IN WELLS**  
**SAN FRANCISCO BAY REGION**



----- CONNECTS MEASUREMENTS  
MADE AT INTERVALS OF  
A YEAR OR MORE

**FIGURE C1**  
**FLUCTUATION OF WATER LEVEL**  
**IN WELLS**  
**CENTRAL COASTAL REGION**

GILROY-HOLLISTER VALLEY (3-3.00)  
 SAN BENITO COUNTY (3-3.02)  
 WELL 12S/5E-33A1, M D B M  
 GROUND SURFACE ELEVATION 280'




GILROY-HOLLISTER VALLEY (3-3.00)  
 SOUTH SANTA CLARA VALLEY (3-3.01)  
 WELL 9S/3E-27C2, M D B M  
 GROUND SURFACE ELEVATION 347'




**FIGURE C1**  
**FLUCTUATION OF WATER LEVEL**  
**IN WELLS**  
**CENTRAL COASTAL REGION**

**SALINAS VALLEY, MONTEREY COUNTY (3-4.00)**  
**PRESSURE AREA - 180 FOOT AQUIFER (3-4.01)**  
**WELL 15S/2E - 1Q1, M DB 8M**  
GROUND SURFACE ELEVATION 42'



----- CONNECTS MEASUREMENTS MADE AT  
 INTERVALS OF A YEAR OR MORE


**SALINAS VALLEY, MONTEREY COUNTY (3-4.00)**  
**PRESSURE AREA - 400 FOOT AQUIFER (3-4.01)**  
**WELL 14S/3E - 1B J1, M DB 8M**  
GROUND SURFACE ELEVATION 71'



**FIGURE C1**  
**FLUCTUATION OF WATER LEVEL**  
**IN WELLS**  
**CENTRAL COASTAL REGION**


E L E V A T I O N I N F E E T U S C B G S D A T U M

SALINAS VALLEY, MONTEREY COUNTY (3-4.00)  
 ARROYO SECO CONE (3-4.04)  
 WELL 18S/6E-15M1, M D B & M  
GROUND SURFACE ELEVATION 277'



----- CONNECTS MEASUREMENTS MADE AT INTERVALS  
 OF A YEAR OR MORE.

SALINAS VALLEY, MONTEREY COUNTY (3-4.00)  
 EAST SIDE AREA (3-4.02)  
 WELL 16S/5E-17R1, M D B & M  
GROUND SURFACE ELEVATION 181'






E L E V A T I O N I N F E E T  
— U S C B G S D A T U M


# FIGURE C1 FLUCTUATION OF WATER LEVEL IN WELLS CENTRAL COASTAL REGION

CARMEL VALLEY (3-7.00)  
MONTEREY COUNTY  
WELL 16S/1E-25B1, M D B & M  
GROUND SURFACE ELEVATION 140'



--- CONNECTS MEASUREMENTS MADE AT  
INTERVALS OF A YEAR OR MORE.

PAJARO VALLEY (3-2.00)  
MONTEREY COUNTY  
WELL 12S/2E-16J1, M D B & M  
GROUND SURFACE ELEVATION 21'



SALINAS VALLEY, MONTEREY COUNTY (3-4.00)  
UPPER VALLEY AREA (3-4.05)  
WELL 19S/7E-10P1, M D B & M  
GROUND SURFACE ELEVATION 315'






TABLE C-1  
GROUND WATER LEVEL CONDITIONS  
IN THE CENTRAL COASTAL AREA  
SPRING 1965

| Ground Water Basin<br>or Unit                | Basin<br>Number | Average Change<br>in Ground Water Level <sup>1/</sup><br>Spring 1964 to Spring 1965 (in feet) | Average Depth<br>to Ground Water<br>Spring 1965 (in feet) |
|--|-----------------|---|---|
| Region 1                                     |                 |   |   |
| Potter Valley                                | 1-14.00         | +0.1  | 7.2   |
| Ukiah Valley                                 | 1-15.00         | +0.8  | 6.4   |
| Sanel Valley                                 | 1-16.00         | +1.3  | 7.0   |
| Alexander Valley                             | 1-17.00         | +2.6  | 6.3   |
| Santa Rosa Valley                            | 1-18.00         | +1.3  | 13.1  |
| Santa Rosa Area                              | 1-18.01         | +1.2  | 12.8  |
| Healdsburg Area                              | 1-18.02         | +1.8  | 14.2  |
| Lower Russian River Valley                   | 1-98.00         | +1.3  | 12.3  |
| Region 1 Averages: <sup>2/</sup>             |                 | +1.3  | 10.3  |
| Region 2                                     |                 |   |   |
| Petaluma Valley                              | 2-1.00          | +2.3  | 21.1  |
| Napa-Sonoma Valley                           | 2-2.00          | -0.2  | 14.5  |
| Napa Valley                                  | 2-2.01          | -0.6  | 12.0  |
| Sonoma Valley                                | 2-2.02          | +0.4  | 18.4  |
| Suisun-Fairfield Valley                      | 2-3.00          | +3.3  | 5.6   |
| Ygnacio Valley                               | 2-6.00          | -0.5  | 17.9  |
| Santa Clara Valley                           | 2-9.00          | -6.4  | 100.7   |
| East Bay Area                                | 2-9.01          | +1.7  | 58.3  |
| South Bay Area                               | 2-9.02          | -11.7   | 128.0   |
| Livermore Valley                             | 2-10.00         | +3.6  | 63.0  |
| Half Moon Bay Terrace                        | 2-22.00         | +0.5  | 20.4  |
| San Gregorio Valley                          | 2-24.00         | +0.3  | 10.1  |
| Pescadero Valley                             | 2-26.00         | +0.1  | 8.1   |
| Region 2 Averages: <sup>2/</sup>             |                 | -1.7  | 54.1  |
| Region 3                                     |                 |   |   |
| Soquel Valley                                | 3-1.00          | +2.9  | 61.2  |
| Pajaro Valley                                | 3-2.00          | +1.4  | 63.4  |
| Citroy-Hollister Valley                      | 3-3.00          | -3.4  | 70.0  |
| South Santa Clara County                     | 3-3.01          | -1.3  | 40.6  |
| San Benito County                            | 3-3.02          | +4.4  | 84.7  |
| Salinas Valley                               | 3-4.00          | +0.2  | 59.4  |
| Pressure Area                                | 3-4.01          | +1.1  | 32.4  |
| East Side Area                               | 3-4.02          | +0.7  | 126.5   |
| Forebay Area                                 | 3-4.03          | -0.5  | 44.9  |
| Arroyo Seco Cone                             | 3-4.04          | +2.5  | 90.5  |
| Upper Valley Area                            | 3-4.05          | +2.9  | 62.7  |
| Paso Robles                                  | 3-4.06          | -0.4  | 57.2  |
| Corral de Tierra Area                        | 3-4.10          | -1.1  | 63.2  |
| Carmel Valley                                | 3-7.00          | +0.7  | 17.9  |
| West Santa Cruz Terrace                      | 3-26.00         | -2.6  | 33.4  |
| Region 3 Averages: <sup>2/</sup>             |                 | -0.2  | 62.2  |
| Central Coastal Area Averages: <sup>3/</sup> |                 | -0.7  | 53.2  |

<sup>1/</sup> + indicates rise in water level.  
- indicates decline in water level.

<sup>2/</sup> Region Averages -  $\frac{\sum (\text{basin average} \times \text{basin area})}{\sum \text{basin area}}$

<sup>3/</sup> Central Coastal Area Averages -  $\frac{\sum (\text{region average} \times \text{region area})}{\sum \text{region area}}$

TABLE C-2  
DESCRIPTION OF SELECTED WELLS  
1964-65

| STATE WELL NUMBER          | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | LOG | DATA AVAILABLE | PROD REC | RECORDS BEGINS | RECORDS ENDS |
|----------------------------|--------------------|-----------------------|----------|--------------------|-----|----------------|----------|----------------|--------------|
| NORTH COASTAL REGION       |                    |                       |          |                    |     |                |          |                |              |
| POTTER VALLEY              |                    |                       |          |                    |     |                |          |                |              |
|                            |                    |                       |          | 1-14.00            |     |                |          |                |              |
| 17N/11w-18J 1 M            | 5000 1             | 5000 1                |          | 35                 |     |                |          | 51             | 54           |
| 17N/11w-32J 1 M            | 5000 1             | 5000 1                |          | 12                 |     |                |          | 51             | 58           |
| UKIAH VALLEY               |                    |                       |          |                    |     |                |          |                |              |
|                            |                    |                       |          | 1-15.00            |     |                |          |                |              |
| 15N/12w- 8L 1 M            | 5000 1             | 5000 1                |          | 62                 |     |                |          | 51             | 54           |
| 15N/12w-35M 1 M            | 5000 2             | 5000 2                |          | 190                |     |                |          | 51             | 50           |
| SANEL VALLEY               |                    |                       |          |                    |     |                |          |                |              |
|                            |                    |                       |          | 1-16.00            |     |                |          |                |              |
| 13N/11w-18E 1 M            | 5000 7             | 5000 7                |          | 52                 |     |                |          | 53             | 54           |
| 13N/11w-19P 1 M            | 5000 2             | 5000 2                |          | 44                 |     |                |          | 53             | 49           |
| 13N/11w-20G 1 M            | 5000 1             | 5000 1                |          | 135                |     |                |          | 53             | 54           |
| ALEXANDER VALLEY           |                    |                       |          |                    |     |                |          |                |              |
|                            |                    |                       |          | 1-17.00            |     |                |          |                |              |
| 10N/09w-18B 1 M            | 5000 2             | 5000 2                |          | 180                |     |                |          | 50             | 50           |
| 10N/09w-26L 2 M            | 5000 1             | 5000 1                |          | 40                 |     |                |          | 50             | 51           |
| 10N/09w-33C 1 M            | 5000 1             | 5000 1                | 33801    | 20                 |     |                |          | 50             | 64           |
| 11N/10w- 8P 1 M            | 5000 1             | 5000 1                |          | 30                 |     |                |          | 51             | 53           |
| 11N/10w-17P 2 M            | 5000 2             | 5000 2                |          | 36                 |     |                |          | 53             | 64           |
| 11N/10w-19F 2 M            | 5000 1             | 5000 1                |          | 334                |     |                |          | 52             | 54           |
| SANTA ROSA VALLEY          |                    |                       |          |                    |     |                |          |                |              |
|                            |                    |                       |          | 1-18+00            |     |                |          |                |              |
| SANTA ROSA AREA            |                    |                       |          |                    |     |                |          |                |              |
|                            |                    |                       |          | 1-18+01            |     |                |          |                |              |
| 06N/08w- 7P 2 M            | 5000 7             | 5000 7                |          | 120                |     |                |          | 45             | 58           |
| 06N/08w-13R 1 M            | 5000 1             | 5000 1                |          | 250                |     |                |          | 42             | 51           |
| 06N/08w-15J 3 M            | 5050 2             | 5050 2                |          | 166                |     |                |          | 54             | 61           |
| 06N/08w-15R 1 M            | 5050 0             | 5050 0                |          | 1028               |     |                |          | 51             |              |
| 07N/06w-19N 1 M            | 5050 1             | 5050 1                |          | 149                |     |                |          | 54             |              |
| 07N/07w- 6R 1 M            | 5050 7             | 5050 7                |          | 133                |     |                |          | 51             |              |
| SANTA ROSA AREA            |                    |                       |          |                    |     |                |          |                |              |
|                            |                    |                       |          | 1-18+01            |     |                |          |                |              |
| 07N/08w-11M 1 M            | 5050 0             | 5050 0                |          | 55                 |     |                |          | 54             | 54           |
| 07N/08w-24H 2 M            | 5050 1             | 5050 1                |          | 74                 |     |                |          | 58             | 58           |
| 07N/08w-31C 1 M            | 5050 0             | 5050 0                |          | 320                |     |                |          | 50             | 50           |
| 07N/09w- 1C 1 M            | 5050 2             | 5050 2                |          | 110                |     |                |          | 54             | 54           |
| 07N/09w-35O 2 M            | 5050 1             | 5050 1                |          | 167                |     |                |          | 50             | 50           |
| 08N/09w-36N 1 M            | 5000 0             | 5000 0                |          | 89                 |     |                |          | 49             | 49           |
| 08N/09w-36P 1 M            | 5050 2             | 5050 2                |          | 1048               |     |                |          | 54             | 54           |
| HEALDSBURG AREA            |                    |                       |          |                    |     |                |          |                |              |
|                            |                    |                       |          | 1-18+02            |     |                |          |                |              |
| 08N/09w- 3P 1 M            | 5000 1             | 5000 1                |          | 110                |     |                |          | 50             | 50           |
| 08N/09w-22L 1 M            | 5000 1             | 5000 1                |          | 44                 |     |                |          | 51             | 51           |
| 09N/09w-20E 2 M            | 5000 7             | 5000 7                |          | 30                 |     |                |          | 64             | 64           |
| 09N/09w-20K 4 M            | 5000 2             | 5000 2                |          | 53                 |     |                |          | 64             | 64           |
| 09N/09w-28N 1 M            | 5000 2             | 5000 2                |          | 53                 |     |                |          | 53             | 53           |
| 09N/10w-12C 1 M            | 5000 1             | 5000 1                |          | 28                 |     |                |          | 64             | 64           |
| 10N/10w-22U 1 M            | 5000 2             | 5000 2                |          | 15                 |     |                |          | 54             | 54           |
| 10N/10w-26M 1 M            | 5000 2             | 5000 2                |          | 19                 |     |                |          | 54             | 54           |
| 10N/10w-35O 1 M            | 5000 0             | 5000 0                |          | 285                |     |                |          | 54             | 54           |
| LOWER RUSSIAN RIVER VALLEY |                    |                       |          |                    |     |                |          |                |              |
|                            |                    |                       |          | 1-19+00            |     |                |          |                |              |
| 07N/10w- 6N 1 M            | 5000 3             | 5000 3                |          | 120                |     |                |          | 58             | 58           |
| 07N/11w-14E 1 M            | 5000 1             | 5000 1                |          | 47                 |     |                |          | 51             | 51           |
| 08N/10w-29O 2 M            | 5000               | 5000                  |          |                    |     |                |          | 61             | 61           |

07N/06B=140N 1 M  
07N/07=140 1 M  
07N/07=140 1 M

0500 0 1024  
0500 1 140  
0500 2 140  
0500 3 140

0500 0 1024  
0500 1 140  
0500 2 140  
0500 3 140

TABLE C-2  
DESCRIPTION OF SELECTED WELLS  
1964-65

| STATE WELL NUMBER        | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | LOG | DATA AVAILABLE | PROD REC | RECORDS | EMDS |
|--------------------------|--------------------|-----------------------|----------|--------------------|-----|----------------|----------|---------|------|
| STATE WELL NUMBER        | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | LOG | DATA AVAILABLE | PROD REC | RECORDS | EMDS |
| SAN FRANCISCO BAY REGION |                    |                       |          |                    |     |                |          |         |      |
| PETALUMA VALLEY          |                    |                       |          |                    |     |                |          |         |      |
| 2-01-00                  |                    |                       |          |                    |     |                |          |         |      |
| 03N/06w=10 1 M           |                    | 5050 1                | 225      | 50                 |     |                |          | 50      |      |
| 05N/07w=19N 1 M          |                    | 5050 1                | 180 2    | 50                 |     |                |          | 50      |      |
| 05N/07w=20B 2 M          |                    | 5000 9                | 158      | 53                 |     |                |          | 53      |      |
| 05N/07w=21H 1 M          |                    | 5000 1                | 92       | 59                 |     |                |          | 59      |      |
| 05N/07w=26R 1 M          |                    | 5000 0                | 428      | 50                 |     |                |          | 50      |      |
| 05N/07w=35K 1 M          |                    | 5050 2                | 78       | 49                 |     |                |          | 49      |      |
| NAPA=SONOMA VALLEY       |                    |                       |          |                    |     |                |          |         |      |
| NAPA VALLEY              |                    |                       |          |                    |     |                |          |         |      |
| 2-02-01                  |                    |                       |          |                    |     |                |          |         |      |
| 04N/04w=2L 1 M           |                    | 5101 1                |          | 64                 |     |                |          | 64      |      |
| 04N/04w=4C 1 M           |                    | 5101 1                | 80 2     | 62                 |     |                |          | 62      |      |
| 04N/04w=5R 1 M           |                    | 5101 0                | 29       | 62                 |     |                |          | 62      |      |
| 04N/04w=5D 2 M           |                    | 5101 1                | 60       | 51                 |     |                |          | 51      |      |
| 04N/04w=12M 1 M          |                    | 5101 1                | 27       | 49                 |     |                |          | 49      |      |
| 04N/04w=14C 2 M          |                    | 5101 1                | 80       | 62                 |     |                |          | 62      |      |
| 04N/04w=25K 1 M          |                    | 5101 1                | 14       | 63                 |     |                |          | 63      |      |
| 05N/03w=5M 1 M           |                    | 5101 7                | 130 2    | 63                 |     |                |          | 63      |      |
| 05N/04w=3G 1 M           |                    | 5101 0                | 20       | 63                 |     |                |          | 63      |      |
| 05N/04w=4G 1 M           |                    | 5101 1                | 190 2    | 62                 |     |                |          | 62      |      |
| 05N/04w=4J 1 M           |                    | 5101 1                | 100 2    | 62                 |     |                |          | 62      |      |
| 05N/04w=5P 1 M           |                    | 5101 2                |          | 62                 |     |                |          | 62      |      |
| 05N/04w=5P 2 M           |                    | 5101 1                | 40       | 62                 |     |                |          | 62      |      |
| 05N/04w=10F 1 M          |                    | 5101 0                | 200 2    | 62                 |     |                |          | 62      |      |
| 05N/04w=11F 3 M          |                    | 5101 1                | 165      | 51                 |     |                |          | 51      |      |
| 05N/04w=11M 1 M          |                    | 5000 1                | 59 1     | 50                 |     |                |          | 50      |      |
| NAPA VALLEY              |                    |                       |          |                    |     |                |          |         |      |
| 2-02-01                  |                    |                       |          |                    |     |                |          |         |      |
| 05N/04w=12F 1 M          |                    | 5101 1                | 203 2    | 50                 |     |                |          | 50      |      |
| 05N/04w=12H 1 M          | 5/3-7E3            | 5101 7                | 478      | 49                 |     |                |          | 49      |      |
| 05N/04w=13H 1 M          |                    | 5101 2                | 364      | 63                 |     |                |          | 63      |      |
| 05N/04w=13M 2 M          |                    | 5101 0                | 100      | 64                 |     |                |          | 64      |      |
| 05N/04w=14C 1 M          |                    | 5101 1                | 220      | 49                 |     |                |          | 49      |      |
| 05N/04w=15C 2 M          |                    | 5101 7                | 66       | 51                 |     |                |          | 51      |      |
| 05N/04w=15E 1 M          |                    | 5101 7                | 158      | 62                 |     |                |          | 62      |      |
| 05N/04w=19R 2 M          | 5/4-19J2           | 5101 1                | 108      | 50                 |     |                |          | 50      |      |
| 05N/04w=20R 2 M          |                    | 5101 1                | 181      | 62                 |     |                |          | 62      |      |
| 05N/04w=21B 1 M          |                    | 5101 1                | 140      | 51                 |     |                |          | 51      |      |
| 05N/04w=22M 1 M          |                    | 5101 9                | 99       | 49                 |     |                |          | 49      |      |
| 05N/04w=28R 1 M          |                    | 5101 2                | 51 2     | 18                 |     |                |          | 18      |      |
| 05N/04w=29H 1 M          |                    | 5101 1                | 45       | 62                 |     |                |          | 62      |      |
| 06N/03w=31B 1 M          |                    | 5101 0                | 315 2    | 18                 |     |                |          | 18      |      |
| 06N/03w=31F 1 M          | 6N/3w=31G1         | 5101 0                | 465      | 49                 |     |                |          | 49      |      |
| 06N/03w=31H 1 M          |                    | 5101 2                | 330 2    | 49                 |     |                |          | 49      |      |
| 06N/03w=31N 1 M          |                    | 5101 0                | 200      | 37                 |     |                |          | 37      |      |
| 06N/03w=31N 2 M          |                    | 5101 2                | 232      | 63                 |     |                |          | 63      |      |
| 06N/04w=5R 1 M           | 6N/4w=4N1          | 5101 1                | 150      | 50                 |     |                |          | 50      |      |
| 06N/04w=6L 2 M           |                    | 5101 2                | 180      | 63                 |     |                |          | 63      |      |
| 06N/04w=6N 1 M           |                    | 5101 2                | 140      | 63                 |     |                |          | 63      |      |
| 06N/04w=6P 1 M           |                    | 5101 2                | 120 2    | 49                 |     |                |          | 49      |      |
| 06N/04w=7N 1 M           |                    | 5101 7                | 90       | 49                 |     |                |          | 49      |      |
| 06N/04w=8E 1 M           |                    | 5101 1                | 32       | 49                 |     |                |          | 49      |      |
| 06N/04w=15Q 1 M          |                    | 5101 1                | 303 2    | 49                 |     |                |          | 49      |      |

TABLE C-2  
DESCRIPTION OF SELECTED WELLS  
1964-65

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | LOG    | DATA AVAILABLE WATER ANAL. PROO REC. | RECORD ENDS | STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | LOG | DATA AVAILABLE WATER ANAL. PROO REC. | RECORD ENDS |
|-------------------|--------------------|-----------------------|----------|--------------------|--------|--------------------------------------|-------------|-------------------|--------------------|-----------------------|----------|--------------------|-----|--------------------------------------|-------------|
| NAPA VALLEY       |                    |                       |          |                    |        |                                      |             |                   |                    |                       |          |                    |     |                                      |             |
| 2-02-01           |                    |                       |          |                    |        |                                      |             |                   |                    |                       |          |                    |     |                                      |             |
| 06N/04w=16P 1 M   | 5101 1             | 76                    | 18       | 07N/05w=5A 1 M     | 5101 2 | 47                                   | 49          | 07N/05w=5A 1 M    | 5101 2             | 47                    | 49       | 49                 | 49  | 49                                   | 49          |
| 06N/04w=17A 1 M   | 5000 0             | 250                   | 1        | 07N/05w=6J 1 M     | 5101 1 | 100                                  | 49          | 07N/05w=6J 1 M    | 5101 1             | 100                   | 49       | 49                 | 49  | 49                                   | 49          |
| 06N/04w=18A 2 M   | 5101 0             | 106                   | 49       | 07N/05w=8A 1 M     | 5101 7 | 129                                  | 49          | 07N/05w=8A 1 M    | 5101 7             | 129                   | 49       | 49                 | 49  | 49                                   | 49          |
| 06N/04w=19B 1 M   | 5101 2             | 125                   | 2        | 07N/05w=8M 1 M     | 5101 1 | 155                                  | 63          | 07N/05w=8M 1 M    | 5101 1             | 155                   | 63       | 63                 | 63  | 63                                   | 63          |
| 06N/04w=21G 1 M   | 5101 7             | 21                    | 49       | 07N/05w=9Q 1 M     | 5101 2 | 333                                  | 1           | 07N/05w=9Q 1 M    | 5101 2             | 333                   | 1        | 49                 | 49  | 49                                   | 49          |
| 06N/04w=22P 1 M   | 5101 1             | 125                   | 49       | 07N/05w=9Q 2 M     | 5000 0 | 232                                  | 49          | 07N/05w=9Q 2 M    | 5000 0             | 232                   | 49       | 49                 | 49  | 49                                   | 49          |
| 06N/04w=23J 1 M   | 5101 2             | 700                   | 2        | 07N/05w=9Q 3 M     | 5101 1 | 25                                   | 49          | 07N/05w=9Q 3 M    | 5101 1             | 25                    | 49       | 49                 | 49  | 49                                   | 49          |
| 06N/04w=26N 1 M   | 5101 1             | 150                   | 2        | 07N/05w=10C 1 M    | 5101 2 | 30                                   | 49          | 07N/05w=10C 1 M   | 5101 2             | 30                    | 49       | 49                 | 49  | 49                                   | 49          |
| 06N/04w=27N 1 M   | 5101 1             | 120                   | 49       | 07N/05w=14B 2 M    | 5101 2 | 265                                  | 2           | 07N/05w=14B 2 M   | 5101 2             | 265                   | 2        | 49                 | 49  | 49                                   | 49          |
| 06N/04w=28K 1 M   | 5101 0             | 90                    | 2        | 07N/05w=14J 1 M    | 5101 1 | 143                                  | 49          | 07N/05w=14J 1 M   | 5101 1             | 143                   | 49       | 49                 | 49  | 49                                   | 49          |
| 06N/04w=29B 1 M   | 5101 1             | 112                   | 49       | 07N/05w=15A 1 M    | 5101 2 | 355                                  | 2           | 07N/05w=15A 1 M   | 5101 2             | 355                   | 2        | 34                 | 34  | 34                                   | 34          |
| 06N/04w=30C 1 M   | 5101 0             | 104                   | 2        | 07N/05w=15F 1 M    | 5101 2 | 135                                  | 52          | 07N/05w=15F 1 M   | 5101 2             | 135                   | 52       | 52                 | 52  | 52                                   | 52          |
| 06N/04w=32J 6 M   | 5101 1             | 109                   | 50       | 07N/05w=16L 1 M    | 5101 1 | 221                                  | 2           | 07N/05w=16L 1 M   | 5101 1             | 221                   | 2        | 64                 | 64  | 64                                   | 64          |
| 06N/04w=32L 2 M   | 5101 1             | 290                   | 62       | 07N/05w=16N 2 M    | 5101 1 | 321                                  | 49          | 07N/05w=16N 2 M   | 5101 1             | 321                   | 49       | 49                 | 49  | 49                                   | 49          |
| 06N/04w=35G 3 M   | 5101 1             | 260                   | 50       | 07N/05w=17B 1 M    | 5101 1 | 160                                  | 63          | 07N/05w=17B 1 M   | 5101 1             | 160                   | 63       | 63                 | 63  | 63                                   | 63          |
| 06N/04w=35L 3 M   | 5101 2             | 100                   | 50       | 07N/05w=17B 2 M    | 5101 1 | 42                                   | 49          | 07N/05w=17B 2 M   | 5101 1             | 42                    | 49       | 49                 | 49  | 49                                   | 49          |
| 06N/04w=36M 1 M   | 5101 7             | 525                   | 50       | 07N/05w=21G 1 M    | 5101 1 | 27                                   | 63          | 07N/05w=21G 1 M   | 5101 1             | 27                    | 63       | 63                 | 63  | 63                                   | 63          |
| 06N/05w=12R 1 M   | 5101 1             | 75                    | 49       | 07N/05w=22E 3 M    | 5101 2 | 40                                   | 63          | 07N/05w=22E 3 M   | 5101 2             | 40                    | 63       | 63                 | 63  | 63                                   | 63          |
| 07N/04w=30L 1 M   | 5101 1             | 171                   | 49       | 07N/05w=22H 1 M    | 5101 1 | 100                                  | 63          | 07N/05w=22H 1 M   | 5101 1             | 100                   | 63       | 63                 | 63  | 63                                   | 63          |
| 07N/04w=30M 1 M   | 5101 0             | 31                    | 63       | 07N/05w=23D 2 M    | 5101 2 | 129                                  | 49          | 07N/05w=23D 2 M   | 5101 2             | 129                   | 49       | 49                 | 49  | 49                                   | 49          |
| 07N/04w=31E 1 M   | 5101 0             | 272                   | 2        | 07N/05w=23W 1 M    | 5101 0 | 240                                  | 63          | 07N/05w=23W 1 M   | 5101 0             | 240                   | 63       | 63                 | 63  | 63                                   | 63          |
| 07N/04w=32B 2 M   | 5101 7             | 150                   | 49       | 07N/05w=24P 1 M    | 5101 2 | 325                                  | 63          | 07N/05w=24P 1 M   | 5101 2             | 325                   | 63       | 63                 | 63  | 63                                   | 63          |
| 07N/05w=3G 1 M    | 5101 0             | 125                   | 49       | 07N/05w=25A 1 M    | 5101 1 | 57                                   | 49          | 07N/05w=25A 1 M   | 5101 1             | 57                    | 49       | 49                 | 49  | 49                                   | 49          |
| 07N/05w=3G 2 M    | 5101 1             |                       | 63       | 07N/05w=26D 2 M    | 5101 1 | 125                                  | 62          | 07N/05w=26D 2 M   | 5101 1             | 125                   | 62       | 62                 | 62  | 62                                   | 62          |
| 07N/05w=4R 2 M    | 5101 1             | 54                    | 49       | 07N/05w=34C 2 M    | 5101 7 | 165                                  | 63          | 07N/05w=34C 2 M   | 5101 7             | 165                   | 63       | 63                 | 63  | 63                                   | 63          |

TABLE C-2  
DESCRIPTION OF SELECTED WELLS  
1964-65

STATE WELL NUMBER  
AGENCY WELL NUMBER  
AGENCY SUPPLYING DATA  
WELL USE  
WELL DEPTH IN FEET  
LOG  
DATA AVAILABLE WATER ANAL. PROO REC.  
RECORD ENDS

07N/05W=25A 1 M 2425  
 07N/05W=25B 2 M 2426  
 07N/05W=25C 3 M 2427  
 07N/05W=25D 4 M 2428  
 07N/05W=25E 5 M 2429

5101 1  
 5101 1  
 5101 1  
 5101 1  
 5101 1

TABLE C-2  
 DESCRIPTION OF SELECTED WELLS  
 1964-65

| STATE<br>WELL<br>NUMBER | AGENCY WELL<br>NUMBER | AGENCY<br>DATA<br>WELL<br>USE | WELL<br>DEPTH<br>IN FEET | LOG | DATA<br>AVAILABLE | PROD<br>REC | RECORD<br>RECORDS | ENDS | STATE<br>WELL<br>NUMBER | AGENCY WELL<br>NUMBER | AGENCY<br>SUPPLYING<br>DATA<br>WELL<br>USE | WELL<br>DEPTH<br>IN FEET | LOG | MATER<br>AVAILABLE | PROD<br>REC | RECORD<br>RECORDS | ENDS |                             |
|-------------------------|-----------------------|-------------------------------|--------------------------|-----|-------------------|-------------|-------------------|------|-------------------------|-----------------------|--|--------------------------|-----|--------------------|-------------|-------------------|------|-----------------------------|
|                         |                       |                               |                          |     |                   |             |                   |      |                         |                       |  |                          |     |                    |             |                   |      | AGENCY<br>SUPPLYING<br>DATA |
| NAPA VALLEY             |                       |                               |                          |     |                   |             |                   |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 2-02+01                 |                       |                               |                          |     |                   |             |                   |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 07N/05W=35F 2 M         | 5101 0                |                               | 100                      |     |                   |             | 48                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 07N/05W=36N 1 M         | 5101 7                |                               | 104                      | 2   |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/05W=30P 1 M         | 5101 2                |                               | 46                       |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/05W=31M 1 M         | 5101 1                |                               | 34                       |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/05W=31P 2 M         | 5101 1                |                               | 175                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/05W=31R 1 M         | 5101 2                |                               | 438                      |     |                   |             | 63                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=3M 1 M          | 5101 1                |                               | 130                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=4F 1 M          | 5101 9                |                               | 207                      |     |                   |             | 64                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=6L 4 M          | 5101 1                |                               | 253                      |     |                   |             | 63                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=9D 2 M          | 5101 2                |                               | 360                      |     |                   |             | 63                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=9H 1 M          | 5101 1                |                               | 210                      |     |                   |             | 63                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=9H 2 M          | 5101 1                |                               |                          |     |                   |             | 64                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=10Q 1 M         | 5000 9                |                               | 184                      | 1   |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=14N 1 M         | 5101 1                |                               | 162                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=14Q 1 M         | 5101 1                |                               | 22                       |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=23M 1 M         | 5101 1                |                               | 113                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=24B 1 M         | 5101 1                |                               | 106                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 08N/06W=25G 2 M         | 5101 1                |                               | 186                      |     |                   |             | 64                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 09N/06W=31Q 1 M         | 5101 1                |                               | 51                       |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 09N/06W=32M 1 M         | 5101 1                |                               | 205                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 09N/07W=24L 1 M         | 5101 1                |                               | 224                      |     |                   |             | 63                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 09N/07W=25N 1 M         | 5101 1                |                               | 149                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 09N/07W=25N 2 M         | 5101 0                |                               | 27                       |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 09N/07W=26P 1 M         | 5101 0                |                               | 470                      | 2   |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 09N/07W=35K 1 M         | 5101 0                |                               | 100                      | 2   |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| SONOMA VALLEY           |                       |                               |                          |     |                   |             |                   |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 2-02+02                 |                       |                               |                          |     |                   |             |                   |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/05W=17C 1 M         | 5000 1                |                               | 70                       |     |                   |             | 50                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/05W=28N 1 M         | 5050 2                |                               | 130                      | 1   |                   |             | 46                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/05W=29N 1 M         | 5000 2                |                               | 100                      |     |                   |             | 51                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/05W=30J 3 M         | 5000 1                |                               | 90                       |     |                   |             | 63                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| SUISUN-FAIRFIELD VALLEY |                       |                               |                          |     |                   |             |                   |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 2-03+00                 |                       |                               |                          |     |                   |             |                   |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 04N/02W=6A 1 M          | 5109 0                |                               | 39                       |     |                   |             | 20                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 04N/02W=9A 1 M          | 5050 0                |                               | 37                       |     |                   |             | 48                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 04N/02W=9H 1 M          | 5050 9                |                               | 180                      |     |                   |             | 50                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 04N/03W=1D 1 M          | 5109 1                |                               | 67                       |     |                   |             | 18                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/01E=36A 1 M         | 5109 9                |                               | 38                       |     |                   |             | 29                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/01W=7E 1 M          | 5109 9                |                               | 33                       |     |                   |             | 48                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/02W=21P 3 M         | 5050 1                |                               | 204                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/02W=25R 1 M         | 5050 0                |                               | 20                       |     |                   |             | 48                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/02W=27J 2 M         | 5000 0                |                               | 60                       |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/02W=29R 1 M         | 5109 2                |                               | 120                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 05N/02W=30J 1 M         | 5000 2                |                               | 220                      |     |                   |             | 49                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| YONACIO VALLEY          |                       |                               |                          |     |                   |             |                   |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 2-06+00                 |                       |                               |                          |     |                   |             |                   |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 01N/01W=7K 1 M          | 5050 1                |                               |                          |     |                   |             | 58                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 01N/02W=11N 1 M         | 5050 1                |                               | 81                       | 2   |                   |             | 58                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 01N/02W=13P 1 M         | 5050 1                |                               | 60                       | 2   |                   |             | 58                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 02N/02W=27R 1 M         | 5050 1                |                               | 131                      |     |                   |             | 58                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |
| 02N/02W=36E 1 M         | 5050 1                |                               | 40                       |     |                   |             | 58                |      |                         |                       |  |                          |     |                    |             |                   |      |                             |

TABLE C-2  
DESCRIPTION OF SELECTED WELLS  
1964-65

| STATE<br>WELL<br>NUMBER           | AGENCY WELL<br>NUMBER | AGENCY<br>SUPPLYING<br>DATA | WELL<br>USE | WELL<br>DEPTH<br>IN FEET | DATA<br>AVAILABLE |                |               | RECORD<br>ENDS |
|-----------------------------------|-----------------------|-----------------------------|-------------|--------------------------|-------------------|----------------|---------------|----------------|
|                                   |                       |                             |             |                          | LOG               | WATER<br>ANAL. | PROD.<br>REC. |                |
| SANTA CLARA VALLEY                |                       |                             |             |                          |                   |                |               |                |
| 2-09.00                           |                       |                             |             |                          |                   |                |               |                |
| EAST BAY AREA ABOVE HAYWARD FAULT |                       |                             |             |                          |                   |                |               |                |
| 2-09.01                           |                       |                             |             |                          |                   |                |               |                |
| 04S/01w-35P 3 M                   |                       | 5401 3                      | 400 2       | 59                       |                   |                |               | 36             |
| EAST BAY AREA UPPER AQUIFER       |                       |                             |             |                          |                   |                |               |                |
| 2-09.01                           |                       |                             |             |                          |                   |                |               |                |
| 03S/02w-8N 2 M                    |                       | 5050 2                      | 156         | 63                       |                   |                |               | 36             |
| 03S/02w-8R 5 M                    |                       | 5100 1                      | 85          | 50                       |                   |                |               | 36             |
| 03S/02w-19J 1 M                   |                       | 5050 0                      | 87          | 58                       |                   |                |               | 51             |
| 03S/03w-24O 2 M                   |                       | 5100 9                      | 80          | 49                       |                   |                |               | 36             |
| 04S/01w-18G 1 M                   |                       | 5401 4                      | 160         | 58                       |                   |                |               | 36             |
| 04S/01w-22P 5 M                   |                       | 5100 2                      | 180         | 48                       |                   |                |               | 30             |
| 04S/01w-29C 4 M                   |                       | 5401 0                      | 145         | 50 64                    |                   |                |               | 36             |
| 04S/02w-13C 2 M                   |                       | 5401 2                      | 180         | 49                       |                   |                |               | 36             |
| 04S/02w-24O 2 M                   |                       | 5100 2                      |             | 49                       |                   |                |               | 58             |
| 05S/01w-4F 1 M                    |                       | 5401 0                      | 97          | 57                       |                   |                |               | 36             |
| 05S/01w-9Q 1 M                    |                       | 5100 9                      | 60          | 50                       |                   |                |               | 36             |
| EAST BAY AREA LOWER AQUIFER       |                       |                             |             |                          |                   |                |               |                |
| 2-09.01                           |                       |                             |             |                          |                   |                |               |                |
| 02S/03w-36R 1 M                   |                       | 5100 2                      | 601         | 59                       |                   |                |               | 57             |
| 03S/02w-19A 2 M                   |                       | 5050 0                      | 218         | 50 64                    |                   |                |               | 31             |
| 03S/03w-24J 1 M                   |                       | 5100 7                      | 511         | 49                       |                   |                |               | 55             |
| 03S/03w-36R 3 M                   |                       | 5100 4                      | 350         | 58                       |                   |                |               | 36             |
| 04S/02w-20 1 M                    |                       | 5401 2                      | 475         | 50                       |                   |                |               | 36             |
| 04S/02w-35R 2 M                   |                       | 5401 7                      | 224 2       | 58                       |                   |                |               | 36             |
| 04S/02w-36K 1 M                   |                       | 5401 0                      | 241         | 49                       |                   |                |               | 54             |
| 05S/01w-9H 1 M                    |                       | 5401 2                      | 297 1       | 49                       |                   |                |               | 36             |
| SOUTH BAY AREA                    |                       |                             |             |                          |                   |                |               |                |
| 2-09.02                           |                       |                             |             |                          |                   |                |               |                |
| 06S/01E-7E 1 M                    |                       | 6 C 059                     | 2400 0      | 525                      |                   |                |               | 36             |
| 06S/01E-21R 1 M                   |                       | 8 D 342A                    | 2400 2      | 560 2                    |                   |                |               | 51             |
| 06S/01E-23P 2 M                   |                       | 8 C 127                     | 2400 0      | 295                      |                   |                |               | 36             |
| 06S/01E-30H 1 M                   |                       | 7 E 084                     | 2400 7      | 250                      |                   |                |               | 30             |
| 06S/01W-23E 1 M                   |                       | 5000 2                      | 425         | 58                       |                   |                |               | 58             |
| 06S/02W-16R 1 M                   |                       | 2 G 005                     | 2400 2      | 36                       |                   |                |               | 36             |
| 06S/02W-25C 1 M                   |                       | 4 F 030                     | 2400 1      | 500                      |                   |                |               | 30             |
| 06S/02W-35C 1 M                   |                       | 3 G 020                     | 2400 2      | 480                      |                   |                |               | 30             |
| 07S/01E-1K 1 M                    |                       | 9 D 180A                    | 2400 7      | 400                      |                   |                |               | 36             |
| 07S/01E-8L 1 M                    |                       | 8 F 274                     | 2400        | 235                      |                   |                |               | 36             |
| 07S/01E-90 2 M                    |                       | 5000 3                      |             | 36                       |                   |                |               | 36             |
| 07S/01E-16C 5 M                   |                       | 5000 3                      | 908         | 58                       |                   |                |               | 58             |
| 07S/01E-31A 2 M                   |                       | 9 G 148                     | 2400 2      | 36                       |                   |                |               | 36             |
| 07S/01W-35C 1 M                   |                       | 8 H 117                     | 2400 3      | 438                      |                   |                |               | 36             |
| 07S/02E-7P 1 M                    |                       | 10 D 403                    | 2400 3      | 525                      |                   |                |               | 57             |
| 07S/02E-17H 1 M                   |                       | 11 D 304                    | 2400        | 400                      |                   |                |               | 31             |
| 07S/02E-33C 1 M                   |                       | 12 E 398                    | 2400        | 61                       |                   |                |               | 55             |
| 07S/02W-3Q 1 M                    |                       | 4 H 023A                    | 2400 2      | 800                      |                   |                |               | 36             |
| 07S/02W-4B 1 M                    |                       | 3 H 013                     | 2400 2      | 450                      |                   |                |               | 36             |
| 07S/02W-22A 1 M                   |                       | 4 I 037                     | 2400 2      | 620                      |                   |                |               | 36             |
| 08S/01E-7H 2 M                    |                       | 9 H 166A                    | 2400        | 350                      |                   |                |               | 54             |
| 08S/01E-13H 1 M                   |                       | 12 G 257                    | 2400 7      | 110                      |                   |                |               | 36             |
| 08S/01W-15B 1 M                   |                       | 8 I 129                     | 2400        | 64                       |                   |                |               | 36             |

03/01/66 04 1 M 0.00 2 2.07 1 0.00 19 G 237 26000 7 1110 36  
 03/01/66 04 1 M 0.00 2 2.07 1 0.00 19 G 237 26000 7 1110 36  
 03/01/66 04 1 M 0.00 2 2.07 1 0.00 19 G 237 26000 7 1110 36

TABLE C-2  
 DESCRIPTION OF SELECTED WELLS  
 1964-65

| STATE WELL NUMBER     | AGENCY WELL NUMBER | AGENCY DATA SUPPLYING | WELL USE | MELL DEPTH IN FEET | LOG | DATA AVAILABLE ANAL. PROD. REC. | RECORD ENDS | STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY DATA SUPPLYING | WELL USE | MELL DEPTH IN FEET | LOG | DATA AVAILABLE ANAL. PROD. REC. | RECORD ENDS |
|-----------------------|--------------------|-----------------------|----------|--------------------|-----|---------------------------------|-------------|-------------------|--------------------|-----------------------|----------|--------------------|-----|---------------------------------|-------------|
| SOUTH BAY AREA        |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 2-09.02               |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 08S/02E-20F 3 M       | 13 G 297A          | 2400                  |          | 40                 |     |                                 |             | 08S/02E-20F 3 M   | 13 G 297A          | 2400                  |          | 40                 |     |                                 |             |
| 08S/02E-22D 1 M       | 13 F 233           | 2400                  | 7        | 36                 |     |                                 |             | 08S/02E-22D 1 M   | 13 F 233           | 2400                  | 7        | 36                 |     |                                 |             |
| 09S/02E- 1J 1 M       | 15 G 238B          | 2400                  | 7        | 135                |     |                                 |             | 09S/02E- 1J 1 M   | 15 G 238B          | 2400                  | 7        | 135                |     |                                 |             |
| 09S/02E- 1M 1 M       | 15 G 279           | 2400                  |          | 114                |     |                                 |             | 09S/02E- 1M 1 M   | 15 G 279           | 2400                  |          | 114                |     |                                 |             |
| LIVERMORE VALLEY      |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 2-10.00               |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 02S/01W-26C 1 M       |                    | 5100                  | 2        | 360                |     |                                 | 48          | 02S/01W-26C 1 M   |                    | 5100                  | 2        | 360                |     |                                 | 48          |
| 02S/02E-25N 1 M       |                    | 5100                  |          |                    |     |                                 | 48          | 02S/02E-25N 1 M   |                    | 5100                  |          |                    |     |                                 | 48          |
| 03S/01E- 7Q 1 M       |                    | 5100                  | 0        | 287                | 1   |                                 | 49          | 03S/01E- 7Q 1 M   |                    | 5100                  | 0        | 287                | 1   |                                 | 49          |
| 03S/01E- 8J 2 M       |                    | 5100                  | 2        |                    |     |                                 | 48          | 03S/01E- 8J 2 M   |                    | 5100                  | 2        |                    |     |                                 | 48          |
| 03S/01E- 9R 2 M       |                    | 5100                  | 2        | 353                |     |                                 | 48          | 03S/01E- 9R 2 M   |                    | 5100                  | 2        | 353                |     |                                 | 48          |
| 03S/01E-10Q 2 M       |                    | 5100                  | 2        | 187                |     |                                 | 48          | 03S/01E-10Q 2 M   |                    | 5100                  | 2        | 187                |     |                                 | 48          |
| 03S/01E-11H 1 M       |                    | 5100                  | 7        | 303                |     |                                 | 49          | 03S/01E-11H 1 M   |                    | 5100                  | 7        | 303                |     |                                 | 49          |
| 03S/01E-17R 1 M       |                    | 5100                  | 3        | 310                |     |                                 | 61          | 03S/01E-17R 1 M   |                    | 5100                  | 3        | 310                |     |                                 | 61          |
| 03S/01E-19A 3 M       |                    | 5100                  | 3        | 395                |     |                                 | 49          | 03S/01E-19A 3 M   |                    | 5100                  | 3        | 395                |     |                                 | 49          |
| 03S/02E- 2R 1 M       |                    | 5100                  | 2        | 437                | 1   |                                 | 48          | 03S/02E- 2R 1 M   |                    | 5100                  | 2        | 437                | 1   |                                 | 48          |
| 03S/02E-10H 1 M       |                    | 5100                  | 2        | 376                |     |                                 | 48          | 03S/02E-10H 1 M   |                    | 5100                  | 2        | 376                |     |                                 | 48          |
| 03S/02E-16E 2 M       |                    | 5100                  | 0        | 540                |     |                                 | 49          | 03S/02E-16E 2 M   |                    | 5100                  | 0        | 540                |     |                                 | 49          |
| 03S/02E-19D 1 M       |                    | 5100                  | 0        | 500                |     |                                 | 53          | 03S/02E-19D 1 M   |                    | 5100                  | 0        | 500                |     |                                 | 53          |
| HALF MOON BAY TERRACE |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 2-22.00               |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 05S/05W-19J 1 M       |                    | 5050                  | 2        |                    |     |                                 | 63          | 05S/05W-19J 1 M   |                    | 5050                  | 2        |                    |     |                                 | 63          |
| 05S/05W-20L 1 M       |                    | 5050                  | 0        | 69                 |     |                                 | 53          | 05S/05W-20L 1 M   |                    | 5050                  | 0        | 69                 |     |                                 | 53          |
| 05S/05W-29F 4 M       |                    | 5050                  | 1        |                    |     |                                 | 60          | 05S/05W-29F 4 M   |                    | 5050                  | 1        |                    |     |                                 | 60          |
| 05S/05W-29N 1 M       |                    | 5050                  | 2        | 82                 |     |                                 | 53          | 05S/05W-29N 1 M   |                    | 5050                  | 2        | 82                 |     |                                 | 53          |
| 05S/05W-32K 1 M       |                    | 5050                  | 0        |                    |     |                                 | 53          | 05S/05W-32K 1 M   |                    | 5050                  | 0        |                    |     |                                 | 53          |
| HALF MOON BAY TERRACE |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 2-22.00               |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 05S/06W-10J 1 M       |                    | 5050                  | 2        |                    |     |                                 | 53          | 05S/06W-10J 1 M   |                    | 5050                  | 2        |                    |     |                                 | 53          |
| 06S/05W- 8B 1 M       |                    | 5050                  | 2        | 85                 |     |                                 | 53          | 06S/05W- 8B 1 M   |                    | 5050                  | 2        | 85                 |     |                                 | 53          |
| SAN GREGORIO VALLEY   |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 2-24.00               |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 07S/05W-13E 1 M       |                    | 5050                  | 0        | 45                 |     |                                 | 58          | 07S/05W-13E 1 M   |                    | 5050                  | 0        | 45                 |     |                                 | 58          |
| 07S/05W-15C 1 M       |                    | 5050                  | 2        | 85                 |     |                                 | 58          | 07S/05W-15C 1 M   |                    | 5050                  | 2        | 85                 |     |                                 | 58          |
| 07S/05W-15E 1 M       |                    | 5050                  | 7        |                    |     |                                 | 53          | 07S/05W-15E 1 M   |                    | 5050                  | 7        |                    |     |                                 | 53          |
| 07S/05W-15E 2 M       |                    | 5050                  | 1        |                    |     |                                 | 53          | 07S/05W-15E 2 M   |                    | 5050                  | 1        |                    |     |                                 | 53          |
| 07S/05W-15H 2 M       |                    | 5050                  | 1        |                    |     |                                 | 60          | 07S/05W-15H 2 M   |                    | 5050                  | 1        |                    |     |                                 | 60          |
| PESCADERO VALLEY      |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 2-26.00               |                    |                       |          |                    |     |                                 |             |                   |                    |                       |          |                    |     |                                 |             |
| 08S/05W- 9H 1 M       |                    | 5050                  | 2        |                    |     |                                 | 53          | 08S/05W- 9H 1 M   |                    | 5050                  | 2        |                    |     |                                 | 53          |
| 08S/05W-10K 1 M       |                    | 5050                  | 1        | 25                 |     |                                 | 53          | 08S/05W-10K 1 M   |                    | 5050                  | 1        | 25                 |     |                                 | 53          |
| 08S/05W-11F 1 M       |                    | 5050                  | 1        | 20                 |     |                                 | 53          | 08S/05W-11F 1 M   |                    | 5050                  | 1        | 20                 |     |                                 | 53          |
| 08S/05W-11K 2 M       |                    | 5050                  | 1        | 40                 |     |                                 | 58          | 08S/05W-11K 2 M   |                    | 5050                  | 1        | 40                 |     |                                 | 58          |
| 08S/05W-11N 1 M       |                    | 5050                  | 1        | 36                 |     |                                 | 53          | 08S/05W-11N 1 M   |                    | 5050                  | 1        | 36                 |     |                                 | 53          |



TABLE C-2  
DESCRIPTION OF SELECTED WELLS  
1964-65

| WELL NUMBER              | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | DEPTH IN FEET | LOG | DATA AVAILABLE | PROOD REC | RECORD ENDS |
|--------------------------|--------------------|-----------------------|----------|---------------|-----|----------------|-----------|-------------|
| CENTRAL COASTAL REGION   |                    |                       |          |               |     |                |           |             |
| SOQUEL VALLEY            |                    |                       |          |               |     |                |           |             |
| 3-01.00                  |                    |                       |          |               |     |                |           |             |
| 11S/01W-9L 1 M           |                    | 5050 0                |          | 48            |     |                |           | 48          |
| 11S/01W-10C 1 M          |                    | 5050 2                |          | 48            |     |                |           | 48          |
| 11S/01W-15E 2 M          |                    | 5050 0                | 102      | 63            |     |                |           | 58          |
| 11S/01W-15H 1 M          |                    | 5050 0                |          | 48            |     |                |           | 48          |
| PAJARO VALLEY            |                    |                       |          |               |     |                |           |             |
| 3-02.00                  |                    |                       |          |               |     |                |           |             |
| 11S/02E-27A 1 M          |                    | 5050 7                | 250      | 62            |     |                |           | 60          |
| 12S/01E-24C 1 M          |                    | 5050 2                | 200      | 47            |     |                |           | 60          |
| 12S/02E-11E 4 M          |                    | 5050 7                |          | 47            |     |                |           | 63          |
| 12S/02E-16J 1 M          |                    | 5050 2                |          | 47            |     |                |           | 48          |
| 12S/02E-31K 1 M          |                    | 2100 2                | 219      | 47            |     |                |           | 48          |
| 13S/01E-1A 1 M           |                    | 2100 7                |          | 47            |     |                |           | 64          |
| 13S/02E-5B 1 M           |                    | 5050                  | 225      | 58            |     |                |           | 48          |
| 13S/02E-6B 1 M           |                    | 5050 0                | 122      | 47            |     |                |           | 48          |
| 13S/02E-6C 1 M           |                    | 2100 2                | 198      | 47            |     |                |           | 32          |
| 13S/02E-6E 2 M           |                    | 2100 2                | 350      | 47            |     |                |           | 47          |
| 13S/02E-6E 3 M           |                    | 2100 2                | 192      | 47            |     |                |           | 60          |
| GILROY-HOLLISTER VALLEY  |                    |                       |          |               |     |                |           |             |
| 3-03.00                  |                    |                       |          |               |     |                |           |             |
| SOUTH SANTA CLARA COUNTY |                    |                       |          |               |     |                |           |             |
| 3-03.01                  |                    |                       |          |               |     |                |           |             |
| 09S/03E-16J 1 M          |                    | 2400 2                | 400      | 48            |     |                |           | 60          |
| 09S/03E-21K 2 M          |                    | 2400 2                | 225      | 48            |     |                |           | 37          |
| 09S/03E-22B 3 M          |                    | 2400 2                | 340      | 48            |     |                |           | 49          |
| 09S/03E-23E 1 M          |                    | 2400 2                | 420      | 48            |     |                |           | 49          |
| 09S/03E-26P 1 M          |                    | 2400                  |          | 48            |     |                |           | 63          |

| STATE WELL NUMBER        | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | DEPTH IN FEET | LOG | DATA AVAILABLE | PROOD REC | RECORD ENDS |
|--------------------------|--------------------|-----------------------|----------|---------------|-----|----------------|-----------|-------------|
| SOUTH SANTA CLARA COUNTY |                    |                       |          |               |     |                |           |             |
| 3-03.01                  |                    |                       |          |               |     |                |           |             |
| 09S/03E-27C 2 M          | 374                | 2400 7                | 300      | 43            |     |                |           | 43          |
| 09S/03E-29B 1 M          |                    | 5050 0                | 170      | 48            |     |                |           | 48          |
| 09S/03E-34D 2 M          | 18-II-375A         | 2400 7                | 375      | 58            |     |                |           | 58          |
| 09S/03I-34Q 1 M          | 18-II-380          | 2400 7                | 195      | 2             | 48  |                |           | 48          |
| 09S/03E-36E 2 M          | 19-G-378           | 2400 7                | 263      | 2             | 48  |                |           | 48          |
| 09S/03E-36F 3 M          | 19-C-495           | 2400 2                | 472      | 2             | 57  |                |           | 57          |
| 10S/03E- 2K 3 M          |                    | 5050 7                | 350      | 60            |     |                |           | 60          |
| 10S/03E-13J 3 M          |                    | 5050 0                | 253      | 2             | 60  |                |           | 60          |
| 10S/03E-36E 3 M          |                    | 5050 1                |          | 63            |     |                |           | 63          |
| 10S/04E-18C 2 M          |                    | 5050 7                | 184      | 48            |     |                |           | 48          |
| 10S/04E-31C 4 M          |                    | 5200 3                | 328      | 2             | 64  |                |           | 64          |
| 10S/04E-35E 1 M          |                    | 5050 2                | 447      | 48            |     |                |           | 48          |
| 11S/03E- 1B 1 M          |                    | 5400 2                |          | 57            |     |                |           | 57          |
| 11S/04E- 6B 1 M          |                    | 5200 3                | 701      | 2             | 32  |                |           | 32          |
| 11S/04E- 6D 1 M          |                    | 5200 3                | 470      | 2             | 47  |                |           | 47          |
| 11S/04E- 6H 1 M          |                    | 5200 3                | 346      | 56            |     |                |           | 56          |
| 11S/04E- 6P 2 M          |                    | 5200 3                | 302      | 2             | 60  |                |           | 60          |
| 11S/04E- 8K 2 M          |                    | 5050 1                |          | 60            |     |                |           | 60          |
| SAN BENITO COUNTY        |                    |                       |          |               |     |                |           |             |
| 3-03.02                  |                    |                       |          |               |     |                |           |             |
| 11S/05E-13D 1 M          |                    | 5050 2                | 125      | 37            |     |                |           | 37          |
| 12S/04E-20C 1 M          |                    | 5101 2                | 736      | 1             | 49  |                |           | 49          |
| 12S/05E-10R 1 M          |                    | 5050 0                | 108      | 49            |     |                |           | 49          |
| 12S/05E-12M 4 M          |                    | 5050 0                |          | 63            |     |                |           | 63          |

TABLE C-2  
DESCRIPTION OF SELECTED WELLS  
1964-65

| STATE WELL NUMBER              | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | LOG | WATER AVAILABLE | PROD REC | REC'D RECOR'D | ENOS |
|--------------------------------|--------------------|-----------------------|----------|--------------------|-----|-----------------|----------|---------------|------|
| SAN BENITO COUNTY              |                    |                       |          |                    |     |                 |          |               |      |
| 3-03.02                        |                    |                       |          |                    |     |                 |          |               |      |
| 12S/05E-33A 1 M                |                    | 5050 2                | 150      | 24                 |     |                 |          |               |      |
| 12S/05E-35N 2 M                |                    | 5050 2                | 203      | 63                 |     |                 |          |               |      |
| 13S/05E-11Q 1 M                |                    | 5101 0                | 44       | 24                 |     |                 |          |               |      |
| SALINAS VALLEY                 |                    |                       |          |                    |     |                 |          |               |      |
| 3-04.00                        |                    |                       |          |                    |     |                 |          |               |      |
| PRESSURE AREA 180 FOOT AQUIFER |                    |                       |          |                    |     |                 |          |               |      |
| 3-04.01                        |                    |                       |          |                    |     |                 |          |               |      |
| 14S/02E- 3C 1 M                | 02B 001            | 2100 2                |          | 31                 |     |                 |          |               |      |
| 14S/02E-15L 1 M                | 02C 025A           | 2100 2                | 176      | 16                 |     |                 |          |               |      |
| 15S/02E- 1Q 1 M                | 02D 023            | 2100 7                | 196      | 31                 |     |                 |          |               |      |
| 15S/03E-16M 1 M                | 03D 040            | 2100 2                |          | 31                 |     |                 |          |               |      |
| 15S/04E-33A 1 M                | 04D 036            | 2100 2                | 279      | 31                 |     |                 |          |               |      |
| 16S/04E-11D 1 M                | 04E 0300           | 2100 1                |          | 31                 |     |                 |          |               |      |
| PRESSURE AREA 400 FOOT AQUIFER |                    |                       |          |                    |     |                 |          |               |      |
| 3-04.01                        |                    |                       |          |                    |     |                 |          |               |      |
| 13S/02E-31Q 1 M                | 01B 011A           | 2100 2                | 500      | 31                 |     |                 |          |               |      |
| 14S/03E-18J 1 M                | 02C 119            | 2100 2                | 513      | 31                 |     |                 |          |               |      |
| EAST SIDE AREA                 |                    |                       |          |                    |     |                 |          |               |      |
| 3-04.02                        |                    |                       |          |                    |     |                 |          |               |      |
| 16S/05E-17R 1 M                | 05E 026            | 2100 2                | 299      | 16                 |     |                 |          |               |      |
| ARROYO SECO CONE               |                    |                       |          |                    |     |                 |          |               |      |
| 3-04.04                        |                    |                       |          |                    |     |                 |          |               |      |
| 18S/06E-13M 1 M                | 07G 029            | 2100 2                | 288      | 31                 |     |                 |          |               |      |
| 19S/06E-11C 1 M                | 07H 036            | 2100 2                | 320      | 44                 |     |                 |          |               |      |
| UPPER VALLEY AREA              |                    |                       |          |                    |     |                 |          |               |      |
| 3-04.05                        |                    |                       |          |                    |     |                 |          |               |      |
| 19S/07E-10P 1 M                | 08H 031            | 2100 2                | 245      | 31                 |     |                 |          |               |      |
| 20S/08E- 5R 1 M                | 091 004            | 2100 2                | 372      | 16                 |     |                 |          |               |      |
| 21S/09E- 6K 1 M                | 101 001            | 2100 2                |          | 16                 |     |                 |          |               |      |
| 21S/10E-32N 1 M                | 11K 002            | 2100 2                |          | 31                 |     |                 |          |               |      |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | LOG | WATER AVAILABLE | PROD REC | REC'D RECOR'D | ENOS |
|-------------------|--------------------|-----------------------|----------|--------------------|-----|-----------------|----------|---------------|------|
| UPPER VALLEY AREA |                    |                       |          |                    |     |                 |          |               |      |
| 3-04.05           |                    |                       |          |                    |     |                 |          |               |      |
| 22S/10E-16K 1 M   | 12K 003            | 2100 2                |          | 31                 |     |                 |          |               |      |
| PASO ROBLES       |                    |                       |          |                    |     |                 |          |               |      |
| 3-04.06           |                    |                       |          |                    |     |                 |          |               |      |
| 24S/10E-11C 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 24S/11E-25N 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 24S/11E-33R 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 24S/11E-35J 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 24S/12E-17N 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 24S/15E-33C 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 25S/11E-35G 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 25S/12E-17J 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 25S/12E-17R 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 25S/12E-26K 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 25S/13E-11E 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 25S/16E-17L 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 25S/16E-30M 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 26S/12E- 4N 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 26S/12E-26E 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 26S/12E-35N 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 26S/13E-100 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 26S/13E-34B 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 26S/14E-16L 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 26S/14E-35D 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 26S/15E- 2B 1 M   |                    | 5117                  |          |                    |     |                 |          |               |      |
| 26S/15E-28Q 2 M   |                    | 5117                  |          |                    |     |                 |          |               |      |

TABLE C-2  
DESCRIPTION OF SELECTED WELLS  
1964-65

| STATE<br>WELL<br>NUMBER | AGENCY WF<br>NUMBER | AGENCY<br>DATA<br>SUPPLYING | MELL<br>USE | MELL<br>DEPTH<br>IN FEET | LOG | DATA<br>AVAILABLE | PROD<br>REC | RECORD<br>BEGINS | RECORD<br>ENDS |
|-------------------------|---------------------|-----------------------------|-------------|--------------------------|-----|-------------------|-------------|------------------|----------------|
| PASO ROBLES             |                     |                             |             |                          |     |                   |             |                  |                |
|                         |                     |                             |             | 3-04.06                  |     |                   |             |                  |                |
| 28S/15E-29N 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 27S/12E-21N 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 27S/13E-24N 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 27S/13E-32B 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 27S/15E-10R 2 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 27S/15E-13A 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 27S/16E-21E 2 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 28S/12E-10C 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 28S/12E-10R 2 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 28S/12E-13N 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 28S/12E-14G 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 28S/13E- 4K 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 28S/13E- 4K 2 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 28S/14E- 7E 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 28S/16E-23M 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 29S/13E- 5F 3 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 29S/13E- 5K 2 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 29S/13E- 6A 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| 29S/13E-19H 1 M         | 5117                |                             |             |                          |     |                   |             |                  |                |
| SEASIDE AREA            |                     |                             |             |                          |     |                   |             |                  |                |
| 14S/02E-31H 1 M         | 5005 3              |                             |             | 3-04.08                  |     |                   |             |                  |                |
| 15S/01E-14N 1 M         | 5005 2              |                             |             | 258 2                    |     |                   |             |                  |                |
| CARMEL VALLEY           | 5005 2              |                             |             | 750 2                    |     |                   |             |                  |                |
| 16S/01E-16L 1 M         | 2100 1              |                             |             | 3-07.00                  |     |                   |             |                  |                |

61

| STATE<br>WELL<br>NUMBER | AGENCY WELL<br>NUMBER | AGENCY<br>DATA<br>SUPPLYING | MELL<br>USE | MELL<br>DEPTH<br>IN FEET | LOG | DATA<br>AVAILABLE | PROD<br>REC | RECORD<br>BEGINS | RECORD<br>ENDS |
|-------------------------|-----------------------|-----------------------------|-------------|--------------------------|-----|-------------------|-------------|------------------|----------------|
| CARMEL VALLEY           |                       |                             |             |                          |     |                   |             |                  |                |
|                         |                       |                             |             | 3-07.00                  |     |                   |             |                  |                |
| 16S/01E-22E 1 M         | 2100 2                |                             |             |                          |     |                   |             |                  | 58             |
| 16S/01E-23F 1 M         | 2100 2                |                             |             |                          |     |                   |             |                  | 58             |
| 16S/01E-25B 1 M         | 2100 7                |                             |             | 60                       |     |                   |             |                  | 52             |
| WEST SANTA CRUZ TERRACE |                       |                             |             |                          |     |                   |             |                  |                |
|                         |                       |                             |             | 3-26.00                  |     |                   |             |                  |                |
| 11S/02N-22R 1 M         | 5102 2                |                             |             |                          |     |                   |             |                  | 54             |

| WELL NUMBER     | DATE    | DEPTH | AGENCY |
|-----------------|---------|-------|--------|
| 16S/01E-22E 1 M | 3-07-65 | 58    | 2100 2 |
| 16S/01E-23F 1 M | 3-07-65 | 58    | 2100 2 |
| 16S/01E-25B 1 M | 3-07-65 | 60    | 2100 7 |
| 11S/02N-22R 1 M | 3-26-65 | 54    | 5102 2 |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER    | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER ELEVATION IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|----------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| NORTH COASTAL REGION |                                  |          |   |                                 |                       |
| POTTER VALLEY        |                                  |          |   |                                 |                       |
| 1=14.00              |                                  |          |   |                                 |                       |
| 17N/11w=18J 1 M      | 955.0                            | 7-14-64  | 2.4*                                      | 952.6                           | 5000                  |
|                      |                                  | 8-18-64  | .8  | 954.2                           |                       |
|                      |                                  | 9-15-64  | 1.2                                       | 953.8                           |                       |
|                      |                                  | 10-13-64 | 5.2*                                      | 949.8                           |                       |
|                      |                                  | 11-17-64 | \$  |                                 |                       |
|                      |                                  | 12-15-64 | \$  |                                 |                       |
|                      |                                  | 1-19-65  | \$  |                                 |                       |
|                      |                                  | 2-16-65  | \$  |                                 |                       |
|                      |                                  | 3-16-65  | .5  | 954.5                           |                       |
|                      |                                  | 4-14-65  | 1.2                                       | 953.8                           |                       |
|                      |                                  | 5-18-65  | .8  | 954.2                           |                       |
|                      |                                  | 6-15-65  | .1  | 954.9                           |                       |
|                      |                                  | 7-13-65  | 1.0                                       | 954.0                           |                       |
|                      |                                  | 8-18-65  | .4  | 954.6                           |                       |
|                      |                                  | 9-23-65  | .1  | 954.9                           |                       |
| 17N/11w=32J 1 M      | 895.0                            | 7-14-64  | .6  | 894.4                           | 5000                  |
|                      |                                  | 8-18-64  | 0.0                                       | 895.0                           |                       |
|                      |                                  | 9-15-64  | 2.0                                       | 893.0                           |                       |
|                      |                                  | 10-13-64 | 3.9                                       | 891.1                           |                       |
|                      |                                  | 11-17-64 | 1.0                                       | 894.0                           |                       |
|                      |                                  | 12-15-64 | .5  | 894.5                           |                       |
|                      |                                  | 1-19-65  | 1.2                                       | 893.8                           |                       |
|                      |                                  | 2-16-65  | 1.5                                       | 893.5                           |                       |
|                      |                                  | 3-16-65  | 2.2                                       | 892.8                           |                       |
|                      |                                  | 4-14-65  | 2.2                                       | 892.8                           |                       |
|                      |                                  | 5-18-65  | 3.2                                       | 891.8                           |                       |
|                      |                                  | 6-15-65  | 4.0                                       | 891.0                           |                       |
|                      |                                  | 7-13-65  | 3.5                                       | 891.5                           |                       |
|                      |                                  | 8-18-65  | 3.5                                       | 891.5                           |                       |
|                      |                                  | 9-23-65  | 3.2                                       | 891.8                           |                       |
| 1=15.00              |                                  |          |   |                                 |                       |
| UKIAH VALLEY         |                                  |          |   |                                 |                       |
| 15N/12w=18L 1 M      | 665.0                            | 4-14-65  | 20.7                                      | 644.3                           | 5000                  |
|                      |                                  | 5-18-65  | 18.9                                      | 646.1                           |                       |
|                      |                                  | 6-15-65  | 21.0                                      | 644.0                           |                       |
|                      |                                  | 7-13-65  | 22.3                                      | 642.7                           |                       |
|                      |                                  | 8-18-65  | 23.8                                      | 641.2                           |                       |
|                      |                                  | 9-19-65  | 25.4                                      | 639.6                           |                       |
| 15N/12w=35M 1 M      | 600.0                            | 7-14-64  | 4.8                                       | 595.2                           | 5000                  |
|                      |                                  | 8-18-64  | 2.2                                       | 597.8                           |                       |
|                      |                                  | 9-15-64  | 7.6                                       | 592.4                           |                       |
|                      |                                  | 10-13-64 | 7.6                                       | 592.4                           |                       |
|                      |                                  | 11-17-64 | 5.5                                       | 594.5                           |                       |
|                      |                                  | 12-15-64 | \$  |                                 |                       |
|                      |                                  | 1-19-65  | 1.8                                       | 598.2                           |                       |
|                      |                                  | 2-16-65  | 3.5                                       | 596.5                           |                       |
|                      |                                  | 3-16-65  | 5.6*                                      | 594.4                           |                       |
|                      |                                  | 4-14-65  | 4.9                                       | 595.1                           |                       |
|                      |                                  | 5-18-65  | 6.4*                                      | 593.6                           |                       |
|                      |                                  | 6-15-65  | 6.7*                                      | 593.3                           |                       |
|                      |                                  | 7-13-65  | 4.8                                       | 595.2                           |                       |
|                      |                                  | 8-18-65  | 5.5                                       | 594.5                           |                       |
|                      |                                  | 9-21-65  | 7.3                                       | 592.7                           |                       |
| 1=16.00              |                                  |          |   |                                 |                       |
| SAMUEL VALLEY        |                                  |          |   |                                 |                       |
| 13N/11w=18E 1 M      | 490.0                            | 7-14-64  | \$  |                                 | 5000                  |
|                      |                                  | 8-18-64  | \$  |                                 |                       |
|                      |                                  | 9-15-64  | \$  |                                 |                       |
|                      |                                  | 10-13-64 | 13.2                                      | 476.8                           |                       |
|                      |                                  | 11-17-64 | 10.9                                      | 479.1                           |                       |
|                      |                                  | 12-15-64 | 11.1                                      | 478.9                           |                       |
|                      |                                  | 1-19-65  | 8.2                                       | 481.8                           |                       |
|                      |                                  | 2-16-65  | 9.9                                       | 480.1                           |                       |
|                      |                                  | 3-16-65  | 10.9                                      | 479.1                           |                       |
|                      |                                  | 4-14-65  | 9.4*                                      | 480.6                           |                       |
|                      |                                  | 5-18-65  | \$  |                                 |                       |
|                      |                                  | 6-15-65  | 12.3*                                     | 477.7                           |                       |
|                      |                                  | 7-13-65  | 12.5*                                     | 477.5                           |                       |
|                      |                                  | 8-18-65  | \$  |                                 |                       |
|                      |                                  | 9-21-65  | \$  |                                 |                       |
| 13N/11w=19P 1 M      | 488.0                            | 7-14-64  | 15.9                                      | 472.1                           | 5000                  |
|                      |                                  | 8-17-64  | 17.8                                      | 470.2                           |                       |
|                      |                                  | 9-15-64  | 18.6                                      | 469.4                           |                       |
|                      |                                  | 10-13-64 | 18.8                                      | 469.2                           |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER    | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|----------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| NORTH COASTAL REGION |                                  |          |   |                                 |                       |
| 1-16.00              |                                  |          |   |                                 |                       |
| SANEL VALLEY         |                                  |          |   |                                 |                       |
| 13N/11w-19P 1 M      | 488.0                            | 11-17-64 | 10.2                                    | 477.8                           | 5000                  |
|                      |                                  | 12-15-64 | 10.0                                    | 478.0                           |                       |
|                      |                                  | 1-19-65  | 8.3                                     | 479.7                           |                       |
|                      |                                  | 2-16-65  | 9.0                                     | 479.0                           |                       |
|                      |                                  | 3-14-65  | 8.3                                     | 478.2                           |                       |
|                      |                                  | 4-14-65  | 8.3                                     | 479.7                           |                       |
|                      |                                  | 5-17-65  | 9.3                                     | 478.7                           |                       |
|                      |                                  | 6-15-65  | 11.5                                    | 476.5                           |                       |
|                      |                                  | 7-13-65  | 13.7                                    | 474.3                           |                       |
|                      |                                  | 8-18-65  | 16.5                                    | 471.5                           |                       |
|                      |                                  | 9-20-65  | 18.1                                    | 469.9                           |                       |
| 13N/11w-20G 1 M      | 515.0                            | 7-14-64  | 8.4                                     | 506.6                           | 5000                  |
|                      |                                  | 8-17-64  | 11.9                                    | 503.1                           |                       |
|                      |                                  | 9-15-64  | 13.0                                    | 502.0                           |                       |
|                      |                                  | 10-13-64 | 12.8                                    | 502.2                           |                       |
|                      |                                  | 11-17-64 | 5.6                                     | 509.4                           |                       |
|                      |                                  | 12-15-64 | 4.8                                     | 510.2                           |                       |
|                      |                                  | 1-19-65  | 4.5                                     | 510.5                           |                       |
|                      |                                  | 2-16-65  | 4.8                                     | 510.2                           |                       |
|                      |                                  | 3-16-65  | 5.4*                                    | 509.6                           |                       |
|                      |                                  | 4-14-65  | 4.8                                     | 510.2                           |                       |
|                      |                                  | 5-17-65  | 5.0                                     | 510.0                           |                       |
|                      |                                  | 6-15-65  | 5.2                                     | 509.8                           |                       |
|                      |                                  | 7-13-65  | 7.4                                     | 507.6                           |                       |
|                      |                                  | 8-18-65  | 10.8                                    | 504.2                           |                       |
|                      |                                  | 9-21-65  | 12.1                                    | 502.9                           |                       |
| 1-17.00              |                                  |          |   |                                 |                       |
| ALEXANDER VALLEY     |                                  |          |   |                                 |                       |
| 10N/09w-18B 1 M      | 230.0                            | 7-14-64  | 3                                       | 210.1                           | 5000                  |
|                      |                                  | 8-18-64  | \$                                      |                                 |                       |
|                      |                                  | 9-15-64  | 19.9                                    | 209.6                           |                       |
|                      |                                  | 10-13-64 | 20.4                                    | 212.4                           |                       |
|                      |                                  | 11-17-64 | 17.6                                    | 211.9                           |                       |
|                      |                                  | 12-15-64 | 18.1                                    | 215.7                           |                       |
|                      |                                  | 1-19-65  | 14.3                                    | 218.3                           |                       |
|                      |                                  | 2-16-65  | 15.7                                    | 214.3                           |                       |
|                      |                                  | 3-16-65  | 17.1                                    | 212.9                           |                       |
|                      |                                  | 4-14-65  | 15.9                                    | 214.1                           |                       |
|                      |                                  | 5-17-65  | 17.1                                    | 212.9                           |                       |
|                      |                                  | 6-15-65  | 20.5                                    | 209.5                           |                       |
|                      |                                  | 7-13-65  | \$                                      |                                 |                       |
|                      |                                  | 8-18-65  | 19.7                                    | 210.3                           |                       |
| NORTH COASTAL REGION |                                  |          |   |                                 |                       |
| 1-17.00              |                                  |          |   |                                 |                       |
| ALEXANDER VALLEY     |                                  |          |   |                                 |                       |
| 10N/09w-18B 1 M      | 230.0                            | 9-21-65  | 20.9                                    | 209.1                           | 5000                  |
| 10N/09w-26L 2 M      | 205.0                            | 7-14-64  | 13.6                                    | 191.4                           | 5000                  |
|                      |                                  | 8-18-64  | 19.6                                    | 185.4                           |                       |
|                      |                                  | 9-15-64  | 22.8                                    | 182.2                           |                       |
|                      |                                  | 10-13-64 | 26.3                                    | 178.7                           |                       |
|                      |                                  | 11-17-64 | 18.2                                    | 186.8                           |                       |
|                      |                                  | 12-15-64 | 15.2                                    | 189.8                           |                       |
|                      |                                  | 1-19-65  | 2.1                                     | 202.9                           |                       |
|                      |                                  | 2-16-65  | 2.6                                     | 202.4                           |                       |
|                      |                                  | 3-16-65  | 2.5                                     | 202.5                           |                       |
|                      |                                  | 4-14-65  | 1.9                                     | 203.1                           |                       |
|                      |                                  | 5-17-65  | 3.4                                     | 201.6                           |                       |
|                      |                                  | 6-15-65  | 10.2*                                   | 194.8                           |                       |
|                      |                                  | 7-13-65  | 11.8                                    | 193.2                           |                       |
|                      |                                  | 8-18-65  | 16.3                                    | 188.7                           |                       |
|                      |                                  | 9-21-65  | 18.9                                    | 186.1                           |                       |
| 10N/09w-33C 1 M      | 180.0                            | 7-14-64  | 8.4                                     | 171.6                           | 5000                  |
|                      |                                  | 8-18-64  | 8.2                                     | 171.8                           |                       |
|                      |                                  | 9-15-64  | 8.2                                     | 171.8                           |                       |
|                      |                                  | 10-13-64 | 8.8                                     | 171.2                           |                       |
|                      |                                  | 11-17-64 | 5.3                                     | 174.7                           |                       |
|                      |                                  | 12-15-64 | 6.2                                     | 173.8                           |                       |
|                      |                                  | 1-19-65  | 3.0                                     | 176.0                           |                       |
|                      |                                  | 2-16-65  | 5.6                                     | 175.4                           |                       |
|                      |                                  | 3-16-65  | 5.8                                     | 174.2                           |                       |
|                      |                                  | 4-14-65  | 4.0                                     | 176.0                           |                       |
|                      |                                  | 5-17-65  | 5.9                                     | 174.1                           |                       |
|                      |                                  | 6-14-65  | 7.4                                     | 172.6                           |                       |
|                      |                                  | 7-13-65  | 8.0                                     | 172.0                           |                       |
|                      |                                  | 8-18-65  | \$                                      |                                 |                       |
|                      |                                  | 9-21-65  | 7.4                                     | 172.6                           |                       |
| 11N/10w-8P 1 M       | 305.0                            | 7-14-64  | 12.8                                    | 292.2                           | 5000                  |
|                      |                                  | 8-18-64  | 12.8                                    | 292.2                           |                       |
|                      |                                  | 9-15-64  | 13.0                                    | 292.0                           |                       |
|                      |                                  | 10-13-64 | \$                                      |                                 |                       |
|                      |                                  | 11-17-64 | 10.5                                    | 294.5                           |                       |
|                      |                                  | 12-15-64 | 10.8                                    | 294.2                           |                       |
|                      |                                  | 1-19-65  | 4.4                                     | 300.6                           |                       |
|                      |                                  | 2-16-65  | 8.6                                     | 296.4                           |                       |
|                      |                                  | 3-16-65  | 10.4                                    | 294.6                           |                       |
|                      |                                  | 4-14-65  | 9.8                                     | 295.2                           |                       |
|                      |                                  | 5-17-65  | 8.0                                     | 297.0                           |                       |
|                      |                                  | 6-15-65  | 12.2*                                   | 292.8                           |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER    | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|----------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| NORTH COASTAL REGION |                                  |          |   |                                 |                       |
| ALEXANDER VALLEY     |                                  |          |   |                                 |                       |
| 11N/10W-8P 1 M       | 305.0                            | 7-13-65  | 12.9*                                   | 292.1                           | 5000                  |
|                      |                                  | 8-18-65  | 12.3                                    | 292.7                           |                       |
|                      |                                  | 9-21-65  | 12.4                                    | 292.6                           |                       |
| 11N/10W-17P 2 M      | 292.0                            | 7-14-64  | \$                                      | 281.0                           | 5000                  |
|                      |                                  | 8-18-64  |   |                                 |                       |
|                      |                                  | 9-15-64  | \$                                      | 281.4                           |                       |
|                      |                                  | 10-13-64 | 10.6                                    | 283.7                           |                       |
|                      |                                  | 11-17-64 | 8.3                                     | 283.2                           |                       |
|                      |                                  | 12-15-64 | 8.5                                     | 283.2                           |                       |
|                      |                                  | 1-19-65  | 7.6                                     | 284.8                           |                       |
|                      |                                  | 2-16-65  | 7.6                                     | 284.5                           |                       |
|                      |                                  | 3-16-65  | 8.8                                     | 283.2                           |                       |
|                      |                                  | 4-16-65  | 8.0                                     | 284.0                           |                       |
|                      |                                  | 5-17-65  | 10.1                                    | 281.9                           |                       |
|                      |                                  | 6-15-65  | 10.1                                    | 281.9                           |                       |
|                      |                                  | 7-13-65  | 10.7                                    | 281.3                           |                       |
|                      |                                  | 8-18-65  | \$                                      |                                 |                       |
|                      |                                  | 9-21-65  | 11.1                                    | 280.9                           |                       |
| 11N/10W-19F 2 M      | 346.0                            | 7-14-64  | 8.9                                     | 337.1                           | 5000                  |
|                      |                                  | 8-18-64  | 11.2                                    | 334.8                           |                       |
|                      |                                  | 9-15-64  | 17.3                                    | 328.7                           |                       |
|                      |                                  | 10-13-64 | 13.2                                    | 332.8                           |                       |
|                      |                                  | 11-17-64 | 5.5                                     | 340.5                           |                       |
|                      |                                  | 12-15-64 | 4.7                                     | 341.3                           |                       |
|                      |                                  | 1-19-65  | 3.4                                     | 342.6                           |                       |
|                      |                                  | 2-16-65  | 3.7                                     | 342.3                           |                       |
|                      |                                  | 3-16-65  | 4.0                                     | 342.0                           |                       |
|                      |                                  | 4-14-65  | 3.6                                     | 342.4                           |                       |
|                      |                                  | 5-17-65  | 4.4                                     | 341.6                           |                       |
|                      |                                  | 6-15-65  | 6.0                                     | 340.0                           |                       |
|                      |                                  | 7-13-65  | 7.7                                     | 338.3                           |                       |
|                      |                                  | 8-18-65  | 9.7                                     | 336.3                           |                       |
|                      |                                  | 9-21-65  | 11.1                                    | 334.9                           |                       |
| NORTH COASTAL REGION |                                  |          |   |                                 |                       |
| SANTA ROSA VALLEY    |                                  |          |   |                                 |                       |
| SANTA ROSA AREA      |                                  |          |   |                                 |                       |
| 06N/08W-7P 2 M       | 95.0                             | 1-18-65  | 13.8                                    | 81.2                            | 5000                  |
|                      |                                  | 2-15-65  | 13.2                                    | 81.8                            |                       |
|                      |                                  | 3-16-65  | \$                                      |                                 |                       |
|                      |                                  | 4-14-65  | 13.4                                    | 81.6                            |                       |
|                      |                                  | 5-18-65  | 13.8                                    | 81.2                            |                       |
|                      |                                  | 6-14-65  | 17.3                                    | 77.7                            |                       |
|                      |                                  | 7-12-65  | 21.1                                    | 73.9                            |                       |
|                      |                                  | 8-16-65  | 27.1                                    | 67.3                            |                       |
|                      |                                  | 9-21-65  | 28.6                                    | 66.4                            |                       |
| 06N/08W-13R 1 M      | 115.0                            | 7-13-64  | \$                                      |                                 | 5000                  |
|                      |                                  | 8-18-64  | 22.5                                    | 92.5                            |                       |
|                      |                                  | 9-14-64  | 24.4                                    | 90.6                            |                       |
|                      |                                  | 10-12-64 | 25.8                                    | 89.2                            |                       |
|                      |                                  | 11-16-64 | 23.3                                    | 91.7                            |                       |
|                      |                                  | 12-15-64 | 21.7                                    | 93.3                            |                       |
|                      |                                  | 1-18-65  | 17.8                                    | 97.2                            |                       |
|                      |                                  | 2-15-65  | 16.3                                    | 98.7                            |                       |
|                      |                                  | 3-16-65  | 14.8                                    | 100.2                           |                       |
|                      |                                  | 4-14-65  | 14.4                                    | 100.6                           |                       |
|                      |                                  | 5-18-65  | 15.6                                    | 99.4                            |                       |
|                      |                                  | 6-14-65  | 18.7                                    | 96.3                            |                       |
|                      |                                  | 7-12-65  | 20.6                                    | 94.4                            |                       |
|                      |                                  | 8-16-65  | 23.1                                    | 91.9                            |                       |
|                      |                                  | 9-21-65  | 24.8                                    | 90.2                            |                       |
| 06N/08W-15J 3 M      | 95.0                             | 3-22-65  | 12.8                                    | 82.2                            | 5050                  |
| 06N/08W-15R 1 M      | 95.0                             | 3-22-65  | 19.7                                    | 75.3                            | 5050                  |
| 07N/06W-19N 1 M      | 465.0                            | 3-24-65  | 8.7                                     | 456.3                           | 5050                  |
| 07N/07W-6R 1 M       | 275.0                            | 3-23-65  | 8.0                                     | 267.0                           | 5050                  |
| 07N/08W-11M 1 M      | 160.0                            | 3-22-65  | 7.2                                     | 152.8                           | 5050                  |
| 07N/08W-24H 2 M      | 190.0                            | 3-23-65  | 13.6                                    | 176.4                           | 5050                  |
| 07N/08W-31C 1 M      | 0                                | 3-23-65  | #                                       |                                 | 5050                  |
| 07N/09W-1C 1 M       | 90.0                             | 3-22-65  | 24.6                                    | 65.4                            | 5050                  |
| 07N/09W-35U 2 M      | 135.0                            | 3-22-65  | 33.0                                    | 102.0                           | 5050                  |
| 08N/09W-36N 1 M      | 90.0                             | 7-13-64  | 9.2                                     | 80.8                            | 5000                  |
|                      |                                  | 8-18-64  | 9.6                                     | 80.4                            |                       |
| SANTA ROSA VALLEY    |                                  |          |   |                                 |                       |
| SANTA ROSA AREA      |                                  |          |   |                                 |                       |
| 06N/08W-7P 2 M       | 95.0                             | 7-13-64  | 22.7                                    | 72.3                            | 5000                  |
|                      |                                  | 8-18-64  | 27.0                                    | 68.0                            |                       |
|                      |                                  | 9-15-64  | 25.4                                    | 69.6                            |                       |
|                      |                                  | 10-13-64 | 26.2                                    | 68.8                            |                       |
|                      |                                  | 11-17-64 | 22.0                                    | 73.0                            |                       |
|                      |                                  | 12-15-64 | 19.2                                    | 75.8                            |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER    | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA | STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|----------------------|----------------------------------|----------|---|---------------------------------|-----------------------|-------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| NORTH COASTAL REGION |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| SANTA ROSA AREA      |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| 08N/09M-36N 1 M      | 90.0                             | 9-15-64  | 10.1                                    | 79.9                            | 5000                  | 08N/09M-22L 1 M   | 67.0                             | 6-14-65  | 27.3                                    | 39.7                            | 5000                  |
|                      |                                  | 10-13-64 | 10.8                                    | 79.2                            |                       |                   |                                  | 7-13-65  | 28.7                                    | 38.3                            |                       |
|                      |                                  | 11-17-64 | 9.8                                     | 80.2                            |                       |                   |                                  | 8-16-65  | \$                                      |                                 |                       |
|                      |                                  | 12-15-64 | 9.5                                     | 80.5                            |                       |                   |                                  | 9-21-65  | 29.9                                    | 37.1                            |                       |
|                      |                                  | 1-18-65  | 7.9                                     | 82.1                            |                       |                   |                                  | 7-14-64  | 14.1                                    | 85.9                            | 5000                  |
|                      |                                  | 2-15-65  | 4.5                                     | 85.5                            |                       |                   |                                  | 8-18-64  | 14.7                                    | 85.3                            |                       |
|                      |                                  | 3-16-65  | 5.7                                     | 84.3                            |                       |                   |                                  | 9-15-64  | 15.8                                    | 84.2                            |                       |
|                      |                                  | 4-14-65  | 5.7                                     | 84.3                            |                       |                   |                                  | 10-13-64 | \$                                      |                                 |                       |
|                      |                                  | 5-18-65  | 6.1                                     | 83.9                            |                       |                   |                                  | 11-17-64 | 12.9                                    | 87.1                            |                       |
|                      |                                  | 6-14-65  | 7.2                                     | 82.8                            |                       |                   |                                  | 12-15-64 | 13.2                                    | 86.8                            |                       |
|                      |                                  | 7-12-65  | 7.8                                     | 82.2                            |                       |                   |                                  | 1-19-65  | 12.6                                    | 87.4                            |                       |
|                      |                                  | 8-16-65  | 8.6                                     | 81.4                            |                       |                   |                                  | 2-16-65  | 13.1                                    | 86.9                            |                       |
|                      |                                  | 9-21-65  | 9.3                                     | 80.7                            |                       |                   |                                  | 3-16-65  | 13.5                                    | 86.5                            |                       |
|                      |                                  | 3-23-65  | 29.2                                    | 60.8                            | 5050                  |                   |                                  | 4-14-65  | 12.8                                    | 87.2                            |                       |
| 08N/09M-36P 1 M      | 90.0                             |          |   |                                 |                       |                   |                                  | 5-17-65  | 14.0                                    | 86.0                            |                       |
| HEALDSBURG AREA      |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| 08N/09M-3P 1 M       | 77.0                             | 7-16-64  | \$                                      | 70.2                            | 5000                  | 09N/09M-20K 4 M   | 97.0                             | 7-0-64   | \$                                      |                                 | 5000                  |
|                      |                                  | 8-18-64  | 6.8                                     | 70.0                            |                       |                   |                                  | 8-18-64  | \$                                      |                                 |                       |
|                      |                                  | 9-15-64  | 7.0                                     | 70.0                            |                       |                   |                                  | 9-15-64  | 6.8                                     | 90.2                            |                       |
|                      |                                  | 10-13-64 | 7.0                                     | 70.0                            |                       |                   |                                  | 10-13-64 | 7.6                                     | 89.4                            |                       |
|                      |                                  | 11-17-64 | \$                                      |                                 |                       |                   |                                  | 11-17-64 | 4.2                                     | 92.8                            |                       |
|                      |                                  | 12-15-64 | \$                                      |                                 |                       |                   |                                  | 12-15-64 | 4.1                                     | 92.9                            |                       |
|                      |                                  | 1-19-65  | \$                                      | 66.4                            |                       |                   |                                  | 1-19-65  | 1.3                                     | 95.7                            |                       |
|                      |                                  | 2-18-65  | 10.6                                    |                                 |                       |                   |                                  | 2-18-65  | 0.2                                     | 90.8                            |                       |
|                      |                                  | 3-16-65  | \$                                      |                                 |                       |                   |                                  | 3-16-65  | 1.7                                     | 95.3                            |                       |
|                      |                                  | 4-14-65  | \$                                      |                                 |                       |                   |                                  | 4-14-65  | 2.3                                     | 94.7                            |                       |
|                      |                                  | 5-18-65  | \$                                      |                                 |                       |                   |                                  | 5-17-65  | 3.3                                     | 93.7                            |                       |
|                      |                                  | 7-14-65  | \$                                      |                                 |                       |                   |                                  | 6-14-65  | 4.2                                     | 92.8                            |                       |
|                      |                                  | 8-16-65  | \$                                      |                                 |                       |                   |                                  | 7-13-65  | 5.3                                     | 92.7                            |                       |
|                      |                                  | 9-21-65  | \$                                      |                                 |                       |                   |                                  | 8-18-65  | 5.2                                     | 91.8                            |                       |
| 08N/09M-22L 1 M      | 67.0                             | 7-14-64  | 26.5                                    | 38.5                            | 5000                  | 09N/09M-28N 1 M   | 90.0                             | 7-14-64  | 18.9                                    | 71.1                            |                       |
|                      |                                  | 8-18-64  | \$                                      |                                 |                       |                   |                                  | 8-18-64  | 21.3                                    | 68.7                            |                       |
|                      |                                  | 9-15-64  | 24.0                                    | 43.0                            |                       |                   |                                  | 9-15-64  | 22.7                                    | 67.3                            |                       |
|                      |                                  | 10-13-64 | \$                                      |                                 |                       |                   |                                  | 10-13-64 | 23.6                                    | 66.4                            |                       |
|                      |                                  | 12-15-64 | \$                                      |                                 |                       |                   |                                  | 11-17-64 | 13.8                                    | 76.2                            |                       |
|                      |                                  | 1-19-65  | 21.9                                    | 45.1                            |                       |                   |                                  | 12-15-64 | 14.6                                    | 75.4                            |                       |
|                      |                                  | 2-16-65  | 25.0                                    | 42.0                            |                       |                   |                                  | 1-19-65  | 13.6                                    | 76.4                            |                       |
|                      |                                  | 3-16-65  | \$                                      |                                 |                       |                   |                                  | 2-16-65  | 14.3                                    | 75.7                            |                       |
|                      |                                  | 4-14-65  | 25.2                                    | 41.8                            |                       |                   |                                  |          |   |                                 |                       |
|                      |                                  | 5-18-65  | 25.8                                    | 41.2                            |                       |                   |                                  |          |   |                                 |                       |



TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER          | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|----------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| NORTH COASTAL REGION       |                                  |          |   |                                 |                       |
| HEALDSBURG AREA            |                                  |          |   |                                 |                       |
| 09N/09H-28N 1 M            | 90.0                             | 3-16-65  | 14.9                                    | 75.1                            | 5000                  |
|                            |                                  | 4-14-65  | 13.7                                    | 76.3                            |                       |
|                            |                                  | 5-17-65  | 15.6                                    | 74.4                            |                       |
|                            |                                  | 6-14-65  | 15.6                                    | 74.1                            |                       |
|                            |                                  | 7-13-65  | 15.9                                    | 74.1                            |                       |
|                            |                                  | 8-18-65  | 18.4                                    | 71.6                            |                       |
|                            |                                  | 9-21-65  | 21.5                                    | 68.5                            |                       |
| 09N/10W-12C 1 M            | 120.0                            | 7-14-64  | 12.6                                    | 107.4                           | 5000                  |
|                            |                                  | 8-18-64  | 12.7                                    | 107.3                           |                       |
|                            |                                  | 9-15-64  | 12.6                                    | 107.4                           |                       |
|                            |                                  | 10-13-64 | 13.6                                    | 106.4                           |                       |
|                            |                                  | 11-17-64 | \$                                      |                                 |                       |
|                            |                                  | 12-15-64 | 11.3                                    | 108.7                           |                       |
|                            |                                  | 1-19-65  | \$                                      |                                 |                       |
|                            |                                  | 2-16-65  | 11.3                                    | 108.7                           |                       |
|                            |                                  | 3-16-65  | 11.9                                    | 108.1                           |                       |
|                            |                                  | 4-14-65  | 10.8                                    | 109.2                           |                       |
|                            |                                  | 5-17-65  | \$                                      |                                 |                       |
|                            |                                  | 6-14-65  | 11.3                                    | 108.7                           |                       |
|                            |                                  | 7-13-65  | 11.5                                    | 108.5                           |                       |
|                            |                                  | 8-18-65  | 12.0                                    | 108.0                           |                       |
|                            |                                  | 9-21-65  | 12.1                                    | 107.9                           |                       |
| 10N/10W-22D 1 M            | 180.0                            | 7-14-64  | 10.9                                    | 169.1                           | 5000                  |
|                            |                                  | 8-18-64  | \$                                      |                                 |                       |
|                            |                                  | 9-15-64  | 11.5                                    | 168.5                           |                       |
|                            |                                  | 10-13-64 | 13.9                                    | 166.1                           |                       |
|                            |                                  | 11-17-64 | 9.2                                     | 170.8                           |                       |
|                            |                                  | 12-15-64 | 9.7                                     | 170.3                           |                       |
|                            |                                  | 1-19-65  | 7.9                                     | 172.1                           |                       |
|                            |                                  | 2-16-65  | 9.0                                     | 171.0                           |                       |
|                            |                                  | 3-16-65  | 9.7                                     | 170.3                           |                       |
|                            |                                  | 4-14-65  | 9.0                                     | 171.0                           |                       |
|                            |                                  | 5-17-65  | 9.6                                     | 170.4                           |                       |
|                            |                                  | 7-14-65  | \$                                      |                                 |                       |
|                            |                                  | 8-18-65  | 11.3*                                   | 168.7                           |                       |
|                            |                                  | 9-15-65  | 10.9                                    | 169.1                           |                       |
|                            |                                  | 9-21-65  | 11.2                                    | 168.8                           |                       |
| 10N/10W-26M 1 M            | 161.0                            | 7-14-64  | \$                                      |                                 | 5000                  |
|                            |                                  | 8-18-64  | 11.7                                    | 149.3                           |                       |
|                            |                                  | 9-15-64  | 12.2                                    | 148.8                           |                       |
|                            |                                  | 10-13-64 | \$                                      |                                 |                       |
|                            |                                  | 11-17-64 | 7.8                                     | 153.2                           |                       |
|                            |                                  | 12-15-64 | 8.5                                     | 152.5                           |                       |
| NORTH COASTAL REGION       |                                  |          |   |                                 |                       |
| HEALDSBURG AREA            |                                  |          |   |                                 |                       |
| 10N/10W-26N 1 M            | 161.0                            | 1-19-65  | 7.0                                     | 154.0                           | 5000                  |
|                            |                                  | 2-16-65  | 7.7                                     | 153.3                           |                       |
|                            |                                  | 3-16-65  | 8.3                                     | 152.7                           |                       |
|                            |                                  | 4-14-65  | 7.3                                     | 153.7                           |                       |
|                            |                                  | 5-17-65  | 8.7                                     | 152.3                           |                       |
|                            |                                  | 6-14-65  | 9.1                                     | 151.9                           |                       |
|                            |                                  | 7-13-65  | 8.5*                                    | 152.5                           |                       |
|                            |                                  | 8-18-65  | 9.5                                     | 151.5                           |                       |
|                            |                                  | 9-21-65  | 10.2                                    | 150.8                           |                       |
| 10N/10W-35Q 1 M            | 142.0                            | 7-14-64  | 5.7                                     | 136.3                           | 5000                  |
|                            |                                  | 8-18-64  | 6.4                                     | 135.6                           |                       |
|                            |                                  | 9-15-64  | 6.8                                     | 135.2                           |                       |
|                            |                                  | 10-13-64 | 7.2                                     | 134.8                           |                       |
|                            |                                  | 11-17-64 | 4.5                                     | 137.5                           |                       |
|                            |                                  | 12-15-64 | 3.8                                     | 138.2                           |                       |
|                            |                                  | 1-19-65  | 2.8                                     | 139.2                           |                       |
|                            |                                  | 2-16-65  | 4.7                                     | 141.3                           |                       |
|                            |                                  | 3-16-65  | 2.6                                     | 139.4                           |                       |
|                            |                                  | 4-14-65  | 2.2                                     | 139.8                           |                       |
|                            |                                  | 5-17-65  | 2.6                                     | 139.4                           |                       |
|                            |                                  | 6-14-65  | 3.1                                     | 138.9                           |                       |
|                            |                                  | 7-13-65  | 4.2                                     | 137.8                           |                       |
|                            |                                  | 8-18-65  | 5.5                                     | 136.5                           |                       |
|                            |                                  | 9-21-65  | 6.3                                     | 135.7                           |                       |
| LOWER RUSSIAN RIVER VALLEY |                                  |          |   |                                 |                       |
| 07N/10W-6N 1 M             | 25.0                             | 7-13-64  | 21.1                                    | 3.9                             | 5000                  |
|                            |                                  | 8-18-64  | \$                                      |                                 |                       |
|                            |                                  | 9-15-64  | 21.0                                    | 4.0                             |                       |
|                            |                                  | 10-13-64 | 21.2                                    | 3.8                             |                       |
|                            |                                  | 11-17-64 | 19.0                                    | 6.0                             |                       |
|                            |                                  | 12-15-64 | 19.2                                    | 5.8                             |                       |
|                            |                                  | 1-19-65  | \$                                      |                                 |                       |
|                            |                                  | 2-16-65  | 18.3                                    | 6.7                             |                       |
|                            |                                  | 3-16-65  | 20.0                                    | 5.0                             |                       |
|                            |                                  | 4-14-65  | 18.1                                    | 6.9                             |                       |
|                            |                                  | 5-18-65  | 20.2                                    | 4.8                             |                       |
|                            |                                  | 6-14-65  | 20.8                                    | 4.2                             |                       |
|                            |                                  | 7-12-65  | 21.8                                    | 3.2                             |                       |
|                            |                                  | 8-16-65  | 21.1                                    | 3.9                             |                       |
|                            |                                  | 9-21-65  | 21.2                                    | 3.8                             |                       |
| 07N/11W-14E 1 M            | 25.0                             | 7-13-64  | 19.9                                    | 5.1                             | 5000                  |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GROUND SURFACE TO WATER SURFACE ELEVATION IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-------------------|----------------------------------|------|---|---------------------------------|-----------------------|
|-------------------|----------------------------------|------|---|---------------------------------|-----------------------|

NORTH COASTAL REGION

LOWER RUSSIAN RIVER VALLEY

|                 |      |          |      |      |      |
|-----------------|------|----------|------|------|------|
| 07N/11W-14E 1 M | 25.0 | 8-18-64  | 20.2 | 4.8  | 5000 |
|                 |      | 9-15-64  | 20.1 | 4.9  |      |
|                 |      | 10-13-64 | \$   |      |      |
|                 |      | 11-17-64 | 18.2 | 6.8  |      |
|                 |      | 12-15-64 | 19.2 | 5.8  |      |
|                 |      | 1-19-65  | 15.3 | 9.7  |      |
|                 |      | 2-16-65  | 18.1 | 6.9  |      |
|                 |      | 3-16-65  | 18.9 | 6.1  |      |
|                 |      | 4-14-65  | 16.2 | 8.8  |      |
|                 |      | 5-18-65  | 19.1 | 5.9  |      |
|                 |      | 6-14-65  | 19.7 | 5.3  |      |
|                 |      | 7-12-65  | 20.1 | 4.9  |      |
|                 |      | 8-16-65  | 20.5 | 4.5  |      |
|                 |      | 9-21-65  | 19.9 | 5.1  |      |
| 08N/10W-290 2 M | 50.0 | 7-13-64  | \$   |      | 5000 |
|                 |      | 8-18-64  | 6.6  | 43.4 |      |
|                 |      | 9-15-64  | 7.0  | 43.0 |      |
|                 |      | 10-13-64 | 7.6  | 42.4 |      |
|                 |      | 11-17-64 | 3.8  | 46.2 |      |
|                 |      | 12-15-64 | 4.0  | 46.0 |      |
|                 |      | 1-19-65  | 3.3  | 46.7 |      |
|                 |      | 2-16-65  | 3.6  | 46.4 |      |
|                 |      | 3-16-65  | 4.0  | 46.0 |      |
|                 |      | 4-14-65  | 3.1  | 46.9 |      |
|                 |      | 5-18-65  | 4.2  | 45.8 |      |
|                 |      | 6-14-65  | \$   |      |      |
|                 |      | 7-13-65  | 4.6  | 45.4 |      |
|                 |      | 8-16-65  | \$   |      |      |
|                 |      | 9-21-65  | 5.9  | 44.1 |      |

SAN FRANCISCO BAY REGION

PETALUMA VALLEY

2-01-00

|                 |      |          |       |       |      |
|-----------------|------|----------|-------|-------|------|
| 03N/06W-1Q 1 M  | 2.0  | 3-22-65  | .3    | 1.7   | 5050 |
| 05N/07W-19N 1 M | 45.0 | 3-22-65  | 10.0  | 35.0  | 5050 |
| 05N/07W-20R 2 M | 41.0 | 7-13-64  | 73.0* | -32.0 | 5000 |
|                 |      | 8-18-64  | 70.1  | -29.1 |      |
|                 |      | 9-14-64  | 73.4  | -32.4 |      |
|                 |      | 10-12-64 | 78.1  | -37.1 |      |
|                 |      | 11-16-64 | 61.6  | -20.6 |      |
|                 |      | 12-15-64 | 60.9  | -19.9 |      |
|                 |      | 1-18-65  | 56.6  | -15.0 |      |
|                 |      | 2-15-65  | 56.8  | -15.8 |      |
|                 |      | 3-15-65  | 53.2  | -12.2 |      |
|                 |      | 4-14-65  | 53.1  | -12.1 |      |
|                 |      | 5-18-65  | 60.0  | -19.0 |      |
|                 |      | 6-14-65  | 56.6  | -15.6 |      |
|                 |      | 7-12-65  | 67.6  | -20.6 |      |
|                 |      | 8-16-65  | 68.7  | -21.7 |      |
|                 |      | 9-21-65  | 64.6  | -23.6 |      |
| 05N/07W-21H 1 M | 65.0 | 7-13-64  | 43.3  | 21.7  | 5000 |
|                 |      | 8-18-64  | 44.1  | 20.9  |      |
|                 |      | 9-14-64  | 44.5  | 20.5  |      |
|                 |      | 10-12-64 | 45.6  | 19.4  |      |
|                 |      | 11-16-64 | 46.0  | 19.0  |      |
|                 |      | 12-15-64 | 46.8  | 18.2  |      |
|                 |      | 1-18-65  | 36.8  | 28.2  |      |
|                 |      | 2-15-65  | 34.2  | 30.8  |      |
|                 |      | 3-15-65  | 34.1  | 30.9  |      |
|                 |      | 4-14-65  | 33.9  | 31.1  |      |
|                 |      | 5-18-65  | 36.9  | 29.0  |      |
|                 |      | 6-14-65  | 36.9  | 28.1  |      |
|                 |      | 7-12-65  | 39.6  | 25.4  |      |
|                 |      | 8-16-65  | 41.6  | 23.4  |      |
|                 |      | 9-21-65  | 43.6  | 21.4  |      |
| 05N/07W-26R 1 M | 53.6 | 7-13-64  | 27.6  | 26.0  | 5000 |
|                 |      | 8-18-64  | 28.8  | 24.8  |      |
|                 |      | 9-14-64  | 28.1  | 25.5  |      |
|                 |      | 10-12-64 | 28.8  | 24.8  |      |
|                 |      | 11-16-64 | 29.0  | 24.6  |      |
|                 |      | 12-14-64 | 25.0  | 28.6  |      |
|                 |      | 1-18-65  | 26.9  | 26.7  |      |
|                 |      | 2-15-65  | 24.1  | 29.5  |      |
|                 |      | 3-15-65  | 24.2  | 29.4  |      |
|                 |      | 4-13-65  | 23.7* | 29.9  |      |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE  | GROUND SURFACE TO FACE TO WATER SURFACE IN FEET      | WATER SURFACE ELEVATION IN FEET                      | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|---|--|--|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |   |  |  |                       |
| PETALUMA VALLEY          |                                  |   |  |  |                       |
| 2--01.00                 |                                  |   |  |  |                       |
| 05N/07W-26R 1 M          | 53.6                             | 5-18-65<br>6-14-65<br>7-12-65<br>8-16-65<br>9-21-65                                     | 23.2<br>28.8<br>24.8<br>27.4<br>26.2                 | 30.4<br>24.8<br>28.8<br>27.4<br>26.2                 | 5000                  |
| 05N/07W-35K 1 M          | 18.8                             | 3-22-65   | 6.5  | 12.3   | 5050                  |
| NAPA-SONOMA VALLEY       |                                  |   |  |  |                       |
| 2--02.00                 |                                  |   |  |  |                       |
| NAPA VALLEY              |                                  |   |  |  |                       |
| 2--02.01                 |                                  |   |  |  |                       |
| 04N/04W-2L 1 M           | 25.0                             | 3-22-65   | 12.1   | 12.9   | 5101                  |
| 04N/04W-4C 1 M           | 12.0                             | 3-22-65   | 10.2   | 1.8  | 5101                  |
| 04N/04W-5B 1 M           | 31.0                             | 3-22-65   | 13.4   | 17.6   | 5101                  |
| 04N/04W-5O 2 M           | 22.0                             | 3-22-65   | 6.2  | 15.8   | 5101                  |
| 04N/04W-12M 1 M          | 48.0                             | 3-22-65   | 18.1   | 29.9   | 5101                  |
| 04N/04W-14C 2 M          | 34.0                             | 3-22-65   | 33.2   | .8   | 5101                  |
| 04N/04W-25K 1 M          | 37.0                             | 3-22-65   | 1.6  | 35.4   | 5101                  |
| 05N/03W-5M 1 M           | 255.0                            | 3-22-65   | 77.2   | 177.8  | 5101                  |
| 05N/04W-3G 1 M           | 18.0                             | 3-22-65   | 6.1  | 11.9   | 5101                  |
| 05N/04W-4O 1 M           | 63.5                             | 3-23-65   | 34.0   | 29.5   | 5101                  |
| 05N/04W-4O 1 M           | 58.0                             | 3-23-65   | 23.9*  | 34.1   | 5101                  |
| 05N/04W-5P 1 M           | 121.0                            | 3-22-65   | 11.0   | 110.0  | 5101                  |
| 05N/04W-5P 2 M           | 122.0                            | 3-29-65   | 19.3   | 102.7  | 5101                  |
| 05N/04W-10F 1 M          | 30.0                             | 3-22-65   | 3.5  | 26.5   | 5101                  |
| 05N/04W-11F 3 M          | 16.0                             | 3-22-65   | 12.9   | 3.1  | 5101                  |
| 05N/04W-11M 1 M          | 13.0                             | 7-13-64<br>8-17-64<br>9-14-64<br>10-12-64<br>11-10-64<br>12-14-64<br>1-18-65<br>2-15-65 | 8.8<br>9.1<br>9.0<br>9.2<br>7.8<br>6.1<br>5.1<br>6.9 | 4.2<br>3.9<br>4.0<br>3.5<br>5.2<br>4.9<br>7.9<br>6.1 | 5000                  |

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE  | GROUND SURFACE TO WATER SURFACE IN FEET       | WATER SURFACE ELEVATION IN FEET               | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|---|---|---|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |   |   |   |                       |
| NAPA VALLEY              |                                  |   |   |   |                       |
| 2--02.01                 |                                  |   |   |   |                       |
| 5N/04W-11M 1 M           | 13.0                             | 3-15-65<br>4-13-65<br>5-17-65<br>9-14-65<br>1-12-65<br>8-16-65<br>9-20-65 | 6.7<br>5.7<br>7.3<br>8.6<br>8.2<br>8.2<br>8.4 | 6.3<br>7.3<br>5.7<br>4.4<br>4.8<br>4.8<br>4.6 | 5000                  |
| 05N/04W-12F 1 M          | 130.0                            | 3-22-65   | 67.6*   | 62.4  | 5101                  |
| 05N/04W-12M 1 M          | 121.0                            | 3-22-65   | 47.5*   | 73.5  | 5101                  |
| 05N/04W-13M 1 M          | 132.0                            | 3-22-65   | 9.5   | 122.5   | 5101                  |
| 05N/04W-13M 2 M          | 120.0                            | 3-22-65   | 13.3  | 106.7   | 5101                  |
| 05N/04W-14C 1 M          | 17.0                             | 3-22-65   | 10.3*   | 6.7   | 5101                  |
| 05N/04W-15C 2 M          | 22.0                             | 3-22-65   | 18.7  | 3.3   | 5101                  |
| 05N/04W-15E 1 M          | 22.0                             | 3-22-65   | 16.1  | 5.9   | 5101                  |
| 05N/04W-19R 2 M          | 110.0                            | 3-22-65   | 4.6   | 105.4   | 5101                  |
| 05N/04W-20R 2 M          | 50.0                             | 3-22-65   | 4.5   | 45.5  | 5101                  |
| 05N/04W-21B 1 M          | 75.0                             | 3-22-65   | 30.9*   | 44.1  | 5101                  |
| 05N/04W-22M 1 M          | 12.0                             | 3-22-65   | 1.8   | 10.2  | 5101                  |
| 05N/04W-28R 1 M          | 37.0                             | 3-22-65   | 44.7*   | -7.7  | 5101                  |
| 05N/04W-29M 1 M          | 77.0                             | 3-22-65   | 28.3  | 48.7  | 5101                  |
| 06N/03W-31B 1 M          | 240.0                            | 3-29-65   | 103.7   | 136.3   | 5101                  |
| 06N/03W-31F 1 M          | 145.0                            | 3-29-65   | 36.7  | 108.3   | 5101                  |
| 06N/03W-31M 1 M          | 180.0                            | 3-23-65   | 64.1  | 115.9   | 5101                  |
| 06N/03W-31N 1 M          | 170.0                            | 3-23-65   | 42.7  | 127.3   | 5101                  |
| 06N/03W-31N 2 M          | 167.0                            | 3-23-65   | 41.1  | 125.9   | 5101                  |
| 06N/04W-5R 1 M           | 67.0                             | 3-24-65   | 4.7   | 62.3  | 5101                  |
| 06N/04W-6L 2 M           | 80.0                             | 3-26-65   | 9.5   | 70.5  | 5101                  |
| 06N/04W-6N 1 M           | 75.0                             | 3-24-65   | 4.7   | 70.3  | 5101                  |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-------------------|----------------------------------|----------|--------------------------------------|---------------------------------|-----------------------|
| 06N/04W-6P 1 M    | 75.0                             | 3-24-65  | 4.6                                  | 70.4                            | 5101                  |
| 06N/04W-7N 1 M    | 135.0                            | 3-23-65  | 18.4*                                | 116.6                           | 5101                  |
| 06N/04W-8E 1 M    | 70.0                             | 3-23-65  | 6.5                                  | 63.5                            | 5101                  |
| 06N/04W-15U 1 M   | 67.0                             | 3-23-65  | 4.7                                  | 21.3                            | 5101                  |
| 06N/04W-16P 1 M   | 62.0                             | 3-23-65  | 8.8                                  | 53.2                            | 5101                  |
| 06N/04W-17A 1 M   | 67.0                             | 7-13-64  | 19.3                                 | 47.7                            | 5000                  |
|                   |                                  | 8-17-64  | 14.6                                 | 48.4                            |                       |
|                   |                                  | 9-16-64  | 20.0                                 | 47.0                            |                       |
|                   |                                  | 10-12-64 | 19.9                                 | 47.1                            |                       |
|                   |                                  | 11-16-64 | 16.4                                 | 50.6                            |                       |
|                   |                                  | 12-18-64 | 15.4                                 | 51.6                            |                       |
|                   |                                  | 1-18-65  | 13.8                                 | 63.2                            |                       |
|                   |                                  | 2-18-65  | 4.7                                  | 62.3                            |                       |
|                   |                                  | 3-18-65  | 6.1                                  | 60.9                            |                       |
|                   |                                  | 4-13-65  | 6.0                                  | 61.0                            |                       |
|                   |                                  | 5-17-65  | 7.6                                  | 59.4                            |                       |
|                   |                                  | 6-18-65  | 10.4                                 | 56.0                            |                       |
|                   |                                  | 7-12-65  | 15.8                                 | 52.2                            |                       |
|                   |                                  | 8-16-65  | 13.3                                 | 53.7                            |                       |
|                   |                                  | 9-20-65  | 15.2                                 | 51.8                            |                       |
| 06N/04W-18A 2 M   | 85.0                             | 3-23-65  | 22.4                                 | 62.6                            | 5101                  |
| 06N/04W-19B 1 M   | 125.0                            | 3-23-65  | 19.7                                 | 105.3                           | 5101                  |
| 06N/04W-21G 1 M   | 61.0                             | 3-23-65  | 1.0                                  | 60.0                            | 5101                  |
| 06N/04W-22P 1 M   | 53.0                             | 3-23-65  | 29.3*                                | 23.7                            | 5101                  |
| 06N/04W-23J 1 M   | 87.0                             | 3-23-65  | 15.7*                                | 71.3                            | 5101                  |
| 06N/04W-26N 1 M   | 32.0                             | 3-23-65  | 14.9                                 | 17.1                            | 5101                  |
| 06N/04W-27N 1 M   | 50.0                             | 3-23-65  | 22.6                                 | 27.4                            | 5101                  |
| 06N/04W-28K 1 M   | 62.0                             | 3-23-65  | 11.3                                 | 50.7                            | 5101                  |
| 06N/04W-29H 1 M   | 92.0                             | 3-23-65  | 6.1                                  | 85.9                            | 5101                  |
| 06N/04W-30C 1 M   | 149.0                            | 3-23-65  | 10.1                                 | 138.9                           | 5101                  |
| 06N/04W-32J 6 M   | 94.0                             | 3-23-65  | 10.5                                 | 83.5                            | 5101                  |
| 06N/04W-32L 2 M   | 107.0                            | 3-23-65  | 33.6*                                | 73.4                            | 5101                  |

SAN FRANCISCO BAY REGION

MAPA VALLEY

2-02.01

SAN FRANCISCO BAY REGION

MAPA VALLEY

2-02.01

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-------------------|----------------------------------|----------|--------------------------------------|---------------------------------|-----------------------|
| 06N/04W-35G 3 M   | 34.0                             | 3-23-65  | 25.3*                                | 12.7                            | 5101                  |
| 06N/04W-35L 3 M   | 23.0                             | 3-23-65  | 12.1                                 | 10.9                            | 5101                  |
| 06N/04W-36H 1 M   | 105.0                            | 3-23-65  | 20.1*                                | 84.9                            | 5101                  |
| 06N/05W-12R 1 M   | 180.0                            | 3-23-65  | 29.2                                 | 150.8                           | 5101                  |
| 07N/04W-30L 1 M   | 112.0                            | 3-24-65  | 1.8                                  | 110.2                           | 5101                  |
| 07N/04W-30M 1 M   | 114.0                            | 3-24-65  | 1.5                                  | 112.5                           | 5101                  |
| 07N/04W-31E 1 M   | 90.0                             | 3-24-65  | 3.7                                  | 86.3                            | 5101                  |
| 07N/04W-32B 2 M   | 180.0                            | 3-24-65  | 2.8                                  | 177.2                           | 5101                  |
| 07N/05W-3G 1 M    | 188.0                            | 3-24-65  | 34.8                                 | 153.2                           | 5101                  |
| 07N/05W-3G 2 M    | 188.0                            | 3-24-65  | 34.9*                                | 153.1                           | 5101                  |
| 07N/05W-4R 2 M    | 172.0                            | 3-24-65  | 12.2*                                | 159.8                           | 5101                  |
| 07N/05W-5A 1 M    | 142.0                            | 3-25-65  | 1.9                                  | 140.1                           | 5101                  |
| 07N/05W-6J 1 M    | 215.0                            | 3-25-65  | 17.8                                 | 197.2                           | 5101                  |
| 07N/05W-8A 1 M    | 175.0                            | 3-25-65  | 12.5                                 | 162.5                           | 5101                  |
| 07N/05W-8M 1 M    | 190.0                            | 3-25-65  | 15.5*                                | 174.5                           | 5101                  |
| 07N/05W-9O 1 M    | 155.0                            | 3-25-65  | 8.6*                                 | 146.4                           | 5101                  |
| 07N/05W-9O 2 M    | 155.0                            | 7-13-64  | 14.2                                 | 140.8                           | 5000                  |
|                   |                                  | 8-17-64  | 16.8                                 | 136.2                           |                       |
|                   |                                  | 9-14-64  | 17.3                                 | 137.7                           |                       |
|                   |                                  | 10-12-64 | 17.7                                 | 137.3                           |                       |
|                   |                                  | 11-16-64 | 16.5                                 | 138.5                           |                       |
|                   |                                  | 12-14-64 | 15.0                                 | 140.0                           |                       |
|                   |                                  | 1-18-65  | 6.1                                  | 148.9                           |                       |
|                   |                                  | 2-15-65  | 7.2                                  | 147.8                           |                       |
|                   |                                  | 3-15-65  | 8.5                                  | 146.5                           |                       |
|                   |                                  | 4-13-65  | 8.5                                  | 146.5                           |                       |
|                   |                                  | 5-17-65  | 9.1                                  | 145.9                           |                       |
|                   |                                  | 6-14-65  | 15.1                                 | 139.9                           |                       |
|                   |                                  | 7-12-65  | 11.7                                 | 143.3                           |                       |
|                   |                                  | 8-16-65  | 13.1                                 | 141.9                           |                       |
|                   |                                  | 9-20-65  | 14.7                                 | 140.3                           |                       |
| 07N/05W-9O 3 M    | 155.0                            | 3-25-65  | 5.1                                  | 149.9                           | 5101                  |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE    | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-------------------|----------------------------------|---------|---|---------------------------------|-----------------------|
| 07N/05w-10C 1 M   | 162.2                            | 3-24-65 | 11.7                                    | 150.5                           | 5101                  |
| 07N/05w-14B 2 M   | 139.0                            | 3-24-65 | 5.7                                     | 133.3                           | 5101                  |
| 07N/05w-14J 1 M   | 140.0                            | 3-23-65 | 7.2                                     | 132.8                           | 5101                  |
| 07N/05w-15A 1 M   | 143.0                            | 3-24-65 | 8.5                                     | 134.5                           | 5101                  |
| 07N/05w-15F 1 M   | 141.0                            | 3-25-65 | 10.4                                    | 130.6                           | 5101                  |
| 07N/05w-16L 1 M   | 171.0                            | 3-25-65 | 10.4                                    | 160.6                           | 5101                  |
| 07N/05w-16N 2 M   | 193.0                            | 3-25-65 | 11.0                                    | 182.0                           | 5101                  |
| 07N/05w-17R 1 M   | 166.0                            | 3-25-65 | 5.9                                     | 160.1                           | 5101                  |
| 07N/05w-17S 2 M   | 161.0                            | 3-25-65 | 1.1                                     | 159.9                           | 5101                  |
| 07N/05w-21G 1 M   | 152.0                            | 3-24-65 | .3                                      | 151.7                           | 5101                  |
| 07N/05w-22E 3 M   | 140.0                            | 3-24-65 | .2                                      | 139.8                           | 5101                  |
| 07N/05w-22M 1 M   | 133.0                            | 3-24-65 | 6.3                                     | 126.7                           | 5101                  |
| 07N/05w-23O 2 M   | 127.0                            | 3-24-65 | 1.5                                     | 125.5                           | 5101                  |
| 07N/05w-23J 1 M   | 115.0                            | 3-24-65 | 2.9                                     | 112.1                           | 5101                  |
| 07N/05w-24P 1 M   | 127.0                            | 3-29-65 | 6.5                                     | 120.5                           | 5101                  |
| 07N/05w-25A 1 M   | 163.0                            | 3-24-65 | 17.1                                    | 145.9                           | 5101                  |
| 07N/05w-26O 2 M   | 127.0                            | 3-24-65 | 2.7                                     | 124.3                           | 5101                  |
| 07N/05w-34C 2 M   | 190.0                            | 3-24-65 | 9.7                                     | 180.3                           | 5101                  |
| 07N/05w-35F 2 M   | 175.0                            | 3-24-65 | 3.4                                     | 171.6                           | 5101                  |
| 07N/05w-36N 1 M   | 141.0                            | 3-24-65 | 4.5                                     | 136.5                           | 5101                  |
| 08N/05w-30P 1 M   | 220.0                            | 3-25-65 | 1.7                                     | 218.3                           | 5101                  |
| 08N/05w-31H 1 M   | 212.0                            | 3-25-65 | 13.5                                    | 198.5                           | 5101                  |
| 08N/05w-31P 2 M   | 237.0                            | 3-25-65 | 19.9                                    | 217.1                           | 5101                  |

SAN FRANCISCO BAY REGION

NAPA VALLEY

2-02.01

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| 08N/05w-31R 1 M   | 210.0                            | 3-26-65  | 11.5                                    | 198.5                           | 5101                  |
| 08N/06w-3M 1 M    | 330.0                            | 3-24-65  | 32.7                                    | 297.3                           | 5101                  |
| 08N/06w-4F 1 M    | 330.0                            | 3-26-65  | 70.5*                                   | 259.5                           | 5101                  |
| 08N/06w-6L 4 M    | 335.0                            | 3-25-65  | 6.3                                     | 328.7                           | 5101                  |
| 08N/06w-9D 2 M    | 290.0                            | 3-26-65  | 11.6*                                   | 278.4                           | 5101                  |
| 08N/06w-9H 1 M    | 290.0                            | 3-25-65  | 3.3                                     | 286.7                           | 5101                  |
| 08N/06w-9M 2 M    | 291.5                            | 3-25-65  | 4.1                                     | 287.4                           | 5101                  |
| 08N/06w-10Q 1 M   | 290.0                            | 7-13-64  | 21.2*                                   | 268.8                           | 5000                  |
|                   |                                  | 8-17-64  | 8.1                                     | 281.9                           |                       |
|                   |                                  | 9-14-64  | 9.4                                     | 280.6                           |                       |
|                   |                                  | 10-12-64 | 11.1                                    | 278.9                           |                       |
|                   |                                  | 11-16-64 | 9.2                                     | 280.8                           |                       |
|                   |                                  | 12-14-64 | 7.6                                     | 282.6                           |                       |
|                   |                                  | 1-18-65  | 1.7                                     | 285.3                           |                       |
|                   |                                  | 2-15-65  | 1.7                                     | 285.3                           |                       |
|                   |                                  | 3-15-65  | 2.0                                     | 288.0                           |                       |
|                   |                                  | 4-13-65  | 1.8                                     | 286.2                           |                       |
|                   |                                  | 5-17-65  | 3                                       | 266.1                           |                       |
|                   |                                  | 6-14-65  | 3.9                                     | 285.4                           |                       |
|                   |                                  | 7-12-65  | 4.6                                     | 283.8                           |                       |
|                   |                                  | 8-16-65  | 6.2                                     | 282.5                           |                       |
|                   |                                  | 9-20-65  | 7.5                                     | 282.5                           |                       |
| 08N/06w-14N 1 M   | 245.0                            | 3-25-65  | 11.5                                    | 273.5                           | 5101                  |
| 08N/06w-14Q 1 M   | 250.0                            | 3-26-65  | 7.4                                     | 242.6                           | 5101                  |
| 08N/06w-23M 1 M   | 285.0                            | 3-25-65  | 8.5                                     | 276.5                           | 5101                  |
| 08N/06w-24R 1 M   | 300.0                            | 3-26-65  | 4.5                                     | 291.5                           | 5101                  |
| 08N/06w-25G 2 M   | 230.0                            | 3-26-65  | 13.7*                                   | 215.3                           | 5101                  |
| 09N/06w-31Q 1 M   | 340.0                            | 3-26-65  | 4.2                                     | 335.8                           | 5101                  |
| 09N/06w-32M 1 M   | 360.0                            | 3-26-65  | 16.6                                    | 343.4                           | 5101                  |
| 09N/07w-24L 1 M   | 460.0                            | 3-26-65  | 9.6                                     | 450.4                           | 5101                  |
| 09N/07w-25N 1 M   | 380.0                            | 3-26-65  | 6.9*                                    | 373.1                           | 5101                  |

SAN FRANCISCO BAY REGION

NAPA VALLEY

2-02.01

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO FACE TO SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| NAPA VALLEY              |                                  |          |   |                                 |                       |
| 2-02.01                  |                                  |          |   |                                 |                       |
| 09N/07W-25N 2 M          | 380.0                            | 3-26-65  | 6.6                                       | 373.4                           | 5101                  |
| 09N/07W-26P 1 M          | 400.0                            | 3-27-65  | 1.5                                       | 398.5                           | 5101                  |
| 09N/07W-35K 1 M          | 399.0                            | 3-26-65  | 1.1                                       | 397.9                           | 5101                  |
| SONOMA VALLEY            |                                  |          |   |                                 |                       |
| 2-02.02                  |                                  |          |   |                                 |                       |
| 05N/05W-17C 1 M          | 85.0                             | 7-13-64  | 20.0                                      | 65.0                            | 5000                  |
|                          |                                  | 8-18-64  | 22.9                                      | 62.1                            |                       |
|                          |                                  | 9-14-64  | 19.0                                      | 66.0                            |                       |
|                          |                                  | 10-12-64 | 23.6                                      | 61.4                            |                       |
|                          |                                  | 11-16-64 | 22.3                                      | 62.7                            |                       |
|                          |                                  | 12-14-64 | 18.8                                      | 66.2                            |                       |
|                          |                                  | 1-18-65  | 19.4                                      | 65.6                            |                       |
|                          |                                  | 2-15-65  | 16.5                                      | 68.5                            |                       |
|                          |                                  | 3-15-65  | 15.3                                      | 69.7                            |                       |
|                          |                                  | 4-14-65  | 16.7                                      | 68.3                            |                       |
|                          |                                  | 5-18-65  | 18.1                                      | 66.9                            |                       |
|                          |                                  | 6-18-65  | 19.9                                      | 65.1                            |                       |
|                          |                                  | 7-12-65  | 20.7                                      | 64.3                            |                       |
|                          |                                  | 8-16-65  | 18.6                                      | 66.4                            |                       |
|                          |                                  | 9-21-65  | 21.0                                      | 64.0                            |                       |
| 05N/05W-28N 1 M          | 11.0                             | 3-23-65  | 7.1                                       | 3.9                             | 5050                  |
| 05N/05W-29N 1 M          | 16.0                             | 1-18-64  | 5.2                                       | 10.8                            | 5000                  |
|                          |                                  | 7-13-64  | 10.7                                      | 5.3                             |                       |
|                          |                                  | 8-18-64  | 11.6                                      | 4.4                             |                       |
|                          |                                  | 9-18-64  | 12.3                                      | 3.7                             |                       |
|                          |                                  | 10-12-64 | 12.3                                      | 3.7                             |                       |
|                          |                                  | 11-16-64 | 11.0                                      | 5.0                             |                       |
|                          |                                  | 12-11-64 | 11.0                                      | 5.0                             |                       |
|                          |                                  | 1-13-65  | 5.2                                       | 10.6                            |                       |
|                          |                                  | 2-15-65  | 6.0                                       | 10.0                            |                       |
|                          |                                  | 3-18-65  | 6.8                                       | 9.2                             |                       |
|                          |                                  | 4-14-65  | 5.9                                       | 9.1                             |                       |
|                          |                                  | 5-18-65  | 7.5                                       | 6.5                             |                       |
|                          |                                  | 6-18-65  | 8.5                                       | 7.5                             |                       |
|                          |                                  | 7-12-65  | 9.8                                       | 6.4                             |                       |
|                          |                                  | 8-16-65  | 10.5                                      | 5.5                             |                       |
|                          |                                  | 9-21-65  | 11.5                                      | 4.5                             |                       |
| 05N/05W-30J 3 M          | 16.0                             | 7-13-64  | \$  |                                 | 5000                  |
|                          |                                  | 8-18-64  | 13.9                                      | 2.1                             |                       |
|                          |                                  | 9-18-64  | 31.2                                      | -15.2                           |                       |

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO FACE TO SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| NAPA VALLEY              |                                  |          |   |                                 |                       |
| 2-02.01                  |                                  |          |   |                                 |                       |
| 05N/05W-30J 3 M          | 16.0                             | 10-12-64 | 14.5                                      | 1.5                             | 5000                  |
|                          |                                  | 11-16-64 | 12.4                                      | 3.6                             |                       |
|                          |                                  | 12-14-64 | 11.8                                      | 4.2                             |                       |
|                          |                                  | 1-18-65  | 6.5                                       | 9.5                             |                       |
|                          |                                  | 2-15-65  | 6.5                                       | 9.5                             |                       |
|                          |                                  | 3-15-65  | 7.1                                       | 8.9                             |                       |
|                          |                                  | 4-14-65  | 7.2                                       | 8.8                             |                       |
|                          |                                  | 5-18-65  | 9.3                                       | 6.7                             |                       |
|                          |                                  | 6-18-65  | 18.5                                      | -2.5                            |                       |
|                          |                                  | 7-12-65  | 12.0                                      | 4.0                             |                       |
|                          |                                  | 8-16-65  | 12.3                                      | 3.7                             |                       |
|                          |                                  | 9-21-65  | 13.5                                      | 2.5                             |                       |
| SUISUN-FAIRFIELD VALLEY  |                                  |          |   |                                 |                       |
| 2-03.00                  |                                  |          |   |                                 |                       |
| 04N/02W-6A 1 M           | 35.0                             | 10-13-64 | 14.6                                      | 20.4                            | 5109                  |
|                          |                                  | 3-28-65  | 15.2                                      | 19.8                            |                       |
| 04N/02W-9A 1 M           | 7.0                              | 7-24-64  | 4.4                                       | 2.6                             | 5050                  |
|                          |                                  | 8-21-64  | 4.2                                       | 2.6                             |                       |
|                          |                                  | 9-25-64  | 3.7                                       | 3.3                             |                       |
|                          |                                  | 10-22-64 | 3.5                                       | 3.5                             |                       |
|                          |                                  | 11-19-64 | 3.4                                       | 3.6                             |                       |
|                          |                                  | 12-29-64 | 3.3                                       | 3.7                             |                       |
|                          |                                  | 1-18-65  | 1.5                                       | 5.5                             |                       |
|                          |                                  | 2-16-65  | .9  | 6.1                             |                       |
|                          |                                  | 3-18-65  | 1.2                                       | 5.8                             |                       |
|                          |                                  | 4-19-65  | .6  | 6.4                             |                       |
|                          |                                  | 5-17-65  | 1.6                                       | 5.4                             |                       |
|                          |                                  | 6-21-65  | 2.1                                       | 4.9                             |                       |
|                          |                                  | 7-20-65  | 1.6                                       | 5.4                             |                       |
|                          |                                  | 8-18-65  | 3.0                                       | 4.0                             |                       |
|                          |                                  | 9-22-65  | 3.6                                       | 3.4                             |                       |
| 04N/02W-9H 1 M           | 4.0                              | 7-24-64  | \$  |                                 | 5050                  |
|                          |                                  | 8-21-64  | 4.2                                       | -0.2                            |                       |
|                          |                                  | 9-25-64  | 7.1                                       | -3.1                            |                       |
|                          |                                  | 10-22-64 | 5.5                                       | -1.5                            |                       |
|                          |                                  | 11-19-64 | 5.0                                       | -1.0                            |                       |
|                          |                                  | 12-29-64 | 3.6                                       | 3.4                             |                       |
|                          |                                  | 1-18-65  | 4.0                                       | 0.0                             |                       |
|                          |                                  | 2-16-65  | \$  |                                 |                       |
|                          |                                  | 3-18-65  | 4.9                                       | -0.9                            |                       |
|                          |                                  | 4-19-65  | 1.7                                       | 2.3                             |                       |
|                          |                                  | 5-17-65  | 2.4                                       | 1.6                             |                       |
|                          |                                  | 6-21-65  | 4.7                                       | -0.7                            |                       |
|                          |                                  | 7-20-65  | 4.8                                       | -0.8                            |                       |
|                          |                                  | 8-18-65  | \$  |                                 |                       |

| STATE WELL NUMBER | DATE    | GROUND SURFACE TO FACE TO SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-------------------|---------|---|---------------------------------|-----------------------|
| 05N/05W-30J 3 M   | 7-13-64 | \$  |                                 | 5000                  |
|                   | 8-18-64 | 13.9                                      | 2.1                             |                       |
|                   | 9-18-64 | 31.2                                      | -15.2                           |                       |



TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| 2-03.00                  |                                  |          |   |                                 |                       |
| FAIRFIELD SUISUN VALLEY  |                                  |          |   |                                 |                       |
| 05N/02W-9H 1 M           | 4.0                              | 9-22-65  | 4.0                                     | 0.0                             | 5050                  |
| 05N/03W-1D 1 M           | 37.0                             | 10-13-64 | 8.3                                     | 28.7                            | 5104                  |
|                          |                                  | 3-2-65   | 3.6                                     | 33.4                            |                       |
| 05N/01E-36A 1 M          | 24.0                             | 10-12-64 | 14.1*                                   | 9.9                             | 5109                  |
|                          |                                  | 3-23-65  | 9.4                                     | 14.6                            |                       |
| 05N/01W-7E 1 M           | 115.0                            | 10-14-64 | 13.5                                    | 101.5                           | 5109                  |
|                          |                                  | 3-25-65  | 12.7                                    | 102.3                           |                       |
| 05N/02W-21P 3 M          | 60.0                             | 7-24-64  | 8.4                                     | 51.6                            | 5050                  |
|                          |                                  | 8-21-64  | 9.5                                     | 50.5                            |                       |
|                          |                                  | 9-25-64  | 12.2                                    | 47.8                            |                       |
|                          |                                  | 10-22-64 | 10.7                                    | 49.3                            |                       |
|                          |                                  | 11-19-64 | 11.1                                    | 48.9                            |                       |
|                          |                                  | 12-23-64 | §                                       |                                 |                       |
|                          |                                  | 1-14-65  | 7.8*                                    | 52.2                            |                       |
|                          |                                  | 2-16-65  | 6.5                                     | 53.5                            |                       |
|                          |                                  | 3-18-65  | 7.1                                     | 52.9                            |                       |
|                          |                                  | 4-19-65  | 6.6                                     | 53.4                            |                       |
|                          |                                  | 5-17-65  | 8.5                                     | 51.5                            |                       |
|                          |                                  | 6-21-65  | 7.4                                     | 52.6                            |                       |
|                          |                                  | 7-20-65  | §                                       |                                 |                       |
|                          |                                  | 8-14-65  | 9.9                                     | 50.1                            |                       |
|                          |                                  | 9-21-65  | 10.5                                    | 49.5                            |                       |
| 05N/02W-25R 1 M          | 7.0                              | 7-24-64  | 5.7                                     | 1.3                             | 5050                  |
|                          |                                  | 8-21-64  | 5.3                                     | 1.7                             |                       |
|                          |                                  | 9-25-64  | 5.1                                     | 1.9                             |                       |
|                          |                                  | 10-22-64 | 5.1                                     | 1.9                             |                       |
|                          |                                  | 11-19-64 | 4.8                                     | 2.2                             |                       |
|                          |                                  | 12-23-64 | §                                       |                                 |                       |
|                          |                                  | 1-18-65  | 6                                       | 6.1                             |                       |
|                          |                                  | 2-18-65  | 1.0                                     | 6.4                             |                       |
|                          |                                  | 3-18-65  | 2.4                                     | 6.0                             |                       |
|                          |                                  | 4-19-65  | 1.6                                     | 5.4                             |                       |
|                          |                                  | 5-17-65  | 3.7                                     | 3.3                             |                       |
|                          |                                  | 6-21-65  | 4.5                                     | 2.5                             |                       |
|                          |                                  | 7-19-65  | 4.9                                     | 2.1                             |                       |
|                          |                                  | 8-14-65  | 5.4                                     | 1.6                             |                       |
|                          |                                  | 9-21-65  | 5.8                                     | 1.2                             |                       |
| 05N/02W-27J 2 M          | 24.0                             | 7-13-64  | 16.2                                    | 7.8                             | 5000                  |
|                          |                                  | 8-17-64  | 20.2                                    | 3.8                             |                       |
|                          |                                  | 9-14-64  | 23.3                                    | .7                              |                       |
|                          |                                  | 10-12-64 | 23.4                                    | .2                              |                       |
|                          |                                  | 11-16-64 | 21.2                                    | 2.8                             |                       |

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| 2-03.00                  |                                  |          |   |                                 |                       |
| FAIRFIELD SUISUN VALLEY  |                                  |          |   |                                 |                       |
| 05N/02H-27J 2 M          | 24.0                             | 12-14-64 | 22.7*                                   | 1.3                             | 5000                  |
|                          |                                  | 1-18-65  | 9.8                                     | 14.2                            |                       |
|                          |                                  | 2-15-65  | 6.8                                     | 17.2                            |                       |
|                          |                                  | 3-15-65  | 11.4*                                   | 12.6                            |                       |
|                          |                                  | 4-13-65  | §                                       |                                 |                       |
|                          |                                  | 5-17-65  | 6.2                                     | 17.8                            |                       |
|                          |                                  | 6-14-65  | §                                       |                                 |                       |
|                          |                                  | 7-12-65  | 7.0                                     | 17.0                            |                       |
|                          |                                  | 8-16-65  | 6.9                                     | 17.1                            |                       |
|                          |                                  | 9-20-65  | 6.7                                     | 17.3                            |                       |
| 05N/02W-29R 1 M          | 46.0                             | 10-14-64 | 22.4                                    | 23.6                            | 5109                  |
|                          |                                  | 3-26-65  | 7.9                                     | 38.1                            |                       |
| 05N/02W-30J 1 M          | 65.0                             | 7-13-64  | 17.3                                    | 47.7                            | 5000                  |
|                          |                                  | 8-17-64  | 19.9                                    | 45.1                            |                       |
|                          |                                  | 9-14-64  | 20.0                                    | 45.0                            |                       |
|                          |                                  | 10-12-64 | 20.9                                    | 44.1                            |                       |
|                          |                                  | 11-16-64 | 22.0                                    | 43.0                            |                       |
|                          |                                  | 12-14-64 | 23.5                                    | 41.5                            |                       |
|                          |                                  | 1-18-65  | 18.4                                    | 46.6                            |                       |
|                          |                                  | 2-15-65  | 19.1                                    | 45.9                            |                       |
|                          |                                  | 3-15-65  | 20.4                                    | 44.6                            |                       |
|                          |                                  | 4-13-65  | 21.6                                    | 43.4                            |                       |
|                          |                                  | 5-17-65  | 30.8*                                   | 34.2                            |                       |
|                          |                                  | 6-14-65  | 16.5                                    | 48.5                            |                       |
|                          |                                  | 7-12-65  | 18.2                                    | 46.8                            |                       |
|                          |                                  | 8-16-65  | 17.9                                    | 47.1                            |                       |
|                          |                                  | 9-20-65  | 19.4                                    | 45.6                            |                       |
| 2-06.00                  |                                  |          |   |                                 |                       |
| YGNACUIO VALLEY          |                                  |          |   |                                 |                       |
| 01N/01W-7K 1 M           | 83.0                             | 7-20-64  | 12.8                                    | 70.2                            | 5050                  |
|                          |                                  | 8-18-64  | 11.4                                    | 71.6                            |                       |
|                          |                                  | 9-25-64  | 12.5                                    | 70.5                            |                       |
|                          |                                  | 10-19-64 | 12.7                                    | 70.3                            |                       |
|                          |                                  | 11-16-64 | 12.0                                    | 71.0                            |                       |
|                          |                                  | 12-21-64 | 2.0*                                    | 81.0                            |                       |
|                          |                                  | 1-18-65  | 8.1                                     | 74.9                            |                       |
|                          |                                  | 2-16-65  | 8.4                                     | 74.6                            |                       |
|                          |                                  | 3-17-65  | 8.9                                     | 74.1                            |                       |
|                          |                                  | 4-19-65  | 9.5*                                    | 73.5                            |                       |
|                          |                                  | 5-17-65  | 10.6                                    | 72.4                            |                       |
|                          |                                  | 6-21-65  | 12.1                                    | 70.9                            |                       |
|                          |                                  | 7-20-65  | 12.5                                    | 70.5                            |                       |



TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER                 | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE ELEVATION IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-----------------------------------|----------------------------------|----------|----------------------------------|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION          |                                  |          |                                  |                                 |                       |
| YGNACIO VALLEY                    |                                  |          |                                  |                                 |                       |
| 2-06.00                           |                                  |          |                                  |                                 |                       |
| 01N/01W-7K I M                    |                                  | 8-18-65  | 11.3                             | 71.7                            | 5050                  |
|                                   |                                  | 9-23-65  | 12.6                             | 70.4                            |                       |
| 01N/02W-11N I M                   | 63.0                             | 7-20-64  | 15.5                             | 47.5                            | 5050                  |
|                                   |                                  | 8-18-64  | 15.3                             | 47.7                            |                       |
|                                   |                                  | 9-25-64  | 15.2                             | 47.8                            |                       |
|                                   |                                  | 10-19-64 | 20.9 <sup>a</sup>                | 42.1                            |                       |
|                                   |                                  | 11-16-64 | 13.6                             | 49.4                            |                       |
|                                   |                                  | 12-21-64 | \$                               |                                 |                       |
|                                   |                                  | 1-18-65  | 11.6                             | 51.4                            |                       |
|                                   |                                  | 2-15-65  | 11.3                             | 51.7                            |                       |
|                                   |                                  | 3-17-65  | 11.7                             | 51.3                            |                       |
|                                   |                                  | 4-20-65  | 11.4                             | 51.6                            |                       |
|                                   |                                  | 5-17-65  | 12.0                             | 51.0                            |                       |
|                                   |                                  | 6-21-65  | 13.2                             | 49.8                            |                       |
|                                   |                                  | 7-20-65  | 13.7                             | 49.3                            |                       |
|                                   |                                  | 8-18-65  | 13.6                             | 49.4                            |                       |
|                                   |                                  | 9-23-65  | 17.3 <sup>b</sup>                | 45.7                            |                       |
| 01N/02W-13P I M                   | 100.0                            | 3-17-65  | 10.9                             | 89.1                            | 5050                  |
| 02N/02W-27R I M                   | 15.0                             | 7-20-64  | 5.8                              | 9.2                             | 5050                  |
|                                   |                                  | 8-18-64  | 5.8                              | 9.2                             |                       |
|                                   |                                  | 9-25-64  | 5.7                              | 9.3                             |                       |
|                                   |                                  | 10-19-64 | 21.3 <sup>b</sup>                | -6.3                            |                       |
| 02N/02W-36E I M                   | 48.0                             | 3-18-65  | 16.2                             | 31.8                            | 5050                  |
| SANTA CLARA VALLEY                |                                  |          |                                  |                                 |                       |
| 2-09.00                           |                                  |          |                                  |                                 |                       |
| EAST BAY AREA ABOVE HAYWARD FAULT |                                  |          |                                  |                                 |                       |
| 2-09.01                           |                                  |          |                                  |                                 |                       |
| 04S/01W-35P J M                   | 115.3                            | 7-24-64  | 149.6                            | -34.3                           | 5401                  |
|                                   |                                  | 8-21-64  | 150.3                            | -35.0                           |                       |
|                                   |                                  | 9-18-64  | 151.3                            | -36.0                           |                       |
|                                   |                                  | 10-2-64  | 151.3                            | -36.0                           |                       |
|                                   |                                  | 11-20-64 | 141.3                            | -26.0                           |                       |
|                                   |                                  | 12-18-64 | 133.5                            | -18.2                           |                       |
|                                   |                                  | 1-22-65  | 122.5                            | -7.2                            |                       |
|                                   |                                  | 2-19-65  | 117.8                            | -2.5                            |                       |
|                                   |                                  | 3-17-65  | 112.8                            | 2.5                             |                       |
|                                   |                                  | 4-16-65  | 109.7                            | 5.6                             |                       |
|                                   |                                  | 5-21-65  | 117.7                            | -2.4                            |                       |
|                                   |                                  | 6-18-65  | 129.4                            | -14.1                           |                       |
|                                   |                                  | 7-16-65  | 135.4                            | -20.1                           |                       |
|                                   |                                  | 8-20-65  | 137.8                            | -22.5                           |                       |
|                                   |                                  | 9-17-65  | 141.3                            | -26.0                           |                       |
| SAN FRANCISCO BAY REGION          |                                  |          |                                  |                                 |                       |
| EAST BAY AREA UPPER AQUIFER       |                                  |          |                                  |                                 |                       |
| 2-09.01                           |                                  |          |                                  |                                 |                       |
| 03S/02W-4N 2 M                    | 44.0                             | 7-21-64  | 20.7                             | 27.3                            | 5050                  |
|                                   |                                  | 8-18-64  | 22.0                             | 26.0                            |                       |
|                                   |                                  | 9-25-64  | 22.8                             | 25.2                            |                       |
|                                   |                                  | 10-21-64 | 22.0 <sup>a</sup>                | 25.0                            |                       |
|                                   |                                  | 11-16-64 | 25.3                             | 24.3                            |                       |
|                                   |                                  | 12-21-64 | 20.3                             | 27.7                            |                       |
|                                   |                                  | 1-18-65  | 20.3                             | 27.7                            |                       |
|                                   |                                  | 2-16-65  | 20.3                             | 27.7                            |                       |
|                                   |                                  | 3-17-65  | 20.8                             | 27.2                            |                       |
|                                   |                                  | 4-21-65  | 21.4                             | 26.6                            |                       |
|                                   |                                  | 5-17-65  | 21.7 <sup>a</sup>                | 20.3                            |                       |
|                                   |                                  | 7-20-65  | \$                               |                                 |                       |
|                                   |                                  | 8-21-65  | 22.2 <sup>a</sup>                | 25.8                            |                       |
| 03S/02W-8H 5 M                    | 64.0                             | 9-16-64  | 36.7                             | 27.3                            | 5100                  |
|                                   |                                  | 3-11-65  | 34.6                             | 29.4                            |                       |
| 03S/02W-19J I M                   | 30.0                             | 7-21-64  | 12.9                             | 17.1                            | 5050                  |
|                                   |                                  | 8-18-64  | 13.6                             | 16.4                            |                       |
|                                   |                                  | 9-25-64  | 13.9                             | 16.1                            |                       |
|                                   |                                  | 10-21-64 | 14.2                             | 15.8                            |                       |
|                                   |                                  | 11-16-64 | 13.4                             | 16.6                            |                       |
|                                   |                                  | 12-21-64 | 13.2                             | 16.8                            |                       |
|                                   |                                  | 1-18-65  | 11.5                             | 18.5                            |                       |
|                                   |                                  | 2-16-65  | 11.3                             | 18.7                            |                       |
|                                   |                                  | 3-17-65  | 10.8                             | 19.2                            |                       |
|                                   |                                  | 4-20-65  | 10.6                             | 19.4                            |                       |
|                                   |                                  | 5-17-65  | 11.2                             | 18.8                            |                       |
|                                   |                                  | 6- 0-65  | \$                               |                                 |                       |
|                                   |                                  | 7-20-65  | 12.1                             | 17.9                            |                       |
|                                   |                                  | 8-21-65  | 12.1                             | 17.9                            |                       |
|                                   |                                  | 9-24-65  | 12.8                             | 17.2                            |                       |
| 03S/03W-24J 2 M                   | 7.0                              | 10-18-64 | \$                               |                                 | 5100                  |
|                                   |                                  | 3-15-65  | 3.5                              | 3.5                             |                       |
| 04S/01W-18U I M                   | 41.0                             | 8-21-64  | 42.5                             | -41.5                           | 5401                  |
|                                   |                                  | 9-18-64  | 42.9                             | -41.9                           |                       |
|                                   |                                  | 10-2-64  | 43.3                             | -42.3                           |                       |
|                                   |                                  | 11-3-64  | 43.2                             | -42.2                           |                       |
|                                   |                                  | 12-11-64 | 42.2                             | -41.4                           |                       |
|                                   |                                  | 1-22-65  | 76.9                             | -35.9                           |                       |
|                                   |                                  | 2-19-65  | 72.1                             | -31.1                           |                       |
|                                   |                                  | 3-16-65  | 72.7                             | -31.7                           |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER

GROUND SURFACE ELEVATION IN FEET

DATE

GROUND SURFACE ELEVATION IN FEET

WATER SURFACE ELEVATION IN FEET

AGENCY SUPPLYING DATA

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER           | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA | STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-----------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|-------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION    |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| EAST BAY AREA UPPER AQUIFER |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| 2-09.01                     |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| 04S/01W-18C 1 M             | 41.0                             | 4-10-65  | 71.8                                    | -30.8                           | 5401                  | 03S/03W-24J 1 M   | 11.0                             | 10-16-64 | 104.5                                   | -93.5                           | 5100                  |
|                             |                                  | 5-21-65  | 74.1                                    | -33.1                           |                       |                   |                                  | 3-11-65  | 80.4                                    | -69.4                           |                       |
|                             |                                  | 6-18-65  | 72.9                                    | -31.9                           |                       |                   |                                  | 10-7-64  | 95.0                                    | -90.0                           | 5100                  |
|                             |                                  | 7-16-65  | 80.7                                    | -39.7                           |                       |                   |                                  | 3-15-65  | 76.0                                    | -71.0                           |                       |
|                             |                                  | 8-13-65  | 75.9                                    | -34.9                           |                       |                   |                                  |          |   |                                 |                       |
|                             |                                  | 9-10-65  | 75.0                                    | -34.0                           |                       |                   |                                  |          |   |                                 |                       |
| 04S/01W-22P 5 M             | 80.0                             | 10-9-64  | 59.9                                    | 20.1                            | 5100                  | 04S/02W-24J 1 M   | 26.0                             | 10-25-64 | \$                                      |                                 | 5401                  |
|                             |                                  | 3-16-65  | 50.6                                    | 29.4                            |                       |                   |                                  | 3-15-65  | 91.6                                    | -65.6                           |                       |
|                             |                                  | 7-0-64   | #                                       |                                 | 5401                  | 04S/02W-35H 2 M   | 15.0                             | 7-0-64   | \$                                      |                                 | 5401                  |
| 04S/02W-13C 2 M             | 36.4                             | 10-7-64  | 30.8                                    | 5.6                             | 5401                  |                   |                                  | 8-0-64   | \$                                      |                                 |                       |
|                             |                                  | 3-18-65  | \$                                      |                                 |                       |                   |                                  | 9-0-64   | \$                                      |                                 |                       |
| 04S/02W-24J 2 M             | 33.4                             | 10-9-64  | 69.6                                    | -36.2                           | 5100                  |                   |                                  | 10-2-64  | 81.3                                    | -66.3                           |                       |
|                             |                                  | 3-16-65  | 59.5                                    | -26.1                           |                       |                   |                                  | 1-15-65  | 54.7                                    | -39.7                           |                       |
| 05S/01W-4F 1 M              | 42.0                             | 7-17-64  | 70.4                                    | -28.4                           | 5401                  |                   |                                  | 2-26-65  | 51.3                                    | -36.3                           |                       |
|                             |                                  | 8-14-64  | 70.0                                    | -28.0                           |                       |                   |                                  | 3-16-65  | 53.2                                    | -38.2                           |                       |
|                             |                                  | 9-11-64  | 69.9                                    | -27.9                           |                       |                   |                                  | 4-16-65  | 49.2                                    | -34.2                           |                       |
|                             |                                  | 10-2-64  | 71.9                                    | -29.9                           |                       |                   |                                  | 5-24-65  | 61.2                                    | -40.2                           |                       |
|                             |                                  | 11-20-64 | \$                                      |                                 |                       |                   |                                  | 6-25-65  | 66.8                                    | -51.8                           |                       |
|                             |                                  | 12-18-64 | \$                                      |                                 |                       |                   |                                  | 7-23-65  | 69.0                                    | -54.0                           |                       |
|                             |                                  | 1-22-65  | \$                                      |                                 |                       |                   |                                  | 8-20-65  | 69.3                                    | -54.3                           |                       |
|                             |                                  | 2-26-65  | 71.0                                    | -29.0                           |                       |                   |                                  | 9-17-65  | 68.1                                    | -53.1                           |                       |
|                             |                                  | 3-17-65  | 68.0                                    | -26.0                           |                       |                   |                                  | 7-24-64  | 89.1                                    | -65.1                           | 5401                  |
|                             |                                  | 4-16-65  | 69.4                                    | -27.4                           |                       |                   |                                  | 8-14-64  | 90.6                                    | -66.6                           |                       |
|                             |                                  | 5-28-65  | 69.2                                    | -27.2                           |                       |                   |                                  | 9-11-64  | 91.0                                    | -67.0                           |                       |
|                             |                                  | 6-25-65  | 68.7                                    | -26.7                           |                       |                   |                                  | 10-2-64  | 90.6                                    | -66.6                           |                       |
|                             |                                  | 7-23-65  | 69.1                                    | -27.1                           |                       |                   |                                  | 11-20-64 | 77.0                                    | -53.0                           |                       |
|                             |                                  | 8-20-65  | 68.8                                    | -26.8                           |                       |                   |                                  | 12-18-64 | 73.4                                    | -49.4                           |                       |
|                             |                                  | 9-17-65  | 68.7                                    | -26.7                           |                       |                   |                                  | 1-15-65  | 66.9                                    | -42.9                           |                       |
| 05S/01W-9J 1 M              | 19.5                             | 10-14-64 | 42.1                                    | -22.6                           | 5100                  |                   |                                  | 2-26-65  | 63.3                                    | -39.3                           |                       |
|                             |                                  | 3-18-65  | 41.8                                    | -22.3                           |                       |                   |                                  | 3-18-65  | 62.3                                    | -38.3                           |                       |
| EAST BAY AREA LOWER AQUIFER |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| 2-09+01                     |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| 02S/03W-36H 1 M             | 45.0                             | 9-16-64  | \$                                      | -27.5                           | 5100                  | 05S/01W-9M 1 M    | 15.0                             | 10-21-64 | 92.2                                    | -77.2                           | 5401                  |
|                             |                                  | 3-15-65  | 72.5                                    |                                 |                       |                   |                                  | 3-18-65  | 53.4                                    | -38.4                           |                       |
| 03S/02W-19A 2 M             | 30.0                             | 7-21-64  | 23.1                                    | 6.9                             | 5050                  |                   |                                  |          |   |                                 |                       |
|                             |                                  | 8-18-64  | 25.6                                    | 4.4                             |                       |                   |                                  |          |   |                                 |                       |
|                             |                                  | 9-25-64  | #                                       |                                 |                       |                   |                                  |          |   |                                 |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| SOUTH BAY AREA           |                                  |          |   |                                 |                       |
| 2-09, 02                 |                                  |          |   |                                 |                       |
| 065/011c-7E 1 M          | 15.8                             | 7-17-64  | 131.4                                   | -115.6                          | 2400                  |
|                          |                                  | 8-19-64  | 138.2                                   | -122.4                          |                       |
|                          |                                  | 9-28-64  | 142.2                                   | -126.4                          |                       |
|                          |                                  | 10-17-64 | 132.3                                   | -116.5                          |                       |
|                          |                                  | 11-20-64 | 103.4                                   | -87.6                           |                       |
|                          |                                  | 12-24-64 | 102.1                                   | -86.3                           |                       |
|                          |                                  | 1-28-65  | 97.7                                    | -81.9                           |                       |
|                          |                                  | 2-18-65  | 101.6                                   | -85.8                           |                       |
|                          |                                  | 3-25-65  | 105.9                                   | -90.1                           |                       |
|                          |                                  | 4-21-65  | 100.5                                   | -84.7                           |                       |
|                          |                                  | 5-21-65  | 112.3                                   | -96.5                           |                       |
|                          |                                  | 6-22-65  | 125.8                                   | -107.6                          |                       |
|                          |                                  | 7-21-65  | 137.6                                   | -121.9                          |                       |
|                          |                                  | 8-24-65  | 140.0                                   | -124.9                          |                       |
|                          |                                  | 9-22-65  | 145.3                                   | -129.5                          |                       |
| 065/011c-21H 1 M         | 138.0                            | 7-18-64  | 246.0*                                  | -106.0                          | 2400                  |
|                          |                                  | 8-19-64  | 249.3                                   | -111.3                          |                       |
|                          |                                  | 9-23-64  | 252.0*                                  | -114.0                          |                       |
|                          |                                  | 10-16-64 | 249.9                                   | -111.9                          |                       |
|                          |                                  | 11-19-64 | 243.7                                   | -105.7                          |                       |
|                          |                                  | 12-24-64 | 231.8                                   | -93.8                           |                       |
|                          |                                  | 1-14-65  | 226.7                                   | -88.7                           |                       |
|                          |                                  | 2-15-65  | 222.2                                   | -84.2                           |                       |
|                          |                                  | 3-23-65  | \$                                      |                                 |                       |
|                          |                                  | 4-19-65  | 214.8                                   | -76.8                           |                       |
|                          |                                  | 5-27-65  | 240.9                                   | -102.9                          |                       |
|                          |                                  | 6-16-65  | 237.3*                                  | -99.3                           |                       |
|                          |                                  | 7-14-65  | 242.5                                   | -104.5                          |                       |
|                          |                                  | 8-20-65  | 246.9*                                  | -108.9                          |                       |
|                          |                                  | 9-21-65  | 250.0*                                  | -112.0                          |                       |
| 065/011c-23H 2 M         | 24.0.5                           | 7-15-64  | 171.9                                   | 68.6                            | 2400                  |
|                          |                                  | 8-17-64  | 169.9                                   | 70.6                            |                       |
|                          |                                  | 9-23-64  | 171.3                                   | 69.2                            |                       |
|                          |                                  | 10-15-64 | 172.2                                   | 68.3                            |                       |
|                          |                                  | 11-18-64 | 181.1                                   | 59.4                            |                       |
|                          |                                  | 12-23-64 | 165.0*                                  | 75.5                            |                       |
|                          |                                  | 1-21-65  | 163.9                                   | 76.6                            |                       |
|                          |                                  | 2-15-65  | 164.6                                   | 75.9                            |                       |
|                          |                                  | 3-22-65  | 165.8                                   | 74.7                            |                       |
|                          |                                  | 4-19-65  | 151.7                                   | 68.8                            |                       |
|                          |                                  | 5-27-65  | 173.5                                   | 67.0                            |                       |
|                          |                                  | 6-16-65  | 145.2                                   | 95.3                            |                       |
|                          |                                  | 7-21-65  | 136.4                                   | 104.1                           |                       |
|                          |                                  | 8-20-65  | 127.6                                   | 112.9                           |                       |
|                          |                                  | 9-21-65  | 121.5                                   | 119.0                           |                       |
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| SOUTH BAY AREA           |                                  |          |   |                                 |                       |
| 2-09, 02                 |                                  |          |   |                                 |                       |
| 065/011c-30H 1 M         | 4.3.0                            | 7-29-64  | 155.3                                   | -112.3                          | 2400                  |
|                          |                                  | 8-21-64  | 150.7                                   | -107.7                          |                       |
|                          |                                  | 9-25-64  | 157.3*                                  | -114.3                          |                       |
|                          |                                  | 10-19-64 | 152.4                                   | -109.4                          |                       |
|                          |                                  | 11-21-64 | 133.3                                   | -90.3                           |                       |
|                          |                                  | 12-24-64 | 125.9                                   | -82.9                           |                       |
|                          |                                  | 1-26-65  | 121.4                                   | -77.4                           |                       |
|                          |                                  | 2-23-65  | 121.3                                   | -78.3                           |                       |
|                          |                                  | 3-25-65  | 128.0*                                  | -85.0                           |                       |
|                          |                                  | 4-21-65  | 109.4                                   | -66.4                           |                       |
|                          |                                  | 5-21-65  | 142.0*                                  | -99.0                           |                       |
|                          |                                  | 6-22-65  | 153.0*                                  | -110.0                          |                       |
|                          |                                  | 7-22-65  | 162.7                                   | -119.7                          |                       |
|                          |                                  | 8-28-65  | 152.7*                                  | -109.7                          |                       |
|                          |                                  | 9-23-65  | 156.8                                   | -113.8                          |                       |
| 065/011w-23E 1 M         | 211.0                            | 7-21-64  | 171.8                                   | -150.8                          | 5000                  |
|                          |                                  | 8-21-64  | 176.3                                   | -151.3                          |                       |
|                          |                                  | 9-19-64  | 156.7                                   | -137.7                          |                       |
|                          |                                  | 10-17-64 | 120.6                                   | -99.6                           |                       |
|                          |                                  | 11-17-64 | 113.2                                   | -92.2                           |                       |
|                          |                                  | 1-14-65  | 108.1                                   | -87.1                           |                       |
|                          |                                  | 2-15-65  | 103.2                                   | -82.2                           |                       |
|                          |                                  | 3-17-65  | 102.0                                   | -81.0                           |                       |
|                          |                                  | 4-16-65  | 98.9                                    | -77.9                           |                       |
|                          |                                  | 5-14-65  | 139.3                                   | -118.3                          |                       |
|                          |                                  | 6-18-65  | 138.4                                   | -117.4                          |                       |
|                          |                                  | 7-19-65  | 164.8                                   | -143.8                          |                       |
|                          |                                  | 8-14-65  | 144.9                                   | -123.9                          |                       |
|                          |                                  | 9-17-65  | 157.9                                   | -136.9                          |                       |
| 065/02w-16H 1 M          | 48.7                             | 7-23-64  | 144.4                                   | -95.7                           | 2400                  |
|                          |                                  | 8-23-64  | 139.7                                   | -91.0                           |                       |
|                          |                                  | 9-29-64  | 132.2                                   | -83.5                           |                       |
|                          |                                  | 10-21-64 | 130.2                                   | -81.5                           |                       |
|                          |                                  | 11-24-64 | 123.8                                   | -75.1                           |                       |
|                          |                                  | 12-31-64 | 120.3                                   | -71.6                           |                       |
|                          |                                  | 1-24-65  | 118.5                                   | -69.8                           |                       |
|                          |                                  | 2-25-65  | 116.2                                   | -67.5                           |                       |
|                          |                                  | 3-31-65  | 123.0*                                  | -74.3                           |                       |
|                          |                                  | 4-27-65  | 118.2                                   | -69.5                           |                       |
|                          |                                  | 5-26-65  | 133.9                                   | -85.2                           |                       |
|                          |                                  | 6-25-65  | 128.2                                   | -80.5                           |                       |
|                          |                                  | 7-26-65  | 130.7                                   | -82.0                           |                       |
|                          |                                  | 8-27-65  | 126.4                                   | -77.7                           |                       |
|                          |                                  | 9-27-65  | 124.4                                   | -75.7                           |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| SOUTH BAY AREA           |                                  |          |   |                                 |                       |
| 2-09, 02                 |                                  |          |   |                                 |                       |
| 065/011c-7E 1 M          | 15.8                             | 7-17-64  | 131.4                                   | -115.6                          | 2400                  |
|                          |                                  | 8-19-64  | 138.2                                   | -122.4                          |                       |
|                          |                                  | 9-28-64  | 142.2                                   | -126.4                          |                       |
|                          |                                  | 10-17-64 | 132.3                                   | -116.5                          |                       |
|                          |                                  | 11-20-64 | 103.4                                   | -87.6                           |                       |
|                          |                                  | 12-24-64 | 102.1                                   | -86.3                           |                       |
|                          |                                  | 1-28-65  | 97.7                                    | -81.9                           |                       |
|                          |                                  | 2-18-65  | 101.6                                   | -85.8                           |                       |
|                          |                                  | 3-25-65  | 105.9                                   | -90.1                           |                       |
|                          |                                  | 4-21-65  | 100.5                                   | -84.7                           |                       |
|                          |                                  | 5-21-65  | 112.3                                   | -96.5                           |                       |
|                          |                                  | 6-22-65  | 125.8                                   | -107.6                          |                       |
|                          |                                  | 7-21-65  | 137.6                                   | -121.9                          |                       |
|                          |                                  | 8-24-65  | 140.0                                   | -124.9                          |                       |
|                          |                                  | 9-22-65  | 145.3                                   | -129.5                          |                       |
| 065/011c-21H 1 M         | 138.0                            | 7-18-64  | 246.0*                                  | -106.0                          | 2400                  |
|                          |                                  | 8-19-64  | 249.3                                   | -111.3                          |                       |
|                          |                                  | 9-23-64  | 252.0*                                  | -114.0                          |                       |
|                          |                                  | 10-16-64 | 249.9                                   | -111.9                          |                       |
|                          |                                  | 11-19-64 | 243.7                                   | -105.7                          |                       |
|                          |                                  | 12-24-64 | 231.8                                   | -93.8                           |                       |
|                          |                                  | 1-14-65  | 226.7                                   | -88.7                           |                       |
|                          |                                  | 2-15-65  | 222.2                                   | -84.2                           |                       |
|                          |                                  | 3-23-65  | \$                                      |                                 |                       |
|                          |                                  | 4-19-65  | 214.8                                   | -76.8                           |                       |
|                          |                                  | 5-27-65  | 240.9                                   | -102.9                          |                       |
|                          |                                  | 6-16-65  | 237.3*                                  | -99.3                           |                       |
|                          |                                  | 7-14-65  | 242.5                                   | -104.5                          |                       |
|                          |                                  | 8-20-65  | 246.9*                                  | -108.9                          |                       |
|                          |                                  | 9-21-65  | 250.0*                                  | -112.0                          |                       |
| 065/011c-23H 2 M         | 24.0.5                           | 7-15-64  | 171.9                                   | 68.6                            | 2400                  |
|                          |                                  | 8-17-64  | 169.9                                   | 70.6                            |                       |
|                          |                                  | 9-23-64  | 171.3                                   | 69.2                            |                       |
|                          |                                  | 10-15-64 | 172.2                                   | 68.3                            |                       |
|                          |                                  | 11-18-64 | 181.1                                   | 59.4                            |                       |
|                          |                                  | 12-23-64 | 165.0*                                  | 75.5                            |                       |
|                          |                                  | 1-21-65  | 163.9                                   | 76.6                            |                       |
|                          |                                  | 2-15-65  | 164.6                                   | 75.9                            |                       |
|                          |                                  | 3-22-65  | 165.8                                   | 74.7                            |                       |
|                          |                                  | 4-19-65  | 151.7                                   | 68.8                            |                       |
|                          |                                  | 5-27-65  | 173.5                                   | 67.0                            |                       |
|                          |                                  | 6-16-65  | 145.2                                   | 95.3                            |                       |
|                          |                                  | 7-21-65  | 136.4                                   | 104.1                           |                       |
|                          |                                  | 8-20-65  | 127.6                                   | 112.9                           |                       |
|                          |                                  | 9-21-65  | 121.5                                   | 119.0                           |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA | STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|-------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| SOUTH BAY AREA           |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| 2-09, 02                 |                                  |          |   |                                 |                       | 2-09, 02          |                                  |          |   |                                 |                       |
| 065/02*-25C 1 M          | 73.0                             | 7-22-64  | 164.3                                   | -91.3                           | 2400                  | 075/01E- 6L 1 M   | 84.0                             | 7-28-64  | 168.9                                   | -80.9                           | 2400                  |
|                          |                                  | 8-21-64  | 161.7                                   | -88.7                           |                       |                   |                                  | 8-25-64  | 172.6*                                  | -86.6                           |                       |
|                          |                                  | 9-28-64  | 152.5                                   | -79.5                           |                       |                   |                                  | 9-29-64  | 180.9*                                  | -85.9                           |                       |
|                          |                                  | 10-20-64 | 151.2                                   | -78.2                           |                       |                   |                                  | 10-22-64 | 167.2*                                  | -79.2                           |                       |
|                          |                                  | 11-23-64 | 144.3                                   | -71.3                           |                       |                   |                                  | 11-24-64 | 158.2*                                  | -70.2                           |                       |
|                          |                                  | 12-29-64 | 140.0*                                  | -67.0                           |                       |                   |                                  | 12-31-64 | 148.0                                   | -60.0                           |                       |
|                          |                                  | 1-27-65  | 138.7                                   | -65.7                           |                       |                   |                                  | 1-26-65  | 142.7*                                  | -58.7                           |                       |
|                          |                                  | 2-24-65  | 137.2                                   | -64.2                           |                       |                   |                                  | 2-26-65  | 134.6                                   | -48.6                           |                       |
|                          |                                  | 3-29-65  | 143.8                                   | -70.8                           |                       |                   |                                  | 3-31-65  | 138.6*                                  | -50.6                           |                       |
|                          |                                  | 4-26-65  | 140.4                                   | -67.4                           |                       |                   |                                  | 4-28-65  | 148.8*                                  | -60.8                           |                       |
|                          |                                  | 5-24-65  | 147.7                                   | -74.7                           |                       |                   |                                  | 5-25-65  | 157.7                                   | -69.7                           |                       |
|                          |                                  | 6-24-65  | 152.0*                                  | -79.0                           |                       |                   |                                  | 6-28-65  | 169.2                                   | -81.2                           |                       |
|                          |                                  | 7-23-65  | 162.6                                   | -89.4                           |                       |                   |                                  | 7-25-65  | 174.0*                                  | -86.0                           |                       |
|                          |                                  | 8-23-65  | 167.7                                   | -86.7                           |                       |                   |                                  | 8-27-65  | 169.0                                   | -81.0                           |                       |
|                          |                                  | 9-28-65  | 151.5                                   | -78.5                           |                       |                   |                                  | 9-27-65  | 167.0*                                  | -79.0                           |                       |
| 065/02*-35C 1 M          | 140.1                            | 7-23-64  | 278.8*                                  | -138.7                          | 2400                  | 075/01E- 90 2 M   | 95.9                             | 7-21-64  | 182.4                                   | -86.5                           | 5000                  |
|                          |                                  | 8-24-64  | 275.5*                                  | -135.4                          |                       |                   |                                  | 8-21-64  | 190.1                                   | -94.2                           |                       |
|                          |                                  | 9-29-64  | 273.8*                                  | -133.7                          |                       |                   |                                  | 9-18-64  | 196.0                                   | -100.1                          |                       |
|                          |                                  | 10-21-64 | 272.4*                                  | -132.3                          |                       |                   |                                  | 10-17-64 | 190.5                                   | -98.6                           |                       |
|                          |                                  | 11-23-64 | 258.8*                                  | -118.7                          |                       |                   |                                  | 11-17-64 | 161.9                                   | -85.0                           |                       |
|                          |                                  | 12-30-64 | 251.9*                                  | -111.8                          |                       |                   |                                  | 12-17-64 | 177.5                                   | -81.6                           |                       |
|                          |                                  | 1-28-65  | 239.7*                                  | -99.6                           |                       |                   |                                  | 1-14-65  | 177.3                                   | -81.4                           |                       |
|                          |                                  | 2-24-65  | 248.7*                                  | -98.7                           |                       |                   |                                  | 2-15-65  | 166.2                                   | -70.3                           |                       |
|                          |                                  | 3-29-65  | 248.7*                                  | -108.6                          |                       |                   |                                  | 3-17-65  | 158.2                                   | -62.3                           |                       |
|                          |                                  | 4-26-65  | 237.9*                                  | -97.8                           |                       |                   |                                  | 4-16-65  | 158.2                                   | -62.3                           |                       |
|                          |                                  | 5-25-65  | 261.4*                                  | -121.3                          |                       |                   |                                  | 5-18-65  | 174.8                                   | -78.9                           |                       |
|                          |                                  | 6-25-65  | 272.7*                                  | -132.6                          |                       |                   |                                  | 6-18-65  | 183.4                                   | -87.5                           |                       |
|                          |                                  | 7-26-65  | 279.5*                                  | -139.4                          |                       |                   |                                  | 7-19-65  | 190.9                                   | -95.0                           |                       |
|                          |                                  | 8-27-65  | 275.1*                                  | -135.0                          |                       |                   |                                  | 8-18-65  | 194.9                                   | -99.0                           |                       |
|                          |                                  | 9-27-65  | 273.0*                                  | -132.9                          |                       |                   |                                  | 9-17-65  | 197.1                                   | -101.2                          |                       |
| 075/01E- 1K 1 M          | 174.0                            | 7-15-64  | 197.7                                   | -18.7                           | 2400                  | 075/01E-16C 5 M   | 105.0                            | 7-21-64  | 230.3                                   | -125.3                          | 5000                  |
|                          |                                  | 8-17-64  | 196.1                                   | -17.1                           |                       |                   |                                  | 8-21-64  | 230.3                                   | -125.3                          |                       |
|                          |                                  | 9-22-64  | 198.3                                   | -19.3                           |                       |                   |                                  | 9-18-64  | 253.3                                   | -148.3                          |                       |
|                          |                                  | 10-15-64 | 200.4                                   | -21.4                           |                       |                   |                                  | 10-17-64 | 244.3                                   | -139.3                          |                       |
|                          |                                  | 11-18-64 | 198.7                                   | -19.7                           |                       |                   |                                  | 11-17-64 | 224.4                                   | -119.4                          |                       |
|                          |                                  | 12-14-64 | 195.3                                   | -19.3                           |                       |                   |                                  | 12-17-64 | 217.4                                   | -112.4                          |                       |
|                          |                                  | 1-20-65  | 197.8                                   | -18.8                           |                       |                   |                                  | 1-14-65  | 196.3                                   | -91.3                           |                       |
|                          |                                  | 2-17-65  | 198.4*                                  | -19.4                           |                       |                   |                                  | 2-15-65  | 187.1                                   | -82.1                           |                       |
|                          |                                  | 3-22-65  | 198.0*                                  | -19.0                           |                       |                   |                                  | 3-17-65  | 188.5                                   | -83.5                           |                       |
|                          |                                  | 4-16-65  | 196.9                                   | -17.9                           |                       |                   |                                  | 4-16-65  | 194.8                                   | -89.8                           |                       |
|                          |                                  | 5-14-65  | 199.4                                   | -16.4                           |                       |                   |                                  | 5-18-65  | 194.8                                   | -89.8                           |                       |
|                          |                                  | 6-15-65  | 201.6                                   | -20.4                           |                       |                   |                                  | 6-18-65  | 227.3                                   | -122.3                          |                       |
|                          |                                  | 7-20-65  | 201.0*                                  | -22.6                           |                       |                   |                                  | 7-19-65  | 231.2                                   | -126.2                          |                       |
|                          |                                  | 8-20-65  | 200.4*                                  | -22.0                           |                       |                   |                                  | 8-18-65  | 238.1                                   | -133.1                          |                       |
|                          |                                  | 9-21-65  | 202.1                                   | -23.1                           |                       |                   |                                  | 9-18-65  | 258.7                                   | -149.7                          |                       |
|                          |                                  |          |   |                                 |                       |                   |                                  | 9-17-65  | 253.7                                   | -148.7                          |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA | STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|-------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| SOUTH BAY AREA           |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| 2--09, 02                |                                  |          |   |                                 |                       |                   |                                  |          |   |                                 |                       |
| 075/01E-31A 2 M          | 151.6                            | 7- 2-64  | 167.7*                                  | -16.1                           | 2400                  | 075/02E-17H 1 M   | 349.0                            | 7-14-64  | 100.3                                   | 248.7                           | 2400                  |
|                          |                                  | 8- 8-64  | 182.1                                   | -30.5                           |                       |                   |                                  | 8-14-64  | 107.5*                                  | 241.5                           |                       |
|                          |                                  | 9- 4-64  | 188.6                                   | -33.0                           |                       |                   |                                  | 9-22-64  | 103.3                                   | 245.7                           |                       |
|                          |                                  | 10- 5-64 | 190.5                                   | -38.9                           |                       |                   |                                  | 10-15-64 | 103.9                                   | 245.1                           |                       |
|                          |                                  | 11- 3-64 | 222.1*                                  | -70.5                           |                       |                   |                                  | 11-14-64 | 99.8                                    | 249.6                           |                       |
|                          |                                  | 12- 2-64 | 163.5                                   | -11.9                           |                       |                   |                                  | 12-18-64 | 95.2                                    | 253.8                           |                       |
|                          |                                  | 1- 6-65  | 156.1*                                  | -4.5                            |                       |                   |                                  | 1-20-65  | 97.8*                                   | 251.2                           |                       |
|                          |                                  | 2- 2-65  | 148.9*                                  | 6.7                             |                       |                   |                                  | 2-15-65  | 96.6                                    | 252.4                           |                       |
|                          |                                  | 3- 8-65  | 168.4                                   | -16.8                           |                       |                   |                                  | 3-22-65  | 97.0*                                   | 252.0                           |                       |
|                          |                                  | 4- 5-65  | 187.3*                                  | -35.7                           |                       |                   |                                  | 4-15-65  | 99.8                                    | 249.2                           |                       |
|                          |                                  | 5- 6-65  | 153.4*                                  | -1.8                            |                       |                   |                                  | 5-17-65  | 96.7                                    | 252.3                           |                       |
|                          |                                  | 6- 2-65  | 161.8*                                  | -10.2                           |                       |                   |                                  | 6-15-65  | 101.2                                   | 247.8                           |                       |
|                          |                                  | 7- 7-65  | 188.7*                                  | -33.1                           |                       |                   |                                  | 7-20-65  | 103.7                                   | 245.3                           |                       |
|                          |                                  | 8- 9-65  | 172.8                                   | -21.2                           |                       |                   |                                  | 8-20-65  | 104.6                                   | 248.6                           |                       |
|                          |                                  | 9- 2-65  | 188.6*                                  | -37.0                           |                       |                   |                                  | 9-20-65  | 101.7                                   | 247.3                           |                       |
| 075/01E-35C 1 M          | 202.0                            | 7- 3-64  | 251.0                                   | -89.0                           | 2400                  | 075/02E-33C 1 M   | 462.0                            | 7-14-64  | 20.7                                    | 441.3                           | 2400                  |
|                          |                                  | 8- 3-64  | 258.0                                   | -66.0                           |                       |                   |                                  | 8-14-64  | 21.1                                    | 440.9                           |                       |
|                          |                                  | 9- 3-64  | 271.0                                   | -69.0                           |                       |                   |                                  | 9-21-64  | 22.4                                    | 439.6                           |                       |
|                          |                                  | 10- 2-64 | 281.0                                   | -79.0                           |                       |                   |                                  | 10-14-64 | 23.2                                    | 438.8                           |                       |
|                          |                                  | 11- 2-64 | 285.0                                   | -87.0                           |                       |                   |                                  | 11-17-64 | 21.9                                    | 440.1                           |                       |
|                          |                                  | 12- 1-64 | 298.0                                   | -87.0                           |                       |                   |                                  | 12-17-64 | 22.3                                    | 439.7                           |                       |
|                          |                                  | 1- 4-65  | 290.0                                   | -86.0                           |                       |                   |                                  | 1-19-65  | 20.8                                    | 441.2                           |                       |
|                          |                                  | 2- 1-65  | 287.0                                   | -85.0                           |                       |                   |                                  | 2-16-65  | 20.4                                    | 441.6                           |                       |
|                          |                                  | 3- 2-65  | 280.0                                   | -78.0                           |                       |                   |                                  | 3-13-65  | 20.9                                    | 441.1                           |                       |
|                          |                                  | 4- 1-65  | 251.0                                   | -49.0                           |                       |                   |                                  | 4-15-65  | 19.8                                    | 442.2                           |                       |
|                          |                                  | 5- 3-65  | 224.0                                   | -27.0                           |                       |                   |                                  | 5-17-65  | 20.7                                    | 441.3                           |                       |
|                          |                                  | 6- 1-65  | 224.0                                   | -22.0                           |                       |                   |                                  | 6-15-65  | 21.3                                    | 440.7                           |                       |
|                          |                                  | 7- 1-65  | 220.0                                   | -18.0                           |                       |                   |                                  | 7-13-65  | 20.8                                    | 441.2                           |                       |
|                          |                                  | 8- 1-65  | 217.0                                   | -15.0                           |                       |                   |                                  | 8-19-65  | 21.5                                    | 440.5                           |                       |
|                          |                                  | 9- 1-65  | 216.0                                   | -14.0                           |                       |                   |                                  | 9-20-65  | 21.9                                    | 440.1                           |                       |
| 075/02E-19 1 M           | 130.0                            | 7-15-64  | 137.6                                   | -7.6                            | 2400                  | 075/02E-30 1 M    | 216.7                            | 7- 1-64  | 362.0*                                  | 148.3                           | 2400                  |
|                          |                                  | 8-11-64  | 141.7                                   | -11.7                           |                       |                   |                                  | 8- 1-64  | 365.0*                                  | 146.3                           |                       |
|                          |                                  | 9-22-64  | 148.3                                   | -14.3                           |                       |                   |                                  | 9- 1-64  | 351.0                                   | 138.3                           |                       |
|                          |                                  | 10-15-64 | 143.4                                   | -13.4                           |                       |                   |                                  | 10- 1-64 | 450.0*                                  | 233.3                           |                       |
|                          |                                  | 11-18-64 | 139.9                                   | -9.9                            |                       |                   |                                  | 11- 1-64 | 3                                       |                                 |                       |
|                          |                                  | 12-18-64 | 139.4                                   | -9.4                            |                       |                   |                                  | 12- 1-64 | 3                                       |                                 |                       |
|                          |                                  | 1-22-65  | 137.1                                   | -7.1                            |                       |                   |                                  | 1- 3-65  | 350.0*                                  | 133.3                           |                       |
|                          |                                  | 2-17-65  | 137.5                                   | -7.5                            |                       |                   |                                  | 2- 1-65  | 346.0*                                  | 129.3                           |                       |
|                          |                                  | 3-22-65  | 136.8                                   | -6.8                            |                       |                   |                                  | 3- 1-65  | 350.0*                                  | 133.3                           |                       |
|                          |                                  | 4-18-65  | 146.4                                   | -6.4                            |                       |                   |                                  | 4- 1-65  | 339.0                                   | 122.3                           |                       |
|                          |                                  | 5-18-65  | 137.6                                   | -9.4                            |                       |                   |                                  | 5- 4-65  | 370.0*                                  | 153.3                           |                       |
|                          |                                  | 6-18-65  | 139.6                                   | -9.0                            |                       |                   |                                  | 6- 3-65  | 380.0*                                  | 163.3                           |                       |
|                          |                                  | 7-20-65  | 145.6                                   | -15.0                           |                       |                   |                                  | 7- 1-65  | 357.0                                   | 140.3                           |                       |
|                          |                                  | 8-20-65  | 146.3                                   | -16.3                           |                       |                   |                                  | 8- 1-65  | 365.0                                   | 148.3                           |                       |
|                          |                                  | 9-21-65  | 145.7                                   | -15.7                           |                       |                   |                                  | 9- 1-65  | 366.0                                   | 151.3                           |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| SOUTH BAY AREA           |                                  |          |   |                                 |                       |
| 2--09.02                 |                                  |          |   |                                 |                       |
| 075/02w-4p 1 M           | 214.0                            | 7-28-64  | 203.1                                   | 14.9                            | 2400                  |
|                          |                                  | 8-26-64  | 215.5                                   | 2.5                             |                       |
|                          |                                  | 9-30-64  | 237.2                                   | -19.2                           |                       |
|                          |                                  | 10-22-64 | 247.5                                   | -24.5                           |                       |
|                          |                                  | 11-24-64 | 246.6                                   | -18.0                           |                       |
|                          |                                  | 12-31-64 | 234.9                                   | -26.9                           |                       |
|                          |                                  | 1-28-65  | 232.6                                   | -14.6                           |                       |
|                          |                                  | 2-25-65  | 213.2                                   | 4.8                             |                       |
|                          |                                  | 3-23-65  | 194.8                                   | 23.2                            |                       |
|                          |                                  | 4-27-65  | 193.3                                   | 24.7                            |                       |
|                          |                                  | 5-27-65  | 193.2                                   | 24.8                            |                       |
|                          |                                  | 6-28-65  | 195.5                                   | 22.5                            |                       |
|                          |                                  | 7-28-65  | 194.7                                   | 23.3                            |                       |
|                          |                                  | 8-27-65  | 194.9                                   | 23.1                            |                       |
|                          |                                  | 9-28-65  | 194.2                                   | 23.8                            |                       |
| 075/02w-22a 1 M          | 340.0                            | 7-28-64  | 287.8                                   | 311.3                           | 2400                  |
|                          |                                  | 8-26-64  | 274.4                                   | 312.6                           |                       |
|                          |                                  | 9-30-64  | 57.0*                                   | 283.0                           |                       |
|                          |                                  | 10-22-64 | 70.0*                                   | 270.0                           |                       |
|                          |                                  | 11-25-64 | 27.5                                    | 312.5                           |                       |
|                          |                                  | 12-31-64 | 22.4                                    | 317.6                           |                       |
|                          |                                  | 1-13-65  | 15.1                                    | 324.9                           |                       |
|                          |                                  | 2-25-65  | 16.7                                    | 323.3                           |                       |
|                          |                                  | 3-23-65  | 15.9                                    | 324.2                           |                       |
|                          |                                  | 4-27-65  | 15.9                                    | 326.1                           |                       |
|                          |                                  | 5-27-65  | 17.3*                                   | 322.7                           |                       |
|                          |                                  | 6-28-65  | 17.9                                    | 321.1                           |                       |
|                          |                                  | 7-28-65  | 13.4                                    | 326.6                           |                       |
|                          |                                  | 8-27-65  | 15.7                                    | 324.3                           |                       |
|                          |                                  | 9-28-65  | 27.0*                                   | 313.0                           |                       |
| 085/01E-7h 2 M           | 207.0                            | 7-2-64   | 93.7                                    | 113.3                           | 2400                  |
|                          |                                  | 8-6-64   | 101.1                                   | 105.9                           |                       |
|                          |                                  | 9-3-64   | 103.8                                   | 103.2                           |                       |
|                          |                                  | 10-6-64  | 107.0                                   | 100.0                           |                       |
|                          |                                  | 11-6-64  | 114.9                                   | 92.1                            |                       |
|                          |                                  | 12-2-64  | 113.8                                   | 93.2                            |                       |
|                          |                                  | 1-6-65   | 111.6                                   | 95.4                            |                       |
|                          |                                  | 2-3-65   | 103.2                                   | 103.8                           |                       |
|                          |                                  | 3-1-65   | 94.5                                    | 113.5                           |                       |
|                          |                                  | 4-2-65   | 83.3                                    | 123.7                           |                       |
|                          |                                  | 5-18-65  | 87.0*                                   | 120.0                           |                       |
|                          |                                  | 6-3-65   | 85.5                                    | 121.5                           |                       |
|                          |                                  | 7-8-65   | 80.6                                    | 126.4                           |                       |
|                          |                                  | 8-10-65  | 80.1                                    | 126.9                           |                       |
|                          |                                  | 9-1-65   | 83.6                                    | 123.4                           |                       |

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE    | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|---------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |         |   |                                 |                       |
| SOUTH BAY AREA           |                                  |         |   |                                 |                       |
| 2--09.02                 |                                  |         |   |                                 |                       |
| 085/01E-13h 1 M          | 144.6                            | 7-6-64  | 28.9                                    | 185.7                           | 2400                  |
|                          |                                  | 8-6-64  | 27.2                                    | 187.4                           |                       |
|                          |                                  | 9-15-64 | 26.4                                    | 188.2                           |                       |
|                          |                                  | 10-7-64 | 29.3                                    | 185.3                           |                       |
|                          |                                  | 11-6-64 | 29.9                                    | 184.7                           |                       |
|                          |                                  | 12-4-64 | 31.4                                    | 183.2                           |                       |
|                          |                                  | 1-11-65 | 31.2                                    | 183.4                           |                       |
|                          |                                  | 2-5-65  | 30.4                                    | 185.2                           |                       |
|                          |                                  | 3-11-65 | 29.8                                    | 184.8                           |                       |
|                          |                                  | 4-7-65  | 29.8                                    | 184.8                           |                       |
|                          |                                  | 5-6-65  | 26.5                                    | 184.1                           |                       |
|                          |                                  | 6-7-65  | 29.1                                    | 185.5                           |                       |
|                          |                                  | 7-12-65 | 27.2                                    | 187.4                           |                       |
|                          |                                  | 8-12-65 | 25.0                                    | 189.6                           |                       |
|                          |                                  | 9-10-65 | 22.2                                    | 182.4                           |                       |
| 085/01w-15h 1 M          | 331.2                            | 7-2-64  | 36.2                                    | 295.0                           | 2400                  |
|                          |                                  | 8-6-64  | 41.9                                    | 289.3                           |                       |
|                          |                                  | 9-3-64  | 43.5                                    | 287.7                           |                       |
|                          |                                  | 10-6-64 | 42.8                                    | 288.4                           |                       |
|                          |                                  | 11-3-64 | 41.3                                    | 289.9                           |                       |
|                          |                                  | 12-2-64 | 37.0*                                   | 294.2                           |                       |
|                          |                                  | 1-5-65  | 35.7                                    | 294.5                           |                       |
|                          |                                  | 2-2-65  | 34.0*                                   | 297.2                           |                       |
|                          |                                  | 3-4-65  | 33.3                                    | 297.9                           |                       |
|                          |                                  | 4-1-65  | 34.0                                    | 297.2                           |                       |
|                          |                                  | 5-4-65  | 33.6                                    | 297.6                           |                       |
|                          |                                  | 6-2-65  | 34.0*                                   | 297.2                           |                       |
|                          |                                  | 7-7-65  | 35.3                                    | 295.9                           |                       |
|                          |                                  | 8-10-65 | 37.0*                                   | 294.2                           |                       |
|                          |                                  | 9-1-65  | 35.9                                    | 295.3                           |                       |
| 085/02L-20F 3 M          | 204.0                            | 7-7-64  | 27.0                                    | 182.0                           | 2400                  |
|                          |                                  | 8-10-64 | 30.2                                    | 178.8                           |                       |
|                          |                                  | 9-15-64 | 33.8                                    | 175.2                           |                       |
|                          |                                  | 10-8-64 | 39.9                                    | 169.1                           |                       |
|                          |                                  | 11-9-64 | 39.7                                    | 169.3                           |                       |
|                          |                                  | 12-7-64 | 41.6                                    | 167.4                           |                       |
|                          |                                  | 1-12-65 | 43.5                                    | 165.5                           |                       |
|                          |                                  | 2-5-65  | 42.7                                    | 166.3                           |                       |
|                          |                                  | 3-11-65 | 42.0*                                   | 167.0                           |                       |
|                          |                                  | 4-7-65  | 38.7                                    | 170.3                           |                       |
|                          |                                  | 5-7-65  | 41.3                                    | 177.7                           |                       |
|                          |                                  | 6-8-65  | 29.3                                    | 179.2                           |                       |
|                          |                                  | 7-13-65 | 30.8                                    | 178.4                           |                       |
|                          |                                  | 8-13-65 | 28.0                                    | 181.0                           |                       |
|                          |                                  | 9-13-65 | 25.4                                    | 183.6                           |                       |



TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| SOUTH BAY AREA           |                                  |          |   |                                 |                       |
| 2-09.02                  |                                  |          |   |                                 |                       |
| 085/02E-22D 1 M          | 239.7                            | 7-7-64   | 11.8                                    | 227.9                           | 2400                  |
|                          |                                  | 8-7-64   | 12.7                                    | 216.0                           |                       |
|                          |                                  | 9-2-64   | 22.9                                    | 218.8                           |                       |
|                          |                                  | 10-8-64  | 24.5                                    | 215.2                           |                       |
|                          |                                  | 11-10-64 | 23.8                                    | 215.9                           |                       |
|                          |                                  | 12-7-64  | 29.4                                    | 210.3                           |                       |
|                          |                                  | 1-12-65  | 19.6                                    | 224.1                           |                       |
|                          |                                  | 2-5-65   | 17.7                                    | 222.0                           |                       |
|                          |                                  | 3-11-65  | 11.1                                    | 228.6                           |                       |
|                          |                                  | 6-7-65   | 11.4                                    | 228.3                           |                       |
|                          |                                  | 5-7-65   | 10.8                                    | 228.9                           |                       |
|                          |                                  | 6-8-65   | 10.1                                    | 229.6                           |                       |
|                          |                                  | 7-13-65  | 9.5                                     | 230.2                           |                       |
|                          |                                  | 8-13-65  | 9.9                                     | 229.8                           |                       |
|                          |                                  | 9-13-65  | 10.3                                    | 229.4                           |                       |
|                          |                                  | 7-9-64   | 38.1                                    | 276.5                           | 2400                  |
|                          | 314.6                            | 8-12-64  | 60.4                                    | 214.2                           |                       |
|                          |                                  | 9-1-64   | 49.9                                    | 264.7                           |                       |
|                          |                                  | 10-9-64  | 48.2                                    | 266.4                           |                       |
|                          |                                  | 11-13-64 | 52.7                                    | 258.9                           |                       |
|                          |                                  | 12-11-64 | 56.2                                    | 254.4                           |                       |
|                          |                                  | 1-15-65  | 49.3                                    | 265.3                           |                       |
|                          |                                  | 2-9-65   | 28.1                                    | 286.5                           |                       |
|                          |                                  | 3-17-65  | 28.3                                    | 286.3                           |                       |
|                          |                                  | 4-8-65   | 28.6                                    | 286.0                           |                       |
|                          |                                  | 5-12-65  | 29.8                                    | 285.8                           |                       |
|                          |                                  | 6-10-65  | 37.8                                    | 276.8                           |                       |
|                          |                                  | 7-13-65  | 35.0                                    | 279.6                           |                       |
|                          |                                  | 8-17-65  | 32.2                                    | 282.4                           |                       |
|                          |                                  | 9-15-65  | 30.2                                    | 284.4                           |                       |
|                          | 247.6                            | 7-7-64   | 31.5                                    | 256.1                           | 2400                  |
|                          |                                  | 8-10-64  | 30.9                                    | 256.7                           |                       |
|                          |                                  | 9-16-64  | 33.8                                    | 252.8                           |                       |
|                          |                                  | 10-8-64  | 35.2                                    | 252.4                           |                       |
|                          |                                  | 11-10-64 | 33.8                                    | 253.8                           |                       |
|                          |                                  | 12-7-64  | 36.7                                    | 250.9                           |                       |
|                          |                                  | 1-12-65  | 31.4                                    | 256.2                           |                       |
|                          |                                  | 2-4-65   | 26.0                                    | 261.6                           |                       |
|                          |                                  | 3-16-65  | 30.2                                    | 257.4                           |                       |
|                          |                                  | 4-8-65   | 29.6                                    | 258.0                           |                       |
|                          |                                  | 5-10-65  | 21.8                                    | 265.8                           |                       |
|                          |                                  | 6-8-65   | 25.9                                    | 261.7                           |                       |
|                          |                                  | 7-18-65  | 24.0                                    | 259.6                           |                       |
|                          |                                  | 8-13-65  | 26.8                                    | 260.8                           |                       |
|                          |                                  | 9-13-65  | 24.4                                    | 263.2                           |                       |
| LIVERMORE VALLEY         |                                  |          |   |                                 |                       |
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| 2-10.00                  |                                  |          |   |                                 |                       |
| 025/01E-26C 1 M          | 416.9                            | 9-0-64   | 113.4                                   | 303.5                           | 5100                  |
|                          |                                  | 3-0-65   | 48.8                                    | 368.1                           |                       |
| 025/02E-25N 1 M          | 555.3                            | 9-0-64   | 9.7                                     | 545.6                           | 5100                  |
|                          |                                  | 3-0-65   | 8.7                                     | 546.6                           |                       |
| 035/01E-7U 1 M           | 321.7                            | 7-30-64  | 136.7                                   | 185.0                           | 5100                  |
|                          |                                  | 8-27-64  | 134.7                                   | 187.0                           |                       |
|                          |                                  | 9-24-64  | 141.7                                   | 180.0                           |                       |
|                          |                                  | 10-23-64 | 142.2                                   | 174.5                           |                       |
|                          |                                  | 11-25-64 | 127.7                                   | 194.0                           |                       |
|                          |                                  | 12-30-64 | 134.8                                   | 186.8                           |                       |
|                          |                                  | 1-24-65  | 119.6                                   | 202.1                           |                       |
|                          |                                  | 2-24-65  | 117.0                                   | 206.7                           |                       |
|                          |                                  | 3-21-65  | 107.5                                   | 212.2                           |                       |
|                          |                                  | 4-29-65  | 106.6                                   | 215.1                           |                       |
|                          |                                  | 5-26-65  | 110.2                                   | 211.5                           |                       |
|                          |                                  | 6-30-65  | 116.3                                   | 203.4                           |                       |
|                          |                                  | 7-28-65  | 125.0                                   | 196.7                           |                       |
|                          |                                  | 8-27-65  | 127.2                                   | 194.5                           |                       |
|                          |                                  | 9-30-65  | 134.9                                   | 186.8                           |                       |
| 035/01E-6U 2 M           | 339.5                            | 7-30-64  | 88.2                                    | 251.3                           | 5100                  |
|                          |                                  | 8-27-64  | 89.1                                    | 250.4                           |                       |
|                          |                                  | 9-24-64  | 90.8                                    | 248.7                           |                       |
|                          |                                  | 10-23-64 | 85.2                                    | 254.3                           |                       |
|                          |                                  | 11-25-64 | 76.7                                    | 256.3                           |                       |
|                          |                                  | 12-30-64 | 76.7                                    | 262.8                           |                       |
|                          |                                  | 1-24-65  | 77.7                                    | 261.8                           |                       |
|                          |                                  | 2-24-65  | 74.1                                    | 265.4                           |                       |
|                          |                                  | 3-31-65  | 73.7                                    | 265.8                           |                       |
|                          |                                  | 4-28-65  | 71.1                                    | 268.4                           |                       |
|                          |                                  | 5-26-65  | 71.2                                    | 268.3                           |                       |
|                          |                                  | 6-30-65  | 71.0                                    | 268.5                           |                       |
|                          |                                  | 7-28-65  | 75.4                                    | 264.1                           |                       |
|                          |                                  | 8-27-65  | 76.7                                    | 262.8                           |                       |
|                          |                                  | 9-30-65  | 77.2                                    | 262.3                           |                       |
| 035/01E-9H 2 M           | 357.0                            | 7-30-64  | 124.3                                   | 232.7                           | 5100                  |
|                          |                                  | 8-27-64  | 127.8                                   | 229.2                           |                       |
|                          |                                  | 9-24-64  | 115.9                                   | 241.1                           |                       |
|                          |                                  | 10-23-64 | 124.3                                   | 232.7                           |                       |
|                          |                                  | 11-25-64 | 105.1                                   | 251.9                           |                       |
|                          |                                  | 12-30-64 | 101.1                                   | 255.9                           |                       |
|                          |                                  | 1-24-65  | 95.3                                    | 261.7                           |                       |
|                          |                                  | 2-24-65  | 90.7                                    | 266.3                           |                       |
|                          |                                  | 3-21-65  | 87.5                                    | 269.5                           |                       |



TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER                                      | GROUND SURFACE ELEVATION IN FEET | DATE   | GROUND SURFACE TO WATER SURFACE IN FEET   | WATER SURFACE ELEVATION IN FEET   | AGENCY SUPPLYING DATA |
|--|----------------------------------|--|---|---|-----------------------|
| SAN FRANCISCO BAY REGION<br>LIVEMORE VALLEY<br>2-10.00 |                                  |  |   |   |                       |
| 03S/01E-9R 2 M   | 357.0                            | 4-28-65<br>5-24-65<br>6-30-65<br>7-28-65<br>8-27-65<br>9-30-65   | 84.8<br>106.4<br>106.9<br>109.4<br>117.3<br>110.8   | 272.2<br>250.6<br>250.1<br>247.6<br>239.7<br>246.2  | 5100                  |
| 03S/01E-10J 2 M  | 365.7                            | 7-30-64<br>8-27-64<br>9-24-64<br>10-29-64<br>11-25-64<br>12-30-64<br>1-24-65<br>2-24-65<br>3-31-65<br>4-28-65<br>5-24-65<br>6-30-65<br>7-28-65<br>8-27-65<br>9-30-65 | 136.0<br>144.1<br>144.1<br>124.5<br>116.0<br>111.5<br>106.0<br>101.5<br>98.6<br>96.0<br>109.0<br>113.3<br>118.5<br>125.5<br>120.1   | 232.7<br>224.6<br>240.8<br>244.2<br>252.7<br>257.2<br>262.7<br>267.2<br>270.3<br>272.7<br>280.7<br>285.4<br>290.2<br>293.6<br>288.6 | 5100                  |
| 03S/01E-11I 1 M  | 372.9                            | 9- 0-64  | 142.6   | 230.3   | 5100                  |
| 03S/01E-17H 1 M  | 347.0                            | 7-30-64<br>8-27-64<br>9-24-64<br>10-29-64<br>11-25-64<br>12-30-64<br>1-24-65<br>2-24-65<br>3-31-65<br>4-28-65<br>5-24-65<br>6-30-65<br>7-28-65<br>8-27-65<br>9-30-65 | 135.8<br>187.8<br>151.8<br>155.8<br>149.3<br>142.3<br>139.8<br>134.3<br>125.8<br>119.8<br>114.8<br>122.8<br>130.9<br>141.8<br>144.8 | 211.2<br>199.2<br>195.2<br>191.2<br>197.7<br>204.7<br>207.2<br>212.7<br>227.2<br>232.2<br>224.2<br>216.1<br>205.2<br>197.2          | 5100                  |
| 03S/01E-19A 3 M  | 325.0                            | 7-30-64<br>8-27-64<br>9-24-64<br>10-29-64<br>11-25-64<br>12-30-64<br>1-24-65<br>2-24-65<br>3-31-65<br>4-28-65<br>5-24-65<br>6-30-65<br>7-28-65<br>8-27-65<br>9-30-65 | 178.2<br>140.7<br>149.7<br>141.7<br>133.2<br>128.7<br>120.3<br>120.2  | 199.8<br>187.3<br>178.3<br>166.3<br>194.8<br>199.3<br>204.3<br>207.8  | 5100                  |

| STATE WELL NUMBER                                      | GROUND SURFACE ELEVATION IN FEET | DATE   | GROUND SURFACE TO WATER SURFACE IN FEET   | WATER SURFACE ELEVATION IN FEET   | AGENCY SUPPLYING DATA |
|--|----------------------------------|--|---|---|-----------------------|
| SAN FRANCISCO BAY REGION<br>LIVEMORE VALLEY<br>2-10.00 |                                  |  |   |   |                       |
| 03S/01E-19A 3 M  | 328.0                            | 3-31-65<br>4-28-65<br>5-24-65<br>6-30-65<br>7-28-65<br>8-27-65<br>9-30-65  | 113.7<br>110.5<br>117.8<br>130.2<br>140.2<br>139.7<br>143.7   | 214.3<br>217.5<br>210.2<br>197.8<br>197.8<br>188.3<br>184.3   | 5100                  |
| 03S/02E-24 I M   | 562.2                            | 7- 0-64  | *   | *   | 5100                  |
| 03S/02E-10H 1 M  | 551.0                            | 9- 0-64<br>J- 0-65   | \$<br>128.8   | 422.2   | 5100                  |
| 03S/02E-18E 2 M  | 508.0                            | 7-30-64<br>8-27-64<br>9-24-64<br>10-29-64<br>11-25-64<br>12-30-64<br>1-24-65<br>2-24-65<br>3-31-65<br>4-28-65<br>5-24-65<br>6-30-65<br>7-28-65<br>8-27-65<br>9-30-65 | 117.4<br>115.9<br>117.9<br>119.0<br>118.5<br>116.2<br>109.2<br>105.6<br>104.3<br>103.2<br>102.6<br>104.5<br>107.5<br>106.8<br>109.1 | 390.6<br>392.1<br>396.1<br>389.0<br>389.5<br>391.8<br>398.8<br>402.4<br>403.7<br>404.8<br>405.4<br>400.5<br>400.5<br>401.2<br>398.9 | 5100                  |
| 03S/02E-14D 1 M  | 412.0                            | 7-30-64<br>8-27-64<br>9-24-64<br>10-29-64<br>11-25-64<br>12-30-64<br>1-24-65<br>2-24-65<br>3-31-65<br>4-28-65<br>5-24-65<br>6-30-65<br>7-28-65<br>8-27-65<br>9-30-65 | 176.9<br>183.9<br>185.4<br>185.7<br>181.7<br>177.0<br>168.5<br>162.9<br>159.4<br>154.3<br>155.9<br>155.9<br>150.5<br>165.8<br>174.9 | 235.1<br>228.1<br>228.6<br>226.3<br>230.3<br>235.0<br>243.5<br>249.1<br>252.6<br>257.7<br>256.5<br>256.5<br>251.5<br>246.2<br>237.1 | 5100                  |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| HALF MOON BAY TERRACE    |                                  |          |   |                                 |                       |
| 2-22.00                  |                                  |          |   |                                 |                       |
| 055/05w-1YJ 1 M          | 54.0                             | 3-17-65  | 24.6                                    | 28.4                            | 5050                  |
| 055/05w-20L 1 M          | 73.0                             | 7- 0-64  | \$                                      | 5050                            | 5050                  |
| 055/05w-2YF 4 M          | 50.0                             | 7-23-64  | 23.1                                    | 26.9                            | 5050                  |
|                          |                                  | 8-20-64  | 25.7 <sup>a</sup>                       | 28.3                            |                       |
|                          |                                  | 9-21-64  | 26.0                                    | 28.0                            |                       |
|                          |                                  | 10-21-64 | 26.9                                    | 23.1                            |                       |
|                          |                                  | 11-19-64 | 24.0                                    | 26.0                            |                       |
|                          |                                  | 12-22-64 | 24.9                                    | 25.1                            |                       |
|                          |                                  | 1-20-65  | 13.5                                    | 36.5                            |                       |
|                          |                                  | 2-18-65  | 14.5                                    | 35.5                            |                       |
|                          |                                  | 3-17-65  | 15.9                                    | 34.1                            |                       |
|                          |                                  | 4-21-65  | 15.1 <sup>a</sup>                       | 34.9                            |                       |
|                          |                                  | 5-19-65  | 15.0                                    | 35.0                            |                       |
|                          |                                  | 6-24-65  | 18.5                                    | 31.5                            |                       |
|                          |                                  | 7-21-65  | 18.8                                    | 31.2                            |                       |
|                          |                                  | 8-17-65  | 19.0                                    | 31.0                            |                       |
|                          |                                  | 9-24-65  | 20.7                                    | 29.3                            |                       |
| 055/05w-2YN 1 M          | 46.0                             | 3-17-65  | 30.5                                    | 15.5                            | 5050                  |
| 055/05w-32K 1 M          | 70.0                             | 7-23-64  | 30.4                                    | 59.6                            | 5050                  |
|                          |                                  | 8-20-64  | 30.0                                    | 60.0                            |                       |
|                          |                                  | 9-21-64  | 30.4                                    | 59.6                            |                       |
|                          |                                  | 10-21-64 | 30.9                                    | 59.1                            |                       |
|                          |                                  | 11-19-64 | 31.4                                    | 58.6                            |                       |
|                          |                                  | 12-22-64 | 48.8 <sup>a</sup>                       | 41.2                            |                       |
|                          |                                  | 1-20-65  | 33.9                                    | 56.1                            |                       |
|                          |                                  | 2-18-65  | 32.0                                    | 58.0                            |                       |
|                          |                                  | 3-17-65  | 32.5                                    | 57.5                            |                       |
|                          |                                  | 4-21-65  | 33.5                                    | 56.5                            |                       |
|                          |                                  | 5-19-65  | 33.5                                    | 56.5                            |                       |
|                          |                                  | 6-24-65  | 28.7                                    | 61.3                            |                       |
|                          |                                  | 7-21-65  | 28.8                                    | 61.2                            |                       |
|                          |                                  | 8-17-65  | 33.4                                    | 56.6                            |                       |
|                          |                                  | 9-24-65  | 29.2                                    | 60.8                            |                       |
| 055/06w-10J 1 M          | 35.0                             | 3-17-65  | 5                                       | 34.5                            | 5050                  |
| 065/05w-8H 1 M           | 104.0                            | 7-23-64  | 56.7                                    | 51.3                            | 5050                  |
|                          |                                  | 8-20-64  | 60.9 <sup>a</sup>                       | 47.1                            |                       |
|                          |                                  | 9-21-64  | 58.1                                    | 49.9                            |                       |
|                          |                                  | 10-21-64 | 54.4                                    | 53.6                            |                       |
|                          |                                  | 11-19-64 | 54.8                                    | 53.2                            |                       |
|                          |                                  | 12-22-64 | 44.0 <sup>a</sup>                       | 64.0                            |                       |
|                          |                                  | 1-20-65  | 60.0                                    | 48.0                            |                       |
|                          |                                  | 2-18-65  | 57.3                                    | 50.7                            |                       |
|                          |                                  | 3-17-65  | 60.5                                    | 47.5                            |                       |

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| HALF MOON BAY TERRACE    |                                  |          |   |                                 |                       |
| 2-22.00                  |                                  |          |   |                                 |                       |
| 065/05w-8B 1 M           | 108.0                            | 4-21-65  | 56.7                                    | 49.3                            | 5050                  |
|                          |                                  | 5-19-65  | 59.1                                    | 48.9                            |                       |
|                          |                                  | 6-24-65  | 62.0                                    | 46.0                            |                       |
|                          |                                  | 7-21-65  | 62.2 <sup>a</sup>                       | 45.8                            |                       |
|                          |                                  | 8-17-65  | 62.5 <sup>a</sup>                       | 45.5                            |                       |
|                          |                                  | 9-24-65  | 61.2 <sup>a</sup>                       | 46.4                            |                       |
| SAN Geronimo VALLEY      |                                  |          |   |                                 |                       |
| 2-24.00                  |                                  |          |   |                                 |                       |
| 075/05w-13E 1 M          | 80.0                             | 7-23-64  | 12.2                                    | 67.8                            | 5050                  |
|                          |                                  | 8-20-64  | 12.4                                    | 67.6                            |                       |
|                          |                                  | 9-21-64  | 12.5                                    | 67.5                            |                       |
|                          |                                  | 10-21-64 | 13.2                                    | 66.8                            |                       |
|                          |                                  | 11-19-64 | 12.5                                    | 67.5                            |                       |
|                          |                                  | 12-22-64 | \$                                      |                                 |                       |
|                          |                                  | 1-20-65  | 10.7                                    | 69.3                            |                       |
|                          |                                  | 2-18-65  | 11.0                                    | 69.0                            |                       |
|                          |                                  | 3-17-65  | 10.8                                    | 69.2                            |                       |
|                          |                                  | 4-21-65  | 11.3                                    | 68.7                            |                       |
|                          |                                  | 5-19-65  | 11.2                                    | 68.8                            |                       |
|                          |                                  | 6-24-65  | 11.4                                    | 68.6                            |                       |
|                          |                                  | 7-21-65  | 11.7                                    | 68.3                            |                       |
|                          |                                  | 8-17-65  | 12.0                                    | 68.0                            |                       |
|                          |                                  | 9-24-65  | 12.9                                    | 67.1                            |                       |
| 075/05w-15C 1 M          | 80.0                             | 3-17-65  | \$                                      |                                 | 5050                  |
| 075/05w-15E 1 M          | 75.2                             | 3-17-65  | 34.2                                    | 41.0                            | 5050                  |
| 075/05w-15E 2 M          | 30.0                             | 7-23-64  | 14.1                                    | 15.9                            | 5050                  |
|                          |                                  | 8-20-64  | 14.3                                    | 15.7                            |                       |
|                          |                                  | 9-21-64  | 14.6                                    | 15.4                            |                       |
|                          |                                  | 10-21-64 | 19.2 <sup>a</sup>                       | 10.8                            |                       |
|                          |                                  | 11-19-64 | 13.9                                    | 16.1                            |                       |
|                          |                                  | 12-22-64 | \$                                      |                                 |                       |
|                          |                                  | 1-20-65  | 12.1                                    | 17.9                            |                       |
|                          |                                  | 2-18-65  | 13.1                                    | 16.9                            |                       |
|                          |                                  | 3-17-65  | 12.6                                    | 17.4                            |                       |
|                          |                                  | 4-21-65  | 12.6                                    | 17.4                            |                       |
|                          |                                  | 5-19-65  | 16.9 <sup>a</sup>                       | 13.1                            |                       |
|                          |                                  | 6-24-65  | 13.6                                    | 16.4                            |                       |
|                          |                                  | 7-21-65  | 14.0                                    | 16.0                            |                       |
|                          |                                  | 8-17-65  | 13.9                                    | 16.1                            |                       |
|                          |                                  | 9-24-65  | 16.0                                    | 14.0                            |                       |
| 075/05w-15M 2 M          | 40.0                             | 3-16-65  | \$                                      |                                 | 5050                  |

TABLE C-4  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |   |                                 |                       |
| HALF MOON BAY TERRACE    |                                  |          |   |                                 |                       |
| 2-22.00                  |                                  |          |   |                                 |                       |
| 055/05w-1YJ 1 M          | 54.0                             | 3-17-65  | 24.6                                    | 28.4                            | 5050                  |
| 055/05w-20L 1 M          | 73.0                             | 7- 0-64  | \$                                      | 5050                            | 5050                  |
| 055/05w-2YF 4 M          | 50.0                             | 7-23-64  | 23.1                                    | 26.9                            | 5050                  |
|                          |                                  | 8-20-64  | 25.7 <sup>a</sup>                       | 28.3                            |                       |
|                          |                                  | 9-21-64  | 26.0                                    | 28.0                            |                       |
|                          |                                  | 10-21-64 | 26.9                                    | 23.1                            |                       |
|                          |                                  | 11-19-64 | 24.0                                    | 26.0                            |                       |
|                          |                                  | 12-22-64 | 24.9                                    | 25.1                            |                       |
|                          |                                  | 1-20-65  | 13.5                                    | 36.5                            |                       |
|                          |                                  | 2-18-65  | 14.5                                    | 35.5                            |                       |
|                          |                                  | 3-17-65  | 15.9                                    | 34.1                            |                       |
|                          |                                  | 4-21-65  | 15.1 <sup>a</sup>                       | 34.9                            |                       |
|                          |                                  | 5-19-65  | 15.0                                    | 35.0                            |                       |
|                          |                                  | 6-24-65  | 18.5                                    | 31.5                            |                       |
|                          |                                  | 7-21-65  | 18.8                                    | 31.2                            |                       |
|                          |                                  | 8-17-65  | 19.0                                    | 31.0                            |                       |
|                          |                                  | 9-24-65  | 20.7                                    | 29.3                            |                       |
| 055/05w-2YN 1 M          | 46.0                             | 3-17-65  | 30.5                                    | 15.5                            | 5050                  |
| 055/05w-32K 1 M          | 70.0                             | 7-23-64  | 30.4                                    | 59.6                            | 5050                  |
|                          |                                  | 8-20-64  | 30.0                                    | 60.0                            |                       |
|                          |                                  | 9-21-64  | 30.4                                    | 59.6                            |                       |
|                          |                                  | 10-21-64 | 30.9                                    | 59.1                            |                       |
|                          |                                  | 11-19-64 | 31.4                                    | 58.6                            |                       |
|                          |                                  | 12-22-64 | 48.8 <sup>a</sup>                       | 41.2                            |                       |
|                          |                                  | 1-20-65  | 33.9                                    | 56.1                            |                       |
|                          |                                  | 2-18-65  | 32.0                                    | 58.0                            |                       |
|                          |                                  | 3-17-65  | 32.5                                    | 57.5                            |                       |
|                          |                                  | 4-21-65  | 33.5                                    | 56.5                            |                       |
|                          |                                  | 5-19-65  | 33.5                                    | 56.5                            |                       |
|                          |                                  | 6-24-65  | 28.7                                    | 61.3                            |                       |
|                          |                                  | 7-21-65  | 28.8                                    | 61.2                            |                       |
|                          |                                  | 8-17-65  | 33.4                                    | 56.6                            |                       |
|                          |                                  | 9-24-65  | 29.2                                    | 60.8                            |                       |
| 055/06w-10J 1 M          | 35.0                             | 3-17-65  | 5                                       | 34.5                            | 5050                  |
| 065/05w-8H 1 M           | 104.0                            | 7-23-64  | 56.7                                    | 51.3                            | 5050                  |
|                          |                                  | 8-20-64  | 60.9 <sup>a</sup>                       | 47.1                            |                       |
|                          |                                  | 9-21-64  | 58.1                                    | 49.9                            |                       |
|                          |                                  | 10-21-64 | 54.4                                    | 53.6                            |                       |
|                          |                                  | 11-19-64 | 54.8                                    | 53.2                            |                       |
|                          |                                  | 12-22-64 | 44.0 <sup>a</sup>                       | 64.0                            |                       |
|                          |                                  | 1-20-65  | 60.0                                    | 48.0                            |                       |
|                          |                                  | 2-18-65  | 57.3                                    | 50.7                            |                       |
|                          |                                  | 3-17-65  | 60.5                                    | 47.5                            |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE WATER IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|------------------------------|---------------------------------|-----------------------|
| SAN FRANCISCO BAY REGION |                                  |          |                              |                                 |                       |
| PESCADERO VALLEY         |                                  |          |                              |                                 |                       |
| 2-26.00                  |                                  |          |                              |                                 |                       |
| 085/05w-4M 1 M           | 20.0                             | 7-23-64  | 5.1                          | 14.9                            | 5050                  |
|                          |                                  | 8-20-64  | 5.2                          | 14.8                            |                       |
|                          |                                  | 9-21-64  | 5.2                          | 14.8                            |                       |
|                          |                                  | 10-21-64 | 5.6                          | 14.4                            |                       |
|                          |                                  | 11-19-64 | 4.9                          | 15.1                            |                       |
|                          |                                  | 12-22-64 | \$                           |                                 |                       |
|                          |                                  | 1-20-65  | 3.7                          | 16.3                            |                       |
|                          |                                  | 2-18-65  | 3.6                          | 16.4                            |                       |
|                          |                                  | 3-17-65  | 3.7                          | 16.3                            |                       |
|                          |                                  | 4-21-65  | 3.3                          | 16.7                            |                       |
|                          |                                  | 5-19-65  | 3.6                          | 16.4                            |                       |
|                          |                                  | 6-24-65  | 3.9                          | 16.1                            |                       |
|                          |                                  | 7-21-65  | 4.5*                         | 15.5                            |                       |
|                          |                                  | 8-17-65  | 5.2                          | 14.8                            |                       |
|                          |                                  | 9-24-65  | 4.5                          | 15.5                            |                       |
| 085/05w-10K 1 M          | 37.0                             | 7-22-64  | 19.2                         | 17.8                            | 5050                  |
|                          |                                  | 8-20-64  | 20.0                         | 17.0                            |                       |
|                          |                                  | 9-21-64  | 20.5                         | 16.5                            |                       |
|                          |                                  | 10-21-64 | 19.4                         | 17.6                            |                       |
|                          |                                  | 11-19-64 | 19.7                         | 18.3                            |                       |
|                          |                                  | 12-22-64 | \$                           |                                 |                       |
|                          |                                  | 1-20-65  | 10.2                         | 26.8                            |                       |
|                          |                                  | 2-18-65  | 13.4                         | 24.2                            |                       |
|                          |                                  | 3-17-65  | 15.3                         | 21.2                            |                       |
|                          |                                  | 4-21-65  | 15.8                         | 24.2                            |                       |
|                          |                                  | 5-19-65  | 15.0                         | 21.9                            |                       |
|                          |                                  | 6-24-65  | 19.9                         | 20.1                            |                       |
|                          |                                  | 7-21-65  | 17.6                         | 19.2                            |                       |
|                          |                                  | 8-17-65  | 19.2                         | 17.6                            |                       |
|                          |                                  | 9-24-65  | 18.7                         | 18.3                            |                       |
| 085/05w-11F 1 M          | 70.0                             | 7-23-64  | 13.5                         | 56.5                            | 5050                  |
|                          |                                  | 8-20-64  | 14.9                         | 55.1                            |                       |
|                          |                                  | 9-21-64  | 15.2                         | 54.8                            |                       |
|                          |                                  | 10-21-64 | 15.3                         | 54.7                            |                       |
|                          |                                  | 11-19-64 | 13.5                         | 56.5                            |                       |
|                          |                                  | 12-22-64 | \$                           |                                 |                       |
|                          |                                  | 1-20-65  | 7.9                          | 62.1                            |                       |
|                          |                                  | 2-18-65  | 9.7                          | 60.3                            |                       |
|                          |                                  | 3-17-65  | 10.3                         | 59.7                            |                       |
|                          |                                  | 4-21-65  | 6.4                          | 63.6                            |                       |
|                          |                                  | 5-19-65  | 9.5                          | 60.5                            |                       |
|                          |                                  | 6-24-65  | 10.9                         | 59.1                            |                       |
|                          |                                  | 7-21-65  | 12.2                         | 57.8                            |                       |
|                          |                                  | 8-17-65  | 13.3                         | 56.7                            |                       |
|                          |                                  | 9-24-65  | 15.1                         | 54.9                            |                       |
| 085/05w-11K 2 M          | 60.0                             | 3-17-65  | 7.6                          | 52.4                            | 5050                  |
| 085/05w-11M 1 M          | 45.0                             | 3-17-65  | \$                           |                                 | 5050                  |

| STATE WELL NUMBER      | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE WATER IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|------------------------|----------------------------------|----------|------------------------------|---------------------------------|-----------------------|
| CENTRAL COASTAL REGION |                                  |          |                              |                                 |                       |
| SQUEL VALLEY           |                                  |          |                              |                                 |                       |
| 3--01.00               |                                  |          |                              |                                 |                       |
| 115/01w-9L 1 M         | 124.2                            | 7-23-64  | 57.7                         | 66.5                            | 5050                  |
|                        |                                  | 8-20-64  | 57.7                         | 66.5                            |                       |
|                        |                                  | 9-22-64  | 58.0                         | 66.2                            |                       |
|                        |                                  | 10-21-64 | 58.4                         | 65.8                            |                       |
|                        |                                  | 11-18-64 | 58.0                         | 66.2                            |                       |
|                        |                                  | 12-22-64 | 59.6                         | 64.6                            |                       |
|                        |                                  | 1-19-65  | 59.2                         | 65.0                            |                       |
|                        |                                  | 2-17-65  | 58.7                         | 65.5                            |                       |
|                        |                                  | 3-17-65  | 58.3                         | 65.9                            |                       |
|                        |                                  | 4-20-65  | 55.9                         | 68.3                            |                       |
|                        |                                  | 5-18-65  | 57.4                         | 66.8                            |                       |
|                        |                                  | 6-23-65  | 58.3                         | 65.9                            |                       |
|                        |                                  | 7-21-65  | 57.4                         | 66.8                            |                       |
|                        |                                  | 8-21-65  | 56.9                         | 67.3                            |                       |
|                        |                                  | 9-23-65  | 58.2                         | 66.0                            |                       |
| 115/01w-10C 1 M        | 90.0                             | 7-23-64  | 61.5                         | 28.5                            | 5050                  |
|                        |                                  | 8-20-64  | 62.1                         | 27.9                            |                       |
|                        |                                  | 9-22-64  | 59.6                         | 30.4                            |                       |
|                        |                                  | 10-21-64 | 61.2                         | 28.8                            |                       |
|                        |                                  | 11-18-64 | 61.4                         | 28.6                            |                       |
|                        |                                  | 12-22-64 | 60.2                         | 29.8                            |                       |
|                        |                                  | 1-19-65  | 59.7                         | 30.3                            |                       |
|                        |                                  | 2-17-65  | 59.8                         | 30.2                            |                       |
|                        |                                  | 3-17-65  | 58.9                         | 31.2                            |                       |
|                        |                                  | 4-20-65  | 62.2                         | 27.8                            |                       |
|                        |                                  | 5-18-65  | 60.0                         | 30.0                            |                       |
|                        |                                  | 6-23-65  | 60.7                         | 29.3                            |                       |
|                        |                                  | 7-21-65  | 61.1                         | 28.9                            |                       |
|                        |                                  | 8-21-65  | 61.5                         | 28.5                            |                       |
|                        |                                  | 9-23-65  | 60.7                         | 29.3                            |                       |
| 115/01w-15E 2 M        | 87.0                             | 7-23-64  | 70.0                         | 17.0                            | 5050                  |
|                        |                                  | 8-20-64  | 72.2                         | 14.6                            |                       |
|                        |                                  | 9-22-64  | 71.6                         | 15.4                            |                       |
|                        |                                  | 10-21-64 | 71.9                         | 15.1                            |                       |
|                        |                                  | 11-18-64 | 57.8                         | 29.2                            |                       |
|                        |                                  | 12-22-64 | 57.0                         | 30.0                            |                       |
|                        |                                  | 1-19-65  | 57.4                         | 29.6                            |                       |
|                        |                                  | 2-17-65  | 57.3                         | 29.7                            |                       |
|                        |                                  | 3-17-65  | 57.2                         | 29.8                            |                       |
|                        |                                  | 4-20-65  | 57.1                         | 29.9                            |                       |
|                        |                                  | 5-18-65  | 70.0*                        | 17.0                            |                       |
|                        |                                  | 6-23-65  | 67.7                         | 19.3                            |                       |
|                        |                                  | 7-21-65  | 61.9                         | 25.1                            |                       |
|                        |                                  | 8-21-65  | 62.7                         | 24.3                            |                       |
|                        |                                  | 9-23-65  | 72.2                         | 14.6                            |                       |
| 115/01w-15M 1 M        | 91.7                             | 7- 0-64  | \$                           |                                 | 5050                  |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER      | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| CENTRAL COASTAL REGION |                                  |          |   |                                 |                       |
| PAJARO VALLEY          |                                  |          |   |                                 |                       |
| 3-02.00                |                                  |          |   |                                 |                       |
| 115/02E-27A 1 M        | 141.0                            | 7-22-64  | 98.7                                    | 42.3                            | 5050                  |
|                        |                                  | 8-19-64  | 99.6                                    | 41.4                            |                       |
|                        |                                  | 9-22-64  | 99.1                                    | 41.9                            |                       |
|                        |                                  | 10-21-64 | 99.0                                    | 42.0                            |                       |
|                        |                                  | 11-18-64 | 97.8                                    | 43.2                            |                       |
|                        |                                  | 12-29-64 | 98.2                                    | 42.8                            |                       |
|                        |                                  | 1-19-65  | 96.5                                    | 44.5                            |                       |
|                        |                                  | 2-17-65  | 96.1                                    | 44.9                            |                       |
|                        |                                  | 3-16-65  | 96.6                                    | 44.4                            |                       |
|                        |                                  | 4-20-65  | 97.1                                    | 43.9                            |                       |
|                        |                                  | 5-18-65  | 96.3                                    | 44.7                            |                       |
|                        |                                  | 6-23-65  | 97.6                                    | 43.4                            |                       |
|                        |                                  | 7-21-65  | 104.1*                                  | 36.9                            |                       |
|                        |                                  | 8-21-65  | 104.5*                                  | 36.5                            |                       |
|                        |                                  | 9-24-65  | 94.0                                    | 47.0                            |                       |
| 125/01E-24G 1 M        | 9.4                              | 7-22-64  | 25.2                                    | -15.8                           | 5050                  |
|                        |                                  | 8-19-64  | \$                                      |                                 |                       |
|                        |                                  | 9-22-64  | 17.0                                    | -7.6                            |                       |
|                        |                                  | 10-21-64 | 16.5                                    | -7.1                            |                       |
|                        |                                  | 11-18-64 | 7.7                                     | 1.7                             |                       |
|                        |                                  | 12-29-64 | 6.9                                     | 2.5                             |                       |
|                        |                                  | 1-19-65  | 4.8                                     | 4.6                             |                       |
|                        |                                  | 2-17-65  | 4.8                                     | 4.6                             |                       |
|                        |                                  | 3-16-65  | 3.5                                     | 5.9                             |                       |
|                        |                                  | 4-20-65  | 5.1                                     | 4.3                             |                       |
|                        |                                  | 5-18-65  | 15.1                                    | -5.7                            |                       |
|                        |                                  | 6-23-65  | 18.8                                    | -6.4                            |                       |
|                        |                                  | 7-21-65  | 18.9                                    | -6.5                            |                       |
|                        |                                  | 8-21-65  | 17.1                                    | -7.7                            |                       |
|                        |                                  | 9-23-65  | 18.2                                    | -6.8                            |                       |
| 125/02E-11E 4 M        | 36.0                             | 7-22-64  | 41.2*                                   | -5.2                            | 5050                  |
|                        |                                  | 8-19-64  | 38.6*                                   | -2.6                            |                       |
|                        |                                  | 9-22-64  | 34.9*                                   | 1.1                             |                       |
|                        |                                  | 10-21-64 | \$                                      |                                 |                       |
|                        |                                  | 11-17-64 | 29.0                                    | 7.0                             |                       |
|                        |                                  | 12-22-64 | \$                                      |                                 |                       |
|                        |                                  | 1-19-65  | 22.3                                    | 13.7                            |                       |
|                        |                                  | 2-17-65  | 20.8*                                   | 15.2                            |                       |
|                        |                                  | 3-16-65  | 30.6*                                   | 5.4                             |                       |
|                        |                                  | 4-20-65  | 21.6                                    | 14.4                            |                       |
|                        |                                  | 5-18-65  | 27.1                                    | 8.9                             |                       |
|                        |                                  | 6-23-65  | \$                                      |                                 |                       |
|                        |                                  | 7-21-65  | 65.9*                                   | -29.9                           |                       |
|                        |                                  | 8-21-65  | 33.6                                    | 2.4                             |                       |
|                        |                                  | 9-25-65  | 31.8*                                   | 4.2                             |                       |
| CENTRAL COASTAL REGION |                                  |          |   |                                 |                       |
| PAJARO VALLEY          |                                  |          |   |                                 |                       |
| 3-02.00                |                                  |          |   |                                 |                       |
| 125/02E-16J 1 M        | 20.5                             | 7-22-64  | \$                                      |                                 | 5050                  |
|                        |                                  | 8-19-64  | 26.9                                    | -6.4                            |                       |
|                        |                                  | 9-22-64  | 26.0                                    | -5.5                            |                       |
|                        |                                  | 10-21-64 | 20.9                                    | -0.4                            |                       |
|                        |                                  | 11-18-64 | 17.1                                    | 3.4                             |                       |
|                        |                                  | 12-29-64 | 20.4*                                   | 3.1                             |                       |
|                        |                                  | 1-19-65  | 12.6                                    | 7.9                             |                       |
|                        |                                  | 2-17-65  | 11.6                                    | 8.9                             |                       |
|                        |                                  | 3-16-65  | 11.7                                    | 8.8                             |                       |
|                        |                                  | 4-20-65  | 11.2                                    | 9.3                             |                       |
|                        |                                  | 5-18-65  | 21.9                                    | -1.4                            |                       |
|                        |                                  | 6-23-65  | 24.9                                    | -5.4                            |                       |
|                        |                                  | 7-21-65  | 24.4                                    | -5.4                            |                       |
|                        |                                  | 8-21-65  | 22.7                                    | -5.2                            |                       |
|                        |                                  | 9-24-65  | 23.2                                    | -2.7                            |                       |
|                        |                                  | 3-17-65  | 25.7                                    | 4.3                             | 2100                  |
| 125/02E-31K 1 M        | 30.0                             | 3-18-65  | 1.6                                     | 3.4                             | 2100                  |
| 135/01E-1A 1 M         | 5.0                              | 7-22-64  | 142.5                                   | -6.5                            | 5050                  |
| 135/02E-5B 1 M         | 136.0                            | 8-19-64  | 142.2                                   | -6.2                            |                       |
|                        |                                  | 9-23-64  | 141.3                                   | -5.3                            |                       |
|                        |                                  | 10-21-64 | 141.1                                   | -5.1                            |                       |
|                        |                                  | 11-18-64 | 140.3                                   | -4.3                            |                       |
|                        |                                  | 12-22-64 | 140.1                                   | -4.1                            |                       |
|                        |                                  | 1-19-65  | 137.9                                   | -1.9                            |                       |
|                        |                                  | 2-17-65  | 136.6                                   | -0.6                            |                       |
|                        |                                  | 3-16-65  | 131.6                                   | 4.4                             |                       |
|                        |                                  | 4-20-65  | 135.2                                   | 4.8                             |                       |
|                        |                                  | 5-18-65  | 135.6                                   | 4.4                             |                       |
|                        |                                  | 6-23-65  | 137.5                                   | -1.5                            |                       |
|                        |                                  | 7-21-65  | 142.2                                   | -6.2                            |                       |
|                        |                                  | 8-21-65  | 139.7                                   | -3.7                            |                       |
|                        |                                  | 9-24-65  | 140.6                                   | -4.6                            |                       |
| 135/02E-6B 1 M         | 15.0                             | 7-22-64  | 18.0                                    | -3.0                            | 5050                  |
|                        |                                  | 8-19-64  | 18.3                                    | -3.3                            |                       |
|                        |                                  | 9-23-64  | 18.8                                    | -3.8                            |                       |
|                        |                                  | 10-21-64 | 19.1                                    | -4.1                            |                       |
|                        |                                  | 11-18-64 | 16.5                                    | -1.5                            |                       |
|                        |                                  | 12-22-64 | 16.3                                    | -1.7                            |                       |
|                        |                                  | 1-19-65  | 13.2                                    | 1.8                             |                       |
|                        |                                  | 2-17-65  | 13.2                                    | 1.8                             |                       |
|                        |                                  | 3-16-65  | 15.0                                    | 2.5                             |                       |
|                        |                                  | 4-20-65  | 15.0                                    | 2.5                             |                       |
|                        |                                  | 5-18-65  | 16.0                                    | 3.0                             |                       |
|                        |                                  | 6-23-65  | 13.3                                    | 1.7                             |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER      | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| CENTRAL COASTAL REGION |                                  |          |   |                                 |                       |
| PAJARO VALLEY          |                                  |          |   |                                 |                       |
| 3-02.00                |                                  |          |   |                                 |                       |
| 115/02E-27A 1 M        | 141.0                            | 7-22-64  | 98.7                                    | 42.3                            | 5050                  |
|                        |                                  | 8-19-64  | 99.6                                    | 41.4                            |                       |
|                        |                                  | 9-22-64  | 99.1                                    | 41.9                            |                       |
|                        |                                  | 10-21-64 | 99.0                                    | 42.0                            |                       |
|                        |                                  | 11-18-64 | 97.8                                    | 43.2                            |                       |
|                        |                                  | 12-29-64 | 98.2                                    | 42.8                            |                       |
|                        |                                  | 1-19-65  | 96.5                                    | 44.5                            |                       |
|                        |                                  | 2-17-65  | 96.1                                    | 44.9                            |                       |
|                        |                                  | 3-16-65  | 96.6                                    | 44.4                            |                       |
|                        |                                  | 4-20-65  | 97.1                                    | 43.9                            |                       |
|                        |                                  | 5-18-65  | 96.3                                    | 44.7                            |                       |
|                        |                                  | 6-23-65  | 97.6                                    | 43.4                            |                       |
|                        |                                  | 7-21-65  | 104.1*                                  | 36.9                            |                       |
|                        |                                  | 8-21-65  | 104.5*                                  | 36.5                            |                       |
|                        |                                  | 9-24-65  | 94.0                                    | 47.0                            |                       |
| 125/01E-24G 1 M        | 9.4                              | 7-22-64  | 25.2                                    | -15.8                           | 5050                  |
|                        |                                  | 8-19-64  | \$                                      |                                 |                       |
|                        |                                  | 9-22-64  | 17.0                                    | -7.6                            |                       |
|                        |                                  | 10-21-64 | 16.5                                    | -7.1                            |                       |
|                        |                                  | 11-18-64 | 7.7                                     | 1.7                             |                       |
|                        |                                  | 12-29-64 | 6.9                                     | 2.5                             |                       |
|                        |                                  | 1-19-65  | 4.8                                     | 4.6                             |                       |
|                        |                                  | 2-17-65  | 4.8                                     | 4.6                             |                       |
|                        |                                  | 3-16-65  | 3.5                                     | 5.9                             |                       |
|                        |                                  | 4-20-65  | 5.1                                     | 4.3                             |                       |
|                        |                                  | 5-18-65  | 15.1                                    | -5.7                            |                       |
|                        |                                  | 6-23-65  | 18.8                                    | -6.4                            |                       |
|                        |                                  | 7-21-65  | 18.9                                    | -6.5                            |                       |
|                        |                                  | 8-21-65  | 17.1                                    | -7.7                            |                       |
|                        |                                  | 9-23-65  | 18.2                                    | -6.8                            |                       |
| 125/02E-11E 4 M        | 36.0                             | 7-22-64  | 41.2*                                   | -5.2                            | 5050                  |
|                        |                                  | 8-19-64  | 38.6*                                   | -2.6                            |                       |
|                        |                                  | 9-22-64  | 34.9*                                   | 1.1                             |                       |
|                        |                                  | 10-21-64 | \$                                      |                                 |                       |
|                        |                                  | 11-17-64 | 29.0                                    | 7.0                             |                       |
|                        |                                  | 12-22-64 | \$                                      |                                 |                       |
|                        |                                  | 1-19-65  | 22.3                                    | 13.7                            |                       |
|                        |                                  | 2-17-65  | 20.8*                                   | 15.2                            |                       |
|                        |                                  | 3-16-65  | 30.6*                                   | 5.4                             |                       |
|                        |                                  | 4-20-65  | 21.6                                    | 14.4                            |                       |
|                        |                                  | 5-18-65  | 27.1                                    | 8.9                             |                       |
|                        |                                  | 6-23-65  | \$                                      |                                 |                       |
|                        |                                  | 7-21-65  | 65.9*                                   | -29.9                           |                       |
|                        |                                  | 8-21-65  | 33.6                                    | 2.4                             |                       |
|                        |                                  | 9-25-65  | 31.8*                                   | 4.2                             |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| CENTRAL COASTAL REGION   |                                  |          |   |                                 |                       |
| PAJARO VALLEY            |                                  |          |   |                                 |                       |
| 3-02.00                  |                                  |          |   |                                 |                       |
| 13S/02E-6B 1 M           | 15.0                             | 6-23-65  | 17.4                                    | -2.4                            | 5050                  |
|                          |                                  | 7-21-65  | 17.1                                    | -2.1                            |                       |
|                          |                                  | 8-21-65  | 18.5                                    | -3.5                            |                       |
|                          |                                  | 9-24-65  | 18.9                                    | -3.9                            |                       |
| 13S/02E-6C 1 M           | 26.0                             | 3-16-65  | 21.8                                    | 4.2                             | 2100                  |
| 13S/02E-6E 2 M           | 27.8                             | 3-16-65  | 22.8                                    | 5.0                             | 2100                  |
| 13S/02E-6E 3 M           | 30.0                             | 3-16-65  | 26.6                                    | 3.4                             | 2100                  |
| GILROY-HOLLISTER VALLEY  |                                  |          |   |                                 |                       |
| SOUTH SANTA CLARA COUNTY |                                  |          |   |                                 |                       |
| 3-03.00                  |                                  |          |   |                                 |                       |
| 09S/03E-16J 1 M          | 385.7                            | 3-16-65  | 109.2                                   | 276.5                           | 2400                  |
| 09S/03E-21K 2 M          | 361.6                            | 3-16-65  | 90.1*                                   | 271.5                           | 2400                  |
| 09S/03E-22B 3 M          | 374.1                            | 3-16-65  | 105.6*                                  | 273.5                           | 2400                  |
| 09S/03E-23E 1 M          | 362.5                            | 3-16-65  | 105.0                                   | 257.5                           | 2400                  |
| 09S/03E-26P 1 M          | 324.1                            | 3-17-65  | 75.3                                    | 253.8                           | 2400                  |
| 09S/03E-27C 2 M          | 347.0                            | 7- 8-64  | 85.6*                                   | 261.4                           | 2400                  |
|                          |                                  | 8-11-64  | 87.3                                    | 259.7                           |                       |
|                          |                                  | 9-17-64  | 86.6                                    | 260.4                           |                       |
|                          |                                  | 10- 9-64 | 94.5*                                   | 252.5                           |                       |
|                          |                                  | 11-12-64 | 95.4*                                   | 251.6                           |                       |
|                          |                                  | 12- 8-64 | 96.5                                    | 250.5                           |                       |
|                          |                                  | 1-15-65  | 91.8                                    | 255.2                           |                       |
|                          |                                  | 2- 9-65  | 86.5*                                   | 260.5                           |                       |
|                          |                                  | 3-16-65  | 86.8*                                   | 260.2                           |                       |
|                          |                                  | 4- 9-65  | 79.0                                    | 268.0                           |                       |
|                          |                                  | 5-11-65  | 75.7                                    | 271.3                           |                       |
|                          |                                  | 6- 9-65  | 82.7*                                   | 264.3                           |                       |
|                          |                                  | 7-15-65  | 80.9*                                   | 266.1                           |                       |
|                          |                                  | 8-16-65  | 90.5*                                   | 256.5                           |                       |
|                          |                                  | 9-14-65  | 90.7*                                   | 256.3                           |                       |
| 09S/03E-29D 1 M          | 397.6                            | 3-15-65  | 11.9                                    | 385.7                           | 5050                  |
| 09S/03E-34O 2 M          | 327.0                            | 3-17-65  | 63.4                                    | 263.6                           | 2400                  |

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| CENTRAL COASTAL REGION   |                                  |          |   |                                 |                       |
| SOUTH SANTA CLARA COUNTY |                                  |          |   |                                 |                       |
| 3-03.01                  |                                  |          |   |                                 |                       |
| 09S/03E-34U 1 M          | 314.2                            | 3-17-65  | 53.7                                    | 260.5                           | 2400                  |
| 09S/03E-36E 2 M          | 309.3                            | 3-17-65  | 85.6                                    | 223.7                           | 2400                  |
| 09S/03E-36F 3 M          | 322.0                            | 3-17-65  | 90.5                                    | 231.5                           | 2400                  |
| 10S/03E-2K 3 M           | 290.0                            | 7-21-64  | 59.2                                    | 230.8                           | 5050                  |
|                          |                                  | 8-19-64  | 58                                      |                                 |                       |
|                          |                                  | 9-24-64  | 74.5                                    | 210.5                           |                       |
|                          |                                  | 10-20-64 | 84.5                                    | 201.7                           |                       |
|                          |                                  | 11-17-64 | 81.9                                    | 208.1                           |                       |
|                          |                                  | 12-21-64 | 95.2*                                   | 194.8                           |                       |
|                          |                                  | 1-16-65  | 63.4                                    | 226.6                           |                       |
|                          |                                  | 2-16-65  | 48.6*                                   | 241.4                           |                       |
|                          |                                  | 3-15-65  | 47.0                                    | 243.0                           |                       |
|                          |                                  | 4- 0-65  | 42.8                                    | 247.2                           |                       |
|                          |                                  | 5-17-65  | 43.2                                    | 246.8                           |                       |
|                          |                                  | 6-22-65  | 51.0*                                   | 239.0                           |                       |
|                          |                                  | 7-20-65  | 53.2                                    | 236.8                           |                       |
|                          |                                  | 8-20-65  | 53.2                                    | 236.8                           |                       |
|                          |                                  | 9-24-65  | 53.2                                    |                                 |                       |
|                          |                                  | 7-21-64  | 63.2                                    | 187.8                           | 5050                  |
|                          |                                  | 8-19-64  | 72.0*                                   | 179.0                           |                       |
|                          |                                  | 9-24-64  | 75.7                                    | 175.3                           |                       |
|                          |                                  | 10-20-64 | 75.5                                    | 175.5                           |                       |
|                          |                                  | 11-17-64 | 69.3                                    | 181.7                           |                       |
|                          |                                  | 12-21-64 | 66.2                                    | 184.8                           |                       |
|                          |                                  | 1-14-65  | 53.6                                    | 197.4                           |                       |
|                          |                                  | 2-16-65  | 43.5                                    | 207.5                           |                       |
|                          |                                  | 3-15-65  | 38.2                                    | 212.8                           |                       |
|                          |                                  | 4-20-65  | 33.3                                    | 217.7                           |                       |
|                          |                                  | 5-17-65  | 35.2                                    | 215.8                           |                       |
|                          |                                  | 6-22-65  | 46.3                                    | 204.7                           |                       |
|                          |                                  | 7-20-65  | 49.9                                    | 201.1                           |                       |
|                          |                                  | 8-20-65  | 48.4                                    | 202.6                           |                       |
|                          |                                  | 9-24-65  | 45.9                                    | 205.1                           |                       |
| 10S/03E-36E 3 M          | 220.0                            | 7-21-64  | 37.5                                    | 182.5                           | 5050                  |
|                          |                                  | 8-19-64  | 37.8                                    | 182.2                           |                       |
|                          |                                  | 9-24-64  | 34.2                                    | 181.6                           |                       |
|                          |                                  | 10-20-64 | 37.9                                    | 186.1                           |                       |
|                          |                                  | 11-17-64 | 37.5                                    | 186.5                           |                       |
|                          |                                  | 12-21-64 | 37.5                                    | 182.5                           |                       |
|                          |                                  | 1-19-65  | 36.8                                    | 183.2                           |                       |
|                          |                                  | 2-16-65  | 36.5                                    | 184.5                           |                       |
|                          |                                  | 3-15-65  | 36.5                                    | 183.5                           |                       |
|                          |                                  | 4-19-65  | 36.6                                    | 183.4                           |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| 105/03E-36E       | 220.0                            | 5-17-64  | 34.9                                    | 185.1                           | 5050                  |
|                   |                                  | 6-22-65  | 36.2                                    | 183.8                           |                       |
|                   |                                  | 7-20-65  | 36.6                                    | 183.4                           |                       |
|                   |                                  | 8-20-65  | 37.2                                    | 182.8                           |                       |
|                   |                                  | 9-24-65  | 36.8                                    | 183.2                           |                       |
| 105/04E-16E 2 M   | 259.5                            | 7-21-64  | *                                       |                                 | 5050                  |
|                   |                                  | 8-19-64  | 78.2                                    | 181.3                           |                       |
|                   |                                  | 9-24-64  | 79.3                                    | 180.2                           |                       |
|                   |                                  | 10-20-64 | 86.2                                    | 173.3                           |                       |
|                   |                                  | 11-17-64 | 82.2                                    | 177.3                           |                       |
|                   |                                  | 12-21-64 | 79.4                                    | 180.1                           |                       |
|                   |                                  | 1-18-65  | 70.3                                    | 189.2                           |                       |
|                   |                                  | 2-15-65  | 59.5                                    | 200.0                           |                       |
|                   |                                  | 3-15-65  | 53.6                                    | 205.9                           |                       |
|                   |                                  | 4-20-65  | 61.9                                    | 197.6                           |                       |
|                   |                                  | 5-17-65  | 48.7                                    | 210.8                           |                       |
|                   |                                  | 6-22-65  | 58.94                                   | 200.6                           |                       |
|                   |                                  | 7-20-65  | 57.8                                    | 201.7                           |                       |
|                   |                                  | 8-20-65  | 58.9                                    | 202.6                           |                       |
|                   |                                  | 9-24-65  | 59.4                                    | 204.1                           |                       |
| 105/04E-31E 4 M   | 197.5                            | 7-27-64  | 46.5                                    | 151.0                           | 5200                  |
|                   |                                  | 8-17-64  | 43.5                                    | 152.0                           |                       |
|                   |                                  | 9-21-64  | 43.5                                    | 154.0                           |                       |
|                   |                                  | 10-19-64 | 46.5                                    | 151.0                           |                       |
|                   |                                  | 11-16-64 | 40.5                                    | 157.0                           |                       |
|                   |                                  | 12-21-64 | 36.5                                    | 161.0                           |                       |
|                   |                                  | 1-14-65  | 28.5                                    | 169.0                           |                       |
|                   |                                  | 2-13-65  | 23.5                                    | 174.0                           |                       |
|                   |                                  | 3-15-65  | 23.5                                    | 174.0                           |                       |
|                   |                                  | 4-14-65  | 18.5                                    | 179.0                           |                       |
|                   |                                  | 5-17-65  | 19.5                                    | 178.0                           |                       |
|                   |                                  | 6-21-65  | 28.5                                    | 169.0                           |                       |
|                   |                                  | 7-19-65  | 31.5                                    | 166.0                           |                       |
|                   |                                  | 8-15-65  | 32.5                                    | 165.0                           |                       |
|                   |                                  | 9-20-65  | 31.5                                    | 166.0                           |                       |
| 105/04E-35E 1 M   | 249.0                            | 3-15-65  | 78.3                                    | 169.7                           | 5050                  |
| 115/03E-14 1 A    | 227.0                            | 7- 0-64  | *                                       |                                 | 5400                  |
| 115/04E-65 1 M    | 197.2                            | 7-20-64  | 51.0                                    | 146.2                           | 5200                  |
|                   |                                  | 8-17-64  | 58.0                                    | 143.2                           |                       |
|                   |                                  | 9-21-64  | 52.0                                    | 145.2                           |                       |
|                   |                                  | 10-19-64 | 58.0                                    | 143.2                           |                       |
|                   |                                  | 11-16-64 | 48.0                                    | 149.2                           |                       |
|                   |                                  | 12-21-64 | 30.0                                    | 167.2                           |                       |

CENTRAL COASTAL REGION  
SOUTH SANTA CLARA COUNTY

3-03.01

CENTRAL COASTAL REGION  
SOUTH SANTA CLARA COUNTY

3-03.01

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| 115/04E-68 1 M    | 197.2                            | 1-18-65  | 35.0                                    | 162.2                           | 5200                  |
|                   |                                  | 2-15-65  | 30.0                                    | 167.2                           |                       |
|                   |                                  | 3-15-65  | 28.0                                    | 169.2                           |                       |
|                   |                                  | 4-19-65  | 25.0                                    | 172.2                           |                       |
|                   |                                  | 5-17-65  | 24.0                                    | 169.2                           |                       |
|                   |                                  | 7-21-65  | 37.0                                    | 160.2                           |                       |
|                   |                                  | 8-16-65  | 41.0                                    | 156.2                           |                       |
|                   |                                  | 9-20-65  | 36.0                                    | 157.2                           |                       |
| 115/04E-60 1 M    | 211.0                            | 7-20-64  | 66.0                                    | 145.0                           | 5200                  |
|                   |                                  | 8-12-64  | 68.0                                    | 143.0                           |                       |
|                   |                                  | 9-21-64  | 66.0                                    | 145.0                           |                       |
|                   |                                  | 10-19-64 | 68.0                                    | 143.0                           |                       |
|                   |                                  | 11-16-64 | 64.0                                    | 147.0                           |                       |
|                   |                                  | 12-21-64 | 62.0                                    | 149.0                           |                       |
|                   |                                  | 1-14-65  | 51.0                                    | 160.0                           |                       |
|                   |                                  | 2-15-65  | 47.0                                    | 164.0                           |                       |
|                   |                                  | 3-15-65  | 45.0                                    | 166.0                           |                       |
|                   |                                  | 4-19-65  | 42.0                                    | 169.0                           |                       |
|                   |                                  | 5-17-65  | 45.0                                    | 166.0                           |                       |
|                   |                                  | 6-21-65  | 53.0                                    | 158.0                           |                       |
|                   |                                  | 7-19-65  | 55.0                                    | 156.0                           |                       |
|                   |                                  | 8-16-65  | 55.0                                    | 155.0                           |                       |
|                   |                                  | 9-20-65  | 53.0                                    | 158.0                           |                       |
| 115/04E-64 1 M    | 191.5                            | 7-20-64  | 50.0                                    | 141.5                           | 5200                  |
|                   |                                  | 8-17-64  | 52.0                                    | 139.5                           |                       |
|                   |                                  | 9-21-64  | 50.0                                    | 141.5                           |                       |
|                   |                                  | 10-19-64 | 52.0                                    | 139.5                           |                       |
|                   |                                  | 11-16-64 | 45.0                                    | 146.5                           |                       |
|                   |                                  | 12-21-64 | 43.0                                    | 148.5                           |                       |
|                   |                                  | 1-14-65  | 33.0                                    | 158.5                           |                       |
|                   |                                  | 2-15-65  | 28.0                                    | 163.5                           |                       |
|                   |                                  | 3-15-65  | 25.0                                    | 166.5                           |                       |
|                   |                                  | 4-19-65  | 24.0                                    | 167.5                           |                       |
|                   |                                  | 5-17-65  | 27.0                                    | 164.5                           |                       |
|                   |                                  | 6-21-65  | 36.0                                    | 155.5                           |                       |
|                   |                                  | 7-19-65  | 40.0                                    | 151.5                           |                       |
|                   |                                  | 8-16-65  | 40.0                                    | 151.5                           |                       |
|                   |                                  | 9-20-65  | 37.0                                    | 154.5                           |                       |
| 115/04E-66 2 M    | 201.7                            | 7-20-64  | 63.0                                    | 138.7                           | 5200                  |
|                   |                                  | 8-17-64  | 65.0                                    | 136.7                           |                       |
|                   |                                  | 9-21-64  | 64.0                                    | 137.7                           |                       |
|                   |                                  | 10-19-64 | 65.0                                    | 136.7                           |                       |
|                   |                                  | 11-16-64 | 62.0                                    | 139.7                           |                       |
|                   |                                  | 12-21-64 | 60.0                                    | 141.7                           |                       |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER        | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|--------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|
| CENTRAL COASTAL REGION   |                                  |          |   |                                 |                       |
| SAN BENITO COUNTY        |                                  |          |   |                                 |                       |
| 3-03.02                  |                                  |          |   |                                 |                       |
| 125/05L-104 1 M          | 211.6                            | 7-22-64  | 90.2                                    | 121.4                           | 5050                  |
|                          |                                  | 8-19-64  | 94.8                                    | 116.8                           |                       |
|                          |                                  | 9-24-64  | 96.7                                    | 114.9                           |                       |
|                          |                                  | 10-20-64 | 99.3                                    | 112.3                           |                       |
|                          |                                  | 11-17-64 | 95.9                                    | 115.7                           |                       |
|                          |                                  | 12-22-64 | 93.9                                    | 117.7                           |                       |
|                          |                                  | 1-19-65  | 90.3                                    | 121.3                           |                       |
|                          |                                  | 2-17-65  | 91.6                                    | 120.0                           |                       |
|                          |                                  | 3-16-65  | 85.6                                    | 126.0                           |                       |
|                          |                                  | 4-19-65  | 85.2                                    | 126.4                           |                       |
|                          |                                  | 5-14-65  | 87.9                                    | 123.7                           |                       |
|                          |                                  | 6-22-65  | 89.8                                    | 121.8                           |                       |
|                          |                                  | 7-21-65  | 91.1                                    | 120.5                           |                       |
|                          |                                  | 8-20-65  | 94.6                                    | 119.0                           |                       |
|                          |                                  | 9-25-65  | 94.1                                    | 117.5                           |                       |
| 125/05L-12M 4 M          | 215.0                            | 7-22-64  | 94.0                                    | 121.0                           | 5050                  |
|                          |                                  | 8-19-64  | 104.2                                   | 110.8                           |                       |
|                          |                                  | 9-24-64  | 100.3                                   | 116.7                           |                       |
|                          |                                  | 10-20-64 | 102.2                                   | 115.8                           |                       |
|                          |                                  | 11-17-64 | 97.5                                    | 117.5                           |                       |
|                          |                                  | 12-22-64 | 94.3                                    | 120.7                           |                       |
|                          |                                  | 1-19-65  | 91.8                                    | 123.2                           |                       |
|                          |                                  | 2-17-65  | 85.8                                    | 129.2                           |                       |
|                          |                                  | 3-16-65  | 82.0                                    | 133.0                           |                       |
|                          |                                  | 4-19-65  | 79.9                                    | 135.1                           |                       |
|                          |                                  | 5-18-65  | 79.0                                    | 136.0                           |                       |
|                          |                                  | 6-22-65  | 80.3                                    | 134.7                           |                       |
|                          |                                  | 7-21-65  | 81.6                                    | 133.4                           |                       |
|                          |                                  | 8-20-65  | 82.9                                    | 132.1                           |                       |
|                          |                                  | 9-25-65  | 84.8                                    | 130.2                           |                       |
| 125/05L-33A 1 M          | 240.0                            | 7-22-64  | 101.6                                   | 178.4                           | 5050                  |
|                          |                                  | 8-19-64  | \$                                      |                                 |                       |
|                          |                                  | 9-28-64  | 104.3                                   | 175.7                           |                       |
|                          |                                  | 10-20-64 | 97.8                                    | 182.2                           |                       |
|                          |                                  | 11-17-64 | 96.1                                    | 183.9                           |                       |
|                          |                                  | 12-22-64 | 107.1*                                  | 172.9                           |                       |
|                          |                                  | 1-19-65  | 94.5                                    | 185.5                           |                       |
|                          |                                  | 2-17-65  | 92.9                                    | 187.1                           |                       |
|                          |                                  | 3-16-65  | 87.5                                    | 192.5                           |                       |
|                          |                                  | 4-20-65  | 84.6                                    | 195.4                           |                       |
|                          |                                  | 5-18-65  | 87.6                                    | 192.6                           |                       |
|                          |                                  | 6-22-65  | 89.8                                    | 190.2                           |                       |
|                          |                                  | 7-21-65  | 90.8                                    | 189.2                           |                       |
|                          |                                  | 8-20-65  | 90.8                                    | \$                              |                       |
|                          |                                  | 9-25-65  | 93.9*                                   | 166.1                           |                       |
| CENTRAL COASTAL REGION   |                                  |          |   |                                 |                       |
| SOUTH SANTA CLARA COUNTY |                                  |          |   |                                 |                       |
| 3-03.01                  |                                  |          |   |                                 |                       |
| 115/04E-6P 2 M           | 201.7                            | 1-14-65  | 50.0                                    | 151.7                           | 5200                  |
|                          |                                  | 2-15-65  | 45.0                                    | 156.7                           |                       |
|                          |                                  | 3-13-65  | 44.0                                    | 157.7                           |                       |
|                          |                                  | 5-19-65  | 41.0                                    | 160.7                           |                       |
|                          |                                  | 5-17-65  | 44.0                                    | 157.7                           |                       |
|                          |                                  | 9-21-65  | 50.0                                    | 151.7                           |                       |
|                          |                                  | 7-19-65  | 53.0                                    | 148.7                           |                       |
|                          |                                  | 8-14-65  | 54.0                                    | 147.7                           |                       |
|                          |                                  | 9-20-65  | 53.0                                    | 148.7                           |                       |
| 115/04E-8K 2 M           | 174.0                            | 7-21-64  | 39.9                                    | 134.1                           | 5050                  |
|                          |                                  | 8-17-64  | 42.3                                    | 136.7                           |                       |
|                          |                                  | 9-24-64  | 38.6                                    | 140.4                           |                       |
|                          |                                  | 10-20-64 | 37.8                                    | 141.2                           |                       |
|                          |                                  | 11-17-64 | 35.0                                    | 144.0                           |                       |
|                          |                                  | 12-21-64 | 33.9                                    | 145.1                           |                       |
|                          |                                  | 1-19-65  | 24.2                                    | 154.8                           |                       |
|                          |                                  | 2-16-65  | 20.0                                    | 159.0                           |                       |
|                          |                                  | 3-15-65  | 18.9                                    | 160.1                           |                       |
|                          |                                  | 4-15-65  | 14.2*                                   | 164.8                           |                       |
|                          |                                  | 5-17-65  | 19.0                                    | 160.0                           |                       |
|                          |                                  | 6-22-65  | 28.1                                    | 150.9                           |                       |
|                          |                                  | 7-20-65  | 32.1                                    | 146.9                           |                       |
|                          |                                  | 8-20-65  | 33.0                                    | 146.0                           |                       |
|                          |                                  | 9-25-65  | 28.9                                    | 150.1                           |                       |
| 3-03.02                  |                                  |          |   |                                 |                       |
| SANTA BENITO COUNTY      |                                  |          |   |                                 |                       |
| 115/05L-130 1 4          | 255.7                            | 7-22-64  | 34.6                                    | 221.1                           | 5050                  |
|                          |                                  | 8-19-64  | 37.3                                    | 218.4                           |                       |
|                          |                                  | 9-24-64  | 43.2                                    | 215.5                           |                       |
|                          |                                  | 10-20-64 | 40.2*                                   | 212.5                           |                       |
|                          |                                  | 11-17-64 | 43.5*                                   | 215.5                           |                       |
|                          |                                  | 12-22-64 | 44.7                                    | 211.4                           |                       |
|                          |                                  | 1-19-65  | 26.7                                    | 229.0                           |                       |
|                          |                                  | 2-17-65  | 22.6                                    | 233.1                           |                       |
|                          |                                  | 3-15-65  | 22.4                                    | 233.3                           |                       |
|                          |                                  | 4-10-65  | 22.2                                    | 233.5                           |                       |
|                          |                                  | 5-15-65  | 23.8                                    | 231.9                           |                       |
|                          |                                  | 6-22-65  | \$                                      |                                 |                       |
|                          |                                  | 7-21-65  | 34.8*                                   | 220.9                           |                       |
|                          |                                  | 8-20-65  | 25.8*                                   | 229.9                           |                       |
|                          |                                  | 9-25-65  | 24.3*                                   | 231.4                           |                       |
| 125/04E-20C 1 4          | 152.4                            | 3- 0-65  | 35.0                                    | 117.9                           | 5101                  |



TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER              | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE WATER ELEVATION IN FEET | WATER SUPPLYING AGENCY DATA | STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE WATER ELEVATION IN FEET | WATER SUPPLYING AGENCY DATA |      |
|--------------------------------|----------------------------------|----------|--|-----------------------------|-------------------|----------------------------------|----------|--|-----------------------------|------|
| CENTRAL COASTAL REGION         |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| SAN BENITO COUNTY              |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| 3-03-02                        |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| 125/05E-35N 2 M                | 303.0                            | 7-12-64  | 108.9                                  | 194.1                       | 155/04E-33A 1 M   | 125.0                            | 12-18-64 | 87.7                                   | 37.3                        | 2100 |
|                                |                                  | 8-19-64  | 113.2                                  | 189.8                       |                   |                                  | 4- 1-65  | \$                                     |                             |      |
|                                |                                  | 9-23-64  | 127.6                                  | 175.4                       |                   |                                  | 12-1-64  | 54.3                                   | 55.7                        | 2100 |
|                                |                                  | 10-20-64 | 132.8                                  | 170.2                       |                   |                                  | 3-30-65  | 49.8                                   | 60.2                        |      |
|                                |                                  | 11-17-64 | 123.2                                  | 179.8                       |                   |                                  |          |  |                             |      |
|                                |                                  | 12-22-64 | 122.1                                  | 180.9                       |                   |                                  |          |  |                             |      |
|                                |                                  | 1-19-65  | 113.9                                  | 189.1                       |                   |                                  |          |  |                             |      |
|                                |                                  | 2-17-65  | 112.4                                  | 190.6                       |                   |                                  |          |  |                             |      |
|                                |                                  | 3-16-65  | 111.5                                  | 191.5                       |                   |                                  |          |  |                             |      |
|                                |                                  | 4-20-65  | \$                                     |                             |                   |                                  |          |  |                             |      |
|                                |                                  | 5-18-65  | 110.3                                  | 192.7                       |                   |                                  |          |  |                             |      |
|                                |                                  | 6-22-65  | \$                                     |                             |                   |                                  |          |  |                             |      |
|                                |                                  | 7-21-65  | 123.4                                  | 179.6                       |                   |                                  |          |  |                             |      |
|                                |                                  | 8-20-65  | 132.3                                  | 170.7                       |                   |                                  |          |  |                             |      |
|                                |                                  | 9-25-65  | \$                                     |                             |                   |                                  |          |  |                             |      |
| 135/05E-11U 1 M                | 225.5                            | 3- 0-65  | 59.6                                   | 265.9                       |                   |                                  |          |  |                             |      |
| SALINAS VALLEY                 |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| 3-04-00                        |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| 3-04-01                        |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| CENTRAL COASTAL REGION         |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| PRESSURE AREA 180 FOOT AQUIFER |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| 145/02E- 3C 1 M                | 10.6                             | 12-10-64 | 15.7                                   | -5.1                        | 165/05E-17R 1 M   | 181.0                            | 12-16-64 | 110.3                                  | 70.7                        | 2100 |
|                                |                                  | 3-25-65  | 13.8                                   | -3.2                        |                   |                                  | 4- 6-65  | 108.4                                  | 72.6                        |      |
| 145/02E-15L 1 M                | 23.0                             | 12- 9-64 | 23.4                                   | -0.4                        |                   |                                  |          |  |                             |      |
|                                |                                  | 3-22-65  | 22.8                                   | .2                          |                   |                                  |          |  |                             |      |
| 155/02E- 1U 1 M                | 42.0                             | 7-16-64  | \$                                     |                             |                   |                                  |          |  |                             |      |
|                                |                                  | 8-18-64  | \$                                     |                             |                   |                                  |          |  |                             |      |
|                                |                                  | 9-13-64  | 60.2                                   | -18.2                       |                   |                                  |          |  |                             |      |
|                                |                                  | 10-15-64 | \$                                     |                             |                   |                                  |          |  |                             |      |
|                                |                                  | 11-18-64 | 43.5                                   | -1.5                        |                   |                                  |          |  |                             |      |
|                                |                                  | 12-15-64 | 34.6                                   | 7.4                         |                   |                                  |          |  |                             |      |
|                                |                                  | 1-18-65  | 31.6                                   | 10.4                        |                   |                                  |          |  |                             |      |
|                                |                                  | 2-17-65  | 29.6                                   | 12.4                        |                   |                                  |          |  |                             |      |
|                                |                                  | 3-23-65  | 39.9                                   | 2.1                         |                   |                                  |          |  |                             |      |
|                                |                                  | 4-20-65  | \$                                     |                             |                   |                                  |          |  |                             |      |
|                                |                                  | 5-18-65  | \$                                     |                             |                   |                                  |          |  |                             |      |
|                                |                                  | 6-16-65  | 54.8                                   | -12.8                       |                   |                                  |          |  |                             |      |
|                                |                                  | 7-18-65  | \$                                     |                             |                   |                                  |          |  |                             |      |
|                                |                                  | 8-15-65  | \$                                     |                             |                   |                                  |          |  |                             |      |
|                                |                                  | 9-17-65  | \$                                     |                             |                   |                                  |          |  |                             |      |
| 155/03E-16M 1 M                | 58.0                             | 12-16-64 | 49.6                                   | 8.4                         |                   |                                  |          |  |                             |      |
|                                |                                  | 3-24-65  | 47.7                                   | 10.3                        |                   |                                  |          |  |                             |      |
| CENTRAL COASTAL REGION         |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| PRESSURE AREA 180 FOOT AQUIFER |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| 3-04, 01                       |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| 165/05E-17R 1 M                | 181.0                            | 12-16-64 | 110.3                                  | 70.7                        | 165/05E-17R 1 M   | 181.0                            | 12-16-64 | 110.3                                  | 70.7                        | 2100 |
|                                |                                  | 4- 6-65  | 108.4                                  | 72.6                        |                   |                                  | 4- 6-65  | 108.4                                  | 72.6                        |      |
| EAST SIDE AREA                 |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| 3-04, 02                       |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| ARROYO SECO CONE               |                                  |          |  |                             |                   |                                  |          |  |                             |      |
| 185/06E-15M 1 M                | 277.0                            | 12- 8-64 | 95.8                                   | 181.2                       | 185/06E-15M 1 M   | 277.0                            | 12- 8-64 | 95.8                                   | 181.2                       | 2100 |
|                                |                                  | 3-25-65  | 86.0                                   | 189.0                       |                   |                                  | 3-25-65  | 86.0                                   | 189.0                       |      |
| 195/06E-11C 1 M                | 373.0                            | 7-15-64  | \$                                     |                             | 195/06E-11C 1 M   | 373.0                            | 7-15-64  | \$                                     |                             | 2100 |
|                                |                                  | 8-17-64  | \$                                     |                             |                   |                                  | 8-17-64  | \$                                     |                             |      |
|                                |                                  | 9-13-64  | 192.4                                  | 180.2                       |                   |                                  | 9-13-64  | 192.4                                  | 180.2                       |      |
|                                |                                  | 10-14-64 | 195.7                                  | 187.3                       |                   |                                  | 10-14-64 | 195.7                                  | 187.3                       |      |
|                                |                                  | 11-18-64 | 178.0                                  | 200.0                       |                   |                                  | 11-18-64 | 178.0                                  | 200.0                       |      |
|                                |                                  | 12-19-64 | 172.4                                  | 200.6                       |                   |                                  | 12-19-64 | 172.4                                  | 200.6                       |      |
|                                |                                  | 1-19-65  | 166.1                                  | 208.9                       |                   |                                  | 1-19-65  | 166.1                                  | 208.9                       |      |
|                                |                                  | 2-18-65  | 155.4                                  | 217.6                       |                   |                                  | 2-18-65  | 155.4                                  | 217.6                       |      |
|                                |                                  | 3-23-65  | 155.0                                  | 218.0                       |                   |                                  | 3-23-65  | 155.0                                  | 218.0                       |      |
|                                |                                  | 4-20-65  | 148.9                                  | 224.1                       |                   |                                  | 4-20-65  | 148.9                                  | 224.1                       |      |

TABLE C-3  
GROUND WATER LEVELS AT WELLS  
STATE WELL NUMBER  
DATE  
GROUND SURFACE ELEVATION IN FEET  
WATER SUPPLYING AGENCY DATA

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER      | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA | STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE    | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|-------------------|----------------------------------|---------|---|---------------------------------|-----------------------|
| CENTRAL COASTAL REGION |                                  |          |   |                                 |                       |                   |                                  |         |   |                                 |                       |
| ARRIYO SECO CONE       |                                  |          |   |                                 |                       |                   |                                  |         |   |                                 |                       |
| 3-04.04                |                                  |          |   |                                 |                       |                   |                                  |         |   |                                 |                       |
| 19S/06E-11C 1 M        | 373.0                            | 5-17-65  | 153.4                                   | 219.6                           | 2100                  | 22S/10E-16K 1 M   | 472.0                            | 12-7-64 | 73.0                                    | 399.0                           | 2100                  |
|                        |                                  | 6-15-65  | 160.6                                   | 212.4                           |                       |                   |                                  | 3-14-65 | \$                                      |                                 |                       |
|                        |                                  | 7-18-65  | 167.8                                   | 205.2                           |                       | PASO ROBLES BASIN |                                  |         |   |                                 |                       |
|                        |                                  | 8-15-65  | 181.7                                   | 191.3                           |                       |                   |                                  |         |   |                                 |                       |
|                        |                                  | 9-18-65  | \$                                      |                                 |                       | 24S/10E-11C 1 M   | 620.0                            | 9-30-64 | 52.0                                    | 568.0                           | 5117                  |
| UPPER VALLEY AREA      |                                  |          |   |                                 |                       |                   |                                  |         |   |                                 |                       |
| 3-04.05                |                                  |          |   |                                 |                       |                   |                                  |         |   |                                 |                       |
| 19S/07E-10P 1 M        | 315.0                            | 7-15-64  | \$                                      |                                 | 2100                  | 24S/11E-25N 1 M   | 603.3                            | 9-30-64 | 39.4                                    | 563.9                           | 5117                  |
|                        |                                  | 8-17-64  | \$                                      | 227.4                           |                       |                   |                                  | 4-5-65  | 38.1                                    | 565.2                           |                       |
|                        |                                  | 9-13-64  | 47.6                                    | 229.0                           |                       | 24S/11E-33R 1 M   | 505.0                            | 9-30-64 | 33.0                                    | 532.0                           | 5117                  |
|                        |                                  | 10-14-64 | 86.0                                    | 233.5                           |                       |                   |                                  | 4-5-65  | 32.2                                    | 532.8                           |                       |
|                        |                                  | 11-18-64 | 81.5                                    |                                 |                       | 24S/11E-35J 1 M   | 610.4                            | 9-30-64 | 62.7                                    | 559.1                           | 5117                  |
|                        |                                  | 12-9-64  | \$                                      | 234.5                           |                       |                   |                                  | 4-5-65  | 62.1                                    | 559.7                           |                       |
|                        |                                  | 1-18-65  | 60.5                                    | 231.2                           |                       | 24S/12E-17N 1 M   | 770.0                            | 9-30-64 | 17.6                                    | 752.4                           | 5117                  |
|                        |                                  | 2-18-65  | 43.8                                    | 231.2                           |                       |                   |                                  | 10-1-64 | 38.0                                    | 1167.0                          | 5117                  |
|                        |                                  | 4-5-65   | 82.5                                    | 232.5                           |                       | 24S/15E-33C 1 M   | 1225.0                           | 4-7-65  | 29.9                                    | 1195.1                          |                       |
|                        |                                  | 4-20-65  | 41.7                                    | 233.3                           |                       | 25S/11E-35U 1 M   | 895.0                            | 10-1-64 | 57.6                                    | 837.4                           | 5117                  |
|                        |                                  | 5-17-65  | 24.1*                                   | 240.9                           |                       |                   |                                  | 3-30-65 | 55.3                                    | 839.7                           |                       |
|                        |                                  | 6-15-65  | \$                                      |                                 |                       | 25S/12E-17J 1 M   | 640.0                            | 9-30-64 | 78.0                                    | 562.0                           | 5117                  |
|                        |                                  | 7-18-65  | \$                                      | 222.2                           |                       |                   |                                  | 4-5-65  | 57.0                                    | 583.0                           |                       |
|                        |                                  | 8-15-65  | 82.8                                    | 225.4                           | 2100                  | 25S/12E-17M 1 M   | 614.0                            | 9-30-64 | 71.6                                    | 581.6                           | 5117                  |
|                        |                                  | 9-16-65  | 89.6                                    |                                 |                       |                   |                                  | 4-5-65  | 57.4                                    | 581.6                           |                       |
| 20S/08E-5R 1 M         | 337.0                            | 7-15-64  | \$                                      |                                 |                       | 25S/12E-26K 1 M   | 744.0                            | 10-1-64 | 204.0                                   | 545.0                           | 5117                  |
|                        |                                  | 8-17-64  | \$                                      | 270.0                           |                       | 25S/13E-11E 1 M   | 1185.0                           | 4-1-65  | 104.0                                   | 645.0                           |                       |
|                        |                                  | 9-13-64  | \$                                      | 272.5                           |                       |                   |                                  | 10-1-64 | 41.2                                    | 1143.8                          | 5117                  |
|                        |                                  | 10-16-64 | 67.0                                    | 273.3                           |                       | 25S/16E-17L 1 M   | 1165.0                           | 4-1-65  | 60.4                                    | 1124.6                          |                       |
|                        |                                  | 11-18-64 | 64.5                                    | 274.9                           |                       |                   |                                  | 10-1-64 | 36.8                                    | 1128.2                          | 5117                  |
|                        |                                  | 12-14-64 | 63.7                                    | 271.5                           |                       | 25S/16E-30M 1 M   | 1214.0                           | 4-7-65  | 33.1                                    | 1131.9                          |                       |
|                        |                                  | 1-18-65  | 62.1                                    | 274.5                           |                       |                   |                                  | 10-1-64 | 66.9                                    | 1149.1                          | 5117                  |
|                        |                                  | 2-16-65  | 63.5                                    | 271.7                           | 2100                  | 26S/12E-4N 1 M    | 675.0                            | 4-7-65  | 69.5                                    | 1146.5                          |                       |
|                        |                                  | 4-5-65   | 65.3                                    |                                 |                       |                   |                                  | 10-1-64 | 52.8                                    | 622.2                           | 5117                  |
|                        |                                  | 4-20-65  | \$                                      |                                 |                       | 26S/12E-26E 1 M   | 840.0                            | 3-30-65 | 46.2                                    | 628.8                           |                       |
|                        |                                  | 5-17-65  | \$                                      | 263.9                           |                       |                   |                                  | 10-1-64 | 211.8                                   | 628.2                           | 5117                  |
|                        |                                  | 7-18-65  | \$                                      | 266.0                           |                       |                   |                                  | 4-1-65  | 195.9                                   | 644.1                           |                       |
|                        |                                  | 8-15-65  | \$                                      |                                 |                       |                   |                                  |         |   |                                 |                       |
|                        |                                  | 9-16-65  | 71.0                                    | 332.7                           | 2100                  |                   |                                  |         |   |                                 |                       |
| 21S/09E-6K 1 M         | 344.0                            | 12-8-64  | 11.3                                    | 376.0                           | 2100                  |                   |                                  |         |   |                                 |                       |
|                        |                                  | 3-22-65  | \$                                      | 376.4                           |                       |                   |                                  |         |   |                                 |                       |
| 21S/10E-32N 1 M        | 400.0                            | 12-7-64  | 22.0                                    | 378.0                           | 2100                  |                   |                                  |         |   |                                 |                       |
|                        |                                  | 3-18-65  | 21.6                                    |                                 |                       |                   |                                  |         |   |                                 |                       |


TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER                           | GROUND SURFACE ELEVATION IN FEET | DATE                | GROUND SURFACE WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|----------------------------------|---------------------|--------------------------------------|---------------------------------|-----------------------|
| CENTRAL COASTAL REGION<br>PASO ROBLES BASIN |                                  |                     |                                      |                                 |                       |
| 265/12E-35M 1 M                             | 818.0                            | 10- 1-64<br>3-30-65 | 175.0<br>163.7                       | 643.0<br>654.3                  | 5117                  |
| 265/13E-100 1 M                             | 800.0                            | 10- 8-64<br>4- 7-65 | 34.8<br>20.4                         | 765.2<br>779.6                  | 5117                  |
| 265/13E-34H 1 M                             | 1005.0                           | 10- 9-64<br>4- 7-65 | 171.7<br>151.0                       | 833.3<br>854.0                  | 5117                  |
| 265/14E-16L 1 M                             | 1018.0                           | 10- 8-64<br>4- 7-65 | 85.8<br>71.6                         | 932.2<br>946.4                  | 5117                  |
| 265/14E-35U 1 M                             | 1135.0                           | 10- 7-64<br>4-13-65 | 92.9<br>107.4                        | 1042.1<br>1027.6                | 5117                  |
| 265/15E- 28 1 M                             | 1115.0                           | 10- 8-64<br>4- 7-65 | 30.5<br>30.4                         | 1064.5<br>1066.6                | 5117                  |
| 265/15E-28U 2 M                             | 1112.0                           | 10- 8-64<br>4-14-65 | 106.5<br>67.0                        | 1003.5<br>1045.0                | 5117                  |
| 265/15E-29H 1 M                             | 1133.0                           | 10- 8-64<br>4-13-65 | 119.0<br>96.0                        | 1016.0<br>1037.0                | 5117                  |
| 275/12E-21W 1 M                             | 748.0                            | 10- 1-64            | 21.5                                 | 726.5                           | 5117                  |
| 275/12E-21N 1 M                             | 748.0                            | 3-30-64             | 7.5                                  | 740.5                           | 5117                  |
| 275/13E-24N 1 M                             | 1030.0                           | 10- 4-64<br>4-13-65 | 53.3<br>10.3                         | 976.7<br>1019.7                 | 5117                  |
| 275/13E-32H 1 M                             | 1105.0                           | 10- 4-64<br>4-12-65 | 56.0<br>54.5                         | 1049.0<br>1050.5                | 5117                  |
| 275/15E-10R 2 M                             | 1130.0                           | 10- 8-64<br>4-14-65 | 55.1<br>57.1                         | 1068.9<br>1072.9                | 5117                  |
| 275/15E-13A 1 M                             | 1155.0                           | 10- 7-64<br>4-14-65 | 21.7<br>28.4                         | 1133.3<br>1126.6                | 5117                  |
| 275/16E-21E 2 M                             | 1255.0                           | 10- 7-64<br>4-14-65 | 58.9<br>58.5                         | 1196.1<br>1196.5                | 5117                  |
| 285/12E-10G 1 M                             | 825.0                            | 10- 9-64            | \$                                   |                                 | 5117                  |
| 285/12E-10R 2 M                             | 805.0                            | 3-29-65             | 8.1                                  | 816.9                           | 5117                  |
|   |                                  | 10- 9-64            | 29.7                                 | 775.3                           | 5117                  |

| STATE WELL NUMBER                           | GROUND SURFACE ELEVATION IN FEET | DATE  | GROUND SURFACE WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET  | AGENCY SUPPLYING DATA |
|---|----------------------------------|---|--------------------------------------|--|-----------------------|
| CENTRAL COASTAL REGION<br>PASO ROBLES BASIN |                                  |   |                                      |  |                       |
| 285/12E-10R 2 M                             | 805.0                            | 3-24-65   |                                      | 10.0   | 5117                  |
| 285/12E-13N 1 M                             | 850.0                            | 10- 4-64<br>3-30-65   |                                      | 14.6<br>8.2  | 5117                  |
| 285/12E-14G 1 M                             | 844.6                            | 10- 4-64<br>3-30-65   |                                      | 2.6<br>4.5   | 5117                  |
| 285/13E- 4K 1 M                             | 1199.5                           | 10- 4-64  |                                      | 63.6   | 5117                  |
| 285/13E- 4K 2 M                             | 1195.0                           | 4-13-65   |                                      | 51.7   | 5117                  |
| 285/14E- 7E 1 M                             | 1150.0                           | 10- 4-64<br>4-13-65   |                                      | 77.4<br>75.5   | 5117                  |
| 285/16E-23M 1 M                             | 1440.0                           | 10- 7-64<br>4-14-65   |                                      | 48.0<br>48.4   | 5117                  |
| 285/13E- 5F 3 M                             | 916.1                            | 10- 9-64<br>3-29-65   |                                      | 21.3<br>16.9   | 5117                  |
| 295/13E- 5K 2 M                             | 924.0                            | 10- 7-64<br>3-29-65   |                                      | 16.6<br>14.9   | 5117                  |
| 295/13E- 6A 1 M                             | 920.0                            | 10- 9-64<br>3-29-65   |                                      | 68.5<br>68.9   | 5117                  |
| 295/13E-19H 1 M                             | 1002.0                           | 10- 9-64<br>3-29-65   |                                      | 12.8<br>5.4  | 5117                  |
| SEASIDE AREA                                |                                  |   |                                      |  |                       |
| 145/02E-31N 1 M                             | 119.9                            | 7-00-64<br>8-00-64<br>9-00-64<br>10-00-64<br>11-00-64<br>12-00-64<br>1-00-65<br>2-00-65<br>4-00-65<br>5-00-65<br>6-00-65<br>7-00-65<br>8-00-65<br>9-00-65 |                                      | 126.8<br>127.8<br>127.6<br>125.6<br>123.7<br>121.9<br>120.3<br>120.6<br>123.2<br>123.9<br>125.6<br>127.8<br>127.2<br>126.5 | 5005                  |

TABLE C-3  
GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER       | GROUND SURFACE ELEVATION IN FEET | DATE     | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA | STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GROUND SURFACE TO WATER SURFACE IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|-------------------------|----------------------------------|----------|---|---------------------------------|-----------------------|-------------------|----------------------------------|------|---|---------------------------------|-----------------------|
| CENTRAL COASTAL REGION  |                                  |          |   |                                 |                       |                   |                                  |      |   |                                 |                       |
| SEASIDE AREA            |                                  |          |   |                                 |                       |                   |                                  |      |   |                                 |                       |
| 3-04.08                 |                                  |          |   |                                 |                       |                   |                                  |      |   |                                 |                       |
| 155/01E-14N 1 M         | 144.6                            | 7-00-64  | 110.7                                   | 33.9                            | 5005                  |                   |                                  |      |   |                                 |                       |
|                         |                                  | 8-00-64  | 111.0                                   | 33.6                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 9-00-64  | 110.7                                   | 33.9                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 10-00-64 | 110.8                                   | 33.8                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 11-00-64 | 108.1                                   | 36.5                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 12-00-64 | 105.6                                   | 39.0                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 1-00-65  | 106.5                                   | 38.1                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 2-00-65  | 106.5                                   | 38.1                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 4-00-65  | 107.2                                   | 37.4                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 5-00-65  | 110.0                                   | 34.6                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 6-00-65  | 109.7                                   | 34.9                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 7-00-65  | 112.7                                   | 31.9                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 8-00-65  | 112.9                                   | 31.7                            |                       |                   |                                  |      |   |                                 |                       |
|                         |                                  | 9-00-65  | 108.9                                   | 35.7                            |                       |                   |                                  |      |   |                                 |                       |
| 3-07.00                 |                                  |          |   |                                 |                       |                   |                                  |      |   |                                 |                       |
| CARMEL VALLEY           |                                  |          |   |                                 |                       |                   |                                  |      |   |                                 |                       |
| 165/01E-16L 1 M         | 75.0                             | 4-14-65  | 18.9                                    | 56.1                            | 2100                  |                   |                                  |      |   |                                 |                       |
| 165/01E-22E 1 M         | 82.0                             | 4-14-65  | 27.1                                    | 54.9                            | 2100                  |                   |                                  |      |   |                                 |                       |
| 165/01E-23F 1 M         | 109.0                            | 4-14-65  | 24.5                                    | 84.5                            | 2100                  |                   |                                  |      |   |                                 |                       |
| 165/01E-25B 1 M         | 140.0                            | 4-14-65  | 15.0                                    | 125.0                           | 2100                  |                   |                                  |      |   |                                 |                       |
| 3-26.00                 |                                  |          |   |                                 |                       |                   |                                  |      |   |                                 |                       |
| WEST SANTA CRUZ TERRACE |                                  |          |   |                                 |                       |                   |                                  |      |   |                                 |                       |
| 115/24-22K 1 M          | 30.0                             | 11-12-64 | 81.7                                    | -51.7                           | 5102                  |                   |                                  |      |   |                                 |                       |
|                         |                                  | 3-18-65  | 72.2                                    | -42.2                           |                       |                   |                                  |      |   |                                 |                       |



Appendix D

SURFACE WATER QUALITY

quality

Coastal

1965.

Methods

Resource

Method

U. S. &

Analysis

report

million

determ

field

were

Turbid

those

report

Codim

to ea



## INTRODUCTION

Data presented in this appendix are measured values of selected quality characteristics of surface water samples collected in the Central Coastal Area during the period from October 1, 1964, through September 30, 1965.

### Methods and Procedures

Laboratory analyses were performed by the Department of Water Resources and the U. S. Geological Survey in accordance with "Standard Methods for the Examination of Water and Waste Water", 11th Edition, or with U. S. Geological Survey Water Supply Paper 1454, "Methods for Collection and Analyses of Water Samples". The methods yield comparable accuracy.

Tabulated values for dissolved minerals are the analytical quantity reported in parts per million (ppm) and a computed value for equivalents per million (epm). Total dissolved solids reported were determined by gravimetric determination at 180°C. Values for temperature are those measured in the field at the time of sampling. Trace element (heavy metal) concentrations were determined both by "wet" analyses and by the spectrographic method. Turbidities determined in the field are reported in Jackson candle units and those determined in the laboratory in parts per million silica. Color is reported in color units.

### Coding

The station number is an arbitrary number that has been assigned to each station. The locations of the stations are shown on Plate 3.

## EXPLANATION OF FIGURES AND TABLES

Definitions of abbreviations used in this appendix and not defined on the tables are as follows:

|                 |  |
|-----------------|--|
| ABS             | Alkyl benzene sulphonate   |
| Al              | Aluminum   |
| As              | Arsenic  |
| BHC             | Benzene hexachloride   |
| BOD             | Biochemical oxygen demand in parts per million                     |
| C               | Celsius (centigrade)   |
| cfs             | Cubic feet per second  |
| Cu              | Copper   |
| DWR             | Department of Water Resources                                      |
| F               | Fahrenheit   |
| Fe              | Iron   |
| Fld             | Field  |
| Lab             | Laboratory   |
| Mn              | Manganese  |
| MPN/ml          | Most probable number per milliliter                                |
| N.C.            | Non-carbonate  |
| Pb              | Lead   |
| pH              | The negative logarithm of the effective hydrogen ion concentration |
| PO <sub>4</sub> | Phosphates   |
| ppDDD           | Para-para dichlorodiphenyldichloroethane                           |
| ppDDE           | Para-para dichlorophenyldichloroethene                             |
| ppDDT           | Para-para dichlorodiphenyltrichloroethane                          |
| ppm             | Parts per million  |
| PST             | Pacific Standard Time  |
| Susp.           | Suspended  |
| USGS            | U. S. Geological Survey  |
| Zn              | Zinc   |

### Specific Conductance

Data from two electrical conductivity recorders are presented in Figures D-1 and D-2. These data are machine prepared graphs. Daily mean values are plotted in Figure D-1 and single daily readings at 1300 hours are plotted in Figure D-2. Each figure or graph presents the data from a station.

### Sampling Station Data and Index

Table D-1, "Sampling Station Data and Index", is an alphabetic listing of stations from which surface water samples were collected. The analyses of these samples are reported in subsequent tables. The station number is an arbitrary number that has been assigned to each station. The location pertains to either the township, range, and section of the Public Land Survey or to latitude and longitude. The stations are classified into basic data, investigational, and operational types.

### Analyses of Surface Water

Table D-2, "Analyses of Surface Water", includes physical characteristics of the water and results of mineral and bacterial analyses. The data are presented by region and by stream from north to south within a region. At the time the samples were collected for laboratory examination, field determinations were made for dissolved oxygen (DO) by the modified Winkler method, water temperature, and pH. Visual inspections were made of the streams and the physical conditions were noted. This information is kept on file with the Department.

Samples collected for bacterial examination were analyzed by the laboratory as quickly as possible. Results of bacterial determinations presented in this appendix should be considered as qualitative and quantitative indicators. Undue weight should not be given to the values for quantitative purposes.

Data from operational stations are shown separately at the end of the table. These data consist of analyses of South Bay Aqueduct water.

## Summary of Coliform Analyses

Coliform data included in Table D-2 are made more usable by summarizing the results of the analyses of the 24 samples collected at each station during the year. Table D-3 is a summary of these analyses.

## Analyses of Trace Elements in Surface Water

Spectrographic analyses were made to determine the concentration of 17 different elements in surface water samples. Most of these elements are present in very small amounts and are often called trace metals. The concentrations indicated in Table D-4 are in parts per billion instead of parts per million which is commonly used in reference to concentrations of mineral constituents. The symbols included with the constituent quantities are:

> Greater than the amount indicated

< Less than the amount indicated

≤ Equal to or slightly less than the amount indicated.

## Radioassays of Surface Water

Table D-5, "Radioassays of Surface Water", presents the radioactivity of surface water samples collected at 23 monitoring stations. The samples were collected in May and September at the same time that samples were collected for standard mineral analyses shown on Table D-2. The methods and procedures of sample preparation and determination of radioactivity in water are described in "Standard Methods for the Examination of Water and Waste Water", 11th Edition. The samples were analyzed by the Department of Public Health. Results are expressed in micro-micro curies per liter or by the equivalent units of pico curies per liter (PC/l). These units are defined as  $10^{-12}$  curies. The most probable error is reported along with the measured value. Results should be considered qualitative and undue emphasis should not be given to quantitative values.

Four values are reported for each sample: (a) alpha activity in the filtrate (dissolved material), (b) alpha activity in the solids retained on the filter (suspended material), (c) beta activity in the filtrate, and (d) beta activity in the solids. Sample counts are corrected for background and geometric efficiency. Standard statistical procedures are utilized to compute the 0.9 error. The final result is expressed (symbolically) as  $x \pm y$ . This means that in a series of determinations on the same sample, the value of x should fall between  $x - y$  and  $x + y$  ninety percent of the time.

#### Salinity Observations at Bay and Delta Stations

Table D-6 describes the six stations for which salinity data are listed in Table D-7. Table D-6 includes maximum observed salinity at Bay and Delta stations. Table D-7 presents chloride concentrations in samples collected at six stations between Crockett and Collinsville.


#### Nutrients

Table D-8 presents analyses of nutrients in surface water. These analyses were made by the Department. The samples were kept on ice and were analyzed for the nitrogen series in the laboratory on the same day collected.

#### Pesticides

Table D-9 presents analyses of pesticides in surface water and sediment. The samples were analyzed by the Department using a gas chromatograph with an electron capture detector.


FIGURE D-1



SPECIFIC CONDUCTANCE  
 DAILY MEAN  
 ALAMEDA CREEK NEAR NILES (STA 73)  
 1964-65 WATER YEAR

FIGURE D-2

FIGURE D-2



SPECIFIC CONDUCTANCE  
DAILY READINGS AT 1300 HOURS  
BETHANY FOREBAY AT  
SOUTH BAY PUMPING PLANT (STA 207)  
1964-65 WATER YEAR



TABLE D-1  
SAMPLING STATION DATA AND INDEX

| Station  | Station Number | Location <sup>a</sup>                   | Beginning of Record | Station <sup>c</sup> Type | Region | Analyses on page        |
|--|----------------|---|---------------------|---------------------------|--------|-------------------------|
| ALAMEDA CANAL AT DEL VALLE CHECK                           | 314            | 3S/2E-22                                | Aug. 1965           | 0                         | 2      | 170                     |
| ALAMEDA CREEK NEAR NILES                                   | 73             | 4S/1W-15                                | Dec. 1951           | B                         | 2      | 145, 172, 173, 179, 183 |
| ALAMEDA CREEK NEAR NILES                                   | 307            | 4S/1W-15                                | Oct. 1964           | 0                         | 2      | 144                     |
| ALAMONT CREEK BELOW ALIAMONT TURNOUT OF SOUTH BAY AQUEDUCT | 201            | 2S/3E-31                                | June 1962           | 0                         | 2      | 147                     |
| ARROYO DEL VALLE NEAR LIVERMORE                            | 71             | 4S/2E-4                                 | July 1958           | B                         | 2      | 146, 172, 173           |
| ASH CREEK  | 285            | 12N/11W-36                              | July 1965           | I                         | 1      | 139                     |
| BEAN CREEK ABOVE LOCKHART GULCH CREEK                      | 302            | 10S/2W-13                               | Dec. 1964           | I                         | 3      | 150                     |
| BEAN CREEK ABOVE MACKENZIE CREEK                           | 303            | 10S/1W-7                                | Dec. 1964           | I                         | 3      | 150                     |
| BEAN CREEK ONE MILE EAST OF FELTON                         | 204            | 10S/2W-22                               | Aug. 1963           | I                         | 3      | 151                     |
| BEAN CREEK AT OLD GLENWOOD HIGHWAY                         | 304            | 9S/1W-32                                | Dec. 1964           | I                         | 3      | 150                     |
| BEAR CREEK FOUR MILES NORTHEAST OF BOULDER CREEK           | 206            | 9S/2W-10                                | Aug. 1963           | I                         | 3      | 150                     |
| BETHANY FOREBAY AT SOUTH BAY PUMPING PLANT                 | 207            | 2S/3E-10                                | Apr. 1962           | 0                         | 5      | 168, 181, 183           |
| BETHANY FOREBAY NEAR BETHANY DAM                           | 310            | 2S/3E-2                                 | Dec. 1964           | 0                         | 5      | 180                     |
| BETHANY FOREBAY AT MID-LENGTH                              | 311            | 2S/3E-2                                 | Nov. 1964           | 0                         | 5      | 181                     |
| BIG AUSTIN CREEK   | 268            | 7N/11W-11                               | July 1965           | I                         | 1      | 133                     |
| BIG RIVER NEAR MOUTH                                       | 8c             | 17N/17W-24                              | Jan. 1959           | B                         | 1      | 130, 173                |
| BIG SULPHUR CREEK ABOVE GEYSERS POWER PLANT                | 284            | 11N/8W-19                               | July 1965           | I                         | 1      | 138                     |
| BIG SULPHUR CREEK NEAR CLOVERDALE                          | 282            | 11N/10W-4                               | July 1965           | I                         | 1      | 138                     |
| BLANCO DRAIN INTO SALINAS RIVER                            | 246            | 14S/2E-16                               | Aug. 1964           | I                         | 3      | 158, 183                |
| CARMEL RIVER AT ROBLES DEL RIO                             | 83             | 17S/2E-2                                | Jan. 1952           | B                         | 3      | 167, 174                |
| COLD CREEK   | 296            | 16N/11W-18                              | July 1965           | I                         | 1      | 141                     |
| COLLINSVILLE   | 236            | 38°04' Lat <sup>b</sup><br>121°51' Long | 1924                | B                         | 2      | 175                     |
| COYOTE CREEK NEAR MADRONE                                  | 82             | 9S/3E-9                                 | Jan. 1952           | B                         | 2      | 148, 172, 173           |
| CROCKETT   | 237            | 38°03' Lat <sup>b</sup><br>122°13' Long | 1946                | B                         | 2      | 175                     |
| CUMMISKY CREEK   | 286            | 12N/11W-9                               | July 1965           | I                         | 1      | 139                     |
| DRY CREEK NEAR GEYSERVILLE                                 | 277            | 10N/10W-22                              | July 1965           | I                         | 1      | 136                     |
| DRY CREEK NEAR YORKVILLE                                   | 279            | 12N/11W-15                              | July 1965           | I                         | 1      | 137                     |
| DYER CANAL AT DYER-ALAMONT CHECK                           | 312            | 2S/3E-20                                | Aug. 1965           | 0                         | 2      | 169                     |
| FELIZ CREEK  | 288            | 13N/12W-23                              | July 1965           | I                         | 1      | 139                     |
| FORSYTHE CREEK   | 300            | 16N/12W-7                               | July 1965           | I                         | 1      | 143                     |
| GREEN VALLEY CREEK   | 270            | 7N/9W-6                                 | July 1965           | I                         | 1      | 134                     |
| GUALALA RIVER, SOUTH FORK, NEAR ANNAPOLIS                  | 9a             | 10N/14W-22                              | Jan. 1959           | B                         | 1      | 132, 173                |
| INTERIM INTAKE CANAL AT AVIO GATE                          | 308            | 2S/3E-1                                 | Apr. 1965           | 0                         | 5      | 168                     |
| INTERIM INTAKE CANAL AT INTERIM PUMPING PLANT              | 309            | 2S/3E-2                                 | Feb. 1965           | 0                         | 5      | 180                     |
| LAGUNA DE SANTA ROSA NEAR GRATON                           | 274            | 7N/9W-14                                | July 1965           | I                         | 1      | 135                     |
| LITTLE SULPHUR CREEK                                       | 283            | 11N/9W-25                               | Sept. 1965          | I                         | 1      | 138                     |
| LIVERMORE VALLEY CANAL AT PATTERSON RESERVOIR              | 214            | 3S/3E-6                                 | Aug. 1962           | 0                         | 2      | 169, 182                |
| LOCKHART GULCH CREEK ABOVE BEAN CREEK                      | 301            | 10S/2W-13                               | Dec. 1964           | I                         | 3      | 150                     |

a. Locations are referenced to Mt. Diablo Base and Meridian.

b. Locations given in latitude and longitude because the areas have not been surveyed for township, range, and section.

c. B-Basic Data, I-Investigational, 0-Operational.

TABLE D-1  
SAMPLING STATION DATA AND INDEX

| Station   | Station Number | Location <sup>a</sup>                   | Beginning of Record | Station Type <sup>c</sup> | Region | Analyses on page        |
|---|----------------|---|---------------------|---------------------------|--------|-------------------------|
| LOS GATOS CREEK NEAR LOS GATOS                        | 74             | 8S/1W-29                                | Dec. 1951           | B                         | 2      | 149, 173                |
| MAACAMA CREEK   | 281            | 9N/8W-8                                 | July 1965           | I                         | 1      | 138                     |
| MARK WEST CREEK AT TRENTON-HEALDSBURG ROAD            | 271            | 8N/9W-34                                | July 1965           | I                         | 1      | 134                     |
| MARK WEST CREEK NEAR FULTON                           | 275            | 8N/8W-28                                | July 1965           | I                         | 1      | 136                     |
| MARTINEZ  | 239            | 38°02' Lat <sup>b</sup><br>122°08' Long | 1926                | B                         | 2      | 175                     |
| MENAB CREEK   | 290            | 14N/12W-26                              | July 1965           | I                         | 1      | 140                     |
| MIDDLE POINT  | 255            | 38°03' Lat <sup>b</sup><br>121°59' Long | Jan. 1964           | B                         | 2      | 175                     |
| MILL CREEK  | 276            | 9N/9W-33                                | July 1965           | I                         | 1      | 136                     |
| NACIMIENTO RIVER NEAR SAN MIGUEL                      | 43b            | 25S/11E-4                               | July 1958           | B                         | 3      | 165, 174                |
| NAPA RIVER AT DUTTONS LANDING                         | 72a            | 4N/4W-9                                 | Sept. 1965          | B                         | 2      | 179, 183                |
| NAPA RIVER NEAR ST. HELENA                            | 72             | 8N/5W-33                                | Dec. 1951           | B                         | 2      | 144, 172, 173           |
| NAVARRO RIVER NEAR NAVARRO                            | 8b             | 15N/16W-7                               | Jan. 1959           | B                         | 1      | 131, 173                |
| NOYO RIVER NEAR FORT BRAGG                            | 10c            | 18N/17W-10                              | Jan. 1959           | B                         | 1      | 129, 173                |
| PAJARO RIVER NEAR CHITTENDEN                          | 77             | 12S/3E-12                               | Dec. 1951           | B                         | 3      | 153, 172, 174, 179, 183 |
| PATTERSON RESERVOIR                                   | 313            | 3S/2E-6                                 | Aug. 1965           | O                         | 2      | 170                     |
| PIETA CREEK   | 287            | 12N/11W-2                               | July 1965           | I                         | 1      | 139                     |
| PITTSBURG   | 240            | 38°02' Lat <sup>b</sup><br>121°53' Long | 1945                | B                         | 2      | 175                     |
| PORT CHICAGO  | 241            | 38°04' Lat <sup>b</sup><br>122°02' Long | 1946                | B                         | 2      | 175                     |
| ROBINSON CREEK  | 291            | 14N/12W-4                               | July 1965           | I                         | 1      | 141                     |
| RUSSIAN RIVER, EAST FORK, ABOVE LAKE MENDOCINO        | 295            | 16N/12W-13                              | July 1965           | I                         | 1      | 141                     |
| RUSSIAN RIVER, EAST FORK, AT POTTER VALLEY POWERHOUSE | 10a            | 17N/11W-6                               | May 1951            | B                         | 1      | 142, 173                |
| RUSSIAN RIVER, EAST FORK, AT POTTER VALLEY POWERHOUSE | 297            | 17N/11W-6                               | July 1965           | I                         | 1      | 142                     |
| RUSSIAN RIVER, EAST FORK, BELOW LAKE MENDOCINO        | 294            | 16N/12W-34                              | July 1965           | I                         | 1      | 141                     |
| RUSSIAN RIVER AT DUNCANS MILLS                        | 267            | 7N/11W-14                               | July 1965           | I                         | 1      | 133                     |
| RUSSIAN RIVER AT GUERNEVILLE                          | 10             | 8N/10W-32                               | Apr. 1951           | B                         | 1      | 133, 172, 173, 179, 183 |
| RUSSIAN RIVER AT GUERNEVILLE                          | 269            | 8N/10W-32                               | July 1965           | I                         | 1      | 133                     |
| RUSSIAN RIVER NEAR HEALDSBURG                         | 9              | 9N/9W-22                                | Apr. 1951           | B                         | 1      | 137, 173                |
| RUSSIAN RIVER NEAR HEALDSBURG                         | 280            | 9N/9W-22                                | July 1965           | I                         | 1      | 137                     |
| RUSSIAN RIVER NEAR HOPLAND                            | 8a             | 14N/12W-36                              | Apr. 1951           | B                         | 1      | 139, 173                |
| RUSSIAN RIVER NEAR HOPLAND                            | 289            | 14N/12W-36                              | July 1965           | I                         | 1      | 139                     |
| RUSSIAN RIVER ABOVE EAST FORK RUSSIAN RIVER           | 298            | 16N/12W-33                              | July 1965           | I                         | 1      | 143                     |
| SALINAS RIVER NEAR BRADLEY                            | 43c            | 23S/10E-15                              | July 1958           | B                         | 3      | 163, 174                |
| SALINAS RIVER AT PASO ROBLES                          | 43a            | 26S/12E-28                              | Apr. 1951           | B                         | 3      | 166, 174                |
| SALINAS RIVER NEAR SPRECKELS                          | 43             | 15S/3E-18                               | Apr. 1951           | B                         | 3      | 162, 172, 174, 179, 183 |
| SALINAS RIVER, MILE 12.46                             | 305            | 15S/3E-18                               | Oct. 1964           | I                         | 3      | 161                     |
| SALINAS RIVER, MILE 25.67                             | 306            | 16S/4E-8                                | Jan. 1965           | I                         | 3      | 163                     |
| SALINAS RIVER, MILE 9.51                              | 259            | 15S/2E-2                                | Aug. 1964           | I                         | 3      | 160                     |

a. Locations are referenced to Mt. Diablo Base and Meridian.

b. Locations given in latitude and longitude because the areas have not been surveyed for township, range, and section.

c. B-Basic Data, I-Investigational, O-Operational.

TABLE D-1  
SAMPLING STATION DATA AND INDEX

| Station  | Station Number | Location <sup>a</sup>                   | Beginning of Record | Station <sup>c</sup> Type | Region | Analyses on page   |
|--|----------------|---|---------------------|---------------------------|--------|--------------------|
| SALINAS RIVER, MILE 7.13                           | 260            | 14S/2E-33                               | Aug. 1964           | I                         | 3      | 159                |
| SALINAS RIVER, MILE 4.65                           | 261            | 14S/2E-16                               | Aug. 1964           | I                         | 3      | 159                |
| SALINAS RIVER, MILE 3.50                           | 262            | 14S/2E-16                               | Aug. 1964           | I                         | 3      | 157, 183           |
| SALINAS RIVER, MILE 1.70                           | 263            | 14S/2E-7                                | Aug. 1964           | I                         | 3      | 156                |
| SALINAS RIVER, MILE 0.00                           | 264            | 14S/1E-1                                | Aug. 1964           | I                         | 3      | 156                |
| SAN ANTONIO RIVER NEAR FLEYTO                      | 43d            | 24S/9E-3                                | July 1958           | B                         | 3      | 164                |
| SAN BENITO RIVER NEAR BEAR VALLEY FIRE STATION     | 77a            | 15S/7E-28                               | July 1958           | B                         | 3      | 154, 174           |
| SAN LORENZO RIVER AT BIG TREES NEAR FELION         | 75             | 10S/2W-27                               | Dec. 1951           | B                         | 3      | 151, 174, 179, 183 |
| SAN LORENZO RIVER AT BOULDER CREEK                 | 227            | 9S/2W-30                                | Aug. 1963           | I                         | 3      | 150                |
| SAN LORENZO RIVER SIX MILES NORTH OF BOULDER CREEK | 228            | 8S/3W-25                                | Aug. 1963           | I                         | 3      | 150                |
| SANTA CLARA PERCOLATION PONDS                      | 315            | 37°20' Lat <sup>b</sup><br>121°51' Long | Aug. 1965           | O                         | 2      | 170                |
| SANTA CRUZ PIER                                    | 120            | 11S/1W-19                               | July 1965           | B                         | 3      | 179, 183           |
| SANTA ROSA CREEK AT MELITA                         | 273            | 7N/7W-16                                | July 1965           | I                         | 1      | 135                |
| SANTA ROSA CREEK AT WILLOWSIDE ROAD                | 272            | 7N/9W-24                                | July 1965           | I                         | 1      | 135                |
| SOQUEL CREEK AT SOQUEL                             | 76             | 11S/1W-10                               | Dec. 1951           | B                         | 3      | 151, 174           |
| SULPHUR CREEK ABOVE VICHY SPRINGS                  | 293            | 15N/12W-14                              | July 1965           | I                         | 1      | 141                |
| SULPHUR CREEK BELOW VICHY SPRINGS                  | 292            | 15N/12W-16                              | July 1965           | I                         | 1      | 141                |
| UVAS CREEK NEAR MORGAN HILL                        | 96             | 10S/3E-17                               | July 1952           | B                         | 3      | 155, 174           |
| WARM SPRINGS CREEK                                 | 278            | 10N/11W-24                              | July 1965           | I                         | 1      | 136                |
| YORK CREEK   | 299            | 16N/12W-33                              | July 1965           | I                         | 1      | 143                |
| ZAYANTE CREEK AT ZAYANTE                           | 234            | 10S/2W-2                                | Aug. 1963           | I                         | 3      | 150                |

a. Locations are referenced to Mt. Diablo Base and Meridian.

b. Locations given in latitude and longitude because the areas have not been surveyed for township, range, and section.

c. B-Basic Data, I-Investigational, O-Operational.

TABLE D-1  
ANALYSES OF SURFACE WATER

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date on which sample obtained<br>P.S.T. | Discharge<br>in cfs | Temp<br>in °F | Dissolved<br>oxygen<br>ppm | %Sat | Specific<br>conductance<br>(microhm/cm at 25°C) | pH         | Mineral constituents in equivalents per million |                          |                |                         |                                 |                                    |                               |                          |                                       |                 | Total<br>dissolved<br>solids<br>in ppm | Per-<br>cent<br>solid<br>in ppm | Hardness<br>as CaCO <sub>3</sub><br>ppm | Turbidity<br>by<br>Nephelometry<br>NTU | Calcium <sup>a</sup><br>MPN/ml | Analyzed<br>by |
|---|---------------------|---------------|----------------------------|------|---|------------|---|--------------------------|----------------|-------------------------|---------------------------------|------------------------------------|-------------------------------|--------------------------|---------------------------------------|-----------------|--|---------------------------------|---|--|--------------------------------|----------------|
|   |                     |               |                            |      |   |            | Calcium<br>(Ca)                                 | Magnesium<br>sum<br>(Mg) | Sodium<br>(Na) | Potassium<br>sum<br>(K) | Carbonate<br>(CO <sub>3</sub> ) | Bicarbonate<br>(HCO <sub>3</sub> ) | Sulfate<br>(SO <sub>4</sub> ) | Chloride<br>ride<br>(Cl) | Nitrate<br>ride<br>(NO <sub>3</sub> ) | Fluoride<br>(F) |  |                                 |   |  |                                |                |
| NORTH COASTAL REGION (NO. 1)            |                     |               |                            |      |   |            |   |                          |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  |                                |                |
| NOVO RIVER NEAR FORT BRAGG (SEA, 10°)   |                     |               |                            |      |   |            |   |                          |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  |                                |                |
| 10-14-64<br>0730                        | 5.7                 | 57            | 8.1                        | 78   | 177   | 7.3<br>8.2 |   |                          |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   | 6.2                                    | USGS                           |                |
| 11-11-64<br>0645                        | 88                  | 49            | 10.1                       | 88   | 166   | 7.4<br>7.2 | 1.32<br>0.52                                    | 12                       |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 6.2                            |                |
| 12-3-64<br>1400                         | 584                 | 51            | 10.5                       | 94   | 113   | 7.3<br>7.8 | 1.02<br>0.39                                    | 9.0                      |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 230.                           |                |
| 1-7-65<br>0850                          | 1,540               | 47            | 11.0                       | 93   | 75  | 7.0<br>7.8 | 0.80<br>0.32                                    | 7.4                      |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 62.                            |                |
| 2-5-65<br>0743                          | 250                 | 52            | 11.4                       | 103  | 112   | 7.2<br>7.7 | 0.48<br>0.26                                    | 6.0                      |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 230.                           |                |
| 3-10-65<br>0730                         | 74                  | 49            | 11.0                       | 96   | 146   | 7.2<br>6.9 | 0.80<br>0.31                                    | 7.1                      |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 130.                           |                |
| 4-16-65<br>0750                         | 656                 | 54            | 12.1                       | 112  | 123   | 6.8<br>6.7 | 1.04<br>0.36                                    | 8.3                      |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 230.                           |                |
| 5-14-65<br>0715                         | 57                  | 54            | 10.6                       | 98   | 144   | 7.2<br>8.2 | 0.78<br>0.44                                    | 10                       |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 62.                            |                |
| 6-4-65<br>0800                          | 32                  | 53            | 7.3                        | 67   | 154   | 8.2<br>8.2 | 4.1<br>0.34                                     | 9.6<br>0.39              | 1.2            |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 230.                           |                |
| 7-15-65<br>1800                         | 13                  | 69            | 10.6                       | 117  | 166   | 7.4<br>8.3 | 1.12<br>0.43                                    | 9.8                      |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 230.                           |                |
| 9-17-65<br>0815                         | 3.3                 | 50            | 10.8                       | 95   | 181   | 7.1<br>7.7 | 1.20<br>0.48                                    | 11                       |                |                         |                                 |                                    |                               |                          |                                       |                 |  |                                 |   |  | 62.                            |                |
|   |                     |               |                            |      |   |            | 0.48  | 0.52                     | 0.03           | 0.00                    | 1.44                            | 0.10                               | 0.28                          | 0.00                     |                                       |                 |  |                                 |   |  | 130.                           |                |

a Field determination.

b Laboratory analysis.

c Analyzed by California Department of Public Health, Division of Laboratories.

d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.

e Sum of calcium and magnesium in ppm.





TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time of day and P.S.T.                     | Discharge Temp in cfs | Dissolved oxygen ppm | % Sat | Specific conductance (micromhos at 25°C) | pH         | Mineral constituents in parts per million |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                    | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Temporary Hardness as CaCO <sub>3</sub> ppm | Total Coliform MPN/ml | Analyzed by |
|---|-----------------------|----------------------|-------|--|------------|---|----------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|----------------------------|--------------------|-------------------------------|---|---|-----------------------|-------------|
|   |                       |                      |       |  |            | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) | Silica (SiO <sub>2</sub> ) | Other constituents |                               |   |   |                       |             |
| NORTH COASTAL REGION (NO. 1)                        |                       |                      |       |  |            |   |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                    |                               |   |   |                       |             |
| GUALALA RIVER, SOUTH FORK, NEAR ANNAPOLIS (STA. 9a) |                       |                      |       |  |            |   |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                    |                               |   |   |                       |             |
| 10-16-64<br>1310                                    | 3.4-6.9               | 12.5                 | 138   | 270                                      | 8.4<br>8.3 | 2.28 <sup>e</sup><br>0.57                 | 13<br>0.57     | 0.07        | 2             | 146<br>2.39                  | 8.7<br>0.25                     | 0.1                        | 0.1           | 0.07                       | 2.39         | 114       | 0                          | 1                  | 20                            | 130.                                    | USCS  |                       |             |
| 11-11-64<br>1145                                    | 12.10                 | 9.9                  | 92    | 164                                      | 7.4<br>7.9 | 1.28 <sup>e</sup><br>0.33                 | 7.6<br>0.33    | 0.00        | 0             | 73<br>1.20                   | 6.8<br>0.19                     | 0.0                        | 0.0           | 0.00                       | 1.20         | 64        | 4                          | 55                 | 20                            | 130.                                    | 23.   |                       |             |
| 12-3-64<br>1700                                     | 34.0                  | 10.4                 | 93    | 202                                      | 8.2<br>8.3 | 1.64 <sup>e</sup><br>0.63                 | 9.8<br>0.63    | 0.07        | 2             | 98<br>1.61                   | 6.2<br>0.17                     | 0.1                        | 0.1           | 0.07                       | 1.61         | 82        | 0                          | 4                  | 21                            | 62.                                     | 23.   |                       |             |
| 1-7-65<br>1330                                      | 4.9                   | 11.0                 | 96    | 115                                      | 7.2<br>7.8 | 0.88 <sup>e</sup><br>0.29                 | 6.7<br>0.29    | 0.00        | 0             | 53<br>0.87                   | 5.4<br>0.15                     | 0.0                        | 0.0           | 0.00                       | 0.87         | 44        | 1                          | 750                | 25                            | 130.                                    | 23.   |                       |             |
| 2-5-65<br>1105                                      | 54                    | 10.7                 | 99    | 165                                      | 7.6<br>7.7 | 1.33 <sup>e</sup><br>0.31                 | 7.2<br>0.31    | 0.00        | 0             | 77<br>1.26                   | 6.7<br>0.19                     | 0.1                        | 0.1           | 0.00                       | 1.26         | 68        | 5                          | 280                | 19                            | 130.                                    | 62.   |                       |             |
| 3-10-65<br>1250                                     | 135                   | 10.4                 | 95    | 217                                      | 7.4<br>8.0 | 1.86 <sup>e</sup><br>0.41                 | 9.5<br>0.41    | 0.00        | 0             | 117<br>1.84                  | 6.4<br>0.18                     | 0.0                        | 0.0           | 0.00                       | 1.84         | 93        | 1                          | 2                  | 18                            | 23.                                     | 2.3   |                       |             |
| 4-16-65<br>1300                                     | 2510                  | 57                   | 98    | 132                                      | 7.4<br>7.4 | 1.10 <sup>e</sup><br>0.29                 | 6.9<br>0.29    | 0.00        | 0             | 65<br>1.07                   | 5.2<br>0.15                     | 0.0                        | 0.0           | 0.00                       | 1.07         | 55        | 2                          | 160                | 21                            | 23.                                     | 23.   |                       |             |
| 5-16-65<br>1015                                     | 11.3                  | 59                   | 100   | 227                                      | 7.5<br>8.4 | 8.8<br>1.70                               | 10<br>0.44     | 0.03        | 2             | 115<br>1.88                  | 6.7<br>0.19                     | 0.1                        | 0.1           | 0.02                       | 1.88         | 96        | 0                          | 1                  | 18                            | 0.62                                    | 2.3   |                       |             |
| 6-6-65<br>1300                                      | 5.9                   | 64                   | 88    | 246                                      | 8.0<br>8.2 | 2.06 <sup>e</sup><br>0.48                 | 11<br>0.48     | 0.00        | 0             | 130<br>2.13                  | 6.2<br>0.17                     | 0.1                        | 0.1           | 0.00                       | 2.13         | 163       | 0                          | 3                  | 19                            | 62.                                     | 23.   |                       |             |
| 7-15-65<br>1400                                     | 15                    | 71                   | 101   | 251                                      | 7.6<br>8.5 | 2.16 <sup>e</sup><br>0.57                 | 13<br>0.57     | 0.07        | 2             | 130<br>2.13                  | 7.6<br>0.21                     | 0.0                        | 0.0           | 0.07                       | 2.13         | 108       | 0                          | 1                  | 21                            | 23.                                     | 2.3   |                       |             |
| 9-17-65<br>1300                                     | 5.8-6.1               | 9.2                  | 93    | 275                                      | 7.5<br>8.3 | 2.5<br>1.25                               | 16<br>0.81     | 0.03        | 1             | 148<br>2.43                  | 10<br>0.21                      | 0.0                        | 0.0           | 0.01                       | 2.43         | 114       | 0                          | 1                  | 21                            | 0.62                                    | 62.   |                       |             |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analysis made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
e Sum of calcium and magnesium in ppm.



TABLE D-2  
ANALYSES OF SURFACE WATER

| Date<br>when<br>sample<br>collected<br>P S T | Discharge<br>in cfs<br>in 6F | Temp<br>in 6F | Dissolved<br>oxygen<br>in ppm<br>% Sat | Specific<br>conductance<br>(microhm-cm<br>at 25°C) | pH<br>a b | Mineral constituents in parts per million |                   |                   |                  |  |                               |                  |                               |                 |                | Total<br>dis-<br>solved<br>solids<br>in ppm | Per-<br>cent<br>calc-<br>ium<br>in ppm | Hardness<br>as CaCO <sub>3</sub><br>Total<br>ppm | Total<br>Hard-<br>ness<br>as CaCO <sub>3</sub><br>ppm | Total<br>Hard-<br>ness<br>as CaCO <sub>3</sub><br>ppm | Total<br>Hard-<br>ness<br>as CaCO <sub>3</sub><br>ppm | Analyzed<br>by               |                               |
|--|------------------------------|---------------|--|--|-----------|---|-------------------|-------------------|------------------|--|-------------------------------|------------------|-------------------------------|-----------------|----------------|---|--|--|---|---|---|------------------------------|-------------------------------|
|  |                              |               |  |  |           | Calcium<br>(Ca)                           | Magnesium<br>(Mg) | Sodium<br>(Na)    | Potassium<br>(K) | Carbonate<br>(CO <sub>3</sub> )<br>(HCO <sub>3</sub> ) | Sulfate<br>(SO <sub>4</sub> ) | Chloride<br>(Cl) | Nitrate<br>(NO <sub>3</sub> ) | Fluoride<br>(F) | Barium<br>(Ba) |   |  |  |   |   |   |                              | Silica<br>(SiO <sub>2</sub> ) |
| NORTH COASTAL REGION (NO. 1)                 |                              |               |  |  |           |   |                   |                   |                  |  |                               |                  |                               |                 |                |   |  |  |   |   |   |                              |                               |
| RUSSIAN RIVER AT DUNCANS HILLS (STA. 267)    |                              |               |  |  |           |   |                   |                   |                  |  |                               |                  |                               |                 |                |   |  |  |   |   |   |                              |                               |
| 7-6-65                                       |                              |               |  |  | 8.1       | 32  | 18                | 12                | 1.9              | 6  | 169                           | 17               | 9.5                           | 0.3             | 0.0            | 0.4   | 175                                    | 14   | 153   | 4   | 25  | DMR                          |                               |
| 1240   |                              | 72            | 8.9                                    | 101  | 8.5       | 1.60                                      | 1.46              | 0.52              | 0.05             | 0.20   | 2.77                          | 0.35             | 0.27                          | 0.00            | 0.00           |   |  |  |   |   |   |                              |                               |
| 9-28-65                                      |                              | 67            | 10.3                                   | 111  | 8.2       |   | 2.74 <sup>e</sup> |                   |                  | 0  | 150                           | 8.4              | 1.1                           | 0.0             | 0.0            |   |  |  |   |   | 24  |                              |                               |
| 1300   |                              |               |  |  | 8.3       |   |                   |                   |                  | 0.20   | 2.46                          | 0.24             | 0.02                          |                 |                |   |  |  | 137   | 4   |   |                              |                               |
| BIG AUSTIN CREEK (STA. 268)                  |                              |               |  |  |           |   |                   |                   |                  |  |                               |                  |                               |                 |                |   |  |  |   |   |   |                              |                               |
| 7-6-65                                       | 1/2                          |               |  |  | 7.7       | 26  | 18                | 8.2               | 1.1              | 0  | 107                           | 7.2              | 8.1                           | 0.5             | 0.0            | 0.0   | 144                                    | 12   | 137   | 0   | 0   | DMR                          |                               |
| 1220   | est.                         | 68            | 8.5                                    | 93   | 7.8       | 1.30                                      | 1.44              | 0.36              | 0.03             | 0.00   | 2.74                          | 0.15             | 0.23                          | 0.01            | 0.00           |   |  |  |   |   |   |                              |                               |
| 9-29-65                                      | 1/2                          |               |  |  | 7.6       |   | 2.84 <sup>e</sup> |                   |                  | 0.20   | 2.57                          | 0.3              | 0.4                           | 0.0             | 0.0            |   |  |  |   |   | 5   |                              |                               |
| 1300   | est.                         | 66            | 8.3                                    | 88   | 8.5       |   |                   |                   |                  | 0.20   | 2.57                          | 0.23             | 0.01                          |                 |                |   |  |  | 142   | 3   |   |                              |                               |
| RUSSIAN RIVER AT GUERNEVILLE (STA. 269)      |                              |               |  |  |           |   |                   |                   |                  |  |                               |                  |                               |                 |                |   |  |  |   |   |   |                              |                               |
| 7-6-65                                       | 212                          | 74            | 10.2                                   | 119  | 8.1       |   |                   |                   |                  |  |                               |                  |                               |                 |                |   |  |  |   |   |   | Field<br>determi-<br>nations |                               |
| 1130   |                              |               |  |  | 8.1       |   |                   |                   |                  |  |                               |                  |                               |                 |                |   |  |  |   |   |   |                              |                               |
| 9-28-65                                      | 219                          | 70            | 9.7                                    | 108  | 8.1       |   |                   |                   |                  |  |                               |                  |                               |                 |                |   |  |  |   |   |   |                              |                               |
| 1225   |                              |               |  |  | 8.1       |   |                   |                   |                  |  |                               |                  |                               |                 |                |   |  |  |   |   |   |                              |                               |
| RUSSIAN RIVER AT GUERNEVILLE (STA. 10)       |                              |               |  |  |           |   |                   |                   |                  |  |                               |                  |                               |                 |                |   |  |  |   |   |   |                              |                               |
| 10-11-64                                     | 177                          | 69            | 10.6                                   | 117  | 8.2       |   |                   | 11                |                  | 6  | 154                           |                  | 7.6                           |                 | 0.4            |   |  |  | 127   | 0   | 1   | 2.3                          |                               |
| 1300   |                              |               |  |  | 8.4       |   | 2.54 <sup>e</sup> | 0.48              |                  | 0.13   | 2.52                          | 0.21             |                               |                 |                |   |  |  |   |   |   | 23                           |                               |
| 11-11-64                                     | 5,660                        | 53            | 8.9                                    | 81   | 7.4       |   |                   | 7.2               |                  | 0.00   | 1.13                          | 6.4              | 0.18                          |                 | 0.2            |   |  |  | 68  | 11  | 280   | 7,000                        |                               |
| 12-2-64                                      | 2,050                        | 56            | 9.6                                    | 91   | 7.6       |   |                   | 1.36 <sup>e</sup> |                  | 0  | 69                            | 5.2              | 0.15                          |                 | 0.3            |   |  |  | 90  | 4   | 70  | 230                          |                               |
| 1315   |                              |               |  |  | 7.6       |   | 1.80 <sup>e</sup> | 0.37              |                  | 0  | 105                           | 5.2              | 0.10                          |                 | 0.2            |   |  |  | 17  | 90  | 4   | 70                           | 230                           |
| 1-7-65                                       | 39,100                       | 50            | 10.0                                   | 88   | 7.2       |   |                   | 5.9               |                  | 0  | 58                            | 3.4              | 0.10                          |                 | 0.2            |   |  |  | 21  | 50  | 2   | 300                          | 21                            |
| 1510   |                              |               |  |  | 7.5       |   | 1.00 <sup>e</sup> | 0.26              |                  | 0.00   | 0.95                          | 0.10             |                               |                 | 0.2            |   |  |  | 21  | 50  | 2   | 300                          | 230                           |
| 2-5-65                                       | 4,030                        | 49            | 9.9                                    | 86   | 7.7       |   |                   | 8.1               |                  | 0  | 106                           | 5.9              | 0.17                          |                 | 0.2            |   |  |  | 16  | 93  | 6   | 20                           | 620                           |
| 1310   |                              |               |  |  | 7.7       |   | 1.86 <sup>e</sup> | 0.35              |                  | 0.00   | 1.74                          | 0.17             |                               |                 | 0.2            |   |  |  | 16  | 93  | 6   | 20                           | 2,400                         |

a Field determination.

b Laboratory analysis.

c Analyzed by California Department of Public Health, Division of Laboratories.

d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.

e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date on which sample P.S.T.                          | Discharge in cfs | Temp in °F | Dissolved oxygen in ppm | Specific conductance (at 25°C) $\frac{\mu}{\text{cm}}$ | pH  | Mineral constituents in $\frac{\text{parts per million}}{\text{equivalents}}$ |                |             |               |              |                                 |                            |               |                            |              |           |                            | Total dissolved solids in ppm | Percent total solids in ppm | Hardness as CaCO <sub>3</sub> in ppm | Turbidity in NTU     | Conformity MPN/ml | Analyzed by |
|--|------------------|------------|-------------------------|--|-----|---|----------------|-------------|---------------|--------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|----------------------------|-------------------------------|-----------------------------|--------------------------------------|----------------------|-------------------|-------------|
|  |                  |            |                         |  |     | Calcium (Ca)  | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium (Ca) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) | Silica (SiO <sub>2</sub> ) |                               |                             |                                      |                      |                   |             |
| NORTH COASTAL REGION (NO. 1)                         |                  |            |                         |  |     |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             |                                      |                      |                   |             |
| RUSSIAN RIVER AT GUERNEVILLE (STA. 10) (Cont.)       |                  |            |                         |  |     |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             |                                      |                      |                   |             |
| 3-10-65  | 816              | 55         | 9.2                     | 86   | 7.4 | 10  | 2.66           | 0.44        | 0             | 0.35         | 0.00                            | 2.54                       | 7.9           | 0.72                       | 0.3          | 14        | 133                        | 6                             | 15                          | 23.                                  | USGS                 |                   |             |
| 1450   |                  |            |                         |  | 8.2 |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             | 230.                                 |                      |                   |             |
| 6-16-65  |                  |            |                         |  | 7.6 | 5.2   | 1.16           | 0.23        | 0             | 0.64         | 0.00                            | 1.05                       | 2.8           | 0.08                       | 0.1          | 17        | 57                         | 5                             | 650                         | 62.                                  | USGS                 |                   |             |
| 1530   | 14,500           | 56         | 10.2                    | 97   | 7.1 |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             | 230.                                 |                      |                   |             |
| 5-12-65  | 880              | 69         | 10.2                    | 112  | 8.0 | 9.4   | 1.1            | 0.03        | 1.1           | 4            | 13.6                            | 1.4                        | 5.9           | 3.2                        | 0.3          | 14        | 122                        | 4                             | 20                          | 23.                                  | USGS                 |                   |             |
| 1210   |                  |            |                         |  | 8.6 | 1.30  | 1.14           | 0.41        | 0.03          | 0.13         | 2.23                            | 0.29                       | 0.17          | 0.08                       | 0.3          | 15        |                            |                               |                             | 23.                                  |                      |                   |             |
| 6-4-65   | 417              | 65         | 7.1                     | 75   | 7.8 | 9.6   | 2.60           | 0.42        | 0             | 6            | 16.4                            | 6.0                        | 6.0           | 0.17                       | 0.4          | 14        | 130                        | 5                             | 15                          | 2.3                                  | USGS                 |                   |             |
| 1520   |                  |            |                         |  | 8.3 |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             | 23.                                  |                      |                   |             |
| 7-14-65  | 198              | 75         | 11.0                    | 129  | 8.2 | 12  | 2.92           | 0.52        | 0             | 6            | 16.0                            | 7.6                        | 7.6           | 0.21                       | 0.3          | 15        | 146                        | 5                             | 17                          | 230.                                 | DMR                  |                   |             |
| 1030   |                  |            |                         |  | 8.5 |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             | 5.                                   |                      |                   |             |
| 8-15-65  | 275              | 68         | 10.8                    | 118  | 8.0 | 32  | 11             | 10          | 1.2           | 0            | 15.1                            | 13                         | 6.6           | 2.0                        | 0.3          | 15        | 127                        | 1                             | 10                          | 13.                                  | DMR                  |                   |             |
| 0830   |                  |            |                         |  | 7.9 | 1.60  | 0.94           | 0.44        | 0.03          | 0.00         | 2.52                            | 0.27                       | 0.19          | 0.03                       | 0.3          | 13        |                            |                               |                             | 5.                                   |                      |                   |             |
| GREEN VALLEY CREEK (STA. 270)                        |                  |            |                         |  |     |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             |                                      |                      |                   |             |
| 7-6-65   | <2               | 61         | 4.5                     | 46   | 6.9 | 20  | 13             | 15          | 2.9           | 0            | 131                             | 12                         | 15            | 0.7                        | 0.1          | 23        | 105                        | 0                             | 12                          | 0                                    | DMR                  |                   |             |
| 1040   | ea.              |            |                         |  | 8.1 | 1.00  | 1.10           | 0.65        | 0.07          | 0.00         | 2.15                            | 0.75                       | 0.42          | 0.01                       | 0.00         | 23        |                            |                               |                             | 0                                    |                      |                   |             |
| 8-29-65  | Ponded           | 64         | 2.8                     | 29   | 7.3 | 5   | 2.84           |             |               | 5            | 16.2                            | 1.6                        | 1.5           | 0.02                       |              | 15        | 142                        | 1                             | 80                          | 13.                                  | DMR                  |                   |             |
| 1150   |                  |            |                         |  | 8.6 |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             | 13.                                  |                      |                   |             |
| MARK WEST CREEK AT TRENTON-HEADSBERG ROAD (STA. 271) |                  |            |                         |  |     |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             |                                      |                      |                   |             |
| 7-6-65   | 3                | 70         | 4.4                     | 49   | 7.7 | 41  | 27             | 35          | 8.4           | 0            | 28.4                            | 30                         | 63            | 12                         | 0.6          | 42        | 215                        | 0                             | 30                          | 0                                    | DMR                  |                   |             |
| 1020   | ea.              |            |                         |  | 8.3 | 2.04  | 2.26           | 3.26        | 0.21          | 0.00         | 4.82                            | 0.92                       | 1.78          | 0.19                       | 0.03         | 42        |                            |                               |                             | 0                                    |                      |                   |             |
| 7-6-65   |                  | 78         | 5.5                     | 66   | 600 |   |                |             |               |              |                                 |                            |               |                            |              | 25        |                            |                               |                             |                                      | Field determinations |                   |             |
| 1600   |                  |            |                         |  | 7.6 |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             |                                      |                      |                   |             |
| 7-9-65   |                  | 68         | 4.1                     | 65   | 790 |   |                |             |               |              |                                 |                            |               |                            |              | 25        |                            |                               |                             |                                      | Field determinations |                   |             |
| 0415   |                  |            |                         |  | 7.6 |   |                |             |               |              |                                 |                            |               |                            |              |           |                            |                               |                             |                                      |                      |                   |             |

a Field determination.  
 b Laboratory analysis.  
 c Analyzed by California's Department of Public Health, Division of Laboratories.  
 d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.  
 e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time of field P.S.T.                                | Discharge Temp in °F | Dissolved oxygen %/Sat | Specific conductance (micromhos at 25°C) | pH                 | Mineral constituents in parts per million |                   |             |               |                               |                                  |                             |                |                            |              | Total dissolved solids in ppm | Percent lead in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Total Coliform MPN/ml | Analyzed by         |
|--|----------------------|------------------------|--|--------------------|---|-------------------|-------------|---------------|-------------------------------|----------------------------------|-----------------------------|----------------|----------------------------|--------------|-------------------------------|---------------------|---|-----------------------|---------------------|
|  |                      |                        |  |                    | Calcium (Ca)                              | Magnesium (Mg)    | Sodium (Na) | Potassium (K) | Carbonates (CO <sub>3</sub> ) | Bicarbonates (HCO <sub>3</sub> ) | Sulfates (SO <sub>4</sub> ) | Chlorides (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                     |   |                       |                     |
| NORTH COASTAL REGION (NO. 1)                                 |                      |                        |  |                    |   |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       |                     |
| MARK WEST CREEK AT TRENTON-HEADSBERG ROAD (STA. 271) (Cont.) |                      |                        |  |                    |   |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       |                     |
| 9-30-65<br>0330  | 60                   | 7.8                    | 78                                       | 960                | 7.8                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | Field determination |
| 9-30-65<br>1150  | 70                   | 14.8                   | 166                                      | 910 <sup>a</sup>   | 8.3                                       | 4.32 <sup>b</sup> |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | DMR                 |
| 7-6-65<br>0925   | 4 est.               | 8.0                    | 88                                       | 852                | 7.1                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | DMR                 |
| 7-9-65<br>0335   | 5 est.               | 7.2                    | 26                                       | 850                | 7.2                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | Field determination |
| 9-30-65<br>0245  | 10 est.              | 2.2                    | 22                                       | 1,130              | 7.3                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | Field determination |
| 9-30-65<br>1120  | 8 est.               | 5.8                    | 65                                       | 1,000 <sup>a</sup> | 7.6                                       | 4.24 <sup>c</sup> |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | DMR                 |
| SANTA ROSA CREEK AT HILLONSLIDE ROAD (STA. 272)              |                      |                        |  |                    |   |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       |                     |
| 7-9-65<br>0935   | 1 1/2 est.           | 9.7                    | 100                                      | 439                | 8.2                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | Field determination |
| 9-30-65<br>1015  | 1 1/2 est.           | 8.8                    | 93                                       | 400 <sup>c</sup>   | 7.9                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | Field determination |
| SANTA ROSA CREEK AT HELIXIA (STA. 273)                       |                      |                        |  |                    |   |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       |                     |
| 7-6-65<br>0950   | Ponded               | 4.6                    | 48                                       | 237                | 7.6                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | DMR                 |
| 7-6-65<br>1625   | Ponded               | 12.7                   | 145                                      | 225                | 7.5                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | Field determination |
| LAGUNA DE SANTA ROSA NEAR GRAYTON (STA. 274)                 |                      |                        |  |                    |   |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       |                     |
| 7-6-65<br>0950   | Ponded               | 4.6                    | 48                                       | 237                | 7.6                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | DMR                 |
| 7-6-65<br>1625   | Ponded               | 12.7                   | 145                                      | 225                | 7.5                                       |                   |             |               |                               |                                  |                             |                |                            |              |                               |                     |   |                       | Field determination |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and location sampled P.S.T.                     | Discharge Temp in cfs in | Dissolved oxygen ppm | % Sat | Specific conductance micro-mhos/cm @ 25°C | pH  | Mineral constituents in equivalents per million |                   |             |               |                              |                                 |                            |               |                            |              |           | Total dissolved solids in ppm | Percent sodium | Hardness as CaCO <sub>3</sub> total ppm | Turbidity NTU | Conformity MPN/ml | Analyzed By |                            |                      |
|--|--------------------------|----------------------|-------|---|-----|---|-------------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|-------------------------------|----------------|---|---------------|-------------------|-------------|----------------------------|----------------------|
|  |                          |                      |       |   |     | Calcium (Ca)                                    | Magnesium (Mg)    | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) |                               |                |   |               |                   |             | Silica (SiO <sub>2</sub> ) | Other constituents   |
| NORTH COASTAL REGION (NO. 1)                         |                          |                      |       |   |     |   |                   |             |               |                              |                                 |                            |               |                            |              |           |                               |                |   |               |                   |             |                            |                      |
| LAGUNA DE SANTA ROSA NEAR GRAYTON (STA. 274) (Cont.) |                          |                      |       |   |     |   |                   |             |               |                              |                                 |                            |               |                            |              |           |                               |                |   |               |                   |             |                            |                      |
| 7-9-65<br>0355                                       | <1/4<br>est.             | 5.4                  | 55    | 330                                       | 7.3 | 31<br>1.55                                      | 16<br>1.31        | 16<br>0.70  | 3.9<br>0.10   | 0<br>0.00                    | 185<br>3.03                     | 9.2<br>0.19                | 13<br>0.37    | 1.3<br>0.02                | 0.1<br>0.00  | 0.3       |                               | 182            | 19                                      | 143           | 0                 | <10         |                            | Field determinations |
| 9-20-65<br>0903                                      | Foamed                   | 3.9                  | 38    | 220                                       | 7.1 |   | 3.20              |             |               | 1.2<br>0.40                  | 193<br>3.16                     | 16<br>0.45                 | 1.1<br>0.02   |                            |              |           |                               |                |   |               | 0                 | <5          |                            | Field determinations |
| 7-7-65<br>0710                                       | 3<br>est.                | 6.0                  | 63    | 331                                       | 7.3 | 17<br>0.85                                      | 9.4<br>0.77       | 9.8<br>0.43 | 1.1<br>0.03   | 0<br>0.00                    | 100<br>1.64                     | 8.6<br>0.18                | 6.8<br>0.19   | 1.0<br>0.02                | 0.1<br>0.00  | 0.0       |                               | 112            | 21                                      | 81            | 0                 | 8           |                            | DMR                  |
| 9-30-65<br>0940                                      | 1<br>est.                | 7.1                  | 74    | 400 <sup>a</sup>                          | 7.5 |   |                   |             |               |                              |                                 |                            |               |                            |              |           |                               |                |   |               | 0                 |             |                            | Field determinations |
| 7-6-65<br>1350                                       | 2<br>est.                | 9.8                  | 112   | 190                                       | 7.5 | 28<br>1.40                                      | 13<br>1.06        | 1.2<br>0.52 | 1.2<br>0.03   | 5<br>0.17                    | 143<br>2.34                     | 16<br>0.33                 | 6.6<br>0.19   | 1.4<br>0.02                | 0.1<br>0.00  | 0.3       |                               | 161            | 17                                      | 123           | 0                 | 65          |                            | DMR                  |
| 7-6-65<br>1425                                       | 12                       | 11.1                 | 133   | 272                                       | 8.0 |   |                   |             |               |                              |                                 |                            |               |                            |              |           |                               |                |   |               | 0                 |             |                            | DMR                  |
| 9-29-65<br>0900                                      | 1.2                      | 9.0                  | 91    | 280                                       | 7.5 |   | 2.50 <sup>b</sup> |             |               | 4<br>0.13                    | 141<br>2.31                     | 5.0<br>0.14                | 0.5<br>0.01   |                            |              |           |                               | 125            | 3                                       | 125           | 3                 | 5           |                            | DMR                  |
| 7-6-65<br>1500                                       | 4<br>est.                | 11.4                 | 145   | 281                                       | 8.8 | 24<br>1.20                                      | 11<br>0.88        | 25<br>1.09  | 1.8<br>0.05   | 10<br>0.33                   | 142<br>2.33                     | 13<br>0.27                 | 7.4<br>0.21   | 0.4<br>0.01                | 0.2<br>0.01  | 1.5       |                               | 164            | 34                                      | 104           | 0                 | 5           |                            | DMR                  |
| 9-29-65<br>0830                                      | 2<br>est.                | 9.9                  | 103   | 490 <sup>a</sup>                          | 8.0 |   | 2.40 <sup>c</sup> |             |               | 20<br>0.67                   | 246<br>4.03                     | 8.6<br>0.24                | 0.5<br>0.01   |                            |              |           |                               | 120            | 0                                       | 120           | 0                 | 5           |                            | DMR                  |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.            | Discharge Temp. in site in °F. | Dissolved oxygen in ppm | Specific Conductance (micro-mhos/cm at 25°C) | pH at 25°C | Calcium (Ca) in mg/l | Magnesium (Mg) in mg/l | Sodium (Na) in mg/l | Mineral constituents in equivalents per million |   |                                    |                       |                                    |                      |                   |                                    |                    |  | Total dissolved solids in ppm | Per cent sodium in ppm | Hardness as CaCO <sub>3</sub> Total in ppm | Turbidity in MPN/ml | Analyzed by |
|---|--------------------------------|-------------------------|--|------------|----------------------|------------------------|---------------------|---|---|------------------------------------|-----------------------|------------------------------------|----------------------|-------------------|------------------------------------|--------------------|--|-------------------------------|------------------------|--|---------------------|-------------|
|   |                                |                         |  |            |                      |                        |                     | Carbonate (CO <sub>3</sub> ) in mg/l            | Bicarbonate (HCO <sub>3</sub> ) in mg/l | Sulfate (SO <sub>4</sub> ) in mg/l | Chloride (Cl) in mg/l | Nitrate (NO <sub>3</sub> ) in mg/l | Fluoride (F) in mg/l | Boron (B) in mg/l | Silica (SiO <sub>2</sub> ) in mg/l | Other constituents |  |                               |                        |  |                     |             |
| NORTH COASTAL REGION (NO. 1)            |                                |                         |  |            |                      |                        |                     |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| DRY CREEK NEAR YORNVILLE (STA. 279)     |                                |                         |  |            |                      |                        |                     |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 7-7-65<br>1430                          | 1/2 est.                       | 8.4                     | 101  | 7.2        |                      |                        |                     |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 9-28-65<br>1115                         | 1/4 est.                       | 8.0                     | 90   | 7.1<br>8.5 | 4<br>0.13            | 131<br>2.15            | 7.0<br>0.20         | 3.1<br>0.02                                     |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 7-7-65<br>1510                          | 116                            | 9.8                     | 115  | 8.4        |                      |                        |                     |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 9-29-65<br>1030                         | 240                            | 8.8                     | 93   | 7.8        |                      |                        |                     |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| RUSSIAN RIVER NEAR HEADSBERG (STA. 280) |                                |                         |  |            |                      |                        |                     |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 10-16-64<br>0910                        | 172                            | 9.2                     | 95   | 7.9<br>8.2 | 0<br>0.00            | 148<br>2.73            | 4.9<br>0.14         |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 11-10-64<br>0930                        | 5,420                          | 9.8                     | 89   | 7.4<br>7.2 | 0<br>0.00            | 67<br>1.10             | 4.5<br>0.13         |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 12-2-64<br>1415                         | 1,430                          | 9.6                     | 90   | 7.4<br>7.7 | 0<br>0.00            | 88<br>1.64             | 3.5<br>0.10         |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 1-6-65<br>1135                          | 29,200                         | 10.4                    | 97   | 7.6<br>7.7 | 0<br>0.00            | 57<br>0.93             | 1.9<br>0.05         |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 2-9-65<br>1125                          | 2,790                          | 13.3                    | 110  | 8.0<br>8.1 | 0<br>0.00            | 97<br>1.59             | 3.0<br>0.08         |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 3-12-65<br>1115                         | 548                            | 9.6                     | 93   | 7.8<br>8.2 | 0<br>0.00            | 151<br>2.47            | 5.2<br>0.15         |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 4-14-65<br>1230                         | 1,880                          | 10.9                    | 101  | 7.8<br>7.3 | 0<br>0.00            | 118<br>1.93            | 3.0<br>0.11         |   |   |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |
| 5-12-65<br>1030                         | 755                            | 10.0                    | 108  | 8.1<br>8.2 | 0.28<br>1.40         | 11<br>0.92             | 7.4<br>0.32         | 4.2<br>0.12                                     | 2.4<br>0.04                             |                                    |                       |                                    |                      |                   |                                    |                    |  |                               |                        |  |                     |             |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.                           | Discharge in cfs in pipe | Dissolved oxygen ppm | % Sat | Specific conductivity at 25°C | pH         | Mineral constituents in parts per million equivalents per million |                |             |               |                                  |                                 |                            |               |                            |              | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total in ppm | Turbidity in NTU | Analyzed by |                    |      |                      |
|--|--------------------------|----------------------|-------|-------------------------------|------------|---|----------------|-------------|---------------|----------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|--|------------------|-------------|--------------------|------|----------------------|
|  |                          |                      |       |                               |            | Calcium (Ca)  | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate sum (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |  |                  |             | Other constituents |      |                      |
| NORTH COASTAL REGION (NO. 1)                           |                          |                      |       |                               |            |   |                |             |               |                                  |                                 |                            |               |                            |              |                               |  |                  |             |                    |      |                      |
| RUSSLAN RIVER NEAR HEADSBURG (STA. 9) (CONT.)          |                          |                      |       |                               |            |   |                |             |               |                                  |                                 |                            |               |                            |              |                               |  |                  |             |                    |      |                      |
| 6-2-65<br>1300   | 375                      | 8.5                  | 90    | 256                           | 8.0<br>8.3 | 8.1<br>2.42 <sup>a</sup>  | 0.35           | 0           | 0             | 0.13                             | 134<br>2.20                     | 0                          | 3.9<br>0.11   | 0                          | 0.4          | 13                            | 121  | 5                | 15          | 6.2<br>62.         | USGS |                      |
| 7-13-65<br>1230  | 140                      | 76                   | 9.6   | 113                           | 8.2<br>8.3 | 9.6<br>2.68 <sup>a</sup>  | 0.42           | 0           | 0             | 0                                | 158<br>2.59                     | 0                          | 5.4<br>0.15   | 0                          | 0.3          | 14                            | 134  | 4                | 7           | 23.<br>62.         |      |                      |
| 9-14-65<br>1505  | 199                      | 78                   | 8.0   | 96                            | 8.1<br>8.0 | 8.3<br>1.92   | 0.36           | 1.3<br>0.03 | 0             | 0                                | 14.0<br>2.29                    | 1.0<br>0.21                | 4.0<br>0.11   | 0.8<br>0.01                | 0.2<br>1.3   | 13                            | 116  | 1                | 7           | 23.<br>23.         |      |                      |
| MACAMA CREEK (STA. 281)                                |                          |                      |       |                               |            |   |                |             |               |                                  |                                 |                            |               |                            |              |                               |  |                  |             |                    |      |                      |
| 7-7-65<br>0800   | 6.1                      | 65                   | 8.5   | 90                            | 8.1<br>8.3 | 1.9<br>1.59   | 0.30           | 1.3<br>0.03 | 0             | 0                                | 158<br>2.59                     | 7.7<br>0.16                | 4.8<br>0.01   | 0.4<br>0.01                | 0.0          | 10                            | 127  | 0                | 0           | 0                  | DMR  |                      |
| 9-29-65<br>0950  | 1.5                      | 60                   | 9.0   | 89                            | 7.8<br>8.3 | 2.30 <sup>a</sup>   |                | 0           | 0             | 0.20                             | 158<br>2.59                     | 4.0<br>0.11                | 0.4<br>0.01   | 0                          |              |                               | 140  | 1                | 0           | 0                  |      |                      |
| BIG SULPHUR CREEK NEAR CLOVERDALE (STA. 282)           |                          |                      |       |                               |            |   |                |             |               |                                  |                                 |                            |               |                            |              |                               |  |                  |             |                    |      |                      |
| 7-7-65<br>0905   | 16                       | 68                   | 10.2  | 111                           | 8.6<br>8.6 | 4.1<br>2.04   | 1.1<br>0.48    | 1.5<br>0.04 | 10<br>0.33    | 10<br>2.69                       | 164<br>1.12                     | 5.4<br>0.11                | 3.9<br>0.13   | 8.3<br>0.13                | 0.1<br>0.00  | 234                           | 11   | 192              | 40          | 0                  | 0    | DMR                  |
| 9-28-65<br>1245  | 6.4                      | 72                   | 10.4  | 118                           | 8.6<br>8.5 | 4.88 <sup>a</sup>   |                | 0           | 0             | 0.30                             | 158<br>2.59                     | 4.2<br>0.12                | 2.0<br>0.32   | 0                          |              |                               | 244  | 100              | 0           | 0                  |      |                      |
| LITTLE SULPHUR CREEK (STA. 283)                        |                          |                      |       |                               |            |   |                |             |               |                                  |                                 |                            |               |                            |              |                               |  |                  |             |                    |      |                      |
| 9-28-65<br>1425  | 2.2<br>ent.              | 61                   | 9.1   | 92                            | 7.9<br>8.3 | 2.36 <sup>a</sup>   |                | 0           | 0             | 0.13                             | 166<br>2.39                     | 1.7<br>0.05                | 0.3<br>0.00   | 0                          |              |                               | 128  | 2                | 0           | 0                  |      |                      |
| BIG SULPHUR CREEK ABOVE GEYSERS POWER PLANT (STA. 284) |                          |                      |       |                               |            |   |                |             |               |                                  |                                 |                            |               |                            |              |                               |  |                  |             |                    |      |                      |
| 9-28-65<br>1355  | 70                       | 9.6                  | 107   | 490                           |            |   |                |             |               |                                  |                                 |                            |               |                            |              |                               |  |                  |             |                    |      | Field determinations |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.  
e Sum of calcium and magnesium in eqm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time of day and P.S.T.       | Discharge temp in cfs | Dissolved oxygen in ppm | Specific conductivity at 25°C | pH  | Mineral constituents in equivalents per million |                   |             |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Per cent total in ppm | Hardness as CaCO <sub>3</sub> Total in ppm | Temp. in °C | Coliform MPN/ml | Analyzed by |  |
|---------------------------------------|-----------------------|-------------------------|-------------------------------|-----|---|-------------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|-----------------------|--|-------------|-----------------|-------------|--|
|                                       |                       |                         |                               |     | Calcium (Ca)                                    | Magnesium (Mg)    | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                       |  |             |                 |             | Borate (B)                                       |
| NORTH COASTAL REGION (NO. 1)          |                       |                         |                               |     |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| ASH CREEK (STA. 285)                  |                       |                         |                               |     |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| 7-7-65                                | 2                     | 9.4                     | 100                           | 8.4 | 4.2   | 1.0               | 1.3         | 1.4           | 1.1                          | 188                             | 18                         | 3.6           | 0.2                        | 0.1          | 0.4                           | 194                   | 14   | 172         | 0               | DMR         | PO <sub>4</sub> = 0.04<br>Fe = 0.23<br>Color = 0 |
| 0935                                  | est.                  | 66                      |                               | 8.6 | 2.14  | 1.30              | 0.56        | 0.04          | 0.37                         | 3.08                            | 0.37                       | 0.16          | 0.00                       | 0.00         |                               |                       |  |             |                 |             |  |
| 9-28-65                               | 1 1/2                 | est.                    | 68                            | 8.4 |   | 3.06 <sup>c</sup> |             |               | 6                            | 1.79                            | 5.6                        | 0.6           |                            |              |                               |                       |  |             |                 |             | PO <sub>4</sub> = 0.03                           |
| 1330                                  | est.                  | 68                      |                               | 8.4 |   |                   |             |               | 0.13                         | 2.93                            | 0.16                       | 0.01          |                            |              |                               |                       |  |             |                 |             |  |
| CUMINGS CREEK (STA. 286)              |                       |                         |                               |     |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| 7-7-65                                | 1/2                   |                         |                               | 8.5 | 3.2   | 1.9               | 1.6         | 2.2           | 6                            | 161                             | 32                         | 6.8           | 0.2                        | 0.0          | 0.2                           | 203                   | 16   | 159         | 12              | DMR         | PO <sub>4</sub> = 0.06<br>Fe = 0.06<br>Color = 0 |
| 1320                                  | est.                  | 84                      |                               | 8.5 | 1.55  | 1.33              | 0.91        | 0.06          | 0.20                         | 2.72                            | 0.67                       | 0.19          | 0.01                       | 0.00         |                               |                       |  |             |                 |             |  |
| 9-28-65                               | 1/2                   |                         |                               | 7.8 |   | 3.86 <sup>c</sup> |             |               | 10                           | 199                             | 7.9                        | 0.9           |                            |              |                               |                       |  |             |                 |             | PO <sub>4</sub> = 0.10                           |
| 10-5                                  | est.                  | 70                      |                               | 8.7 |   |                   |             |               | 0.33                         | 3.26                            | 0.22                       | 0.01          |                            |              |                               |                       |  |             |                 |             |  |
| PIETA CREEK (STA. 287)                |                       |                         |                               |     |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| 7-7-65                                | 2                     |                         |                               | 8.4 | 4.2   | 1.6               | 1.2         | 1.9           | 8                            | 198                             | 17                         | 5.5           | 0.5                        | 0.1          | 0.1                           | 186                   | 13   | 172         | 0               | DMR         | PO <sub>4</sub> = 0.04<br>Fe = 0.08<br>Color = 0 |
| 0935                                  | est.                  | 70                      |                               | 8.5 | 2.10  | 1.34              | 0.52        | 0.05          | 0.27                         | 3.24                            | 0.35                       | 0.16          | 0.01                       | 0.00         |                               |                       |  |             |                 |             |  |
| 9-29-65                               | 1 1/2                 |                         |                               | 8.5 |   | 3.38 <sup>c</sup> |             |               | 5                            | 209                             | 5.7                        | 0.2           |                            |              |                               |                       |  |             |                 |             | PO <sub>4</sub> = 0.04                           |
| 0730                                  | est.                  | 52                      |                               | 8.4 |   |                   |             |               | 0.17                         | 3.72                            | 0.16                       | 0.00          |                            |              |                               |                       |  |             |                 |             |  |
| FELIZ CREEK (STA. 288)                |                       |                         |                               |     |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| 7-7-65                                | Ponded                | 71                      |                               | 8.0 | 3.7   | 2.5               | 1.0         | 1.4           | 0                            | 233                             | 22                         | 7.7           | 0.7                        | 0.1          | 0.2                           | 221                   | 10   | 196         | 5               | DMR         | PO <sub>4</sub> = 0.10<br>Fe = 3.6               |
| 1030                                  |                       |                         |                               | 8.2 | 1.85  | 2.07              | 0.44        | 0.04          | 0.00                         | 3.82                            | 0.46                       | 0.22          | 0.01                       | 0.00         |                               |                       |  |             |                 |             |  |
| RUSSIAN RIVER NEAR HOPLAND (STA. 289) |                       |                         |                               |     |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| RUSSIAN RIVER NEAR HOPLAND (STA. 8-3) |                       |                         |                               |     |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| 7-7-65                                | 167                   | 67                      |                               | 7.5 | 8.4   | 1.86 <sup>c</sup> | 0.37        |               | 0                            | 118                             | 4.2                        |               |                            |              | 0.4                           | 62                    | 0  | 92          | 0               | USGS        | 620.   |
| 1055                                  |                       |                         |                               | 2.5 |   |                   |             |               | 0.70                         | 1.93                            | 0.12                       |               |                            |              |                               |                       |  |             |                 |             |  |
| 9-28-65                               | 255                   | 62                      |                               | 7.5 |   |                   |             |               | 0                            |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| 0955                                  |                       |                         |                               | 200 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| 10-16-64                              | 233                   | 61                      |                               | 7.8 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |
| 0745                                  |                       |                         |                               | 212 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                       |  |             |                 |             |  |

a Field determination.

b Laboratory analysis.

c Analyzed by California Department of Public Health, Division of Laboratories.

d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.

e Sum of calcium and magnesium in ppm.



TABLE D-2  
ANALYSES OF SURFACE WATER

| Date<br>collected<br>sampled<br>P.S.T.         | Discharge<br>Temp<br>in cts<br>in °F | Dissolved<br>oxygen<br>ppm | Specific<br>conductance<br>at 25°C<br>µmhos/cm | pH<br>a | Calcium<br>(Ca)<br>(Mg) | Sodium<br>(Na)<br>(K) | Pots-<br>sium<br>(K) | Mineral constituents in parts per million |   |                                    |                       |                                    |                      |                               |                    | Total<br>solid<br>solids<br>in ppm | Hardness<br>on CaCO <sub>3</sub><br>ppm | Tot-<br>al<br>Calcium<br>ppm | Analyzed<br>by                     |
|--|--------------------------------------|----------------------------|--|---------|-------------------------|-----------------------|----------------------|---|---|------------------------------------|-----------------------|------------------------------------|----------------------|-------------------------------|--------------------|------------------------------------|---|------------------------------|------------------------------------|
|  |                                      |                            |  |         |                         |                       |                      | Carbon-<br>ate<br>(CO <sub>3</sub> )      | Bicar-<br>bonate<br>(HCO <sub>3</sub> ) | Sul-<br>fate<br>(SO <sub>4</sub> ) | Chlo-<br>ride<br>(Cl) | Nit-<br>rate<br>(NO <sub>3</sub> ) | Fluor-<br>ide<br>(F) | Silica<br>(SiO <sub>2</sub> ) | Other constituents |                                    |   |                              |                                    |
|  |                                      |                            |  |         |                         |                       |                      |   |   |                                    |                       |                                    |                      |                               |                    |                                    |   |                              |                                    |
| NORTH COASTAL REGION (NO. 1)                   |                                      |                            |  |         |                         |                       |                      |   |   |                                    |                       |                                    |                      |                               |                    |                                    |   |                              |                                    |
| RUSSIAN RIVER NIZAR HIGHLAND (STA. 8a) (cont.) |                                      |                            |  |         |                         |                       |                      |   |   |                                    |                       |                                    |                      |                               |                    |                                    |   |                              |                                    |
| 11-10-64<br>0810                               | 2,320                                | 51                         | 9.0  | 82      | 2.2<br>7.0              | 5.2<br>1.14           | 0.0<br>0.28          | 0.0<br>0.98                               | 0.0<br>0.66                             | 0.0<br>1.08                        | 0.0<br>2.8            | 0.0<br>0.08                        | 0.0<br>0.12          | 0.0<br>0.17                   | 0.0<br>0.3         | 57                                 | 8                                       | 400<br>2,400                 | USGS                               |
| 12-2-64<br>1240                                | 1,280                                | 55                         | 9.5  | 91      | 7.6<br>7.9              | 6.2<br>2.7            | 0.0<br>0.00          | 0.0<br>1.08                               | 0.0<br>0.66                             | 0.0<br>1.08                        | 0.0<br>2.8            | 0.0<br>0.08                        | 0.0<br>0.12          | 0.0<br>0.17                   | 0.2                | 56                                 | 2                                       | 75<br>62                     |                                    |
| 1-6-65<br>1015                                 | 6,800                                | 49                         | 10.2   | 90      | 7.2<br>7.5              | 5.8<br>0.84           | 0.0<br>0.00          | 0.0<br>0.85                               | 0.0<br>0.52                             | 0.0<br>0.85                        | 0.0<br>2.4            | 0.0<br>0.07                        | 0.0<br>0.07          | 0.0<br>0.1                    | 0.1                | 26                                 | 42                                      | 0<br>800                     | 62<br>62                           |
| 2-2-65<br>1000                                 | 1,760                                | 63                         | 11.4   | 93      | 7.6<br>7.6              | 5.2<br>1.38           | 0.0<br>0.00          | 0.0<br>1.49                               | 0.0<br>0.99                             | 0.0<br>1.49                        | 0.0<br>2.6            | 0.0<br>0.07                        | 0.0<br>0.07          | 0.0<br>0.1                    | 0.1                | 15                                 | 69                                      | 4<br>200                     | 130<br>620                         |
| 3-12-65<br>0935                                | 167                                  | 53                         | 9.6  | 89      | 7.2<br>7.8              | 7.6<br>1.82           | 0.0<br>0.00          | 0.0<br>1.80                               | 0.0<br>1.10                             | 0.0<br>1.80                        | 0.0<br>3.9            | 0.0<br>0.11                        | 0.0<br>0.11          | 0.0<br>0.3                    | 0.3                | 15                                 | 91                                      | 1<br>90                      | 62<br>23                           |
| 6-16-65<br>1050                                | 470                                  | 51                         | 10.1   | 92      | 7.6<br>7.4              | 7.2<br>1.80           | 0.0<br>0.00          | 0.0<br>1.56                               | 0.0<br>0.96                             | 0.0<br>1.56                        | 0.0<br>3.8            | 0.0<br>0.11                        | 0.0<br>0.11          | 0.0<br>0.2                    | 0.2                | 16                                 | 80                                      | 3<br>80                      | 23<br>230                          |
| 5-12-65<br>0905                                | 693                                  | 57                         | 10.0   | 98      | 7.6<br>8.4              | 6.6<br>0.69           | 1.9<br>0.04          | 0.9<br>0.29                               | 0.9<br>0.07                             | 9.0<br>1.52                        | 9.0<br>0.19           | 2.2<br>0.10                        | 2.2<br>0.04          | 0.0<br>0.04                   | 0.2                | 15                                 | 82                                      | 2<br>40                      | 62<br>130                          |
| 6-2-65<br>1130                                 | 316                                  | 65                         | 7.8  | 84      | 7.6<br>8.2              | 7.2<br>1.72           | 0.0<br>0.00          | 0.0<br>1.66                               | 0.0<br>1.01                             | 0.0<br>1.66                        | 0.0<br>3.7            | 0.0<br>0.10                        | 0.0<br>0.10          | 0.0<br>0.3                    | 0.3                | 15                                 | 86                                      | 3<br>35                      | 62<br>23                           |
| 7-13-65<br>1110                                | 222                                  | 65                         | 10.5   | 113     | 8.4<br>8.4              | 6.8<br>0.30           | 0.0<br>0.00          | 0.0<br>1.51                               | 0.0<br>1.51                             | 0.0<br>1.51                        | 0.0<br>3.7            | 0.0<br>0.10                        | 0.0<br>0.10          | 0.0<br>0.2                    | 0.2                | 16                                 | 81                                      | 2<br>28                      | 23<br>230                          |
| 9-16-65<br>0905                                | 247                                  | 62                         | 10.3   | 107     | 7.2<br>7.7              | 8.2<br>0.58           | 0.0<br>0.03          | 0.0<br>0.00                               | 0.0<br>1.54                             | 0.0<br>1.54                        | 0.0<br>2.8            | 0.0<br>0.08                        | 0.0<br>0.01          | 0.0<br>0.1                    | 0.1                | 111                                | 84                                      | 2<br>2                       | 21<br>62                           |
| 7-7-65<br>1120                                 | 1/2<br>est.                          | 70                         | 8.6  | 95      | 7.6<br>8.3              | 17<br>1.62            | 0.0<br>0.02          | 0.9<br>0.68                               | 0.0<br>0.00                             | 1.7<br>2.26                        | 1.7<br>0.35           | 5.5<br>0.27                        | 5.5<br>0.09          | 0.1<br>0.00                   | 0.4                | 16                                 | 126                                     | 13<br>5                      | -5<br>Color - 0                    |
| 9-28-65<br>0935                                | 1/6-1/2<br>est.                      | 59                         | 9.0  | 89      | 7.5<br>8.2              | 2.20<br>0.20          | 0.0<br>0.00          | 0.0<br>0.00                               | 0.0<br>0.00                             | 0.0<br>0.00                        | 0.0<br>0.00           | 0.0<br>0.00                        | 0.0<br>0.00          | 0.0<br>0.00                   | 0.1                | 110                                | 9                                       | 5<br>9                       | 62<br>Color - 0<br>62<br>Color - 0 |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (CDWR) as indicated.  
e Sum of calcium and magnesium in eqs.

ANALYSIS OF SURFACE WATER

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T. | Discharge Temp in cft in °F | Dissolved oxygen ppm % Sol | Specific Conductivity (microhm/cm at 25°C) | pH                | Mineral constituents in equivalents per million |                   |                          |               |                              |                                 |                            |               |                            |              | Total dissolved in ppm | Hardness as CaCO <sub>3</sub> ppm | Total N.C. ppm | Total Coliforms by MPN/ml | Analyzed by |           |   |
|------------------------------|-----------------------------|----------------------------|--|-------------------|---|-------------------|--------------------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|------------------------|-----------------------------------|----------------|---------------------------|-------------|-----------|---|
|                              |                             |                            |  |                   | Calcium (Ca)                                    | Magnesium (Mg)    | Sodium (Na)              | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                        |                                   |                |                           |             | Boron (B) | Silica (SiO <sub>2</sub> )                                |
| 7-2-65<br>1150               | 1/2 est. 86                 | 9.3                        | 121  | 256               | 8.3<br>8.3                                      | 30<br>1.50        | 12<br>0.98               | 8.5<br>0.37   | 1.3<br>0.03                  | 0<br>0.00                       | 14.9<br>2.44               | 10<br>0.21    | 5.8<br>0.16                | 0.5<br>0.01  | 0.1<br>0.00            | 136                               | 124            | 2                         | ≤5          | DNR       |   |
|                              |                             |                            |  |                   |   |                   |                          |               |                              |                                 |                            |               |                            |              |                        |                                   |                |                           |             |           | NORTH COASTAL REGION (NO. 1)<br>ROBINSON CREEK (STA. 291) |
| 7-8-65<br>1315               | 3/4 est. 90                 | 9.1                        | 123  | 1090              | 8.8<br>8.7                                      | 10<br>0.50        | 16<br>1.32               | 228<br>9.92   | 10<br>0.26                   | 70<br>2.33                      | 474<br>7.77                | 16<br>0.29    | 31<br>1.46                 | 1.1<br>0.02  | 0.6<br>0.02            | 769                               | 83             | 91                        | 0           | DNR       |   |
|                              |                             |                            |  |                   |   |                   |                          |               |                              |                                 |                            |               |                            |              |                        |                                   |                |                           |             |           | SULPHUR CREEK BELOW VILCHY SPRINGS (STA. 292)             |
| 9-28-65<br>0830              | 1 est. 56                   | 9.5                        | 90   | 1730 <sup>a</sup> | 8.5<br>8.7                                      | 2.86 <sup>e</sup> | 99<br>2.86 <sup>e</sup>  | 74.1<br>3.30  | 107<br>3.02                  | 0.9<br>0.01                     | 1.1<br>0.01                | 0.6<br>0.01   | 0.4<br>0.01                | 0.2<br>0.01  | 49                     | 304                               | 32             | 179                       | 0           | DNR       |   |
|                              |                             |                            |  |                   |   |                   |                          |               |                              |                                 |                            |               |                            |              |                        |                                   |                |                           |             |           | SULPHUR CREEK ABOVE VILCHY SPRINGS (STA. 293)             |
| 7-8-65<br>1140               | 1/2 est. 88                 | 7.3                        | 97   | 523               | 7.9<br>8.4                                      | 50<br>2.50        | 13<br>1.08               | 42<br>1.83    | 3.7<br>0.09                  | 2<br>0.07                       | 289<br>4.74                | 22<br>0.46    | 10<br>0.28                 | 0.0<br>0.00  | 0.3<br>0.02            | 115                               | 13             | 73                        | 2           | 50        | DNR   |
|                              |                             |                            |  |                   |   |                   |                          |               |                              |                                 |                            |               |                            |              |                        |                                   |                |                           |             |           |   |
| 9-27-65<br>1400              | 258                         | 65                         | 90   | 175 <sup>a</sup>  | 7.3<br>8.2                                      | 1.64 <sup>e</sup> | 97<br>1.59               | 2.9<br>0.08   | 1.5<br>0.02                  | 0.0<br>0.00                     | 87<br>1.43                 | 7.1<br>0.13   | 2.3<br>0.06                | 1.0<br>0.02  | 0.1<br>0.01            | 115                               | 13             | 73                        | 2           | 50        | DNR   |
|                              |                             |                            |  |                   |   |                   |                          |               |                              |                                 |                            |               |                            |              |                        |                                   |                |                           |             |           |   |
| 7-8-65<br>1040               | 188                         | 70                         | 9.3  | 104               | 7.8<br>8.2                                      | 20<br>1.00        | 6.6<br>0.54              | 4.8<br>0.21   | 0.8<br>0.02                  | 0<br>0.00                       | 91<br>1.49                 | 6<br>0.16     | 2.0<br>0.06                | 0.6<br>0.01  | 0.2<br>0.01            | 109                               | 12             | 77                        | 2           | 20        | DNR   |
|                              |                             |                            |  |                   |   |                   |                          |               |                              |                                 |                            |               |                            |              |                        |                                   |                |                           |             |           |   |
| 9-27-65<br>1320              | 290                         | 64                         | 97   | 210 <sup>a</sup>  | 8.0<br>8.2                                      | 1.88 <sup>e</sup> | 110<br>1.88 <sup>e</sup> | 3.2<br>0.09   | 0.4<br>0.01                  | 0<br>0.00                       | 1.80<br>2.77               | 0.10<br>0.09  | 0.4<br>0.01                | 0.0<br>0.01  | 94                     | 109                               | 12             | 77                        | 2           | 4         | DNR   |
|                              |                             |                            |  |                   |   |                   |                          |               |                              |                                 |                            |               |                            |              |                        |                                   |                |                           |             |           |   |
| 7-8-65<br>0900               | 5 est. 62                   | 9.9                        | 101  | 327               | 7.8<br>8.5                                      | 15<br>1.80        | 8.0<br>0.35              | 1.0<br>0.02   | 6<br>0.20                    | 0<br>0.00                       | 170<br>2.79                | 9.7<br>0.20   | 4.1<br>0.12                | 0.5<br>0.01  | 0.0<br>0.00            | 186                               | 10             | 152                       | 3           | 5         | DNR   |
|                              |                             |                            |  |                   |   |                   |                          |               |                              |                                 |                            |               |                            |              |                        |                                   |                |                           |             |           |   |
| 9-27-65<br>1305              | 4 est. 59                   | 10.5                       | 104  | 315 <sup>a</sup>  | 8.3<br>8.5                                      | 3.06 <sup>e</sup> | 6<br>0.20                | 169<br>2.77   | 4.5<br>0.13                  | 0.9<br>0.01                     | 4.5<br>0.13                | 0.9<br>0.01   | 0.9<br>0.01                | 0.0<br>0.00  | 153                    | 186                               | 10             | 152                       | 3           | 5         | DNR   |
|                              |                             |                            |  |                   |   |                   |                          |               |                              |                                 |                            |               |                            |              |                        |                                   |                |                           |             |           |   |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
e Sum of calcium and magnesium in eqm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.                                      | Discharge in cfs in open channel | Temp in deg F | Dissolved oxygen in ppm | % Sat | Specific conductance at 25°C | pH  | Mineral constituents in parts per million equivalents per million |                |                            |               |                            |              |                            |                            |                    |  | Total dissolved solids in ppm | Percent of solids in ppm | Hardness as CaCO <sub>3</sub> in ppm | Turbidity in NTU | Conformity with MWPA/ml | Analyzed by |
|---|----------------------------------|---------------|-------------------------|-------|------------------------------|-----|---|----------------|----------------------------|---------------|----------------------------|--------------|----------------------------|----------------------------|--------------------|--|-------------------------------|--------------------------|--------------------------------------|------------------|-------------------------|-------------|
|   |                                  |               |                         |       |                              |     | Calcium (Ca)  | Magnesium (Mg) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Sulfide (S <sup>2-</sup> ) | Silica (SiO <sub>2</sub> ) | Other constituents |  |                               |                          |                                      |                  |                         |             |
| NORTH COASTAL REGION (NO. 1)                                      |                                  |               |                         |       |                              |     |   |                |                            |               |                            |              |                            |                            |                    |  |                               |                          |                                      |                  |                         |             |
| RUSSIAN RIVER, EAST FORK, AT POTTER VALLEY POWER HOUSE (STA. 297) |                                  |               |                         |       |                              |     |   |                |                            |               |                            |              |                            |                            |                    |  |                               |                          |                                      |                  |                         |             |
| 7-8-65  | 215                              | 66            | 8.8                     | 94    | 145                          | 7.8 |   |                |                            |               |                            |              |                            |                            |                    |  |                               |                          |                                      |                  |                         |             |
| 9-27-65   | 326                              | 66            | 8.0                     | 86    | 203                          | 7.8 |   |                |                            |               |                            |              |                            |                            |                    |  |                               |                          |                                      |                  |                         |             |
| 10-15-64  | 247                              | 65            | 9.3                     | 102   | 190                          | 8.0 | 1.78 <sup>e</sup>   | 0.30           | 0                          | 103           | 0                          | 0            | 0                          | 3.7                        | 0.10               |  |                               |                          |                                      |                  |                         |             |
| 11-10-64  | 292                              | 52            | 7.6                     | 71    | 194                          | 8.2 | 1.64 <sup>e</sup>   | 0.33           | 0                          | 98            | 0                          | 0            | 0                          | 5.2                        | 0.15               |  |                               |                          |                                      |                  |                         |             |
| 12-2-64   | 1100                             | 52            | 11.4                    | 107   | 153                          | 7.4 | 1.28 <sup>e</sup>   | 0.48           | 0                          | 76            | 0                          | 0            | 0                          | 3.2                        | 0.09               |  |                               |                          |                                      |                  |                         |             |
| 1-6-65  | 310                              | 44            | 11.8                    | 99    | 87                           | 6.8 | 0.79 <sup>e</sup>   | 0.15           | 0                          | 46            | 0                          | 0            | 0                          | 1.0                        | 0.03               |  |                               |                          |                                      |                  |                         |             |
| 2-3-65  | 326                              | 41            | 11.8                    | 95    | 118                          | 7.6 | 1.04 <sup>e</sup>   | 0.16           | 0                          | 69            | 0                          | 0            | 0                          | 1.2                        | 0.03               |  |                               |                          |                                      |                  |                         |             |
| 3-12-65   | 0820                             | 50            | 9.9                     | 90    | 157                          | 7.4 | 1.46 <sup>e</sup>   | 0.22           | 0                          | 85            | 0                          | 0            | 0                          | 2.2                        | 0.06               |  |                               |                          |                                      |                  |                         |             |
| 4-14-65   | 0850                             | 310 est.      | 12.2                    | 112   | 151                          | 7.0 | 1.36 <sup>e</sup>   | 0.22           | 0                          | 79            | 0                          | 0            | 0                          | 2.2                        | 0.09               |  |                               |                          |                                      |                  |                         |             |
| 5-12-65   | 0750                             | 310           | 55                      | 10.1  | 98                           | 8.2 | 4.0   | 0.33           | 0.19                       | 0.02          | 0.8                        | 0            | 0                          | 1.8                        | 0.05               |  |                               |                          |                                      |                  |                         |             |
| 6-2-65  | 0930                             | 224           | 64                      | 10.5  | 113                          | 7.8 | 1.36 <sup>e</sup>   | 0.22           | 0                          | 81            | 0                          | 0            | 0                          | 1.6                        | 0.04               |  |                               |                          |                                      |                  |                         |             |
| 7-13-65   | 0930                             | 150 est.      | 63                      | 10.0  | 107                          | 7.6 | 1.42 <sup>e</sup>   | 0.21           | 0                          | 84            | 0                          | 0            | 0                          | 1.9                        | 0.03               |  |                               |                          |                                      |                  |                         |             |
| 9-14-65   | 0815                             | 58            | 10.2                    | 103   | 194                          | 8.0 | 6.2   | 0.51           | 1.3                        | 0             | 106                        | 0            | 0                          | 2.7                        | 0.5                |  |                               |                          |                                      |                  |                         |             |
|   |                                  |               |                         |       |                              | 7.4 | 0.51  | 0.20           | 0.03                       | 1.74          | 0                          | 0            | 0                          | 0.08                       | 0.01               |  |                               |                          |                                      |                  |                         |             |
|   |                                  |               |                         |       |                              | 8.0 |   |                |                            |               |                            |              |                            |                            |                    |  |                               |                          |                                      |                  |                         |             |
|   |                                  |               |                         |       |                              | 8.0 |   |                |                            |               |                            |              |                            |                            |                    |  |                               |                          |                                      |                  |                         |             |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (CWR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.                           | Discharge Temp in cfs in °F | Dissolved oxygen ppm %SO <sub>2</sub> | Specific conductance (micromhos at 25°C) a | pH a | Mineral constituents in parts per million |             |             |                   |                            |                             |                         |            |                        |           | Total dissolved solids in ppm | Percent total solids in ppm | Hardness as CaCO <sub>3</sub> Total in ppm | Turbidity MPN/ml | Analyzed by |
|--|-----------------------------|---------------------------------------|--|------|---|-------------|-------------|-------------------|----------------------------|-----------------------------|-------------------------|------------|------------------------|-----------|-------------------------------|-----------------------------|--|------------------|-------------|
|  |                             |                                       |  |      | Calcium (Ca)                              | Magne- (Mg) | Sodium (Na) | Potas- (K)        | Carbon- (CO <sub>3</sub> ) | Bicarb- (HCO <sub>3</sub> ) | Sul- (SO <sub>4</sub> ) | Chlo- (Cl) | Ni- (NO <sub>3</sub> ) | Fluo- (F) |                               |                             |  |                  |             |
| NORTH COASTAL REGION (No. 1)                           |                             |                                       |  |      |   |             |             |                   |                            |                             |                         |            |                        |           |                               |                             |  |                  |             |
| RUSSIAN RIVER ABOVE EAST FORK RUSSIAN RIVER (STA. 298) |                             |                                       |  |      |   |             |             |                   |                            |                             |                         |            |                        |           |                               |                             |  |                  |             |
| 7-8-65   |                             |                                       | 8.4  | 8.4  | 26  | 1.4         | 1.4         | 1.1               | 1.4                        | 4                           | 1.6                     | 1.0        | 7.3                    | 0.4       | 0.2                           | 0.0                         |  |                  |             |
| 1210   | 2.7                         | 10.5                                  | 136  | 8.4  | 264                                       | 0.04        | 0.04        | 0.48              | 0.04                       | 0.13                        | 2.23                    | 0.21       | 0.20                   | 0.01      | 0.01                          | 0.0                         |  |                  | DMR         |
| 9-27-65  |                             |                                       | 8.4  | 8.4  |   |             |             |                   |                            | 0                           | 1.88                    | 1.3        | 0.3                    | 0.3       |                               |                             |  |                  |             |
| 1435   | 0.5                         | 9.7                                   | 104  | 8.3  | 310 <sup>a</sup>                          |             |             | 2.64 <sup>b</sup> |                            | 0.00                        | 2.26                    | 0.37       | 0.30                   | 0.30      |                               |                             |  |                  | DMR         |
| YORK CREEK (STA. 299)                                  |                             |                                       |  |      |   |             |             |                   |                            |                             |                         |            |                        |           |                               |                             |  |                  |             |
| 7-8-65   |                             |                                       | 7.0  | 8.3  | 230                                       | 1.4         | 1.4         | 8.7               | 1.4                        | 0                           | 1.22                    | 7.7        | 7.6                    | 1.1       | 0.2                           | 0.0                         |  |                  |             |
| 1245   | 1/2 est.                    | 76                                    | 8.5  | 100  | 230                                       | 0.04        | 0.04        | 0.38              | 0.04                       | 0.00                        | 2.00                    | 0.16       | 0.21                   | 0.02      | 0.01                          | 0.0                         |  |                  | DMR         |
| 9-27-65  |                             |                                       | 6.9  | 8.5  |   |             |             |                   |                            | 4                           | 1.28                    | 7.0        | 0.6                    | 0.6       |                               |                             |  |                  |             |
| 1500   | 1/4 est.                    | 64                                    | 7.5  | 78   | 250 <sup>a</sup>                          |             |             | 2.26 <sup>b</sup> |                            | 0.13                        | 2.10                    | 0.20       | 0.01                   | 0.01      |                               |                             |  |                  | DMR         |
| FURSYTHIE CREEK (STA. 300)                             |                             |                                       |  |      |   |             |             |                   |                            |                             |                         |            |                        |           |                               |                             |  |                  |             |
| 7-8-65   |                             |                                       | 7.3  | 8.2  | 298                                       | 1.7         | 1.7         | 9.2               | 1.7                        | 0                           | 1.64                    | 8.7        | 5.7                    | 0.6       | 0.0                           | 0.2                         |  |                  |             |
| 0930   | 1 est.                      | 70                                    | 8.3  | 93   | 298                                       | 0.04        | 0.04        | 0.40              | 0.04                       | 0.00                        | 2.99                    | 0.18       | 0.16                   | 0.01      | 0.00                          | 0.0                         |  |                  | DMR         |
| 9-27-65  |                             |                                       | 7.2  | 8.4  |   |             |             |                   |                            | 5                           | 1.63                    | 6.8        | 0.3                    | 0.3       |                               |                             |  |                  |             |
| 1140   | 1/2 est.                    | 64                                    | 6.2  | 65   | 300 <sup>a</sup>                          |             |             | 2.82 <sup>b</sup> |                            | 0.17                        | 2.67                    | 0.19       | 0.00                   | 0.00      |                               |                             |  |                  | DMR         |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analysis made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T. | Discharge Temp in °F | Dissolved oxygen ppm | Specific conductance in µmhos/cm at 25°C | pH  | Mineral constituents in parts per million |                   |             |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Percent calcium as CaCO <sub>3</sub> Total in ppm | Turbidity in NTU | Color in PCU/ml | Analyzed by |           |                            |                    |  |     |
|------------------------------|----------------------|----------------------|--|-----|---|-------------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|---|------------------|-----------------|-------------|-----------|----------------------------|--------------------|--|-----|
|                              |                      |                      |  |     | Calcium (Ca)                              | Magnesium (Mg)    | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |   |                  |                 |             | Boron (B) | Silica (SiO <sub>2</sub> ) | Other constituents |  |     |
| 10-16-64                     |                      |                      |  | 6.8 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1115                         | 0.3                  | 1.1                  | 11                                       | 381 | 0.78                                      | 3.24 <sup>e</sup> | 0.18        | 0.17          | 3.23                         | 1.2                             | 0.34                       |               |                            |              |                               | 19  | 162              | 0               | 1           | 6.2       | 13.                        | USGS               |  |     |
| 11-10-64                     |                      |                      |  | 7.2 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1115                         | 4.25                 | 9.1                  | 84                                       | 158 | 0.48                                      | 0.96 <sup>e</sup> | 0.11        | 0.00          | 0.79                         | 0.24                            | 0.24                       |               |                            |              |                               | 33  | 48               | 9               | 120         | 1,300.    | 7,000.                     |                    |  |     |
| 12-2-64                      |                      |                      |  | 7.2 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1660                         | 25                   | 8.3                  | 81                                       | 269 | 0.85                                      | 1.70              | 0.26        | 0.33          | 0.94                         | 1.9                             | 2.0                        | 4.3           | 0.7                        | 0.7          | 0.26                          | 180   | 43               | 0               | 1           | 62.       | 236.                       | 62.                |  |     |
| 1-5-65                       |                      |                      |  | 7.2 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1315                         | 5,610                | 10.2                 | 98                                       | 100 | 0.42                                      | 0.84              | 0.30        | 0.65          | 2.4                          | 0                               | 3.9                        | 7.0           | 3.6                        | 2.5          | 0.2                           | 105   | 28               | 34              | 2           | 200       | 230.                       | 62.                |  |     |
| 2-3-65                       |                      |                      |  | 8.1 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1300                         | 85                   | 9.7                  | 92                                       | 208 | 0.52                                      | 1.04 <sup>e</sup> | 0.12        | 0.00          | 1.33                         | 0.24                            | 0.24                       |               |                            |              |                               | 26  | 73               | 7               | 3           | 2,100.    | 62.                        | 62.                |  |     |
| 3-12-65                      |                      |                      |  | 8.1 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1425                         | 25                   | 9.3                  | 92                                       | 271 | 0.70                                      | 1.40              | 0.16        | 0.07          | 1.74                         | 0.31                            | 0.39                       | 0.16          |                            |              |                               | 180   | 26               | 96              | 6           | 5         | 230.                       | 62.                |  |     |
| 4-16-65                      |                      |                      |  | 7.9 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1405                         | 79                   | 10.4                 | 94                                       | 209 | 0.61                                      | 1.22 <sup>e</sup> | 0.14        | 0.00          | 1.48                         | 0.26                            | 0.26                       |               |                            |              |                               | 30  | 72               | 0               | 10          | 2,400.    | 62.                        | 62.                |  |     |
| 5-12-65                      |                      |                      |  | 8.1 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1600                         | 29                   | 9.6                  | 114                                      | 241 | 0.82                                      | 1.64 <sup>e</sup> | 0.15        | 0.00          | 1.97                         | 0.31                            | 0.37                       | 0.10          |                            |              |                               | 163   | 27               | 84              | 0           | 2         | 23.                        | 62.                |  |     |
| 6-2-65                       |                      |                      |  | 7.4 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1930                         | 12                   | 8.5                  | 100                                      | 281 | 0.83                                      | 1.66 <sup>e</sup> | 0.19        | 0.40          | 1.54                         | 0.17                            | 0.48                       | 0.42          |                            |              |                               | 30  | 97               | 0               | 3           | 620.      | 620.                       | 62.                |  |     |
| 7-13-65                      |                      |                      |  | 7.6 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1415                         | 1.8                  | 78                   | 15.0                                     | 184 | 0.87                                      | 1.74 <sup>e</sup> | 0.20        | 0.00          | 2.67                         | 0.15                            | 0.15                       | 0.15          |                            |              |                               | 23  | 144              | 10              | 4           | 620.      | 620.                       | 13.                |  |     |
| 8-6-65                       |                      |                      |  | 8.3 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1030                         | 2.2                  | 72                   | 9.8                                      | 113 | 0.83                                      | 1.66 <sup>e</sup> | 0.19        | 0.03          | 2.85                         | 0.14                            | 0.39                       | 0.11          |                            |              |                               | 22  | 146              | 2               | 1           | 620.      | 130.                       | 620.               |  |     |
| 9-14-65                      |                      |                      |  | 7.5 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1730                         | 0.8                  | 70                   | 8.6                                      | 97  | 0.87                                      | 1.74 <sup>e</sup> | 0.18        | 0.00          | 3.13                         | 0.44                            | 0.39                       | 0.11          |                            |              |                               | 235   | 21               | 157             | 0           | 2         | 130.                       | 230.               |  |     |
| 10-15-64                     |                      |                      |  | 8.1 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |   |                  |                 |             |           |                            |                    |  |     |
| 1405                         |                      |                      |  | 513 | 0.00                                      | 2.58 <sup>e</sup> | 0.48        | 0.00          | 2.08                         | 0.63                            | 1.78                       |               |                            |              |                               | 129   |                  |                 |             |           |                            |                    |  | DHR |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled (P.S.T.)              | Discharge Temp in cfs | Dissolved oxygen in ppm | Specific conductance (microhm/cm at 25°C) | pH   | Mineral constituents in equivalents per million |                   |             |               |                               |                                  |                            |               |                            |              | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Total Coliformly MPN/ml | Analyzed by |             |                            |
|---|-----------------------|-------------------------|---|------|---|-------------------|-------------|---------------|-------------------------------|----------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|---|-------------------------|-------------|-------------|----------------------------|
|   |                       |                         |   |      | Calcium (Ca)                                    | Magnesium (Mg)    | Sodium (Na) | Potassium (K) | Carbonates (CO <sub>3</sub> ) | Bicarbonates (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |   |                         |             | Barium (Ba) | Silica (SiO <sub>2</sub> ) |
| SAN FRANCISCO BAY REGION (NO. 2)            |                       |                         |   |      |   |                   |             |               |                               |                                  |                            |               |                            |              |                               |   |                         |             |             |                            |
| ALAMEDA CREEK NEAR NILES (STA. 107) (Cont.) |                       |                         |   |      |   |                   |             |               |                               |                                  |                            |               |                            |              |                               |   |                         |             |             |                            |
| 11-16-64<br>1320                            |                       |                         | 7.59                                      | 8.3  | 68  | 4.08 <sup>b</sup> |             | 18.5          | 0.00                          | 31.03                            | 91                         | 2.57          |                            |              | 0.4                           | 204                                     |                         | DWR         |             |                            |
| 10-9-64<br>1100                             | 27                    | 9.8                     | 106                                       | 8.0  | 4.8   | 2.86 <sup>b</sup> |             | 13.5          | 0.00                          | 2.41                             | 1.92                       | 0.8           |                            | 0.4          | 42                            | 142                                     | 31                      | 2.3         | USGS        |                            |
| 11-10-64<br>1400                            | 11                    | 9.1                     | 92  | 8.0  | 3.0   | 3.68 <sup>b</sup> |             | 18.2          | 0.10                          | 2.98                             | 0.9                        | 1.95          |                            | 0.4          | 37                            | 184                                     | 30                      | 230         | 620.        |                            |
| 12-10-64<br>1330                            | 3.3                   | 9.8                     | 92  | 8.0  | 2.1   | 4.46 <sup>b</sup> |             | 10.1          | 0.33                          | 3.20                             | 0.9                        | 2.51          |                            | 0.6          | 41                            | 224                                     | 48                      | 621         | 23.         |                            |
| 1-16-65<br>1320                             | 123                   | 48                      | 111                                       | 99   | 3.6   | 4.20 <sup>b</sup> |             | 19.5          | 0.17                          | 3.20                             | 3.4                        | 0.96          |                            | 0.4          | 27                            | 210                                     | 42                      | 23          | 23.         |                            |
| 2-11-65<br>0945                             | 34                    | 8.4                     | 72  | 7.7  | 3.4   | 5.82 <sup>b</sup> |             | 1.6           | 0.47                          | 4.03                             | 5.9                        | 1.66          |                            | 0.3          | 29                            | 291                                     | 66                      | 15          | 23.         |                            |
| 3-5-65<br>1530                              | 14                    | 53                      | 141                                       | 129  | 8.6   | 7.82 <sup>b</sup> |             | 18            | 0.08                          | 5.05                             | 10.0                       | 2.82          |                            | 1.2          | 32                            | 391                                     | 112                     | 8           | 23.         |                            |
| 4-6-65<br>1440                              | 22                    | 59                      | 12.5                                      | 123  | 8.2   | 6.08 <sup>b</sup> |             | 9             | 0.20                          | 4.36                             | 6.0                        | 1.69          |                            | 0.7          | 29                            | 304                                     | 71                      | 40          | 13.         |                            |
| 5-7-65<br>1300                              | 14                    | 64                      | 8.1                                       | 84.3 | 8.1   | 3.69              | 2.91        | 1.6           | 0.53                          | 4.43                             | 1.6                        | 1.89          | 1.6                        | 0.9          | 517                           | 28                                      | 330                     | 82          | 10          | 23.                        |
| 6-9-65<br>1850                              | 7                     | 65                      | 9.0                                       | 95   | 8.1   | 3.08 <sup>b</sup> | 1.91        | 0.0           | 0.00                          | 2.29                             | 0.2                        | 1.75          |                            | 0.3          | 39                            | 152                                     | 37                      | 80          | 230.        |                            |
| 7-14-65<br>(960)                            | 3                     | 61                      | 10.0                                      | 101  | 7.8   | 2.90 <sup>b</sup> | 4.0         | 1.1           | 0.07                          | 2.15                             | 4.5                        | 1.58          |                            | 0.3          | 38                            | 145                                     | 34                      | 50          | 230.        |                            |
| 8-5-69<br>1500                              | 48                    | 80                      | 10.1                                      | 124  | 7.6   | 2.80 <sup>b</sup> | 4.5         | 0             | 0.00                          | 2.20                             | 5.1                        | 1.44          |                            | 0.0          | 35                            | 140                                     | 30                      | 100         | 230.        |                            |
| 9-2-65<br>1330                              | 48                    | 81                      | 10.2                                      | 129  | 8.1   | 2.24 <sup>b</sup> | 2.2         | 0             | 0.00                          | 2.20                             | 0.2                        | 0.97          |                            | 0.1          | 283                           | 39                                      | 138                     | 48          | 230.        |                            |

a Field determination.

b Laboratory analysis.

c Analyzed by California Department of Public Health, Division of Laboratories.

d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.

e Sum of calcium and magnesium in eqm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.               | Discharge Temp in cgs in deg | Dissolved Oxygen ppm | Specific Conductance (micro-mhos/cm at 25°C) | pH  | Calcium (Ca) (Mg)       | Magnesium sum (Mg) | Sodium (Na) | Potassium (K) | Mineral constituents in parts per million |                                 |                            |               |                            |              |            |                            |                    |   | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total (mg/l) | Temporarily (mg/l) | Analyzed by (d) |
|--|------------------------------|----------------------|--|-----|-------------------------|--------------------|-------------|---------------|---|---------------------------------|----------------------------|---------------|----------------------------|--------------|------------|----------------------------|--------------------|---|-------------------------------|--|--------------------|-----------------|
|  |                              |                      |  |     |                         |                    |             |               | Carbonate (CO <sub>3</sub> )              | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Borate (B) | Silica (SiO <sub>2</sub> ) | Other constituents |   |                               |  |                    |                 |
| SAN FRANCISCO BAY REGION (NO. 2)           |                              |                      |  |     |                         |                    |             |               |   |                                 |                            |               |                            |              |            |                            |                    |   |                               |  |                    |                 |
| ARROYO DEL VALLE NIMAR LIVERMORE (STA. 71) |                              |                      |  |     |                         |                    |             |               |   |                                 |                            |               |                            |              |            |                            |                    |   |                               |  |                    |                 |
| 10-9-64<br>1120                            | Ponded                       |                      |  |     |                         |                    |             |               |   |                                 |                            |               |                            |              |            |                            |                    |   |                               |  |                    |                 |
| 11-13-64<br>1200                           | Ponded                       |                      |  |     |                         |                    |             |               |   |                                 |                            |               |                            |              |            |                            |                    |   |                               |  |                    |                 |
| 12-8-64<br>1330                            | Ponded                       |                      |  |     |                         |                    |             |               |   |                                 |                            |               |                            |              |            |                            |                    |   |                               |  |                    |                 |
| 1-10-65<br>1565                            | 53                           | 10.3                 | 96   | 7.9 | 16<br>3.60 <sup>a</sup> | 0.77 <sup>b</sup>  | 1.2<br>0.27 | 2.95          | 12<br>0.34                                |                                 |                            |               | 0.2                        |              | 16         | 180                        | 19                 | 2 |                               |  |                    |                 |
| 2-8-65<br>1545                             | 32                           | 56                   | 12.3   | 119 | 19<br>4.06 <sup>a</sup> | 0.83               | 5<br>0.13   | 3.76          | 11<br>0.31                                |                                 |                            |               | 0.3                        |              | 17         | 204                        | 24                 | 3 |                               |  |                    |                 |
| 4-1-65<br>1700                             | 14                           | 60                   | 9.3  | 94  | 24<br>4.62 <sup>a</sup> | 1.05               | 9<br>0.30   | 3.74          | 14<br>0.39                                |                                 |                            |               | 0.4                        |              | 18         | 231                        | 29                 | 2 |                               |  |                    |                 |
| 4-6-65<br>1600                             | 29                           | 60                   | 13.0   | 132 | 22<br>4.70 <sup>a</sup> | 0.96               | 4<br>0.13   | 3.92          | 14<br>0.39                                |                                 |                            |               | 0.4                        |              | 17         | 233                        | 32                 | 5 |                               |  |                    |                 |
| 5-3-65<br>1230                             | 17                           | 69                   | 11.0   | 126 | 25<br>2.15              | 0.87               | 1<br>0.03   | 2.22<br>3.66  | 12<br>0.36                                | 0.3<br>0.00                     |                            |               | 0.3                        |              | 17         | 210                        | 26                 | 1 |                               |  |                    |                 |
| 6-10-65<br>1065                            | 3.0                          | 70                   | 9.6  | 109 | 29<br>5.20 <sup>a</sup> | 1.26               | 4<br>0.13   | 4.76          | 21<br>0.59                                |                                 |                            |               | 0.3                        |              | 20         | 260                        | 25                 | 1 |                               |  |                    |                 |
| 7-8-65<br>1100                             | 1.2                          | 75                   | 9.6  | 115 | 38<br>5.68 <sup>a</sup> | 1.70               | 0<br>0.00   | 3.11          | 10<br>0.85                                |                                 |                            |               | 0.5                        |              | 23         | 284                        | 28                 | 1 |                               |  |                    |                 |
| 8-3-65<br>1265                             | 0.2                          | 78                   | 8.7  | 107 | 50<br>6.48 <sup>a</sup> | 2.18               | 0<br>0.00   | 5.83          | 6<br>1.24                                 |                                 |                            |               | 0.9                        |              | 25         | 324                        | 32                 | 1 |                               |  |                    |                 |
| 9-8-65<br>1200                             | 0.1                          | 62                   | 8.0  | 83  | 86<br>106 <sup>a</sup>  | 3.74               | 3<br>0.00   | 4.28<br>7.01  | 10<br>2.68                                | 0.9<br>0.01                     |                            |               | 1.2                        |              | 33         | 370                        | 19                 | 1 |                               |  |                    |                 |
|  |                              |                      |  |     |                         |                    |             |               |   |                                 |                            |               |                            |              |            |                            |                    |   |                               | DISCS                                      |                    |                 |

a Field determination.

b Laboratory analysis.

c Analyzed by California Department of Public Health, Division of Laboratories.

d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.

e Sum of calcium and magnesium in cpm.



TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled PST  | Discharge Temp in cfs in CF | Dissolved oxygen ppm %Sat | Specific Conductivity (microhm/cm at 25°C) | Mineral constituents in parts per million equivalents per million |                |             |                     |                              |                                 |                            |               |                            |              | Total dissolved in ppm | Hardness as CaCO <sub>3</sub> (Total) ppm | Turbidity MPN/ml | Analyzed by |            |                            |
|--|-----------------------------|---------------------------|--|---|----------------|-------------|---------------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|------------------------|---|------------------|-------------|------------|----------------------------|
|  |                             |                           |  | Calcium (Ca)  | Magnesium (Mg) | Sodium (Na) | Polysulfate sum (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                        |   |                  |             | Barium (B) | Silica (SiO <sub>2</sub> ) |
| SAN FRANCISCO BAY REGION (NO. 2)                                       |                             |                           |  |   |                |             |                     |                              |                                 |                            |               |                            |              |                        |   |                  |             |            |                            |
| ALTIMONT CREEK BELOW ALTAMONT TURNOUT OF SOUTH BAY AQUEDUCT (STA. 201) |                             |                           |  |   |                |             |                     |                              |                                 |                            |               |                            |              |                        |   |                  |             |            |                            |
| 10-1-64<br>1820  |                             |                           | 656  | 1.98 <sup>a</sup>   |                |             |                     | 28<br>0.58                   | 66<br>1.86                      |                            |               |                            |              |                        |   | 246              | 99          |            |                            |
| 11-2-64<br>1545  | Local runoff only           |                           | 2,450                                      | 6.57 <sup>a</sup>   |                |             | 116<br>2.42         | 396<br>11.17                 |                                 |                            |               |                            |              |                        |   | 1,420            | 329         |            |                            |
| 12-1-64<br>1030  |                             |                           | 571  | 2.76 <sup>a</sup>   |                |             | 57<br>1.19          | 80<br>2.26                   |                                 |                            |               |                            |              |                        |   | 316              | 123         |            |                            |
| 12-30-64<br>1545   | Local runoff only           |                           | 389  | 1.38 <sup>a</sup>   |                |             | 13<br>0.27          | 34<br>0.96                   |                                 |                            |               |                            |              |                        |   | 343              | 69          |            |                            |
| 2-9-65<br>1630   | Local runoff only           |                           | 2,360                                      | 7.13 <sup>a</sup>   |                |             | 118<br>2.48         | 398<br>11.23                 |                                 |                            |               |                            |              |                        |   | 1,360            | 357         |            |                            |
| 4-1-65<br>1530   | Local runoff only           |                           | 2,460                                      | 5.21 <sup>a</sup>   |                |             | 100<br>2.08         | 344<br>9.70                  |                                 |                            |               |                            |              |                        |   | 1,480            | 261         |            |                            |
| 5-11-65<br>1845  | Local runoff only           |                           | 2,440                                      | 6.47 <sup>a</sup>   |                |             | 171<br>2.52         | 386<br>10.89                 |                                 |                            |               |                            |              |                        |   | 1,460            | 324         |            |                            |
| 6-1-65<br>1500   |                             |                           | 340  | 1.48 <sup>a</sup>   |                |             | 24<br>0.50          | 46<br>1.30                   |                                 |                            |               |                            |              |                        |   | 186              | 74          |            |                            |
| 7-1-65<br>1650   |                             |                           | 336  | 1.52 <sup>a</sup>   |                |             | 26<br>0.54          | 47<br>1.32                   |                                 |                            |               |                            |              |                        |   | 191              | 76          |            |                            |
| 8-2-65<br>1445   |                             |                           | 367  | 1.80 <sup>a</sup>   |                |             | 26<br>0.54          | 45<br>1.27                   |                                 |                            |               |                            |              |                        |   | 199              | 90          |            |                            |
| 9-1-65<br>1830   |                             |                           | 615  | 2.00 <sup>a</sup>   |                |             | 28<br>0.58          | 55<br>1.55                   |                                 |                            |               |                            |              |                        |   | 233              | 100         |            |                            |

<sup>a</sup> Field determination.

<sup>b</sup> Laboratory analysis.

<sup>c</sup> Analyzed by California Department of Public Health, Division of Laboratories.

<sup>d</sup> Mineral analyses made by United States Geological Survey, Water Resources Division (8525) or California Department of Water Resources (DWR) as indicated.

<sup>e</sup> Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.        | Discharge in cfs in 4' pipe | Temp in °F | Dissolved oxygen in ppm | % Sat | Specific conductance at 25°C | pH  | Mineral constituents in parts per million |                |             |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Turbidity NTU | Coliform MPN/ml | Analyzed by d |
|-------------------------------------|-----------------------------|------------|-------------------------|-------|------------------------------|-----|---|----------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|---|---------------|-----------------|---------------|
|                                     |                             |            |                         |       |                              |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Filtrate (F) |                               |   |               |                 |               |
| SAN FRANCISCO BAY REGION (NO. 2)    |                             |            |                         |       |                              |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |   |               |                 |               |
| COYOTE CREEK NEAR MADRONE (STA. 82) |                             |            |                         |       |                              |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |   |               |                 |               |
| 11-7-64                             | 0.5                         | 70         | 8.7                     | 98    | 635                          | 8.2 | 3.30                                      | 1.32           | 0.3         | 2.72          | 4.46                         | 0.28                            | 0.79                       | 0.2           | 0.2                        | 22           | 265                           | 34                                      | 1             | 2,3             | USGS          |
| 11-10-64                            | 0.3                         | 56         | 9.3                     | 89    | 623                          | 8.0 | 5.36 <sup>a</sup>                         | 1.52           | 0.3         | 2.91          | 4.28                         | 0.29                            | 0.82                       | 0.2           | 0.2                        | 22           | 268                           | 33                                      | 3             | 23.             |               |
| 12-11-64                            | 2.2                         | 53         | 10.3                    | 95    | 736                          | 8.2 | 6.30                                      | 1.83           | 0.4         | 3.18          | 5.21                         | 0.36                            | 1.02                       | 0.2           | 0.2                        | 23           | 315                           | 38                                      | 15            | 2,3             |               |
| 1-14-65                             | 63                          | 50         | 10.9                    | 97    | 287                          | 7.8 | 2.24 <sup>a</sup>                         | 0.65           | 2           | 1.15          | 1.88                         | 0.12                            | 0.34                       | 0.0           | 0.0                        | 22           | 112                           | 14                                      | 10            | 230.            | 62.           |
| 2-13-65                             | 83                          | 53         | 11.4                    | 105   | 278                          | 8.3 | 2.16 <sup>a</sup>                         | 0.65           | 2           | 1.10          | 1.80                         | 0.11                            | 0.31                       | 0.4           | 0.4                        | 23           | 108                           | 15                                      | 110           | 23.             | 6.2           |
| 3-6-65                              | 40                          | 55         | 13.1                    | 124   | 279                          | 8.4 | 2.72 <sup>a</sup>                         | 0.61           | 2           | 1.11          | 1.85                         | 0.11                            | 0.31                       | 0.0           | 0.0                        | 22           | 111                           | 15                                      | 40            | 23.             | 2,3           |
| 4-7-65                              | 48                          | 55         | 12.5                    | 119   | 278                          | 8.1 | 2.28 <sup>a</sup>                         | 0.61           | 0           | 1.19          | 1.95                         | 0.11                            | 0.31                       | 0.1           | 0.1                        | 21           | 114                           | 16                                      | 30            | 13.             | 6.2           |
| 5-6-65                              | 65                          | 60         | 11.1                    | 112   | 286                          | 8.0 | 1.2                                       | 0.16           | 1.2         | 1.11          | 1.98                         | 0.11                            | 0.31                       | 0.1           | 0.1                        | 23           | 116                           | 14                                      | 20            | 23.             | 6.2           |
| 6-8-65                              | 97                          | 59         | 10.8                    | 108   | 315                          | 8.5 | 2.38 <sup>a</sup>                         | 0.70           | 0.04        | 0.07          | 1.98                         | 0.11                            | 0.31                       | 0.1           | 0.1                        | 180          | 116                           | 14                                      | 20            | 23.             | 6.2           |
| 7-7-65                              | 96                          | 64         | 9.1                     | 96    | 310                          | 8.3 | 2.96 <sup>a</sup>                         | 0.91           | 2           | 1.04          | 2.20                         | 0.11                            | 0.31                       | 0.1           | 0.1                        | 21           | 129                           | 17                                      | 6             | 13.             | 2,3           |
| 8-5-65                              | 75                          | 75         | 10.2                    | 121   | 319                          | 8.1 | 2.70 <sup>a</sup>                         | 0.6            | 0.07        | 1.15          | 2.21                         | 0.10                            | 0.28                       | 0.0           | 0.0                        | 17           | 149                           | 36                                      | 10            | 210.            | 620.          |
| 9-8-65                              | 83                          | 76         | 10.5                    | 126   | 334                          | 8.2 | 1.1                                       | 0.38           | 2.2         | 1.33          | 2.21                         | 0.11                            | 0.31                       | 0.0           | 0.0                        | 19           | 135                           | 16                                      | 7             | 620.            | 2,600.        |
| 1-55                                |                             |            |                         |       |                              | 7.8 | 1.90                                      | 0.92           | 0.106       | 0.00          | 2.51                         | 0.67                            | 0.31                       | 0.0           | 0.0                        | 207          | 141                           | 16                                      | 4             | 17,000.         | 2,600.        |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.             | Discharge Temp in °F in 49 | Dissolved oxygen in ppm % Sat | Specific conductance at 25°C | pH  | Mineral constituents in parts per million equivalents per million |                   |             |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Percent total solids in ppm | Hardness at CaCO <sub>3</sub> ppm | Turbidity MPN/ml | Coliform by d | Analyzed by d |           |
|--|----------------------------|-------------------------------|------------------------------|-----|---|-------------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|-----------------------------|-----------------------------------|------------------|---------------|---------------|-----------|
|  |                            |                               |                              |     | Calcium (Ca)  | Magnesium (Mg)    | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                             |                                   |                  |               |               | Boron (B) |
| SAN FRANCISCO BAY REGION (NO. 2)         |                            |                               |                              |     |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               |           |
| LOS GATOS CREEK NEAR LOS GATOS (STA. 74) |                            |                               |                              |     |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               |           |
| 10-6-64                                  |                            |                               |                              | 8.2 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               |           |
| 1130                                     | 0.4                        | 10.0                          | 106                          | 779 | 8.1   | 7.20 <sup>c</sup> | 1.30        | 3.0           | 0.00                         | 5.08                            | 2.2                        | 0.62          | 0.2                        |              | 15                            | 360                         | 106                               | 1                |               | 6.2           |           |
| 11-11-64                                 |                            |                               |                              | 7.8 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 23.       |
| 1130                                     | 0.7                        | 10.4                          | 101                          | 663 | 8.3   | 5.92 <sup>c</sup> | 0.96        | 2.2           | 0.4                          | 2.62                            | 1.7                        | 0.48          | 0.2                        |              | 14                            | 296                         | 91                                | 2                |               | 23.           |           |
| 12-10-64                                 |                            |                               |                              | 8.0 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 230.      |
| 1265                                     | 0.4                        | 11.1                          | 105                          | 677 | 8.0   | 6.42 <sup>c</sup> | 1.09        | 2.5           | 0.00                         | 5.10                            | 1.7                        | 0.48          | 0.2                        |              | 15                            | 321                         | 66                                | 1                |               | 6.2           |           |
| 1-12-65                                  |                            |                               |                              | 7.6 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 230.      |
| 1100                                     | 28                         | 10.4                          | 97                           | 240 | 8.2   | 2.00 <sup>c</sup> | 0.40        | 9.2           | 0.09                         | 1.91                            | 5.4                        | 0.15          | 0.0                        |              | 17                            | 100                         | 29                                | 500              |               | 230.          |           |
| 2-11-65                                  |                            |                               |                              | 7.4 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 5.0       |
| 0845                                     | 52                         | 11.1                          | 98                           | 269 | 8.0   | 2.34 <sup>c</sup> | 0.42        | 9.6           | 0.00                         | 1.72                            | 6.3                        | 0.18          | 0.0                        |              | 15                            | 117                         | 31                                | 30               |               | 6.2           |           |
| 3-5-65                                   |                            |                               |                              | 7.6 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 2.3       |
| 1410                                     | 75                         | 10.6                          | 98                           | 276 | 8.2   | 2.72 <sup>c</sup> | 0.44        | 10            | 0.00                         | 1.80                            | 3.0                        | 0.20          | 0.0                        |              | 15                            | 121                         | 31                                | 30               |               | 2.3           |           |
| 4-9-65                                   |                            |                               |                              | 7.6 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 130.      |
| 1110                                     | 31                         | 11.5                          | 102                          | 248 | 7.8   | 2.20 <sup>c</sup> | 0.33        | 7.7           | 0.00                         | 1.84                            | 4.9                        | 0.14          | 0.1                        |              | 13                            | 110                         | 18                                | 300              |               | 230.          |           |
| 5-6-65                                   |                            |                               |                              | 8.0 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 1.3       |
| 1165                                     | 60                         | 8.5                           | 82                           | 294 | 8.5   | 8.1               | 1.6         | 3             | 0.10                         | 1.83                            | 6.6                        | 1.7           | 0.0                        | 18           | 190                           | 16                          | 126                               | 28               | 15            | 2.3           |           |
| 6-9-65                                   |                            |                               |                              | 7.9 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 1.3       |
| 1800                                     | 64                         | 11.0                          | 107                          | 295 | 8.5   | 2.36 <sup>c</sup> | 0.48        | 11            | 0.10                         | 1.87                            | 2.1                        | 0.03          | 0.0                        |              | 16                            | 128                         | 28                                | 7                |               | 210.          |           |
| 7-9-65                                   |                            |                               |                              | 7.2 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 210.      |
| 1400                                     | 64                         | 10.3                          | 108                          | 320 | 7.2   | 2.76 <sup>c</sup> | 0.48        | 11            | 0.00                         | 1.32                            | 2.8                        | 0.22          | 0.0                        |              | 15                            | 138                         | 30                                | 20               |               | 230.          |           |
| 8-5-65                                   |                            |                               |                              | 7.8 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 230.      |
| 0915                                     | 49                         | 10.8                          | 116                          | 342 | 8.4   | 3.02 <sup>c</sup> | 0.52        | 12            | 0.13                         | 1.96                            | 3.9                        | 0.22          | 0.0                        |              | 15                            | 151                         | 33                                | 3                |               | 1,400.        |           |
| 9-8-65                                   |                            |                               |                              | 8.4 |   |                   |             |               |                              |                                 |                            |               |                            |              |                               |                             |                                   |                  |               |               | 2,400.    |
| 0915                                     | 34                         | 9.2                           | 103                          | 393 | 8.3   | 1.6               | 1.9         | 1             | 0.03                         | 1.66                            | 5.7                        | 3.0           | 0.1                        | 14           | 248                           | 15                          | 175                               | 39               | 15            | 22.           |           |
|  |                            |                               |                              | 8.3 |   | 2.20              | 1.30        | 0.61          | 0.05                         | 2.69                            | 1.19                       | 0.25          | 0.05                       |              |                               |                             |                                   |                  |               |               | 6.2.      |

a Field determination.  
 b Laboratory analysis.  
 c Analyzed by California Department of Public Health, Division of Laboratories.  
 d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.  
 e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P S T    | Discharge Temp in original est. | Dissolved oxygen in ppm % Sat | Specific conductivity at 25°C | pH  | Mineral constituents in parts per million |                  |             |                 |                                |                                   |                              |                 |                              |                | Total dissolved in ppm | Per- cent of total dissolved in ppm | Hardness as CaCO <sub>3</sub> Total in ppm | Tur- bidity MPN/ml | Applied by |
|--------------------------------|---------------------------------|-------------------------------|-------------------------------|-----|---|------------------|-------------|-----------------|--------------------------------|-----------------------------------|------------------------------|-----------------|------------------------------|----------------|------------------------|-------------------------------------|--|--------------------|------------|
|                                |                                 |                               |                               |     | Calcium (Ca)                              | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Carbon- ate (CO <sub>3</sub> ) | Bicor- bonate (HCO <sub>3</sub> ) | Sul- fate (SO <sub>4</sub> ) | Chlo- ride (Cl) | Ni- trate (NO <sub>3</sub> ) | Flu- oride (F) |                        |                                     |  |                    |            |
| CENTRAL COASTAL REGION (NO. 3) |                                 |                               |                               |     |   |                  |             |                 |                                |                                   |                              |                 |                              |                |                        |                                     |  |                    |            |
| 12-10-64<br>0850               | 1<br>est.                       | 56                            | 6.0                           | 57  | 7.1                                       |                  |             |                 |                                |                                   |                              |                 |                              |                |                        |                                     |  |                    | DMR        |
| 12-10-64<br>0815               | 1.5<br>est.                     | 56                            | 7.9                           | 75  | 472                                       |                  |             |                 |                                |                                   |                              |                 |                              |                |                        |                                     |  |                    | DMR        |
| 12-10-64<br>0900               | 1<br>est.                       | 48                            | 10.7                          | 102 | 644                                       |                  |             |                 |                                |                                   |                              |                 |                              |                |                        |                                     |  |                    | DMR        |
| 12-10-64<br>0945               | 3/4<br>est.                     | 48                            | 10.0                          | 86  | 569                                       |                  |             |                 |                                |                                   |                              |                 |                              |                |                        |                                     |  |                    | DMR        |
| 11-11-64<br>0935               | 5<br>est.                       |                               |                               |     | 596                                       | 67<br>3734       | 12<br>0798  | 36<br>1448      | 28<br>0107                     | 0<br>0.00                         | 111<br>2480                  | 114<br>2137     | 30<br>0.85                   | 0<br>0.00      |                        |                                     |  |                    | DMR        |
| 11-11-64<br>1000               | 4 1/2<br>est.                   |                               |                               |     | 579                                       | 70<br>349        | 11<br>0.89  | 122<br>1.72     | 2.2<br>0.06                    | 49<br>2.44                        | 125<br>2.60                  | 25<br>0.70      | 1.2<br>0.02                  | 0.1<br>0.1     |                        |                                     |  |                    | DMR        |
| 12-9-64<br>1630                | 3<br>est.                       | 49                            | 10.8                          | 94  | 723                                       |                  |             |                 |                                |                                   |                              |                 |                              |                |                        |                                     |  |                    | DMR        |
| 11-11-64<br>1040               | 2 1/2<br>est.                   |                               |                               |     | 474                                       | 65<br>3724       | 8.3<br>0.68 | 20<br>0.87      | 1.7<br>0.07                    | 0<br>0.00                         | 180<br>2.95                  | 63<br>1.31      | 18<br>0.51                   | 1.5<br>0.02    |                        |                                     |  |                    | DMR        |

o Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analysis made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.  
e Sum of calcium and magnesium in ppm.



TABLE D-2  
ANALYSES OF SURFACE WATER

| Date collected and sample P.S.T. | Discharge in cfs | Temp in °F | Dissolved oxygen in ppm | Specific conductance in micromhos/cm @ 25°C | pH  | Mineral constituents in equivalents per million |                    |             |               |                              |                                 |                            |               |                            |              |           | Total dissolved solids in ppm | Per cent total sum | Inches of CaCO <sub>3</sub> eq. per 100 in. diam. | Turn - bid - by | Analyzed by |
|----------------------------------|------------------|------------|-------------------------|---|-----|---|--------------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|-------------------------------|--------------------|---|-----------------|-------------|
|                                  |                  |            |                         |   |     | Calcium (Ca)                                    | Magnesium (Mg)     | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) |                               |                    |   |                 |             |
| GENERAL COASTAL REGION (NO. 3)   |                  |            |                         |   |     |   |                    |             |               |                              |                                 |                            |               |                            |              |           |                               |                    |   |                 |             |
| SQUEL CREEK AT SQUEL (STA. 76)   |                  |            |                         |   |     |   |                    |             |               |                              |                                 |                            |               |                            |              |           |                               |                    |   |                 |             |
| 10-6-64                          | 1.4              | 71         | 12.6                    | 142   | 8.4 | 4.0   | 5.86 <sup>c</sup>  | 1.0         | 12            | 240                          | 3.01                            | 1.58                       | 1.04          | 0.1                        | 0.1          | 23        | 292                           | 92                 | 6.2   | USGS            |             |
| 13-60                            |                  |            |                         | 735   | 8.5 | 1.774   |                    |             | 0.40          | 3.01                         |                                 | 1.04                       |               |                            |              |           |                               |                    | 13.   |                 |             |
| 11-11-64                         | 10               | 56         | 10.3                    | 98  | 7.9 | 35  | 3.764 <sup>c</sup> | 1.52        | 0             | 126                          | 2.07                            | 46                         | 1.24          | 0.1                        | 0.1          | 29        | 182                           | 79                 | 2,400.  |                 |             |
| 14-00                            |                  |            |                         | 547   | 8.1 | 1.52  |                    |             | 0.00          | 2.07                         |                                 | 46                         |               |                            |              |           |                               |                    | 2,400.  |                 |             |
| 12-10-64                         | 0.8              | 53         | 11.4                    | 104   | 8.2 | 67  | 6.52 <sup>c</sup>  | 2.70        | 0             | 238                          | 4.23                            | 82                         | 2.40          | 0.1                        | 0.1          | 29        | 326                           | 114                | 53.   |                 |             |
| 1-12-65                          |                  |            |                         | 9.9   | 8.2 | 2.70  |                    |             | 0             | 238                          |                                 | 82                         |               |                            |              |           |                               |                    | 53.   |                 |             |
| 13-00                            | 120              | 52         | 11.2                    | 101   | 8.0 | 26  | 3.98 <sup>c</sup>  | 1.04        | 4             | 136                          | 2.23                            | 16                         | 0.75          | 0.0                        | 0.0          | 21        | 199                           | 81                 | 50.   |                 |             |
|                                  |                  |            |                         | 486   | 8.5 | 1.04  |                    |             | 0.13          | 2.23                         |                                 | 16                         |               |                            |              |           |                               |                    | 50.   |                 |             |
| 4-11-65                          | 43               | 43         | 12.8                    | 102   | 7.8 | 30  | 4.62 <sup>c</sup>  | 1.30        | 7             | 166                          | 2.69                            | 26                         | 0.08          | 0.1                        | 0.1          | 22        | 231                           | 85                 | 23.   |                 |             |
| 06-65                            |                  |            |                         | 569   | 8.5 | 1.30  |                    |             | 0.23          | 2.69                         |                                 | 26                         |               |                            |              |           |                               |                    | 23.   |                 |             |
| 3-5-65                           | 23               | 49         | 10.9                    | 95  | 8.0 | 36  | 5.18 <sup>c</sup>  | 1.57        | 6             | 196                          | 3.18                            | 32                         | 0.90          | 0.1                        | 0.1          | 23        | 257                           | 91                 | 23.   |                 |             |
| 09-62                            |                  |            |                         | 634   | 8.3 | 1.57  |                    |             | 0.13          | 3.18                         |                                 | 32                         |               |                            |              |           |                               |                    | 23.   |                 |             |
| 4-9-65                           | 850              | 50         | 10.5                    | 93  | 7.8 | 12  | 2.06 <sup>c</sup>  | 0.52        | 0             | 88                           | 0.44                            | 9.8                        | 0.28          | 0.2                        | 0.2          | 20        | 102                           | 30                 | 620.  |                 |             |
| 13-10                            |                  |            |                         | 270   | 7.5 | 0.52  |                    |             | 0.00          | 0.44                         |                                 | 9.8                        |               |                            |              |           |                               |                    | 620.  |                 |             |
| 5-6-65                           | 30               | 52         | 11.2                    | 101   | 6.2 | 32  | 5.0                | 1.48        | 10            | 186                          | 3.02                            | 30                         | 1.1           | 0.1                        | 0.1          | 22        | 260                           | 93                 | 13.   |                 |             |
| 08-90                            |                  |            |                         | 623   | 8.9 | 1.48  |                    |             | 0.33          | 3.02                         |                                 | 30                         | 0.02          | 0.1                        | 0.1          | 421       | 22                            | 260                | 101   | 6.2             |             |
| 6-9-65                           | 14               | 71         | 9.4                     | 106   | 8.3 | 42  | 5.56 <sup>c</sup>  | 1.83        | 20            | 187                          | 3.06                            | 44                         | 1.24          | 0.1                        | 0.1          | 25        | 277                           | 91                 | 130.  |                 |             |
| 15-00                            |                  |            |                         | 690   | 8.7 | 1.83  |                    |             | 0.67          | 3.06                         |                                 | 44                         |               |                            |              |           |                               |                    | 130.  |                 |             |
| 7-9-65                           | 6.9              | 77         | 9.5                     | 113   | 8.3 | 50  | 5.18 <sup>c</sup>  | 2.18        | 4             | 232                          | 3.90                            | 56                         | 1.56          | 0.0                        | 0.0          | 28        | 284                           | 87                 | 230.  |                 |             |
| 13-65                            |                  |            |                         | 751   | 8.4 | 2.18  |                    |             | 0.13          | 3.90                         |                                 | 56                         |               |                            |              |           |                               |                    | 230.  |                 |             |
| 9-8-65                           | 2.8              | 64         | 8.1                     | 84  | 8.4 | 49  | 4.04               | 1.86        | 2             | 244                          | 4.00                            | 68                         | 1.92          | 0.1                        | 0.1          | 26        | 296                           | 93                 | 62.   |                 |             |
| 11-01                            |                  |            |                         | 719   | 8.3 | 1.86  |                    |             | 0.07          | 4.00                         |                                 | 68                         | 0.03          | 0.1                        | 0.1          | 499       | 26                            | 296                | 62.   |                 |             |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (CDWR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.   | Dissolved Temp in Cts. in 60 of P.S.T. | Dissolved oxygen ppm | Specific Conductance (microhm/cm at 25°C) | pH  | Mineral constituents in equivalents per million |                |             |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> ppm | Temp. by C. Col. (m/m) | Analyzed by |           |                    |
|--|--|----------------------|---|-----|---|----------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|-----------------------------------|------------------------|-------------|-----------|--------------------|
|  |  |                      |   |     | Calcium (Ca)                                    | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                                   |                        |             | Boron (B) | Other constituents |
| CENTRAL COASTAL REGION (NO. 3)<br>PATAHO RIVER AT CHITTENDEN (STA. 77) |  |                      |   |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                                   |                        |             |           |                    |
| 10-7-64<br>1340  | 0.6                                    | 7.0                  | 1,020                                     | 8.1 | 8.00  | 7.40           | 1.0         | 4.96          | 12                           | 0.40                            | 8.13                       | 17.5          | 4.94                       | 0.40         | 1.0                           | 4.30                              | 4                      | 23          | USGS      |                    |
| 11-11-64<br>1710   | 3.7                                    | 8.2                  | 1,410                                     | 8.0 | 8.60  | 6.48           | 0.13        | 4.26          | 6                            | 0.13                            | 8.04                       | 126           | 3.55                       | 0.7          | 0.7                           | 4.30                              | 0                      | 230         |           |                    |
| 12-11-64<br>1115   | 4.0                                    | 6.7                  | 1,830                                     | 8.0 | 9.92 <sup>a</sup>                               | 7.22           | 0.00        | 5.02          | 0.00                         | 8.23                            | 182                        | 5.13          | 1.0                        | 1.0          | 4.96                          | 84                                | 1                      | 230.3       |           |                    |
| 1-12-65<br>1615  | 4.65                                   | 8.5                  | 77  | 8.4 | 3.20  | 1.09           | 2.2         | 16.7          | 3                            | 0.10                            | 2.41                       | 22            | 0.94                       | 0.1          | 0.1                           | 160                               | 35                     | 40          |           |                    |
| 2-10-65<br>1000  | 120                                    | 10.2                 | 90  | 8.2 | 7.40 <sup>b</sup>                               | 3.39           | 0.33        | 3.87          | 10                           | 236                             | 77                         | 2.17          | 0.3                        | 0.3          | 372                           | 162                               | 40                     | 62          |           |                    |
| 3-4-65<br>1040   | 15                                     | 9.8                  | 86  | 8.0 | 10.2  | 4.44           | 0.00        | 3.68          | 0                            | 0.00                            | 6.03                       | 113           | 3.19                       | 0.6          | 0.6                           | 574                               | 272                    | 15          |           | 23                 |
| 4-8-65<br>1640   | 26                                     | 9.5                  | 94  | 8.0 | 8.5   | 4.13           | 0.18        | 3.06          | 18                           | 306                             | 94                         | 2.65          | 0.6                        | 0.6          | 510                           | 230                               | 30                     | 130         |           |                    |
| 5-6-65<br>1222   | 22                                     | 8.7                  | 90  | 8.0 | 5.5   | 2.87           | 0.06        | 3.14          | 10                           | 314                             | 183                        | 0.8           | 1.3                        | 0.5          | 432                           | 158                               | 15                     | 23          |           |                    |
| 6-8-65<br>1445   | 12                                     | 11.1                 | 114                                       | 8.1 | 4.14  | 4.50           | 0.00        | 5.15          | 0.33                         | 5.15                            | 3.81                       | 1.92          | 0.21                       | 0.6          | 0.6                           | 534                               | 163                    | 30          |           | 230                |
| 7-8-65<br>1000   | 5.0                                    | 9.6                  | 101                                       | 8.5 | 10.08 <sup>b</sup>                              | 4.44           | 0.13        | 7.15          | 6                            | 436                             | 106                        | 2.99          | 0.8                        | 0.8          | 530                           | 122                               | 13                     | 62          |           |                    |
| 8-4-65<br>1600   | 5.5                                    | 8.9                  | 104                                       | 8.4 | 10.60 <sup>b</sup>                              | 5.61           | 0.16        | 4.66          | 129                          | 7.8                             | 7.64                       | 3.34          | 3.78                       | 0.5          | 0.5                           | 528                               | 105                    | 20          |           | 6.2                |
| 9-1-65<br>1230   | 5.0                                    | 9.0                  | 98  | 8.0 | 10.50 <sup>c</sup>                              | 5.61           | 0.40        | 6.06          | 12                           | 4.82                            | 3.40 <sup>d</sup>          | 1.08          | 3.40 <sup>d</sup>          | 0.5          | 0.5                           | 526                               | 85                     | 20          |           | 6.2                |
|  |  |                      |   |     | 11.5  | 5.8            | 4.4         | 0.00          | 5.38                         | 186                             | 111                        | 1.4           | 3.13                       | 0.5          | 0.5                           | 877                               | 32                     | 85          |           | 20                 |
|  |  |                      |   |     | 5.76  | 4.78           | 5.00        | 0.11          | 0.00                         | 8.82                            | 3.87                       | 0.02          |                            |              |                               |                                   |                        |             |           |                    |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
e Sum of calcium and magnesium in ppm.



TABLE D-2  
ANALYSES OF SURFACE WATER

| Date<br>sample<br>P. S. T.                                | Discharge Temp<br>in cfs | Dissolved<br>oxygen<br>ppm | Specific<br>conductance<br>µmhos/cm<br>at 25°C | pH  | Mineral constituents in<br>equivalents per million |                   |                |                  |                                     |                                      |                                    |                               |                  |                               | Total<br>solids<br>in ppm | Per-<br>cent<br>Total<br>Solids<br>in ppm | Hardness<br>as CaCO <sub>3</sub><br>ppm | Tur-<br>bidity<br>MPN/ml | Analyzed<br>by |
|---|--------------------------|----------------------------|--|-----|--|-------------------|----------------|------------------|-------------------------------------|--------------------------------------|------------------------------------|-------------------------------|------------------|-------------------------------|---------------------------|---|---|--------------------------|----------------|
|   |                          |                            |  |     | Calcium<br>(Ca)                                    | Magnesium<br>(Mg) | Sodium<br>(Na) | Potassium<br>(K) | Palas-<br>sate<br>(K <sup>+</sup> ) | Carbon-<br>ate<br>(CO <sub>3</sub> ) | Bicarbonate<br>(HCO <sub>3</sub> ) | Sulfate<br>(SO <sub>4</sub> ) | Chloride<br>(Cl) | Nitrate<br>(NO <sub>3</sub> ) |                           |   |   |                          |                |
| CENTRAL COASTAL REGION (Sta. 1)                           |                          |                            |  |     |  |                   |                |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| SAN BENITO RIVER NEAR BEAR VALLEY FIRE STATION (Sta. 77A) |                          |                            |  |     |  |                   |                |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 10-7-64   | 0.1                      | 12.1                       | 152  | 8.4 | 224  | 510               | 158            | 2.0              |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1510  |                          |                            | 1,970  | 8.5 | 11,366   | 8,36              | 7,46           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 11-12-64  | 0.8                      | 10.0                       | 2,180  | 8.4 | 298  | 152               | 1.9            |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 11-60   |                          |                            |  | 8.4 | 7,228  | 7,06              | 7,239          |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 12-9-64   | 0.5                      | 11.1                       | 2,110  | 8.4 | 230  | 250               | 1.66           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1330  |                          |                            | 2,110  | 8.6 | 12,116   | 8,69              | 4,12           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1-13-65   | 15                       | 10.5                       | 96   | 8.4 | 55   | 392               | 89             | 0.8              |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1200  |                          |                            | 1,280  | 8.7 | 9,20   | 7,72              | 2,51           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 2-9-65  | 5.0                      | 11.0                       | 1,370  | 8.5 | 125  | 463               | 86             | 1.2              |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1230  |                          |                            | 1,370  | 8.5 | 10,20  | 7,59              | 2,43           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 3-2-65  | 63                       | 9.0                        | 864  | 8.2 | 44   | 398               | 29             | 0.5              |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1330  |                          |                            | 864  | 8.7 | 8,12   | 1,91              | 0,82           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 6-8-65  | 10                       | 9.3                        | 93   | 8.4 | 96   | 443               | 56             | 0.9              |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1520  |                          |                            | 1,120  | 8.5 | 8,88   | 7,26              | 1,52           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 5-4-65  | 53                       | 8.3                        | 91   | 8.3 | 85   | 61                | 30             |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1430  |                          |                            | 915  | 8.7 | 6,95   | 7,21              | 2,02           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 6-8-65  | 6.0                      | 10.6                       | 1,400  | 8.6 | 10,08  | 7,41              | 91             | 1.5              |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1330  |                          |                            | 1,400  | 8.6 | 8,88   | 7,41              | 2,57           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 7-7-65  | 0.3                      | 10.3                       | 1,690  | 8.4 | 198  | 392               | 152            | 1.5              |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1430  |                          |                            | 1,690  | 8.6 | 9,08   | 8,01              | 4,29           |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 9-10-65   | 0.2                      | 10.1                       | 1,102  | 8.2 | 36   | 120               | 282            |                  |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |
| 1320  |                          |                            | 2,190  | 8.7 | 1,80   | 9,88              | 12,77          | 0.12             |                                     |                                      |                                    |                               |                  |                               |                           |   |   |                          |                |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date<br>sampled<br>P-S-T              | Discharge<br>Temp<br>in cfs<br>in °F | Dissolved<br>oxygen<br>ppm | % Sat | Specific<br>conductance<br>(microhm-cm)<br>at 25°C | pH   | Mineral constituents in parts per million |                        |                |                       |  |   |                                    |                       |                                    |                      | Total<br>dissolved<br>solids<br>in ppm | Per-<br>cent<br>solids<br>in<br>sulfate | Hardness<br>as CaCO <sub>3</sub><br>Total N.C.<br>Dpm. 1 Ppm | Tur-<br>bidity<br>N.C.<br>1 | Conform<br>MPV/ml | Analyzed<br>by |
|---------------------------------------|--------------------------------------|----------------------------|-------|--|------|---|------------------------|----------------|-----------------------|--|---|------------------------------------|-----------------------|------------------------------------|----------------------|--|---|--|-----------------------------|-------------------|----------------|
|                                       |                                      |                            |       |  |      | Calcium<br>(Ca)                           | Magne-<br>sium<br>(Mg) | Sodium<br>(Na) | Potas-<br>sium<br>(K) | Carbon-<br>dioxide<br>(CO <sub>2</sub> ) | Bicar-<br>bonate<br>(HCO <sub>3</sub> ) | Sulf-<br>ate<br>(SO <sub>4</sub> ) | Chlo-<br>ride<br>(Cl) | Ni-<br>trate<br>(NO <sub>3</sub> ) | Flu-<br>oride<br>(F) |  |   |  |                             |                   |                |
| CENTRAL COASTAL REGION (NO. 3)        |                                      |                            |       |  |      |   |                        |                |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| UVAS CREEK NEAR MORGAN HILL (STA. 95) |                                      |                            |       |  |      |   |                        |                |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 10-7-64                               | 0.5                                  | 14.2                       | 169   | 4.13   | 8.3  |   | 4.00 <sup>c</sup>      | 3.8            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1200                                  |                                      |                            |       |  | 8.2  |   |                        | 1.65           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 11-10-64                              | 0.5                                  | 58                         | 10.4  | 102  | 8.4  |   | 3.86 <sup>c</sup>      | 1.2            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1700                                  |                                      |                            |       |  | 8.4  |   |                        | 0.52           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 12-10-64                              | 1.5                                  | 56                         | 10.7  | 103  | 8.4  |   | 4.00 <sup>c</sup>      | 1.2            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1200                                  |                                      |                            |       |  | 8.0  |   |                        | 0.52           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1-14-65                               | 3                                    | 53                         | 10.2  | 94   | 7.7  |   | 1.70 <sup>c</sup>      | 0.30           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1100                                  |                                      |                            |       |  | 7.7  |   |                        | 0.82           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 2-10-65                               | 6.0                                  | 53                         | 11.3  | 105  | 8.5  |   | 2.32 <sup>c</sup>      | 0.39           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1050                                  |                                      |                            |       |  | 7.8  |   |                        | 9.0            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 3-4-65                                | 3                                    | 61                         | 12.4  | 126  | 8.4  |   | 3.12 <sup>c</sup>      | 0.44           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1215                                  |                                      |                            |       |  | 8.4  |   |                        | 10             |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 4-7-65                                | 2.5                                  | 56                         | 13.1  | 126  | 8.4  |   | 2.72 <sup>c</sup>      | 0.40           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1325                                  |                                      |                            |       |  | 7.8  |   |                        | 9.1            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 5-8-65                                | 6                                    | 64                         | 9.8   | 104  | 8.0  |   | 1.3                    | 0.0            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1400                                  |                                      |                            |       |  | 8.0  |   |                        | 9.0            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 6-8-65                                | 5                                    | 60                         | 9.3   | 94   | 7.6  |   | 2.62 <sup>c</sup>      | 0.40           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1645                                  |                                      |                            |       |  | 8.2  |   |                        | 9.2            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 7-7-65                                | 18                                   | 66                         | 10.4  | 112  | 2.96 |   | 2.80 <sup>c</sup>      | 0.42           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1645                                  |                                      |                            |       |  | 8.5  |   |                        | 9.6            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 9-8-65                                | 18                                   | 72                         | 10.1  | 116  | 3.40 |   | 1.36                   | 1.1            |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |
| 1320                                  |                                      |                            |       |  | 7.9  |   | 1.80                   | 1.34           |                       |  |   |                                    |                       |                                    |                      |  |   |  |                             |                   |                |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date sample completed P.S.T.       | Discharge in cfs | Temp. in °F. | Dissolved oxygen ppm | Specific conductance at 25°C. $\mu$ mhos/cm | pH  | Mineral constituents in equivalents per million |                |             |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Percent calcium | Hardness as CaCO <sub>3</sub> Total ppm | Turbidity $\frac{1}{\text{ft}}$ | Conformity MCM/mi   | Analyzed by |
|------------------------------------|------------------|--------------|----------------------|---|-----|---|----------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|-----------------|---|---------------------------------|---------------------|-------------|
|                                    |                  |              |                      |   |     | Calcium (Ca)                                    | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                 |   |                                 |                     |             |
| CENTRAL COASTAL REGION (Sta. 264)  |                  |              |                      |   |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   |                                 |                     |             |
| SALINAS RIVER MILE 0.00 (STA. 264) |                  |              |                      |   |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   |                                 |                     |             |
| 10-8-64<br>0827                    |                  | 64           | 13.4                 | 139   | 9.1 |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   |                                 |                     |             |
| 10-8-64<br>1430                    |                  | 70           | 22.1                 | 265   | 9.5 |   |                |             |               |                              |                                 | 1.170                      |               |                            |              |                               |                 |   | 105                             | Field determination |             |
| 1-11-65<br>1730                    |                  | 54           | 9.9                  | 92  | 7.8 |   |                |             |               |                              |                                 | 164                        |               |                            |              |                               |                 |   | 230                             | Field determination |             |
| 1-12-65<br>0555                    |                  | 48           | 9.8                  | 86  | 7.8 |   |                |             |               |                              |                                 | 2.63                       |               |                            |              |                               |                 |   | 84                              | DMR                 |             |
| 2-2-65<br>1700                     |                  | 54           | 10.4                 | 96  | 8.2 |   |                |             |               |                              |                                 | 6.948                      |               |                            |              |                               |                 |   | 10                              | Field determination |             |
| 2-3-65<br>0525                     |                  | 53           | 7.9                  | 73  | 8.1 |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   | 2,900                           | Field determination |             |
| 3-2-65<br>1820                     |                  | 57           | 13.8                 | 133   | 8.7 |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   | 10                              | Field determination |             |
| 3-3-65<br>0610                     |                  | 54           | 20.5                 | 190   | 8.3 |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   | 10                              | Field determination |             |
| SALINAS RIVER MILE 1.70 (STA. 263) |                  |              |                      |   |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   |                                 |                     |             |
| 10-8-64<br>0550                    |                  | 65           | 19.3                 | 202   | 9.2 |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   | 500                             | Field determination |             |
| 10-8-64<br>1500                    |                  | 68           | 24.6                 | 270   | 9.0 |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   | 500                             | Field determination |             |
| 1-11-65<br>1624                    |                  | 50           | 10.2                 | 91  | 7.6 |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   | 180                             | Field determination |             |
|                                    |                  |              |                      |   | 8.0 |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   | 143                             | DMR                 |             |
|                                    |                  |              |                      |   |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |   | 37                              | DMR                 |             |

a Field determination.  
 b Laboratory analysis.  
 c Analyzed by California Department of Public Health, Division of Laboratories.  
 d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.  
 e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time of sample P.S.V.             | Discharge in cfs | Temp in F | Dissolved oxygen ppm | Specific conductance (microhm/cm at 25°C) | pH  | Mineral constituents in ————— parts per million ————— |                |             |               |                               |                                  |                             |                |                            |              |           | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total N.C. ppm | Turbidity MPN/ml     | Analyzed by |
|--|------------------|-----------|----------------------|---|-----|---|----------------|-------------|---------------|-------------------------------|----------------------------------|-----------------------------|----------------|----------------------------|--------------|-----------|-------------------------------|--|----------------------|-------------|
|  |                  |           |                      |   |     | Calcium (Ca)  | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonates (CO <sub>3</sub> ) | Bicarbonates (HCO <sub>3</sub> ) | Sulfates (SO <sub>4</sub> ) | Chlorides (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) |                               |  |                      |             |
| CENTRAL COASTAL REGION (NO. 1)             |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| SALINAS RIVER MILE 1.70 (STA. 263) (Cont.) |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 1-12-65<br>0450                            | 5.9              | 9.8       | 85                   | 438                                       | 7.6 |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  | Field determinations |             |
| 2-2-65<br>1630                             | 5.6              | 7.4       | 71                   | 5,000                                     | 7.6 |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  | Field determinations |             |
| 2-3-65<br>0500                             | 5.5              | 6.6       | 62                   | 1,600                                     | 7.6 |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  | Field determinations |             |
| 3-2-65<br>1715                             | 6.9              | 27.8      | 307                  | 16,000                                    | 8.5 |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  | Field determinations |             |
| 3-3-65<br>0526                             | 5.5              | 25.7      | 242                  | 24,000                                    | 8.2 |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  | Field determinations |             |
| SALINAS RIVER MILE 3.50 (STA. 262)         |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 10-8-64<br>0530                            | 6.6              | 6.8       | 73                   | 2,220                                     | 8.2 |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  | Field determinations |             |
| 10-8-64<br>1327                            | 6.8              | 13.2      | 143                  | 2,020                                     | 8.4 |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  | Field determinations |             |
| 1-11-65<br>1650                            | 5.0              | 10.3      | 91                   | 362                                       | 7.6 | 34.1  | 13.1           | 1.4         | 2.7           | 0.0                           | 1.25                             | 50.12                       | 2.2            |                            |              |           |                               |  | Field determinations |             |
| 1-12-65<br>0520                            | 4.9              | 9.8       | 85                   | 182                                       | 8.4 | 1.70  | 1.04           | 0.74        | 0.67          | 0.00                          | 2.05                             | 1.04                        | 0.34           | 0.64                       |              |           |                               |  | Field determinations |             |
| 2-2-65<br>1010                             | 5.6              | 6.6       | 63                   | 700                                       | 7.6 |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  | Field determinations |             |
| ABS = 0.0                                  |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| BOD = 6.2                                  |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 0.2  |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 1,960                                      |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 530  |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 221  |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 137  |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 35   |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 180  |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 28   |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |
| 315  |                  |           |                      |   |     |   |                |             |               |                               |                                  |                             |                |                            |              |           |                               |  |                      |             |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (CDWR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.               | Discharge Temp in °C in °F | Dissolved oxygen ppm %Sat | Specific conductance at 25°C | pH  | Mineral constituents in parts per million |                   |      |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Per cent of TDS as CaCO <sub>3</sub> | Hardness as CaCO <sub>3</sub> ppm | Turbidity in NTU     | Analyzed by |                    |            |                    |  |  |
|--|----------------------------|---------------------------|------------------------------|-----|---|-------------------|------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|--------------------------------------|-----------------------------------|----------------------|-------------|--------------------|------------|--------------------|--|--|
|  |                            |                           |                              |     | Calcium (Ca)                              |                   |      |               |                              | Magnesium (Mg)                  |                            |               |                            |              |                               |                                      |                                   |                      |             | Other constituents |            |                    |  |  |
|  |                            |                           |                              |     | CaCO <sub>3</sub>                         | MgCO <sub>3</sub> | NaCl | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                                      |                                   |                      |             | Bromide (Br)       | Iodide (I) | Other constituents |  |  |
| CENTRAL COASTAL REGION (NO. 3)             |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   |                      |             |                    |            |                    |  |  |
| SALINAS RIVER MILE 3.50 (STA. 262) (Cont.) |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   |                      |             |                    |            |                    |  |  |
| 2-3-65                                     |                            |                           |                              | 7.5 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 0435                                       | 56                         | 6.6                       | 760                          |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 3-2-65                                     | 61                         | 13.5                      | 8,500                        | 8.0 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 1740                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 3-3-65                                     | 54                         | 9.9                       | 4,000                        | 8.0 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 0547                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| BLANCO DRAIN INTO SALINAS RIVER (STA. 246) |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   |                      |             |                    |            |                    |  |  |
| 10-8-64                                    | 60                         | 5.8                       | 3,000                        | 7.8 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 0445                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 10-8-64                                    | >3 est.                    | 6.6                       | 2,750                        | 8.0 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 1605                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 1-11-65                                    | >6 est.                    | 5.2                       | 4,240                        | 8.0 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 1220                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 1-12-65                                    | >6 est.                    | 5.1                       | 3,400                        | 7.9 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 0420                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 2-2-65                                     | >5 est.                    | 5.6                       | 3,750                        | 8.1 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 1325                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 2-3-65                                     | >5 est.                    | 5.4                       | 3,800                        | 8.1 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 0350                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 3-2-65                                     | >4 est.                    | 6.0                       | 3,100                        | 8.0 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 1630                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 3-3-65                                     | >4 est.                    | 5.1                       | 2,950                        | 8.5 |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |
| 0455                                       |                            |                           |                              |     |   |                   |      |               |                              |                                 |                            |               |                            |              |                               |                                      |                                   | Field determinations |             |                    |            |                    |  |  |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (CDWR) as indicated.  
e Sum of calcium and magnesium in ppm.



TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled PST | Discharge Temp. in °F | Dissolved oxygen in ppm | Specific conductance at 25°C | pH  | Mineral constituents in parts per million |                |             |              |                              |                                 |                            | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total in ppm | Temperature in °F | Analyzed by |               |                            |
|---------------------------|-----------------------|-------------------------|------------------------------|-----|---|----------------|-------------|--------------|------------------------------|---------------------------------|----------------------------|-------------------------------|--|-------------------|-------------|---------------|----------------------------|
|                           |                       |                         |                              |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Proteins (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) |                               |  |                   |             | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) |
| 2-2-65<br>1300            | 56                    | 6.9                     | 650                          | 7.3 |   |                |             |              |                              |                                 |                            |                               |  |                   | 280         | 22            | Field determination        |
| 2-3-65<br>0330            | 55                    | 6.4                     | 600                          | 7.6 |   |                |             |              |                              |                                 |                            |                               |  |                   |             | 1             | Field determination        |
| 3-2-65<br>1605            | 66                    | 5.9                     | 1,150                        | 7.7 |   |                |             |              |                              |                                 |                            |                               |  |                   | 430         | 1             | Field determination        |
| 3-3-65<br>0435            | 54                    | 3.6                     | 1,210                        | 7.8 |   |                |             |              |                              |                                 |                            |                               |  |                   |             |               | Field determination        |
| 10-8-64<br>0345           | 67                    | 0.1                     | 1,700                        | 7.6 |   |                |             |              |                              |                                 |                            |                               |  |                   |             |               | Field determination        |
| 10-8-64<br>1730           | 68                    | 0.3                     | 1,600                        | 7.5 |   |                |             |              |                              |                                 |                            |                               |  |                   |             |               | Field determination        |
| 1-11-65<br>1505           | 50                    | 10.6                    | 376                          | 7.6 | 36  | 1.3            | 1.8         | 2.5          | 0                            | 1.29                            | 53                         | 0.2                           |  |                   | 410         | 22            | Field determination        |
| 1-12-65<br>0330           | 50                    | 10.3                    | 376                          | 7.6 | 1.80                                      | 1.04           | 0.78        | 0.06         | 0.00                         | 2.11                            | 1.10                       | 0.37                          | 0.04                                       |                   | 142         | 175           | Field determination        |
| 2-2-65<br>1425            | 57                    | 6.9                     | 660                          | 7.6 |   |                |             |              |                              |                                 |                            |                               |  |                   | 360         | 32            | Field determination        |
| 2-3-65<br>0300            | 55                    | 6.6                     | 710                          | 7.5 |   |                |             |              |                              |                                 |                            |                               |  |                   |             |               | Field determination        |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (CWR) as indicated.  
e Sum of calcium and magnesium in ppm.





TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.           | Discharge in cft in 24 hr | Temp in F | Dissolved oxygen ppm | % Sat | Specific conductivity at 25°C | pH  | Mineral constituents in parts per million equivalents per million |                    |             |               |             |                              |                                 |                            |               |                            | Total dissolved solids in ppm | Percent calcium in ppm | Hardest in ppm CaCO <sub>3</sub> | Tur-C in MPY/m | Analyzed by |              |              |                            |                    |
|--|---------------------------|-----------|----------------------|-------|-------------------------------|-----|---|--------------------|-------------|---------------|-------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|-------------------------------|------------------------|----------------------------------|----------------|-------------|--------------|--------------|----------------------------|--------------------|
|  |                           |           |                      |       |                               |     | Calcium (Ca)  | Magnesium (Mg)     | Sodium (Na) | Potassium (K) | Protein sum | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) |                               |                        |                                  |                |             | Fluoride (F) | Bromine (Br) | Silica (SiO <sub>2</sub> ) | Other constituents |
| CENTRAL COASTAL REGION (NO. 3)         |                           |           |                      |       |                               |     |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                |             |              |              |                            |                    |
| SALINAS RIVER NEAR SPECKRELS (STA. 43) |                           |           |                      |       |                               |     |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                |             |              |              |                            |                    |
| 10-6-64                                | 3.5                       | 68        | 3.1                  | 34    | 1,660                         | 7.4 | 141   | 9.80 <sup>e</sup>  | 6.18        | 0             | 0.04        | 0.00                         | 9.90                            | 162                        | 4.37          | 0                          | 0.4                           | 0                      | 38                               | 490            | 0           | 1            | 7,000        | USGS                       |                    |
| 1800                                   |                           |           |                      |       |                               | 8.2 |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                | 490         | 0            | 1            | >4,000                     |                    |
| 11-11-64                               | 8.3                       | 59        | 2.8                  | 28    | 1,410                         | 7.6 | 106   | 9.60 <sup>e</sup>  | 4.61        | 0             | 0.626       | 0.00                         | 10.26                           | 124                        | 3.50          | 0                          | 0.5                           | 0                      | 32                               | 480            | 0           | 5            | 130          | 2,400                      |                    |
| 1600                                   |                           |           |                      |       |                               | 7.6 |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                | 480         | 0            | 5            | 130                        |                    |
| 12-11-64                               | 5.5                       | 59        | 0.0                  | 0     | 1,860                         | 8.0 | 136   | 11.52 <sup>e</sup> | 5.92        | 0             | 0.722       | 0.00                         | 12.33                           | 162                        | 4.37          | 0                          | 0.4                           | 0                      | 34                               | 576            | 0           | 20           | 230          | 2,400                      |                    |
| 1000                                   |                           |           |                      |       |                               | 8.0 |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                | 576         | 0            | 20           | 230                        |                    |
| 1-11-65                                | 1,500                     | 51        | 10.9                 | 97    | 373                           | 7.8 | 36  | 1.12               | 0.78        | 2.5           | 0           | 1.28                         | 5.2                             | 13                         | 1.8           | 0.1                        | 0.1                           | 21                     | 161                              | 36             | 160         | 230          | 230          |                            |                    |
| 1420                                   |                           |           |                      |       |                               | 7.8 |   |                    |             | 0.06          | 0.00        | 2.10                         | 1.08                            | 0.37                       | 0.03          |                            |                               |                        |                                  |                | 161         | 36           | 160          | 230                        |                    |
| 2-10-65                                | 98                        | 48        | 9.9                  | 85    | 779                           | 8.3 | 54  | 6.08 <sup>e</sup>  | 2.35        | 2             | 2.66        | 0.07                         | 4.03                            | 48                         | 1.35          | 0.2                        | 0.2                           | 28                     | 304                              | 99             | 10          | 230          | 620          |                            |                    |
| 0850                                   |                           |           |                      |       |                               | 8.3 |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                | 304         | 99           | 10           | 230                        |                    |
| 3-6-65                                 | 5.0                       | 50        | 5.8                  | 51    | 1,320                         | 7.7 | 98  | 9.44 <sup>e</sup>  | 4.31        | 0             | 0.505       | 0.00                         | 8.28                            | 112                        | 3.16          | 0.7                        | 0.7                           | 31                     | 472                              | 58             | 1           | 23           | 230          |                            |                    |
| 0915                                   |                           |           |                      |       |                               | 7.7 |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                | 472         | 58           | 1            | 23                         |                    |
| 4-9-65                                 | 14                        | 59        | 6.4                  | 63    | 1,480                         | 8.0 | 122   | 10.28 <sup>e</sup> | 5.31        | 0             | 0.642       | 0                            | 10.52                           | 132                        | 3.72          | 0.3                        | 0.3                           | 34                     | 514                              | 0              | 20          | 230          | 620          |                            |                    |
| 1540                                   |                           |           |                      |       |                               | 8.0 |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                | 514         | 0            | 20           | 230                        |                    |
| 5-6-65                                 | 9.0                       | 62        | 5.7                  | 58    | 1,370                         | 8.3 | 131   | 6.5                | 106         | 22            | 38          | 5.66                         | 6.9                             | 131                        | 1.3           | 0.2                        | 0.2                           | 30                     | 514                              | 20             | 20          | 62           | 230          |                            |                    |
| 1030                                   |                           |           |                      |       |                               | 8.3 |   |                    |             | 0.39          | 0.93        | 8.95                         | 1.44                            | 3.70                       | 0.21          |                            |                               |                        |                                  |                | 514         | 20           | 20           | 62                         |                    |
| 6-9-65                                 | 6.2                       | 69        | 4.2                  | 46    | 1,530                         | 8.7 | 138   | 10.60 <sup>e</sup> | 6.00        | 49            | 5.46        | 1.63                         | 8.95                            | 150                        | 4.23          | 0.3                        | 0.3                           | 36                     | 530                              | 0              | 1           | 2,400        | 620          |                            |                    |
| 1400                                   |                           |           |                      |       |                               | 8.7 |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                | 530         | 0            | 1            | 2,400                      |                    |
| 7-8-65                                 | 2.5                       | 55        | 4.8                  | 45    | 1,310                         | 7.7 | 135   | 6.20 <sup>e</sup>  | 3.87        | 0             | 4.00        | 0.00                         | 6.36                            | 150                        | 4.23          | 0.8                        | 0.8                           | 49                     | 310                              | 0              | 13          | 130          | 620          |                            |                    |
| 0400                                   |                           |           |                      |       |                               | 7.7 |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                | 310         | 0            | 13           | 130                        |                    |
| 8-4-65                                 | 1.5                       | 61        | 5.6                  | 56    | 1,130                         | 7.5 | 136   | 4.92 <sup>e</sup>  | 5.92        | 0             | 1.86        | 0.00                         | 3.05                            | 168                        | 4.18          | 0.4                        | 0.4                           | 55                     | 246                              | 93             | 2           | 230          | 620          |                            |                    |
| 1400                                   |                           |           |                      |       |                               | 7.5 |   |                    |             |               |             |                              |                                 |                            |               |                            |                               |                        |                                  |                | 246         | 93           | 2            | 230                        |                    |
| 9-1-65                                 | 2.0                       | 53        | 5.2                  | 48    | 937                           | 7.9 | 83  | 22                 | 7.0         | 0             | 3.42        | 0.00                         | 5.61                            | 80                         | 2.26          | 0.4                        | 0.4                           | 32                     | 259                              | 19             | 5           | 620          | 620          |                            |                    |
| 0700                                   |                           |           |                      |       |                               | 7.9 |   |                    |             | 0.39          | 0.00        | 5.61                         | 1.06                            | 2.26                       | 0.61          |                            |                               |                        |                                  |                | 259         | 19           | 5            | 620                        |                    |

a Field determination.  
 b Laboratory analysis.  
 c Analyzed by California Department of Public Health, Division of Laboratories.  
 d Mineral analyzers made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
 e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled<br>P.S.T.       | Discharge Temp<br>in air<br>in °F | Dissolved<br>oxygen<br>ppm | Specific<br>conductance<br>(microhm/cm)<br>at 25°C | pH<br>a | Mineral constituents in parts per million |                   |                |                  |                                 |                                    |                               |                  |                               |                 | Total dissolved solids<br>in ppm | Residual<br>acid<br>in ppm | Hardness<br>as CaCO <sub>3</sub><br>ppm | Total<br>N.C.<br>ppm | Total<br>Calcium<br>Mg<br>ppm | Total<br>Iron<br>ppm | Total<br>Sulfate<br>ppm | Total<br>Silica<br>ppm  | Other<br>constituents | Analyzed<br>by <sup>c</sup> |
|---------------------------------------|-----------------------------------|----------------------------|--|---------|---|-------------------|----------------|------------------|---------------------------------|------------------------------------|-------------------------------|------------------|-------------------------------|-----------------|----------------------------------|----------------------------|---|----------------------|-------------------------------|----------------------|-------------------------|-------------------------|-----------------------|-----------------------------|
|                                       |                                   |                            |  |         | Calcium<br>(Ca)                           | Magnesium<br>(Mg) | Sodium<br>(Na) | Potassium<br>(K) | Carbonate<br>(CO <sub>3</sub> ) | Bicarbonate<br>(HCO <sub>3</sub> ) | Sulfate<br>(SO <sub>4</sub> ) | Chloride<br>(Cl) | Nitrate<br>(NO <sub>3</sub> ) | Fluoride<br>(F) |                                  |                            |   |                      |                               |                      |                         |                         |                       |                             |
| CENTRAL COASTAL REGION (NO. 3)        |                                   |                            |  |         |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |                                  |                            |   |                      |                               |                      |                         |                         |                       |                             |
| SALINAS RIVER MILE 25.67 (STA. 306)   |                                   |                            |  |         |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |                                  |                            |   |                      |                               |                      |                         |                         |                       |                             |
| 1-11-65                               | 50                                | 10.9                       | 388  | 7.8     | 37  | 13                | 18             | 2.3              | 0                               | 133                                | 56                            | 1.3              | 2.2                           | 0.1             | 242                              | 20                         | 148                                     | 39                   | 140                           |                      |                         | Field<br>determinations |                       |                             |
| 1-12-65                               | 50                                | 10.7                       | 388  | 7.8     | 1.85                                      | 1.11              | 0.78           | 0.06             | 0.00                            | 2.18                               | 1.16                          | 0.37             | 0.04                          | 0.1             |                                  |                            |   |                      | 25                            |                      |                         | Field<br>determinations |                       |                             |
| 2-2-65                                | 56                                | 11.0                       | 585  | 8.3     |   |                   |                |                  |                                 |                                    |                               | 4.4              |                               |                 |                                  |                            |   |                      | 280                           |                      |                         | Field<br>determinations |                       |                             |
| 2-3-65                                | 55                                | 10.3                       | 690  | 8.3     |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |                                  |                            |   |                      | 370                           |                      |                         | Field<br>determinations |                       |                             |
| 3-2-65                                | 68                                | 11.5                       | 720  | 8.3     |   |                   |                |                  |                                 |                                    |                               | 7.0              |                               |                 |                                  |                            |   |                      | 5                             |                      |                         | Field<br>determinations |                       |                             |
| 3-3-65                                | 51                                | 10.0                       | 1,090  | 8.3     |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |                                  |                            |   |                      |                               |                      |                         | Field<br>determinations |                       |                             |
| SALINAS RIVER NEAR BRADLEY (STA. 43c) |                                   |                            |  |         |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |                                  |                            |   |                      |                               |                      |                         |                         |                       |                             |
| 10-8-64                               | 300                               | 8.6                        | 340  | 8.2     | 14  | 3.00 <sup>e</sup> | 0.61           |                  | 0                               | 151                                | 9.0                           | 0.25             |                               | 0.1             | 17                               | 150                        | 26                                      |                      | 1                             |                      |                         | USGS                    |                       |                             |
| 11-12-64                              | 50                                | 8.5                        | 523  | 8.2     | 30  | 4.22 <sup>e</sup> | 1.30           |                  | 6                               | 192                                | 2.0                           | 0.56             |                               | 0.1             | 23                               | 212                        | 45                                      |                      | 3                             |                      |                         | 2.3                     |                       |                             |
| 12-9-64                               | 13.4                              | 11.6                       | 695  | 8.4     | 65  | 5.38 <sup>e</sup> | 1.96           |                  | 6                               | 324                                | 3.3                           | 0.93             |                               | 0.2             | 27                               | 269                        | 75                                      |                      | 1                             |                      |                         | 2.3                     |                       |                             |
| 1-13-65                               | 600                               | 10.8                       | 464  | 7.0     | 25  | 3.78 <sup>e</sup> | 1.09           |                  | 3                               | 169                                | 1.8                           | 0.51             |                               | 0.0             | 22                               | 189                        | 45                                      |                      | 30                            |                      |                         | 230.                    |                       |                             |
| 2-9-65                                | 116                               | 10.3                       | 582  | 8.2     | 35  | 4.66 <sup>e</sup> | 1.52           |                  | 6                               | 198                                | 2.6                           | 0.73             |                               | 0.2             | 25                               | 232                        | 60                                      |                      | 7                             |                      |                         | 13.                     |                       |                             |
| 10-35                                 |                                   |                            |  | 8.4     |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |                                  |                            |   |                      |                               |                      |                         | 25.                     |                       |                             |

a Field determination.

b Laboratory analysis.

c Analyzed by California Department of Public Health, Division of Laboratories.

d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.

e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled<br>P.S.T.               | Discharge Temp<br>in cgs<br>in °F | Dissolved oxygen<br>ppm<br>% Sol | Specific conductivity<br>(micromhos/cm at 25°C)<br>pH | Mineral constituents in parts per million |                   |             |                 |                                |                                   |                              |                 |                              |                | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> total ppm | Tur- bid- ity NTU | Conform <sup>c</sup> MPN/ml | Analyzed by |           |                            |                    |     |
|---|-----------------------------------|----------------------------------|---|---|-------------------|-------------|-----------------|--------------------------------|-----------------------------------|------------------------------|-----------------|------------------------------|----------------|-------------------------------|---|-------------------|-----------------------------|-------------|-----------|----------------------------|--------------------|-----|
|   |                                   |                                  |   | Calcium (Ca)                              | Magne- sium (Mg)  | Sodium (Na) | Potas- sium (K) | Carbon- ate (CO <sub>3</sub> ) | Bicarb- onate (HCO <sub>3</sub> ) | Sulf- ate (SO <sub>4</sub> ) | Chlo- ride (Cl) | Ni- trate (NO <sub>3</sub> ) | Fluor- ide (F) |                               |   |                   |                             |             | Boron (B) | Silica (SiO <sub>2</sub> ) | Other constituents |     |
| CENTRAL COASTAL REGION (NO. 3)                |                                   |                                  |   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| SALINAS RIVER NEAR BRADLEY (STA. 43C) (Cont.) |                                   |                                  |   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 3-2-65  |                                   |                                  | 8.2   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 1300  | 66                                | 9.6                              | 106   | 6.2                                       | 5.14 <sup>e</sup> | 6.3         | 3.33            | 3.31                           | 0.33                              | 207                          | 3.39            | 3.31                         | 0.33           |                               |   | 27                | 237                         | 71          | 5         | 62                         | USGS               |     |
| 6-8-65  |                                   |                                  | 8.2   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 1300  | 350                               | 10.0                             | 97  | 5.9                                       | 4.74 <sup>e</sup> | 1.65        | 2.02            | 3.31                           | 0.82                              | 202                          | 2.9             | 2.9                          | 0.2            |                               |   | 26                | 237                         | 62          | 20        | 50.                        | 62.                |     |
| 5-4-65  | 80                                | 10.0                             | 109   | 6.2                                       | 2.1               | 3.9         | 1.8             | 4                              | 1.8                               | 220                          | 9.9             | 2.8                          | 1.0            |                               |   | 409               | 26                          | 24.2        | 55        | 6                          | 23.                | 23. |
| 1115  |                                   |                                  | 8.4   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 6-9-65  | 415                               | 10.4                             | 113   | 2.9                                       | 2.34 <sup>e</sup> | 0.48        | 1.75            | 1.70                           | 0.05                              | 3                            | 1.26            | 8.1                          | 0.23           |                               |   | 16                | 127                         | 20          | 15        | 62.                        | 62.                |     |
| 1140  |                                   |                                  | 8.2   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 7-9-65  | 463                               | 10.4                             | 114   | 2.80                                      | 2.48 <sup>e</sup> | 0.48        | 1.1             | 1.22                           | 7.0                               | 0.03                         | 2.00            | 0.20                         | 0.0            |                               |   | 16                | 124                         | 22          | 10        | 13.                        | 62.                |     |
| 1100  |                                   |                                  | 8.4   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 8-4-65  | 610                               | 10.0                             | 104   | 2.8                                       | 2.46 <sup>e</sup> | 0.44        | 1.0             | 1.26                           | 6.9                               | 0.00                         | 2.03            | 0.19                         | 0.1            |                               |   | 15                | 123                         | 21          | 1         | 13.                        | 62.                |     |
| 0845  |                                   |                                  | 8.2   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 9-10-65                                       | 465                               | 65                               | 297   | 7.6                                       | 1.19              | 0.52        | 1.3             | 0                              | 1.3                               | 0.00                         | 2.20            | 0.73                         | 0.20           |                               |   | 175               | 17                          | 127         | 17        | 2                          | 6.2                | 13. |
| 0850  |                                   |                                  | 8.3   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 10-8-64                                       |                                   |                                  | 7.9   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 1630  | Dry                               |                                  | 8.4   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 11-12-64                                      |                                   |                                  | 8.4   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 1410  | Dry                               |                                  | 8.4   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 12-9-64                                       |                                   |                                  | 8.2   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 1110  | Dry                               |                                  | 8.2   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 1-13-65                                       | 240                               | 57                               | 10.0  | 98  | 2.80 <sup>e</sup> | 0.44        | 1.0             | 1.30                           | 3.5                               | 0.07                         | 2.13            | 0.16                         | 5.7            |                               |   | 14                | 140                         | 30          | 15        | 62.                        | 130.               |     |
| 1450  |                                   |                                  | 8.4   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 2-9-65  | 62                                | 51                               | 11.0  | 100                                       | 3.24 <sup>e</sup> | 0.32        | 1.2             | 0                              | 1.50                              | 0                            | 2.46            | 0.19                         | 6.6            |                               |   | 14                | 162                         | 39          | 7         | 2.3                        | 13.3               |     |
| 0930  |                                   |                                  | 8.2   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |
| 3-2-65  | 38                                | 66                               | 8.0   | 87  | 3.52 <sup>e</sup> | 0.61        | 1.4             | 1.54                           | 8.5                               | 0.13                         | 2.52            | 0.24                         | 0.2            |                               |   | 15                | 176                         | 43          | 1         | 5.                         | 13.                |     |
| 1145  |                                   |                                  | 8.2   |   |                   |             |                 |                                |                                   |                              |                 |                              |                |                               |   |                   |                             |             |           |                            |                    |     |

a Field determination.  
 b Laboratory analysis.  
 c Analyzed by California Department of Public Health, Division of Laboratories.  
 d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.  
 e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.                     | Dry-bulb Temp in °F in °C | Dissolved oxygen ppm % Sat | Specific conductance (microhm/cm at 25°C) pH | Mineral constituents in parts per million |                |                   |               |                                |                            |               |                            |              |           | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total N C ppm | Total Coliform MPN/ml | Analyzed by <sup>d</sup> |                            |                    |
|--|---------------------------|----------------------------|--|---|----------------|-------------------|---------------|--------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|-------------------------------|---|-----------------------|--------------------------|----------------------------|--------------------|
|  |                           |                            |  | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na)       | Potassium (K) | Bicarbonate (CO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) |                               |   |                       |                          | Silica (SiO <sub>2</sub> ) | Other constituents |
| CENTRAL COASTAL REGION (NO. 3)                   |                           |                            |  |   |                |                   |               |                                |                            |               |                            |              |           |                               |   |                       |                          |                            |                    |
| SAN ANTONIO RIVER NEAR PLEYTO (STA. 434) (Cont.) |                           |                            |  |   |                |                   |               |                                |                            |               |                            |              |           |                               |   |                       |                          |                            |                    |
| 4-8-65   | 80                        | 10.4                       | 98   | 8.0                                       | 12             | 3.24 <sup>e</sup> | 0.32          | 1.2                            | 1.2                        | 3             | 1.2                        | 6.7          | 0.1       | 0.1                           | 14  | 162                   | 41                       | 62.                        | USGS               |
| 1200   |                           |                            |  | 8.4                                       |                |                   |               |                                |                            |               |                            |              |           |                               |   |                       |                          | 230.                       |                    |
| 5-4-65   | 55                        | 9.9                        | 103  | 8.1                                       | 13             | 0.0               | 0.387         | 1.2                            | 0.03                       | 6             | 153                        | 59           | 7.2       | 0.7                           | 14  | 174                   | 42                       | 230.                       | USGS               |
| 1010   |                           |                            |  | 8.5                                       |                | 2.74              |               |                                |                            | 0.13          | 2.51                       | 1.23         | 0.20      | 0.01                          | 257   |                       |                          | 500.                       |                    |
| 6-9-65   | 13                        | 10.0                       | 121  | 8.2                                       | 17             | 3.66 <sup>e</sup> | 0.74          | 4                              | 167                        | 4             | 167                        | 10           | 0.0       | 0.0                           | 17  | 183                   | 39                       | 230.                       | USGS               |
| 1930   |                           |                            |  | 8.4                                       |                |                   |               |                                |                            | 0.13          | 2.74                       | 0.28         |           |                               |   |                       |                          | 6.2                        |                    |
| 7-9-65   | 1.2                       | 80                         | 12.4   | 156                                       | 8.3            | 3.44 <sup>e</sup> | 1.70          | 39                             | 0.17                       | 5             | 187                        | 13           | 0.0       | 0.0                           | 33  | 172                   | 35                       | 62.                        | USGS               |
| 1000   |                           |                            |  | 8.5                                       |                | 1.70              |               |                                |                            | 0.17          | 2.57                       | 0.37         |           |                               |   |                       |                          | 62.                        |                    |
| 9-10-65  | 0.2                       | 72                         | 10.0   | 116                                       | 7.5            | 1.4               | 35            | 20                             | 11                         | 110           | 59                         | 13           | 0.0       | 0.0                           | 227   | 144                   | 36                       | 620.                       | USGS               |
| 0658   |                           |                            |  | 8.6                                       |                | 1.75              | 1.13          | 0.87                           | 0.07                       | 0.37          | 1.80                       | 0.37         |           |                               |   |                       |                          | 620.                       |                    |
| NACIMIENTO RIVER NEAR SAN MIGUEL (STA. 43b)      |                           |                            |  |   |                |                   |               |                                |                            |               |                            |              |           |                               |   |                       |                          |                            |                    |
| 10-8-64  | 315                       | 9.5                        | 116  | 313                                       | 10             | 2.80 <sup>e</sup> | 0.44          | 8.2                            | 0.0                        | 138           | 6.8                        | 0.19         | 0.0       | 0.0                           | 14  | 140                   | 27                       | 21.                        | USGS               |
| 1500   |                           |                            |  | 7.9                                       |                | 0.44              |               |                                |                            | 0.00          | 2.76                       | 0.19         |           |                               |   |                       |                          | 23.                        |                    |
| 11-12-64   | 63                        | 10.0                       | 105  | 338                                       | 10             | 3.10 <sup>e</sup> | 0.44          | 8.1                            | 0.0                        | 162           | 7.5                        | 0.21         | 0.0       | 0.0                           | 12  | 155                   | 22                       | 6.2                        | USGS               |
| 1530   |                           |                            |  | 8.1                                       |                |                   |               |                                |                            | 0.00          | 2.66                       | 0.21         |           |                               |   |                       |                          | 6.2                        |                    |
| 12-9-64  | 2                         | 5.6                        | 3.9  | 37  | 7.6            | 3.30 <sup>e</sup> | 0.48          | 7.8                            | 5                          | 166           | 8.6                        | 0.6          | 0.9       | 0.9                           | 13  | 165                   | 21                       | 6.2                        | USGS               |
| 0920   |                           |                            |  | 8.5                                       |                | 0.48              |               |                                |                            | 0.17          | 2.72                       | 0.24         |           |                               |   |                       |                          | 6.2                        |                    |
| 1-13-65  | 4                         | 5.7                        | 7.6  | 74  | 7.8            | 3.40 <sup>e</sup> | 0.48          | 7.8                            | 6                          | 166           | 8.1                        | 0.23         | 0.0       | 0.0                           | 12  | 170                   | 24                       | 23.                        | USGS               |
| 1530   |                           |                            |  | 8.6                                       |                | 0.48              |               |                                |                            | 0.20          | 2.72                       | 0.23         |           |                               |   |                       |                          | 62.                        |                    |
| 2-9-65   | 1                         | est.                       | 9.8  | 89  | 7.8            | 3.36 <sup>e</sup> | 0.52          | 8.0                            | 0                          | 176           | 9.0                        | 0.25         | 0.1       | 0.1                           | 13  | 168                   | 24                       | 13.                        | USGS               |
| 0905   |                           |                            |  | 8.0                                       |                | 0.52              |               |                                |                            | 0.00          | 2.88                       | 0.25         |           |                               |   |                       |                          | 62.                        |                    |
| 3-2-65   | 0.1                       | 58                         | 8.0  | 79  | 7.8            | 3.38 <sup>e</sup> | 0.48          | 7.8                            | 4                          | 169           | 7.8                        | 0.22         | 0.1       | 0.1                           | 12  | 169                   | 24                       | 23.                        | USGS               |
| 1030   |                           |                            |  | 8.4                                       |                | 0.48              |               |                                |                            | 0.13          | 2.77                       | 0.22         |           |                               |   |                       |                          | .23                        |                    |
| 4-8-65   | Ponded                    |                            |  |   |                |                   |               |                                |                            |               |                            |              |           |                               |   |                       |                          |                            | USGS               |
| 1100   |                           |                            |  |   |                |                   |               |                                |                            |               |                            |              |           |                               |   |                       |                          |                            |                    |
| 5-4-65   | Ponded                    |                            |  |   |                |                   |               |                                |                            |               |                            |              |           |                               |   |                       |                          |                            | USGS               |
| 0935   |                           |                            |  |   |                |                   |               |                                |                            |               |                            |              |           |                               |   |                       |                          |                            |                    |

a Field determination.  
 b Laboratory analysis.  
 c Analyzed by California Department of Public Health, Division of Laboratories.  
 d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (CWR) as indicated.  
 e Sum of calcium and magnesium to ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time of sample, P. S. T.                   | Discharge temp in cfs | Dissolved oxygen ppm | Specific conductance (micromhos at 25°C) | pH  | Mineral constituents in parts per million |                     |             |                    |                                       |                                      |                                 |                    |                                 |                   | Total dissolved solids in ppm | Percent total solids in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Tur-<br>bidity<br>N. C. S. B. | Coliform MPN/ml | Analyzed by |           |                                |                    |
|---|-----------------------|----------------------|--|-----|---|---------------------|-------------|--------------------|---------------------------------------|--------------------------------------|---------------------------------|--------------------|---------------------------------|-------------------|-------------------------------|-----------------------------|---|-------------------------------|-----------------|-------------|-----------|--------------------------------|--------------------|
|   |                       |                      |  |     | Calcium (Ca)                              | Magne-<br>sium (Mg) | Sodium (Na) | Potas-<br>sium (K) | Carbon-<br>dioxide (CO <sub>2</sub> ) | Bicar-<br>bonate (HCO <sub>3</sub> ) | Sul-<br>fate (SO <sub>4</sub> ) | Chlo-<br>ride (Cl) | Ni-<br>trate (NO <sub>3</sub> ) | Fluor-<br>ide (F) |                               |                             |   |                               |                 |             | Boron (B) | Silicic<br>(SiO <sub>2</sub> ) | Other constituents |
|   |                       |                      |  |     | a   | b                   | a           | b                  | a                                     | b                                    | a                               | b                  | a                               | b                 |                               |                             |   |                               |                 |             | a         | b                              | a                  |
| CENTRAL COASTAL REGION (NO. 3)                      |                       |                      |  |     |   |                     |             |                    |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| SACRAMENTO RIVER NEAR SAN MIGUEL (STA. 43b) (Cont.) |                       |                      |  |     |   |                     |             |                    |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 6-9-65  |                       |                      |  | 8.0 |   |                     |             |                    |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 1000  | 365                   | 59                   | 111.1                                    | 111 | 7.8                                       |                     |             | 8.1                |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 7.8 |   |                     |             | 2.3 <sup>e</sup>   |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 7-9-65  |                       |                      |  | 7.4 |   |                     |             | 8.6                |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 0900  | 473                   | 59                   | 10.2                                     | 102 | 8.4                                       |                     |             | 2.3 <sup>e</sup>   |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.4 |   |                     |             | 0.07               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 9-10-65   |                       |                      |  | 7.9 |   |                     |             | 8.4                |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 0630  | 425                   | 60                   | 10.8                                     | 110 | 7.7                                       |                     |             | 1.1                |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 7.7 |   |                     |             | 0.03               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| SALINAS RIVER AT PASO ROBLES (STA. 43a)             |                       |                      |  |     |   |                     |             |                    |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 10-8-64   |                       |                      |  | 8.2 |   |                     |             |                    |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 1540  | Dry                   |                      |  | 8.5 |   |                     |             | 24                 |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.5 |   |                     |             | 1.04               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 11-12-64  |                       |                      |  | 8.2 |   |                     |             | 26                 |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 1600  | Dry                   |                      |  | 8.4 |   |                     |             | 5.8 <sup>e</sup>   |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.4 |   |                     |             | 0.27               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 12-9-64   |                       |                      |  | 8.0 |   |                     |             | 4.4                |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 0830  | Dry                   |                      |  | 8.4 |   |                     |             | 1.91               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.4 |   |                     |             | 6.92               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 1-13-65   |                       |                      |  | 8.0 |   |                     |             | 5.00               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 1615  | 120                   | 56                   | 9.4                                      | 91  | 560                                       |                     |             | 24                 |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.2 |   |                     |             | 1.04               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 2-9-65  |                       |                      |  | 8.2 |   |                     |             | 26                 |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 0815  | 33                    | 47                   | 11.3                                     | 97  | 634                                       |                     |             | 8                  |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.4 |   |                     |             | 0.27               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 3-2-65  |                       |                      |  | 8.0 |   |                     |             | 4.4                |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 0900  | 20                    | 52                   | 11.1                                     | 102 | 809                                       |                     |             | 6.92               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.4 |   |                     |             | 1.91               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 4-8-65  |                       |                      |  | 8.0 |   |                     |             | 5.78               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 1015  | 52                    | 53                   | 10.7                                     | 100 | 640                                       |                     |             | 28                 |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.4 |   |                     |             | 1.22               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 5-4-65  |                       |                      |  | 8.2 |   |                     |             | 1.30               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 0820  | 20                    | 54                   | 10.3                                     | 97  | 753                                       |                     |             | 1.30               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.3 |   |                     |             | 1.57               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 6-9-65  |                       |                      |  | 8.2 |   |                     |             | 5.34               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 0930  | Dry                   |                      |  | 8.3 |   |                     |             | 1.30               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.3 |   |                     |             | 1.57               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 7-9-65  |                       |                      |  | 8.2 |   |                     |             | 5.34               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
| 0800  | Dry                   |                      |  | 8.3 |   |                     |             | 1.30               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |
|   |                       |                      |  | 8.3 |   |                     |             | 1.57               |                                       |                                      |                                 |                    |                                 |                   |                               |                             |   |                               |                 |             |           |                                |                    |

a Field determination.

b Laboratory analysis.

c Analyzed by California Department of Public Health, Division of Laboratories.

d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (CDWR) as indicated.

e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.                    | Oscroge Temp in °F | Dissolved oxygen ppm % Sat | Specific conductance at 25°C $\frac{\mu}{\text{cm}}$ | pH  | Mineral constituents in parts per million |                |             |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Percent total iron | Hardness as CaCO <sub>3</sub> Total in ppm | Turbidity MPN/ml | Analyzed by |
|---|--------------------|----------------------------|--|-----|---|----------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|--------------------|--|------------------|-------------|
|   |                    |                            |  |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                    |  |                  |             |
| CENTRAL COASTAL REGION (Sta. 3)                 |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| SALINAS RIVER AT PASO ROBLES (STA. 43a) (Cont.) |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 8-4-65  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 0530  | Dry                |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 9-10-65   | Dry                |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 0600  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 10-4-64   | Dry                |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 1300  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 11-11-64  | Dry                |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 1530  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 12-11-64  | 0.3                | 56                         | 8.0  | 77  | 558                                       | 7.2            |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 0905  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 1-12-65   | 270                | 50                         | 11.2   | 99  | 169                                       | 7.5            |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 1440  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 2-10-65   | 70                 | 46                         | 11.5   | 97  | 227                                       | 7.0            |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 0815  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 3-4-65  | 35                 | 49                         | 10.3   | 90  | 250                                       | 8.2            |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 0814  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 4-9-65  | 250                | 54                         | 11.2   | 105 | 241                                       | 7.8            |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 1500  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 5-6-65  | 72                 | 50                         | 10.8   | 96  | 232                                       | 8.0            |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 0915  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 6-9-65  | 16                 | 69                         | 10.8   | 121 | 253                                       | 8.4            |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 1420  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 7-14-65   | 0.6                | 56                         | 9.8  | 94  | 348                                       | 8.3            |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 0500  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 9-2-65  | Dry                |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |
| 0830  |                    |                            |  |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                    |  |                  |             |

a Field determination.

b Laboratory analysis.

c Analyzed by California Department of Public Health, Division of Laboratories.

d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.

e Sum of calcium and magnesium in ppm.



TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time of day of P.S.T.                        | Oischarge Temp in °F | Dissolved oxygen ppm | Specific conductance (microhm/cm at 25°C) | pH  | Mineral constituents in ————— equivalents per million |                |             |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Per cent solids | Hardness at CaCO <sub>3</sub> ppm | Total N C | Total Turbidity MPN/ml | Analyzed by |
|---|----------------------|----------------------|---|-----|---|----------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|-----------------|-----------------------------------|-----------|------------------------|-------------|
|   |                      |                      |   |     | Calcium (Ca)  | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                 |                                   |           |                        |             |
| SOUTH BAY AQUEDUCT                                    |                      |                      |   |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |                                   |           |                        |             |
| INTERIM INTAKE CANAL AT AVILO GATE (STA. 308)         |                      |                      |   |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |                                   |           |                        |             |
| 4-20-65<br>0800                                       |                      |                      | 231                                       | 7.1 | 13<br>0.65  | 6.2<br>0.51    | 20<br>0.87  | 3.1<br>0.08   | 0                            | 58<br>0.95                      | 20<br>0.42                 | 28<br>0.79    | 1.6<br>0.02                | 0.1          |                               | 58              | 10                                | 70<br>57  | DMR                    |             |
| 8-12-65<br>0930                                       | 75                   |                      |   |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |                                   |           |                        |             |
| BETHANY FOREBAY AT SOUTH BAY PUMPING PLANT (STA. 207) |                      |                      |   |     |   |                |             |               |                              |                                 |                            |               |                            |              |                               |                 |                                   |           |                        |             |
| 10-1-64<br>1930                                       |                      |                      | 449                                       | 8.1 | 20<br>1.00  | 12<br>0.98     | 46<br>2.00  | 2.7<br>0.07   | 0                            | 96<br>1.54                      | 29<br>0.60                 | 67<br>1.89    | 1.0<br>0.02                | 0.1          |                               | 99              | 22                                |           | DMR                    |             |
| 11-2-64<br>1630                                       |                      |                      | 565                                       | 8.2 | 27<br>1.35  | 15<br>1.27     | 57<br>2.46  | 3.2<br>0.08   | 0                            | 121<br>1.98                     | 61<br>0.85                 | 78<br>2.20    | 3.8<br>0.06                | 0.2          |                               | 131             | 32                                |           |                        |             |
| 12-1-64<br>1000                                       |                      |                      | 571                                       | 8.1 | 34<br>1.70  | 9<br>0.76      | 58<br>2.52  | 3.6<br>0.08   | 0                            | 97<br>1.59                      | 58<br>1.21                 | 81<br>2.28    | 3.0<br>0.05                | 0.3          |                               | 122             | 42                                |           |                        |             |
| 12-30-64<br>1645                                      |                      |                      | 580                                       | 8.1 | 33<br>1.65  | 8.6<br>0.79    | 60<br>2.61  | 3.1<br>0.08   | 0                            | 100<br>1.64                     | 59<br>1.23                 | 82<br>2.31    | 2.8<br>0.05                | 0.3          |                               | 122             | 40                                |           |                        |             |
| 2-9-65<br>1815  |                      |                      | 569                                       | 9.3 | 27<br>1.35  | 10<br>0.85     | 85<br>2.83  | 3.4<br>0.09   | 19<br>0.63                   | 57<br>0.93                      | 62<br>1.29                 | 82<br>2.31    | 0.1<br>0.00                | 0.3          |                               | 110             | 32                                |           |                        |             |
| 3-2-65<br>1000  |                      |                      | 584                                       | 8.3 | 35<br>1.75  | 3.6<br>0.79    | 64<br>2.78  | 3.5<br>0.09   | 0                            | 105<br>1.72                     | 61<br>1.27                 | 83<br>2.34    | 1.0<br>0.02                | 0.3          |                               | 127             | 41                                |           |                        |             |
| 6-1-65<br>1630  |                      |                      | 554                                       | 8.3 | 26<br>1.30  | 14<br>1.14     | 58<br>2.52  | 3.0<br>0.08   | 0                            | 100<br>1.64                     | 55<br>1.14                 | 76<br>2.16    | 2.7<br>0.04                | 0.3          |                               | 122             | 40                                |           |                        |             |
| 5-11-65<br>1000                                       |                      |                      | 474                                       | 8.1 | 24<br>1.20  | 11<br>0.88     | 45<br>1.96  | 2.6<br>0.07   | 0                            | 86<br>1.38                      | 52<br>0.94                 | 66<br>1.86    | 1.3<br>0.02                | 0.2          |                               | 104             | 35                                |           |                        |             |
| 6-1-65<br>1000  |                      |                      | 338                                       | 8.0 | 16<br>0.80  | 8.5<br>0.70    | 27<br>1.17  | 2.3<br>0.06   | 0                            | 62<br>1.02                      | 27<br>0.56                 | 44<br>1.24    | 1.4<br>0.02                | 0.1          |                               | 75              | 24                                |           |                        |             |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DMR) as indicated.  
e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date<br>specimens<br>sampled<br>P.S.T.                    | Discharge Temp<br>in cfs in deg<br>F | Dissolved<br>oxygen<br>ppm %Sat | Specific<br>conductance<br>(at 25°C)<br>µ | Mineral constituents in parts per million |                   |                |                  |                                 |                                    |                               |                  |                               |                 | Total<br>dissolved<br>solids<br>in ppm | Hardness<br>as CaCO <sub>3</sub><br>ppm | Tur-<br>bidity<br>MPN/ml | Analyzed<br>by |
|---|--------------------------------------|---------------------------------|---|---|-------------------|----------------|------------------|---------------------------------|------------------------------------|-------------------------------|------------------|-------------------------------|-----------------|--|---|--------------------------|----------------|
|   |                                      |                                 |   | Calcium<br>(Ca)                           | Magnesium<br>(Mg) | Sodium<br>(Na) | Potassium<br>(K) | Carbonate<br>(CO <sub>3</sub> ) | Bicarbonate<br>(HCO <sub>3</sub> ) | Sulfate<br>(SO <sub>4</sub> ) | Chloride<br>(Cl) | Nitrate<br>(NO <sub>3</sub> ) | Fluoride<br>(F) |  |   |                          |                |
| SOUTH BAY AQUEDUCT  |                                      |                                 |   |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |  |   |                          |                |
| BETHANY FOREBAY AT SOUTH BAY FERTILIZING PLANT (STA. 207) |                                      |                                 |   |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |  |   |                          |                |
| 7-1-65<br>1730  |                                      |                                 | 333                                       | 18<br>0.90                                | 7.0<br>0.58       | 31<br>1.34     | 2.4<br>0.06      | 0<br>0.00                       | 6.0<br>0.98                        | 26<br>0.54                    | 6.5<br>1.27      | 1.5<br>0.02                   |                 |  | 74                                      | 22                       | DHR            |
| 8-2-65<br>1345  |                                      |                                 | 359                                       | 20<br>1.00                                | 9.5<br>0.78       | 31<br>1.35     | 2.7<br>0.07      | 0<br>0.00                       | 8.0<br>1.31                        | 26<br>0.54                    | 6.5<br>1.27      | 1.0<br>0.02                   | 0.1             |  | 89                                      | 23                       | DHR            |
| 9-1-65<br>1120  |                                      |                                 | 421                                       | 22<br>1.10                                | 11<br>0.92        | 39<br>1.70     | 2.8<br>0.07      | 0<br>0.00                       | 9.2<br>1.51                        | 29<br>0.60                    | 5.7<br>1.04      | 0.8<br>0.01                   | 0.1             |  | 101                                     | 26                       | DHR            |
| DYER CANAL AT DYER-ALTAMONT CHECK (STA. 312)              |                                      |                                 |   |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |  |   |                          |                |
| 8-12-65<br>1035   | 75                                   | 8.3                             | 339 <sup>a</sup>                          | 7.7                                       |                   |                |                  |                                 |                                    |                               |                  |                               |                 |  |   | 21<br>78                 | DHR            |
| 8-26-65<br>1110   | 75                                   | 8.1                             | 360 <sup>a</sup>                          | 7.3                                       |                   |                |                  |                                 |                                    |                               |                  |                               |                 |  |   | 24                       | DHR            |
| LIVERMORE VALLEY CANAL AT PATTERSON RESERVOIR (STA. 214)  |                                      |                                 |   |   |                   |                |                  |                                 |                                    |                               |                  |                               |                 |  |   |                          |                |
| 10-1-64<br>1755   |                                      |                                 | 457                                       | 2.04 <sup>a</sup>                         | 4.6<br>2.00       | 0.00           | 0.93<br>1.32     | 3.0<br>0.64                     | 7.0<br>1.97                        |                               |                  |                               |                 |  | 102                                     | 244                      | DHR            |
| 11-2-64<br>1530   |                                      |                                 | 548                                       | 2.54 <sup>a</sup>                         |                   |                |                  | 3.9<br>0.81                     | 7.5<br>2.12                        |                               |                  |                               |                 |  | 127                                     | 299                      | DHR            |
| 12-1-64<br>1600   |                                      |                                 | 584                                       | 2.58 <sup>a</sup>                         |                   |                |                  | 5.7<br>1.19                     | 8.1<br>2.28                        |                               |                  |                               |                 |  | 129                                     | 323                      | DHR            |
| 12-30-64<br>1330  |                                      |                                 | 541                                       | 2.46 <sup>a</sup>                         |                   |                |                  | 5.3<br>1.10                     | 7.3<br>2.06                        |                               |                  |                               |                 |  | 123                                     | 298                      | DHR            |
| 2-9-65<br>1600  |                                      |                                 | 643                                       | 3.08 <sup>a</sup>                         |                   |                |                  | 5.9<br>1.23                     | 9.1<br>2.57                        |                               |                  |                               |                 |  | 154                                     | 351                      | DHR            |
| 3-2-65<br>1840  |                                      |                                 | 619                                       | 2.68 <sup>a</sup>                         |                   |                |                  | 5.8<br>1.21                     | 8.7<br>2.45                        |                               |                  |                               |                 |  | 134                                     | 347                      | DHR            |

a Field determination.

b Laboratory analysis.

c Analyzed by California Department of Public Health, Division of Laboratories.

d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (DWR) as indicated.

e Sum of calcium and magnesium in ppm.

TABLE D-2  
ANALYSES OF SURFACE WATER

| Date and time sampled P.S.T.                                     | Discharge Temp. in °F. | Dissolved oxygen ppm % Sol. | Specific conductance at 25°C | pH  | Mineral constituents in equivalents per million |                |             |               |  |                                 |                            |               |                            |              | Total dissolved solids in ppm | Per cent solids in ppm | Hardness as CaCO <sub>3</sub> ppm | Turbidity N.C. ppm | Turbidity WPA/ft | Analyzed by |
|--|------------------------|-----------------------------|------------------------------|-----|---|----------------|-------------|---------------|--|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|------------------------|-----------------------------------|--------------------|------------------|-------------|
|  |                        |                             |                              |     | Calcium (Ca)                                    | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium carbonate (CaCO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                        |                                   |                    |                  |             |
| SOUTH BAY AQUEDUCT   |                        |                             |                              |     |   |                |             |               |  |                                 |                            |               |                            |              |                               |                        |                                   |                    |                  |             |
| LIVERMORE VALLEY CANAL AT PATTERSON RESERVOIR (STA. 214) (Cont.) |                        |                             |                              |     |   |                |             |               |  |                                 |                            |               |                            |              |                               |                        |                                   |                    |                  |             |
| 4-1-65   |                        |                             | 553                          |     | 2.28 <sup>a</sup>                               |                |             |               |  |                                 |                            | 1.2           | 2.71                       |              |                               |                        |                                   |                    |                  |             |
| 1515   |                        |                             |                              |     | 0.87 <sup>b</sup>                               |                |             |               |  |                                 |                            | 4.0           | 0.67                       |              |                               |                        |                                   |                    |                  |             |
| 5-11-65  |                        |                             | 496                          |     | 2.16 <sup>c</sup>                               |                |             |               |  |                                 |                            | 0.83          | 1.89                       |              |                               |                        |                                   |                    |                  |             |
| 1830   |                        |                             |                              |     |   |                |             |               |  |                                 |                            | 2.5           | 4.7                        |              |                               |                        |                                   |                    |                  |             |
| 6-1-65   |                        |                             | 355                          |     | 1.62 <sup>d</sup>                               |                |             |               |  |                                 |                            | 0.34          | 1.32                       |              |                               |                        |                                   |                    |                  |             |
| 1100   |                        |                             |                              |     |   |                |             |               |  |                                 |                            | 2.5           | 4.9                        |              |                               |                        |                                   |                    |                  |             |
| 7-1-65   |                        |                             | 337                          |     | 1.50 <sup>e</sup>                               |                |             |               |  |                                 |                            | 0.52          | 1.30                       |              |                               |                        |                                   |                    |                  |             |
| 1635   |                        |                             |                              |     |   |                |             |               |  |                                 |                            | 2.6           | 4.5                        |              |                               |                        |                                   |                    |                  |             |
| PATTERSON RESERVOIR (STA. 313)                                   |                        |                             |                              |     |   |                |             |               |  |                                 |                            |               |                            |              |                               |                        |                                   |                    |                  |             |
| 8-2-65   |                        |                             | 358                          |     | 1.78 <sup>f</sup>                               |                |             |               |  |                                 |                            | 0.34          | 1.27                       |              |                               |                        |                                   |                    |                  |             |
| 1260   |                        |                             |                              |     |   |                |             |               |  |                                 |                            | 2.8           | 5.5                        |              |                               |                        |                                   |                    |                  |             |
| 9-1-65   |                        |                             | 413                          |     | 2.04 <sup>g</sup>                               |                |             |               |  |                                 |                            | 0.38          | 1.55                       |              |                               |                        |                                   |                    |                  |             |
| 1225   |                        |                             |                              |     |   |                |             |               |  |                                 |                            | 2.6           | 4.4                        |              |                               |                        |                                   |                    |                  |             |
| ALABECA CANAL AT DEL VALLE CHECK (STA. 314)                      |                        |                             |                              |     |   |                |             |               |  |                                 |                            |               |                            |              |                               |                        |                                   |                    |                  |             |
| 8-2-65   |                        |                             | 359                          |     |   |                |             |               |  |                                 |                            | 0.34          | 1.24                       |              |                               |                        |                                   |                    |                  |             |
| 1165   |                        |                             |                              |     |   |                |             |               |  |                                 |                            | 2.6           | 4.4                        |              |                               |                        |                                   |                    |                  |             |
| 8-12-65  |                        |                             | 335 <sup>h</sup>             | 7.2 |   |                |             |               |  |                                 |                            |               |                            |              |                               |                        |                                   |                    |                  |             |
| 1135   | 75                     | 9.1                         | 109                          |     |   |                |             |               |  |                                 |                            |               |                            |              |                               |                        |                                   |                    |                  |             |
| 8-26-65  |                        |                             | 365 <sup>a</sup>             | 7.3 |   |                |             |               |  |                                 |                            |               |                            |              |                               |                        |                                   |                    |                  |             |
| 1210   | 78                     | 9.4                         | 116                          |     |   |                |             |               |  |                                 |                            |               |                            |              |                               |                        |                                   |                    |                  |             |
| SANTA CLARA PERCOLATION POND (STA. 315)                          |                        |                             |                              |     |   |                |             |               |  |                                 |                            |               |                            |              |                               |                        |                                   |                    |                  |             |
| 7-1-65   |                        |                             | 249                          |     | 1.28 <sup>c</sup>                               |                |             |               |  |                                 |                            | 1.7           | 3.2                        |              |                               |                        |                                   |                    |                  |             |
| 1645   |                        |                             |                              |     |   |                |             |               |  |                                 |                            | 0.35          | 0.90                       |              |                               |                        |                                   |                    |                  |             |
| 8-2-65   |                        |                             | 353                          |     | 1.78 <sup>e</sup>                               |                |             |               |  |                                 |                            | 2.5           | 4.4                        |              |                               |                        |                                   |                    |                  |             |
| 1100   |                        |                             |                              |     |   |                |             |               |  |                                 |                            | 0.52          | 1.24                       |              |                               |                        |                                   |                    |                  |             |
| 9-1-65   |                        |                             |                              |     | 2.08 <sup>g</sup>                               |                |             |               |  |                                 |                            | 3.0           | 5.8                        |              |                               |                        |                                   |                    |                  |             |
| 1500   |                        |                             |                              |     |   |                |             |               |  |                                 |                            | 0.62          | 1.64                       |              |                               |                        |                                   |                    |                  |             |

a Field determination.  
b Laboratory analysis.  
c Analyzed by California Department of Public Health, Division of Laboratories.  
d Mineral analyses made by United States Geological Survey, Water Resources Division (USGS) or California Department of Water Resources (CDWR) as indicated.  
e Sum of calcium and magnesium in ppm.

North C  
Guajala  
Navarro  
Noyo R  
Russian  
Russian  
Russian  
San Fr  
Alameda  
Coyote  
Los Ga  
Napa R  
Centra  
Carmel  
Nacim  
Pajar  
Salin  
Salin  
Salin  
San A  
San B  
Fir  
San L  
Fel  
Soque  
Uvas

TABLE D-3

## SUMMARY OF COLIFORM ANALYSES

| Station   | Station Number | Coliform MPN/ml |        |         |
|---|----------------|-----------------|--------|---------|
|   |                | Maximum         | Median | Minimum |
| <u>North Coastal Region (No. 1)</u>                   |                |                 |        |         |
| Gualala River, South Fork, near Annapolis             | 9a             | 130             | 23.    | 0.62    |
| Navarro River near Navarro                            | 8b             | 620             | 23.    | 0.62    |
| Noyo River near Fort Bragg                            | 10c            | 230             | 62.    | 0.62    |
| Russian River, East Fork, at Potter Valley Powerhouse | 10a            | 230             | 23.    | 2.3     |
| Russian River at Guerneville                          | 10             | 7,000           | 146.   | 2.3     |
| Russian River near Healdsburg                         | 9              | 7,000           | 23.    | 6.2     |
| Russian River near Hopland                            | 8a             | 2,400           | 62.    | 6.2     |
| <u>San Francisco Bay Region (No. 2)</u>               |                |                 |        |         |
| Alameda Creek near Niles                              | 73             | 620             | 23.    | 2.3     |
| Coyote Creek near Madrone                             | 82             | 7,000           | 23.    | 0.62    |
| Los Gatos Creek near Los Gatos                        | 74             | 2,400           | 42.5   | 1.3     |
| Napa River near St. Helena                            | 72             | 7,000           | 96.    | 6.2     |
| <u>Central Coastal Region (No. 3)</u>                 |                |                 |        |         |
| Carmel River at Robles del Rio                        | 83             | 62              | 13.    | 2.3     |
| Nacimiento River near San Miguel                      | 43b            | 620             | 13.    | .23     |
| Pajaro River near Chittenden                          | 77             | 620             | 62.    | 2.3     |
| Salinas River near Bradley                            | 43c            | 620             | 16.5   | 0.23    |
| Salinas River at Paso Robles                          | 43a            | 2,400           | 90.    | 6.2     |
| Salinas River near Spreckels                          | 43             | 24,000          | 230.   | 23.     |
| San Antonio River near Pleyto                         | 43d            | 620             | 62.    | 2.3     |
| San Benito River near Bear Valley Fire Station        | 77a            | 7,000           | 56.    | 2.4     |
| San Lorenzo River at Big Trees near Felton            | 75             | 620             | 13.6   | 2.1     |
| Soquel Creek at Soquel                                | 76             | 7,000           | 56.    | 6.2     |
| Uvas Creek near Morgan Hill                           | 96             | 2,400           | 6.2    | 0.62    |

TABLE D-4  
ANALYSIS OF TRACE ELEMENTS IN SURFACE WATER

| Station                          | Station Number                 | Date    | Constituents in parts per billion |                |              |              |             |               |             |           |              |                |                |                 |             |           |               |              |           |  |
|----------------------------------|--------------------------------|---------|-----------------------------------|----------------|--------------|--------------|-------------|---------------|-------------|-----------|--------------|----------------|----------------|-----------------|-------------|-----------|---------------|--------------|-----------|--|
|                                  |                                |         | Aluminum (Al)                     | Beryllium (Be) | Bismuth (Bi) | Cadmium (Cd) | Cobalt (Co) | Chromium (Cr) | Copper (Cu) | Iron (Fe) | Gallium (Ga) | Germanium (Ge) | Manganese (Mn) | Molybdenum (Mo) | Nickel (Ni) | Lead (Pb) | Titanium (Ti) | Vanadium (V) | Zinc (Zn) |  |
| NORTH COASTAL REGION (Cont.)     | 10                             | 5-12-65 | 6.6                               | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | <1.4        | 64        | <5.7         | <0.29          | <1.4           | <0.29           | 2.0         | <1.4      | <0.57         | 1.7          | <5.7      |  |
|                                  | 10                             | 9-15-65 | 15                                | <1.3           | <0.67        | <3.3         | <3.3        | <3.3          | 15          | <13       | <0.67        | <3.3           | <0.67          | 2.6             | 11          | 1.5       | 3.7           | <13          |           |  |
|                                  |                                |         |                                   |                |              |              |             |               |             |           |              |                |                |                 |             |           |               |              |           |  |
| SAN FRANCISCO BAY REGION (No. 2) | 73                             | 5-7-65  | 9.7                               | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | <1.4        | 133       | <5.7         | <0.29          | <1.4           | 1.9             | 1.6         | 0.69      | 2.9           | <5.7         |           |  |
|                                  | 73                             | 9-2-65  | 39                                | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | >50         | <5.7      | <0.29        | <1.4           | 2.1            | 1.8             | 2.3         | 6.9       | <5.7          |              |           |  |
|                                  | 71                             | 5-3-65  | 3.7                               | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | 27          | <5.7      | <0.29        | <1.4           | <0.29          | 0.60            | <1.4        | <0.57     | 0.69          | <5.7         |           |  |
|                                  | 71                             | 9-6-65  | 6.9                               | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | 11          | <5.7      | <0.29        | <1.4           | <0.29          | 1.2             | <1.4        | 1.0       | 0.7           | <5.7         |           |  |
|                                  | 82                             | 5-6-65  | 11.1                              | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | 314         | <5.7      | <0.29        | <1.4           | <0.29          | 3.7             | <1.4        | 12        | 1.9           | <5.7         |           |  |
|                                  | 82                             | 9-8-65  | 12                                | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | >50         | <5.7      | <0.29        | <1.4           | <0.29          | 5.4             | <1.4        | 2.3       | 1.1           | <5.7         |           |  |
|                                  | 72                             | 5-12-65 | 15                                | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | 89          | <5.7      | <0.29        | <1.4           | <0.29          | 1.3             | 3.1         | <0.57     | 3.1           | <5.7         |           |  |
|                                  | 72                             | 9-16-65 | 4.6                               | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | 1.1         | <5.7      | <0.29        | 4.3            | <0.29          | 1.5             | <1.4        | <0.57     | 1.3           | <5.7         |           |  |
|                                  | CENTRAL COASTAL REGION (No. 3) | 77      | 5-6-65                            | 7.7            | <0.57        | <0.29        | <1.4        | <1.4          | <1.4        | 21        | <5.7         | <0.29          | <1.4           | 1.9             | 3.4         | <1.4      | <0.57         | 3.7          | <5.7      |  |
|                                  |                                | 77      | 9-1-65                            | <1.4           | <0.57        | <0.29        | <1.4        | <1.4          | <1.4        | 22        | <5.7         | <0.29          | <1.4           | <0.29           | 6.3         | <1.4      | <0.57         | 11           | <5.7      |  |
| 43                               |                                | 5-6-65  | 7.7                               | <0.57          | <0.29        | <1.4         | 3.4         | <1.4          | 50          | <5.7      | <0.29        | >500           | 8.6            | 3.4             | <1.4        | 0.57      | 2.5           | <5.7         |           |  |
| 43                               |                                | 9-1-65  | 4.0                               | <0.57          | <0.29        | <1.4         | <1.4        | <1.4          | 7.7         | <5.7      | <0.29        | 5.1            | 7.4            | 2.9             | <1.4        | <0.57     | 0.8           | <5.7         |           |  |
|                                  |                                |         |                                   |                |              |              |             |               |             |           |              |                |                |                 |             |           |               |              |           |  |

TABLE D-5

## RADIOASSAY OF SURFACE WATERS

| Sta. No.                                | Stream  | Near | Date    | Micro-micro curies per liter |              |                |               |
|---|---|------|---------|------------------------------|--------------|----------------|---------------|
|   |   |      |         | Dissolved Alpha              | Solid Alpha  | Dissolved Beta | Solid Beta    |
| <u>NORTH COASTAL REGION (NO. 1)</u>     |   |      |         |                              |              |                |               |
| 8c                                      | BIG RIVER NEAR MOUTH                                    |      | 5-13-65 | 0.28 ± 1.00                  | 0.51 ± 0.79  | -1.05 ± 9.78   | 0.24 ± 8.00   |
| 9a                                      | GUALALA RIVER, SOUTH FORK<br>NEAR ANNAPOLIS             |      | 5-14-65 | -0.49 ± 0.66                 | 0.00         | 3.04 ± 10.76   | 1.29 ± 8.00   |
| 8b                                      | NAVARRO RIVER NEAR NAVARRO                              |      | 5-14-65 | 0.00                         | 0.47 ± 0.89  | -2.02 ± 10.59  | 0.87 ± 8.02   |
| 10c                                     | NOYO RIVER NEAR FORT BRAGG                              |      | 5-14-65 | -0.10 ± 2.31                 | -0.28 ± 1.73 | -4.34 ± 10.41  | 1.90 ± 8.41   |
| 10                                      | RUSSIAN RIVER AT GUERNEVILLE                            |      | 5-12-65 | 0.00                         | -0.39 ± 1.71 | -3.95 ± 10.68  | 3.66 ± 8.02   |
| 9                                       | RUSSIAN RIVER NEAR HEALDSBURG                           |      | 5-12-65 | 0.17 ± 1.03                  | 0.00         | 0.04 ± 10.10   | 30.12 ± 11.94 |
| 8a                                      | RUSSIAN RIVER NEAR HOPLAND                              |      | 5-12-65 | -0.22 ± 0.60                 | 0.00         | -2.62 ± 11.75  | 2.08 ± 8.21   |
| 10a                                     | RUSSIAN RIVER, EAST FORK AT<br>POTTER VALLEY POWERHOUSE |      | 5-12-65 | 0.00                         | 0.00         | -6.26 ± 9.66   | 5.36 ± 8.40   |
| <u>SAN FRANCISCO BAY REGION (NO. 2)</u> |   |      |         |                              |              |                |               |
| 73                                      | ALAMEDA CREEK NEAR NILES                                |      | 5-7-65  | 0.63 ± 3.22                  | 0.39 ± 0.48  | 18.15 ± 12.55  | 0.29 ± 0.92   |
| 71                                      | ARROYO DEL VALLE NEAR<br>LIVERMORE                      |      | 5-3-65  | 0.60 ± 4.47                  | -0.28 ± 0.60 | 3.27 ± 12.53   | 9.48 ± 9.31   |
| 82                                      | COYOTE CREEK NEAR MADRONE                               |      | 5-6-65  | -0.39 ± 0.41                 | -0.16 ± 0.60 | 4.19 ± 10.29   | 3.00 ± 8.51   |
| 74                                      | LOS GATOS CREEK NEAR LOS GATOS                          |      | 5-6-65  | 1.71 ± 1.79                  | -0.27 ± 0.59 | -11.42 ± 10.22 | 11.11 ± 9.63  |
| 72                                      | NAPA RIVER NEAR ST. HELENA                              |      | 5-12-65 | 0.06 ± 0.95                  | 0.24 ± 0.69  | -6.55 ± 11.97  | -1.21 ± 7.90  |

TABLE D-5  
RADIOASSAY OF SURFACE WATERS

| Sta. No.                              | Stream   | Near | Date   | Micro-micro curies per liter |              |                |              |
|---------------------------------------|--|------|--------|------------------------------|--------------|----------------|--------------|
|                                       |  |      |        | Dissolved Alpha              | Solid Alpha  | Dissolved Beta | Solid Beta   |
| <u>CENTRAL COASTAL REGION (NO. 3)</u> |  |      |        |                              |              |                |              |
| 83                                    | CARMEL RIVER AT ROBLES DEL RIO                 |      | 5-6-65 | -0.19 ± 0.78                 | 0.28 ± 0.55  | 15.23 ± 10.81  | 6.57 ± 9.22  |
| 43b                                   | NACIMIENTO RIVER NEAR SAN MIGUEL               |      | 5-4-65 | 1.11 ± 2.13                  | 1.06 ± 1.11  | 5.58 ± 12.57   | -8.69 ± 8.25 |
| 77                                    | PAJARO RIVER NEAR CHITTENDEN                   |      | 5-6-65 | 1.00 ± 3.53                  | 0.43 ± 0.79  | -3.72 ± 13.12  | 7.54 ± 8.70  |
| 43c                                   | SALINAS RIVER NEAR BRADLEY                     |      | 5-4-65 | 2.07 ± 1.93                  | 1.02 ± 1.12  | -5.98 ± 11.02  | 0.87 ± 8.08  |
| 43a                                   | SALINAS RIVER NEAR PASO ROBLES                 |      | 5-4-65 | 0.26 ± 2.32                  | 0.08 ± 0.70  | 0.08 ± 13.26   | -4.91 ± 7.91 |
| 43                                    | SALINAS RIVER NEAR SPRECKELS                   |      | 5-6-65 | -1.25 ± 3.89                 | 1.14 ± 0.84  | 7.50 ± 15.90   | -1.29 ± 8.08 |
| 77a                                   | SAN BENITO RIVER NEAR BEAR VALLEY FIRE STATION |      | 5-4-65 | 0.56 ± 3.31                  | 1.13 ± 1.14  | 0.32 ± 13.01   | 6.42 ± 9.66  |
| 75                                    | SAN LORENZO RIVER AT BIG TREES NEAR FELTON     |      | 5-7-65 | 2.03 ± 2.06                  | 0.55 ± 1.12  | -2.01 ± 11.13  | 17.08 ± 8.53 |
| 76                                    | SOQUEL CREEK AT SOQUEL                         |      | 5-6-65 | 0.37 ± 2.52                  | 0.12 ± 0.81  | 21.85 ± 13.71  | -0.44 ± 9.14 |
| 96                                    | UVAS CREEK NEAR MORGAN HILL                    |      | 5-6-65 | 0.13 ± 0.92                  | -0.47 ± 0.49 | 2.35 ± 10.21   | 0.00         |



TABLE D-6

DESCRIPTION OF SALINITY OBSERVATION STATION  
1964-65 Water Year

| STATION                         | Miles from Golden Gate (a) | Time Interval (b) |     | LOCATION   |
|---------------------------------|----------------------------|-------------------|-----|--|
|                                 |                            | Hours             | Min |  |
| Crockett - San Pablo Bay        | 27.7                       | 3                 | 30  | West end of Carquinez Strait, south shore, 0.2 mile east of Carquinez Bridge on wharf of C and H Sugar Refinery Corporation. |
| Martinez - Carquinez Strait     | 33.1                       | 3                 | 50  | Sampled from Shell Oil Company dock, about 0.6 mile downstream from Southern Pacific Company railroad bridge.                |
| Port Chicago - Suisun Bay       | 41.0                       | 4                 | 20  | South shore of Suisun Bay at U. S. Naval ammunition loading wharf below Port Chicago.  |
| Middle Point - Suisun Bay       | 41.5                       | 4                 | 30  | South shore of Suisun Bay at Allied Chemical Plant intake, about 0.5 mile upstream from Middle Point.                        |
| Pittsburg - Suisun Bay          | 48.0                       | 5                 | 00  | East end of Suisun Bay, south shore, at Pittsburg Yacht Harbor.  |
| Collinsville - Sacramento River | 50.8                       | 5                 | 25  | Sacramento River, north bank at junction with San Joaquin River.   |

MAXIMUM OBSERVED SALINITY AT BAY AND DELTA STATIONS

In parts of chloride per million parts of water\*

| STATION   | WATER YEAR |       |       |        |       |       |        |       |       |       |       |       |
|---|------------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|
|   | 1931       | 1938  | 1939  | 1944 c | 1952  | 1955  | 1956 d | 1958  | 1959  | 1963  | 1964  | 1965  |
| Sacramento-San Joaquin Delta System<br>Unimpaired Runoff in<br>Percent of Average (e) | 35         | 191   | 50    | 63     | 171   | 64    | 178    | 169   | 67    | 132   | 63    | 150   |
| Crockett  |            |       |       |        | 13200 | 16600 | 15300  | 11900 | 15000 | 13100 | 14600 | 12800 |
| Martinez  | 16900      | 11600 | 16400 |        | 8900  | 11900 | 11900  | 7150  | 10200 | 11500 | 12900 | 11200 |
| Port Chicago  |            |       |       |        | 6900  | 12500 | 9750   | 5830  | 15640 | 9200  | 10700 | 9710  |
| Middle Point  |            |       |       |        |       |       |        |       |       |       | 10100 | 9840  |
| Pittsburg   |            |       |       |        | 1200  | 7800  | 3440   | 1200  | 5110  | 1350  | 3280  | 1300  |
| Collinsville  | 12600      | 860   | 10400 | 4700   | 783   | 3880  | 2280   | 550   | 5430  | 1980  | 3730  | 2080  |

\* Ocean water contains approximately 18,200 parts per million of chloride.

a Mileage measured to station along main channel. For stations off the main channel, the mileage shown is the same distance along the main channel to a point whereon the time of the occurrence of the tidal phase is the same as that of the observation station.

b Time interval between high tide at Golden Gate and time for taking samples at station.

c Releases of stored water from Shasta Lake commenced in 1944.

d Releases of stored water from Folsom Reservoir commenced in 1956.

e Average taken as mean annual unimpaired flow at foothill stations of major tributaries for 50-year period October 1910 through September 1960.

TABLE D-7  
SALINITY OBSERVATIONS AT BAY AND DELTA STATIONS\*  
In parts of chloride per million parts of water

| STATION      | DATE    |         |          |          |          |          |          |          |
|--------------|---------|---------|----------|----------|----------|----------|----------|----------|
|              | 10-2-64 | 10-6-64 | 10-10-64 | 10-14-64 | 10-18-64 | 10-22-64 | 10-26-64 | 10-30-64 |
| Crockett     | 10700   | 11400   | 10600    | 10000    | 11700    |          | 12400    | 10600    |
| Martinez     | a6850   | a8330   | a8690    | a7820    | 8350     |          |          |          |
| Port Chicago | 6090    | 5440    | 5130     | 4610     |          | 7650     | 7530     | ae5190   |
| Middle Point | a3850   | 4600    | 5170     | 3920     | a9840    | 6430     | 6540     |          |
| Pittsburg    |         |         | 418      | a354     | d450     |          | 823      |          |
| Collinsville | a309    | 595     | a314     | a442     | 520      | 2080     | a726     | 920      |

| STATION      | DATE    |         |          |          |          |          |          |          |
|--------------|---------|---------|----------|----------|----------|----------|----------|----------|
|              | 11-2-64 | 11-6-64 | 11-10-64 | 11-14-64 | 11-18-64 | 11-22-64 | 11-26-64 | 11-30-64 |
| Crockett     | 11700   | 10200   | 10200    | 7040     | 10200    | 8560     | 9700     | 8320     |
| Martinez     |         |         |          | 5630     | 7480     | 8140     | 7100     | 7480     |
| Port Chicago | 4890    | 5380    | 5120     | a784     | 4510     | 3990     | 4370     | 4060     |
| Middle Point |         |         |          | 1190     | 3280     | 3920     | 3000     | 3240     |
| Pittsburg    |         |         | a413     |          | 65       |          |          | d113     |
| Collinsville | 716     | 567     | a600     | 28       |          | a38      | 50       | 48       |

| STATION      | DATE    |         |          |          |          |          |          |          |
|--------------|---------|---------|----------|----------|----------|----------|----------|----------|
|              | 12-2-64 | 12-6-64 | 12-10-64 | 12-14-64 | 12-18-64 | 12-22-64 | 12-26-64 | 12-30-64 |
| Crockett     | 9720    | 8100    | 8000     | 9300     | 11700    | 10700    | 23       |          |
| Martinez     | 8300    | 2840    | a4090    | ae5200   | 7600     | 8770     | 27       | 18       |
| Port Chicago | 5280    | 2740    | ed3170   | 5290     | 6710     | d6000    | bd25     | 18       |
| Middle Point | a2150   | 1130    |          | 4260     | a3360    | 4870     | 8        | a15      |
| Pittsburg    |         | 113     |          |          | ed319    | 394      |          |          |
| Collinsville | 332     | a24     | 35       |          |          |          | 4        | 4        |

| STATION      | DATE   |        |         |         |         |         |         |         |
|--------------|--------|--------|---------|---------|---------|---------|---------|---------|
|              | 1-2-65 | 1-6-65 | 1-10-65 | 1-14-65 | 1-18-65 | 1-22-65 | 1-26-65 | 1-30-65 |
| Crockett     | 1060   | 74     | 42      | 2280    |         | 2080    | 2130    | 3160    |
| Martinez     |        | 15     | 20      | 1320    | 1560    | 168     | 854     | 1830    |
| Port Chicago |        | 21     | 15      | 20      |         | 30      | 24      | 29      |
| Middle Point | 21     | 11     |         | a21     | 21      | 26      | 23      | 18      |
| Pittsburg    | 28     | d24    | 21      | fd21    | d20     | d23     | ad24    | 25      |
| Collinsville | 9      | a4     | 5       | 8       | 7       | 10      | 10      | 6       |

\* Samples taken at four-day intervals approximately one and one-half hours after high high tide.

a Taken after Low High Tide.  
c Taken two days later.  
e Taken on preceding day.

b Taken on following day  
d Taken over one hour off scheduled time.  
f Taken two days earlier.

**TABLE D-7**  
**SALINITY OBSERVATIONS AT BAY AND DELTA STATIONS\***  
 In parts of chloride per million parts of water

| STATION      | DATE   |        |         |         |         |         |         |  |
|--------------|--------|--------|---------|---------|---------|---------|---------|--|
|              | 2-2-65 | 2-6-65 | 2-10-65 | 2-14-65 | 2-18-65 | 2-22-65 | 2-26-65 |  |
| Crockett     | 4060   | 2720   | 3570    | 5890    | 2790    | 4310    | 7310    |  |
| Martinez     | 1810   | 1830   | a210    | a194    | a2060   | 3800    |         |  |
| Port Chicago | 27     | 26     | 485     | 792     | 38      | 619     | d1230   |  |
| Middle Point |        | d22    | 19      | 84      | 26      | 26      | a136    |  |
| Pittsburg    |        | 20     | 35      | 27      |         | 26      |         |  |
| Collinsville | 7      | 8      | 9       | 11      | a20     | 12      | 16      |  |

| STATION      | DATE   |        |         |         |         |         |         |         |
|--------------|--------|--------|---------|---------|---------|---------|---------|---------|
|              | 3-2-65 | 3-6-65 | 3-10-65 | 3-14-65 | 3-18-65 | 3-22-65 | 3-26-65 | 3-30-65 |
| Crockett     | 6250   | 5210   | 6360    | 7020    | 5670    | 6290    | 5920    | 7160    |
| Martinez     |        |        | 4440    | 7410    | 4060    | 4920    | ae4530  | a4920   |
| Port Chicago |        | a408   | 1280    | df1580  | 246     | 1840    | 1880    | 1780    |
| Middle Point | 903    | a68    | 1010    | 822     | 236     | 1580    | 1240    | a1720   |
| Pittsburg    |        | d24    | bd21    | 26      |         | d26     | 25      | bd38    |
| Collinsville | 14     | 12     | 16      | 14      |         | 25      | 20      | 17      |

| STATION      | DATE   |        |         |         |         |         |         |         |
|--------------|--------|--------|---------|---------|---------|---------|---------|---------|
|              | 4-2-65 | 4-6-65 | 4-10-65 | 4-14-65 | 4-18-65 | 4-22-65 | 4-26-65 | 4-30-65 |
| Crockett     | 8480   | 7310   | 6170    | 3340    | 3610    | 1740    | 3460    | 4430    |
| Martinez     | a3820  | a3240  | 3150    | a2260   | a574    | 260     | a1440   | 544     |
| Port Chicago | 1970   | 1720   | 1230    | 57      | 29      |         |         |         |
| Middle Point |        | 955    | 472     | 22      | 31      | 19      | 14      | a11     |
| Pittsburg    |        |        | d23     | a31     |         | 22      | a13     | a13     |
| Collinsville | a14    | 15     | 20      | a22     | a7      | 4       | a5      | ad10    |

| STATION      | DATE   |        |         |         |         |         |         |         |
|--------------|--------|--------|---------|---------|---------|---------|---------|---------|
|              | 5-2-65 | 5-6-65 | 5-10-65 | 5-14-65 | 5-18-65 | 5-22-65 | 5-26-65 | 5-30-65 |
| Crockett     | 3850   | 2880   | 5790    | 7170    | 4750    | 4910    | 6080    | 9050    |
| Martinez     |        | a632   | a3390   | 5060    | a2720   | a3240   |         |         |
| Port Chicago |        | a19    | 1220    | 1940    | 1400    |         | 2790    |         |
| Middle Point | 12     | 17     | d51     | 1480    |         | 45      |         |         |
| Pittsburg    |        |        | a12     |         |         | a13     |         |         |
| Collinsville | 7      | 11     |         | a45     | a14     | a9      |         | a10     |

\* Samples taken at four-day intervals approximately one and one-half hours after high high tide.  
 a Taken after low high tide.      d Taken over one hour off scheduled time.  
 b Taken on following day.        e Taken on preceding day.  
 c Taken two days later.         f Taken two days earlier.

TABLE D-7  
SALINITY OBSERVATIONS AT BAY AND DELTA STATIONS\*  
In parts of chloride per million parts of water

| STATION      | DATE   |        |         |         |         |         |         |         |
|--------------|--------|--------|---------|---------|---------|---------|---------|---------|
|              | 6-2-65 | 6-6-65 | 6-10-65 | 6-14-65 | 6-18-65 | 6-22-65 | 6-26-65 | 6-30-65 |
| Crockett     | 7290   | e7330  | 7220    | 7650    | 7000    | d9210   | 9680    | 11300   |
| Martinez     | a5440  |        | a3980   | a3830   | 4810    | e6950   | 3410    | d10200  |
| Port Chicago | 3400   | a1040  |         |         | 1650    | e3370   |         | d4840   |
| Middle Point | 3160   | a521   | 744     | 1610    | 885     | e2540   |         | 6160    |
| Pittsburg    | abd44  | a41    | a24     |         | bd31    | a435    | a95     | a200    |
| Collinsville | 74     | de20   | a12     | 26      | 16      | a21     | a18     | 736     |

| STATION      | DATE   |        |         |         |         |         |         |         |
|--------------|--------|--------|---------|---------|---------|---------|---------|---------|
|              | 7-2-65 | 7-6-65 | 7-10-65 | 7-14-65 | 7-18-65 | 7-22-65 | 7-26-65 | 7-30-65 |
| Crockett     | 9600   | e10700 | 13000   | 10900   | 7890    | e9660   | 12800   | 12800   |
| Martinez     | d8520  | e9420  | 7930    | a5780   | 7870    | e9070   | 11200   | 9960    |
| Port Chicago | 5030   | e4020  |         | 5460    |         | e6490   | 9710    | 7520    |
| Middle Point | 4460   | e3360  | 5410    | 5310    | 4170    |         | 3510    | 6770    |
| Pittsburg    |        | a434   | a331    |         |         | a437    | a775    |         |
| Collinsville | 469    | a272   | a279    | a528    | 765     | a344    | a1080   | 1700    |

| STATION      | DATE   |        |         |         |         |         |         |         |
|--------------|--------|--------|---------|---------|---------|---------|---------|---------|
|              | 8-2-65 | 8-6-65 | 8-10-65 | 8-14-65 | 8-18-65 | 8-22-65 | 8-26-65 | 8-30-65 |
| Crockett     | 12700  | e12800 | 12400   | 11300   | 10900   | e11600  | 11600   | 12200   |
| Martinez     | 11100  | e11200 | 10200   | 10900   |         |         | 10400   | 10400   |
| Port Chicago |        |        | a5270   | a5100   | 6780    | e7560   | 6700    | 5670    |
| Middle Point |        | e7050  | 6460    | 6010    |         |         |         |         |
| Pittsburg    | a1300  | a1080  | a817    | a845    | a644    | abd431  |         | bd498   |
| Collinsville | a1250  | a919   | a923    | 1050    | a520    |         | a367    | a688    |

| STATION      | DATE   |         |         |         |         |         |         |         |
|--------------|--------|---------|---------|---------|---------|---------|---------|---------|
|              | 9-2-65 | 9-6-65  | 9-10-65 | 9-14-65 | 9-18-65 | 9-22-65 | 9-26-65 | 9-30-65 |
| Crockett     | 9970   | 11100   | 11100   | 9070    | 9110    | 10000   | 10100   | 8430    |
| Martinez     | 8830   | abd7540 | a6660   | 6950    | a5660   |         | 7370    | 5270    |
| Port Chicago |        |         |         |         |         |         |         |         |
| Middle Point |        |         | d3380   | 2190    | 5120    | a2240   |         |         |
| Pittsburg    |        | abd331  | a313    |         | ad151   | a143    | 184     |         |
| Collinsville | a223   | a297    | a287    | a123    |         | a108    |         |         |

\* Samples taken at four-day intervals approximately one and one-half hours after high high tide.

a Taken after low high tide.

b Taken on following day.

c Taken two days later.

d Taken over one hour of scheduled time.

e Taken on preceding day.

f Taken two days earlier.

TABLE D-7  
NUTRIENT DATA IN BUMPAC WATER

TABLE D-8  
NUTRIENTS IN SURFACE WATER

| Station                          | Station Number | Date of sampling P.S.T. | Discharge in cfs | Temp in °F | Dissolved Oxygen ppm | Specific Conductance (microhm-cm) at 25°C | pH    |     |     | Secchi Disk (Feet) | Turbidity (gpm) | Suspended Solids (ppm) | Other Constituents and Remarks | Nutrients ----- ppm            |              |             |             |                      |   |   |  |  |
|----------------------------------|----------------|-------------------------|------------------|------------|----------------------|---|-------|-----|-----|--------------------|-----------------|------------------------|--------------------------------|--------------------------------|--------------|-------------|-------------|----------------------|---|---|--|--|
|                                  |                |                         |                  |            |                      |   | Field | Lab | Lab |                    |                 |                        |                                | Nitrate (NO <sub>3</sub> ) (N) | Ammonium (N) | Nitrite (N) | Nitrate (N) | Organic Nitrogen (N) | Ortho-Phosphate (PO <sub>4</sub> ) (PO <sub>4</sub> ) | Total Phosphate (PO <sub>4</sub> ) (PO <sub>4</sub> ) | Total Organic Phosphorus (PO <sub>4</sub> ) (PO <sub>4</sub> ) |  |
| NORTH COASTAL REGION (No. 1)     | 10             | 9-15-65<br>0830         | 275              | 68         | 10.8                 | 118                                       | 270   | 8.0 | 7.9 | 10                 | 10              |                        |                                | 0.00                           | 0.01         | 0.1         | 0.0         | 0.31                 | 0.39  | 0.62  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| SAN FRANCISCO BAY REGION (No. 2) | 73             | 7-16-65<br>0900         | 37               | 61         | 10.0                 | 101                                       | 488   | 7.8 | 8.4 | 50                 | 50              |                        |                                | 0.05                           | 0.01         | 0.8         | 0.3         | 1.1                  | 1.2   | 1.4   |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| ALAMEDA CREEK NEAR NILES         | 73             | 9-2-65<br>1330          | 38               | 81         | 10.2                 | 126                                       | 486   | 8.1 | 7.7 | 70                 | 70              |                        |                                | 0.16                           | 0.00         | 0.5         | 0.5         | 0.52                 | 0.82  | 0.95  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| MAYA RIVER AT DUTTON'S LANDING   | 72a            | 9-15-65<br>1200         | TIDAL AREA       | 58         | 6.4                  | 62  | 8.4   | 8.4 | 2.5 |                    |                 |                        |                                | 0.00                           | 0.06         | 0.1         | 0.0         | 0.12                 | 0.20  | 0.38  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| CENTRAL COASTAL REGION (No. 3)   | 77             | 7-8-65<br>1000          | 5.0              | 65         | 9.6                  | 101                                       | 1470  | 7.8 | 8.5 | 13                 | 13              |                        |                                | 1.5                            | 0.03         | 0.2         | 2.6         | 0.16                 | 0.22  | 0.63  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| PAJARO RIVER NEAR CHITTENDEN     | 77             | 9-1-65<br>1230          | 5.0              | 68         | 9.0                  | 98  | 1380  | 8.0 | 8.0 | 20                 | 20              |                        |                                | 0.03                           | 0.02         | 0.1         | 0.9         | 0.65                 | 0.68  | 0.85  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| SALINAS RIVER NEAR SPRECKELS     | 43             | 7-8-65<br>0400          | 2.5              | 55         | 4.8                  | 45  | 1310  | 7.4 | 7.2 | 13                 | 13              |                        |                                | 25                             | 0.77         | 3.2         | 5.1         | 32                   | 32  | 32  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| SAN LORENZO RIVER AT BIG TREES   | 43             | 9-1-65<br>0700          | 2.0              | 53         | 5.2                  | 48  | 937   | 7.5 | 7.3 | 3                  | 3               |                        |                                | 20                             | 0.39         | 0.9         | 1.8         | 11                   | 11  | 11  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| SANTA CRUZ FLIER                 | 75             | 7-6-65<br>0845          | 36               | 62         | 9.4                  | 97  | 364   | 7.6 | 8.5 | 1                  | 1               |                        |                                | 0.0                            | 0.00         | 0.0         | 0.6         | 0.43                 | 0.43  | 0.47  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| SANTA CRUZ FLIER                 | 75             | 9-7-65<br>1300          | 20               | 67         | 9.9                  | 108                                       | 366   | 7.8 | 8.1 | 1                  | 1               |                        |                                | 0.04                           | 0.00         | 0.1         | 0.18        | 0.48                 | 0.48  | 0.58  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| SANTA CRUZ FLIER                 | 120            | 7-6-65<br>0715          | 58               | 58         | 9.5                  | 9.5                                       | 8.4   | 8.4 | 10  |                    |                 |                        |                                | 0.0                            | 0.0          | 0.0         | 0.3         | 0.04                 | 0.06  | 0.15  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |
| SANTA CRUZ FLIER                 | 120            | 9-7-65<br>0802          | 64               | 64         | 5.0                  | 5.0                                       | 8.4   | 8.4 |     |                    |                 |                        |                                | 0.10                           | 0.00         | 0.0         | 0.15        | 0.04                 | 0.05  | 0.13  |  |  |
|                                  |                |                         |                  |            |                      |   |       |     |     |                    |                 |                        |                                |                                |              |             |             |                      |   |   |  |  |

TABLE D-8  
NUTRIENTS IN SURFACE WATER

| Station   | Station Number | Date sample was made P.S.T. | Discharge in cfs | Temp in °F | Dissolved Oxygen |       | Specific Conductance (microhm-cm) Field | pH    |     | Secchi Disk (Feet) | Turbidity/Supnd of Solids (ppm) | Other Constituents and Remarks | Nutrients -----ppm |      |                        |              |             |             |                      |                                    |
|---|----------------|-----------------------------|------------------|------------|------------------|-------|---|-------|-----|--------------------|---------------------------------|--------------------------------|--------------------|------|------------------------|--------------|-------------|-------------|----------------------|------------------------------------|
|   |                |                             |                  |            | ppm              | % Sat |   | Field | Lab |                    |                                 |                                | Field              | Lab  | (NO <sub>3</sub> ) (N) | Ammonium (N) | Nitrite (N) | Nitrate (N) | Organic Nitrogen (N) | Ortho-phosphate (PO <sub>4</sub> ) |
| SOUTH BAY AQUEDUCT<br>INTERIM INTAKE CANAL AT INTERIM PUMPING PLANT | 309            | 2-11-65<br>0845             |                  | 47         | 11.4             | 98    | 370                                     | 7.5   | 2.8 | 10                 |                                 |                                | 4.0                | 0.20 | 0.04                   | 0.9          | 0.3         | 0.17        | 0.18                 | 0.27                               |
|   | 309            | 2-25-65<br>0930             |                  | 52         | 12.9             | 118   | 330                                     | 9.0   | 6.5 |                    |                                 |                                | 2.2                | 0.01 | 0.01                   | 0.5          | 0.2         | 0.04        | 0.07                 | 0.15                               |
|   | 309            | 3-11-65<br>1000             |                  | 51         | 11.5             | 104   | 400                                     | 8.2   | 7.4 |                    |                                 |                                | 1.3                | 0.00 | 0.01                   | 0.03         | 0.0         | 0.12        | 0.24                 | 0.26                               |
|   | 309            | 3-25-65<br>0930             |                  | 57         | 9.7              | 94    | 220                                     | 7.6   | 4.7 |                    |                                 |                                | 4.0                | 0.00 | 0.02                   | 0.9          | 0.3         | 0.18        | 0.22                 | 0.27                               |
|   | 309            | 4-8-65<br>0940              |                  | 57         | 14.5             | 141   | 625                                     | 9.1   | 2.5 |                    |                                 |                                | 0.9                | 0.01 | 0.02                   | 0.2          | 1.4         | 0.02        | 0.11                 | 0.30                               |
|   | 309            | 4-22-65<br>1100             |                  | 62         | 8.9              | 92    | 215                                     | 7.1   | 1.5 |                    |                                 |                                | 3.5                | 0.08 | 0.01                   | 0.8          | 0.4         | 0.29        | 0.38                 | 0.48                               |
|   | 309            | 5-6-65<br>1005              |                  | 58         | 12.3             | 121   | 275                                     | 8.9   | 1.5 |                    |                                 |                                | 0.9                | 0.00 | 0.00                   | 0.2          | 1.5         | 0.02        | 0.36                 | 0.81                               |
|   | 309            | 5-20-65<br>0615             |                  | 64         | 8.1              | 85    | 270                                     | 7.3   | 2.0 |                    |                                 |                                | 0.0                | 0.05 | 0.01                   | 0.0          | 0.1         | 0.21        | 0.23                 | 0.29                               |
|   | 309            | 6-3-65<br>0930              |                  | 67         | 8.0              | 87    | 310                                     | 7.3   | 1.1 |                    |                                 |                                | 1.8                | 0.05 | 0.00                   | 0.4          | 0.4         | 0.24        | 0.28                 | 0.42                               |
|   | 309            | 6-16-65<br>1030             |                  | 67         | 8.3              | 90    | 140                                     | 7.1   | 1.1 |                    |                                 |                                | 0.0                | 0.30 | 0.00                   | 0.0          | 0.4         | 0.20        | 0.30                 | 0.36                               |
| BETHANY FOREBAY NEAR BETHANY DAM                                    | 310            | 12-5-64<br>1010             |                  | 53         | 9.5              | 88    | 580                                     | 6.6   | 216 |                    |                                 |                                | 3.5                | 0.21 | 0.02                   | 0.8          | 0.2         | 0.25        | 0.26                 | 0.36                               |
|   | 310            | 12-17-64<br>0945            |                  | 51         |                  |       |   |       | 6.7 |                    |                                 |                                | 2.2                | 0.08 | 0.02                   | 0.5          | 0.1         | 0.26        | 0.26                 | 0.26                               |
|   | 310            | 12-31-64<br>1015            |                  | 52         |                  |       |   |       | 4.0 |                    |                                 |                                | 3.5                | 0.00 | 0.02                   | 0.8          | 0.1         | 0.24        | 0.24                 | 0.29                               |
|   | 310            | 1-14-65<br>0955             |                  | 49         |                  |       |   |       | 4.5 |                    |                                 |                                | 1.8                | 0.09 | 0.01                   | 0.4          | 0.2         | 0.27        | 0.24                 | 0.27                               |
|   | 310            | 1-28-65<br>0953             |                  | 50         |                  |       |   |       | 3.5 |                    |                                 |                                | 5.3                | 0.09 | 0.02                   | 1.2          | 0.4         | 0.22        | 0.22                 | 0.27                               |

TABLE D-9  
NUTRIENTS IN SURFACE WATER





TABLE D-8  
NUTRIENTS IN SURFACE WATER

| Station            | Station Number | Date and time sampled P.S.T. | Disturbance Temp in deg. in cft | Temp in deg. | Dissolved Oxygen |       | Specific Conductance (micromhos of 25°C) | pH  | Secchi Disk (Feet) | Turbidity Field Lab | Suspended Solids (ppm) | Nutrients ----- ppm |     |              |                            | Total Phosphorus (PO <sub>4</sub> ) | Total Organic Phosphorus (PO <sub>4</sub> ) |             |
|--------------------|----------------|------------------------------|---------------------------------|--------------|------------------|-------|--|-----|--------------------|---------------------|------------------------|---------------------|-----|--------------|----------------------------|-------------------------------------|---|-------------|
|                    |                |                              |                                 |              | ppm              | % Sat |  |     |                    |                     |                        | Field               | Lab | Ammonium (N) | Nitrate (NO <sub>3</sub> ) |                                     |   | Nitrite (N) |
| SOUTH BAY AQUEDUCT |                |                              |                                 |              |                  |       |  |     |                    |                     |                        |                     |     |              |                            |                                     |   |             |
|                    | 207            | 9-23-65<br>0845              |                                 | 66           | 7.4              | 80    | 565                                      | 7.5 | 1.6                | 20<br>23            | 16                     |                     |     |              |                            | 0.28                                | 0.30  | 0.33        |
|                    | 214            | 7-1-65<br>1045               |                                 | 68           | 9.0              | 100   | 310                                      | 7.5 | 0.9                |                     |                        |                     |     |              |                            | 0.24                                | 0.28  | 0.40        |
|                    | 214            | 7-13-65<br>1105              |                                 | 74           | 9.3              | 110   | 325                                      | 7.5 | 1.0                |                     |                        |                     |     |              |                            | 0.26                                | 0.29  | 0.33        |
|                    | 214            | 7-29-65<br>1110              |                                 | 72           | 9.5              | 110   | 320                                      | 7.6 | 1.0                |                     |                        |                     |     |              |                            | 0.27                                | 0.30  | 0.39        |
|                    | 214            | 8-12-65<br>1100              |                                 | 75           | 9.4              | 111   | 315                                      | 7.6 | 1.0                | 22                  |                        |                     |     |              |                            | 0.24                                | 0.25  | 0.42        |
|                    | 214            | 8-26-65<br>1135              |                                 | 76           | 9.4              | 113   | 370                                      | 7.3 | 1.2                | 13                  | 28                     |                     |     |              |                            | 0.26                                | 0.28  | 0.42        |
|                    | 214            | 9-8-65<br>1050               |                                 | 70           | 9.7              | 110   | 470                                      | 7.7 | 1.4                | 42<br>25            | 44                     |                     |     |              |                            | 0.26                                | 0.29  | 0.42        |
|                    | 214            | 9-23-65<br>1040              |                                 | 68           | 9.5              | 106   | 580                                      | 7.6 | 1.7                | 22<br>25            | 14                     |                     |     |              |                            | 0.27                                | 0.27  | 0.32        |

TABLE D-9  
PESTICIDES IN SURFACE WATERS AND SEDIMENTS

| Station                                    | Station Number | Date and time sampled P.S.T. | Discharge in cfs | Specific conductance (micromhos at 25°C) | pH<br>Field<br>Lab | Pesticides in Water (parts per trillion)                         | Pesticides in Sediment (parts per billion of dry weight) |
|--|----------------|------------------------------|------------------|--|--------------------|--|--|
| <u>NORTH COASTAL REGION (NO. 1)</u>        |                |                              |                  |  |                    |  |  |
| RUSSIAN RIVER AT GUERNEVILLE               | 10             | 9-15-65<br>0830              | 275              | 270                                      | 8.0<br>7.9         | BHC = 1  | Lindane = 7  |
| <u>SAN FRANCISCO BAY REGION (NO. 2)</u>    |                |                              |                  |  |                    |  |  |
| ALAMEDA CREEK NEAR NILES                   | 73             | 9-2-65<br>1330               | 38               | 486                                      | 8.1<br>7.7         | Lindane = 1<br>ppDDE = 1<br>BHC = 2<br>Dieldrin = 3<br>ppDDD = 8 | ppDDE = 20<br>ppDDD = 63                                 |
| NAPA RIVER AT DUTTON'S LANDING             | 72a            | 9-15-65<br>1200              |                  |  |                    | Lindane = 1<br>BHC = 2   | ppDDE = 7<br>ppDDD = 30                                  |
| <u>CENTRAL COASTAL REGION (NO. 3)</u>      |                |                              |                  |  |                    |  |  |
| BLANCO DRAIN INTO SALINAS RIVER            | 246            | 1-11-65<br>1230              |                  | 4,260                                    | 7.8<br>8.0         | Dieldrin = 85<br>DDE = 25<br>ppDDT = 35                          | ppDDD = 5  |
| PAJARO RIVER NEAR CHITTENDEN               | 77             | 9-1-65<br>1230               | 5.0              | 1,380                                    | 8.0<br>8.0         | BHC = 2<br>ppDDE = 2<br>Dieldrin = 1<br>ppDDD = 7                |  |
| SALINAS RIVER MILE 3.50                    | 262            | 1-11-65<br>1650              |                  | 362                                      | 7.6<br>8.0         | ppDDT = 10   |  |
| SALINAS RIVER NEAR SPRECKELS               | 43             | 9-1-65<br>0700               | 2.0              | 937                                      | 7.5<br>7.9         | Lindane = 5<br>Dieldrin = 13<br>ppDDT = 18                       | ppDDE = 4<br>Dieldrin = 5<br>ppDDD = 9                   |
| SAN LORENZO RIVER AT BIG TREES             | 75             | 9-7-65<br>1000               | 20               | 366                                      | 7.8<br>8.1         | Dieldrin = 1   | No pesticide detected                                    |
| SANTA CRUZ PIER                            | 120            | 9-7-65<br>0802               |                  |  | 8.4                | ppDDD = 1  |  |
| <u>SOUTH BAY AQUEDUCT</u>                  |                |                              |                  |  |                    |  |  |
| BETHANY FOREBAY AT SOUTH BAY PUMPING PLANT | 207            | 12-1-64<br>1000              |                  | 571                                      | 8.1                | BHC = 1  |  |
|  | 207            | 12-30-64<br>1645             |                  | 580                                      |                    | BHC = 1  |  |
|  | 207            | 2-9-65<br>1815               |                  | 569                                      | 9.3                | No pesticide detected  |  |
|  | 207            | 3-2-65<br>1000               |                  | 584                                      | 8.3                | Aldrin = 2<br>Dieldrin = 3<br>ppDDT = 22                         |  |
|  | 207            | 4-1-65<br>1630               |                  | 554                                      | 8.3                | ppDDD = 2  |  |
|  | 207            | 5-11-65<br>1000              |                  | 474                                      | 8.1                | Dieldrin = 2   |  |
|  | 207            | 6-1-65<br>1000               |                  | 338                                      | 8.0                | BHC = 1<br>Lindane = 1<br>Dieldrin = 1<br>ppDDD = 2              |  |
|  | 207            | 8-3-65<br>1345               |                  | 359                                      | 8.0                | Dieldrin = 3<br>ppDDD = 2  |  |



Appendix E

GROUND WATER QUALITY

Quali-

Consta

In sud

upper

of th

trati

adju

cont

the

Met

Reso

Met

the

and

repe

mil

me

in

det

Cod

sys

con

## INTRODUCTION

Data presented in this appendix are measured values of selected quality characteristics of ground water samples collected in the Central Coastal Area during the period from July 1, 1964, through September 30, 1965. In subsequent reports, the period used will be the water year.

Plates 4 and 5 present the status of sea-water intrusion into the upper aquifer of the East Bay area of the Santa Clara Valley and two aquifers of the Salinas Valley, respectively. The lines depicting chloride concentrations in 1962, previously published in Bulletins 130-63 and 130-64, were adjusted for this report. The adjustments were made on the basis of additional controls available in 1965, and were made in order to more accurately depict the relative movement of chloride concentrations.

### Methods and Procedures

Laboratory analyses were performed by the Department of Water Resources and the U. S. Geological Survey, all in accordance with "Standard Methods for the Examination of Water and Waste Water", 11th Edition, or with the U. S. Geological Survey Water Supply Paper 1454, "Methods for Collection and Analyses of Water Samples". The methods yield comparable accuracy.

Tabulated values for dissolved minerals are the analytical quantity reported in parts per million (ppm) and a computed value for equivalents per million (epm). Total dissolved solids reported were determined by gravimetric determination at 180°C. Values for temperature are those measured in the field at the time of sampling. Heavy metal concentrations were determined by "wet" analyses.

### Coding

Wells and ground water basins are numbered in accordance with the system described in Appendix C. The data are presented in water pollution control board region, ground water basin and well number order.

EXPLANATION OF TABLES

Definitions of abbreviations used in this appendix and not given on the tables are as follows:

|                  |      |  |
|------------------|------|--|
| ABS              | ---- | Alkyl benzene sulfonate  |
| Al               | ---- | Aluminum   |
| As               | ---- | Arsenic  |
| C                | ---- | Celsius (Centigrade)   |
| Cr <sup>+6</sup> | ---- | Hexavalent chromium  |
| Cu               | ---- | Copper   |
| diss             | ---- | dissolved  |
| dom              | ---- | domestic   |
| DPH              | ---- | Department of Public Health  |
| DWR              | ---- | Department of Water Resources                                      |
| F                | ---- | Fahrenheit   |
| Fe               | ---- | Iron   |
| ind              | ---- | industrial   |
| irr              | ---- | irrigation   |
| Mn               | ---- | Manganese  |
| N.C.             | ---- | Non-Carbonate  |
| pH               | ---- | The negative logarithm of the effective hydrogen ion concentration |
| ppm              | ---- | parts per million  |
| Se               | ---- | Selenium   |
| Temp             | ---- | Temperature  |
| USGS             | ---- | U. S. Geological Survey  |
| Zn               | ---- | Zinc   |



### Analyses of Ground Water

Table E-1 presents analyses of ground water in the same order as that for ground water level data in Appendix C.

### Radioassays of Ground Water

Table E-2 presents the radioactivity of ground water samples collected from two wells in the Santa Clara Valley. The methods and procedures were the same as discussed under "Radioassays of Surface Water" in Appendix D.

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                                    | State well number and other number | Date sampled | Temp in °F | Specific conduct- micro-mhos at 25° C | pH   | Mineral constituents in parts per million |                  |             |                 |                                |                                   |                               |                 |                              |                | Total dis- solved in ppm | Per- cent dis- solved | Hardness as CaCO <sub>3</sub> | Analyzed by |           |                             |                    |           |
|--|------------------------------------|--------------|------------|---------------------------------------|------|---|------------------|-------------|-----------------|--------------------------------|-----------------------------------|-------------------------------|-----------------|------------------------------|----------------|--------------------------|-----------------------|-------------------------------|-------------|-----------|-----------------------------|--------------------|-----------|
|  |                                    |              |            |                                       |      | Calcium (Ca)                              | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Carbon- ate (CO <sub>3</sub> ) | Bicar- bonate (HCO <sub>3</sub> ) | Sul- fates (SO <sub>4</sub> ) | Chlo- ride (Cl) | Ni- trate (NO <sub>3</sub> ) | Fluo- ride (F) |                          |                       |                               |             | Boron (B) | Silico- (SiO <sub>2</sub> ) | Other constituents | Total ppm |
|  |                                    |              |            |                                       |      | NORTH COASTAL REGION (No. 1)              |                  |             |                 |                                |                                   |                               |                 |                              |                |                          |                       |                               |             |           |                             |                    |           |
|  |                                    |              |            |                                       |      | UKIAH VALLEY (1-15)                       |                  |             |                 |                                |                                   |                               |                 |                              |                |                          |                       |                               |             |           |                             |                    |           |
| C. C. Gilley domestic                            | 14N/124-5K1                        | 8-18-64      | 665        | 7.7                                   | 7.1  | 24  | 0.40             | 2.1         | 0               | 36.1                           | 5.5                               | 6.8                           | 0.6             |                              |                |                          |                       |                               | 24          | 277       | 0                           | DHR                |           |
|  |                                    |              |            |                                       |      | 1.99                                      | 1.74             | 0.05        | 0.00            | 5.92                           | 1.14                              | 0.19                          | 0.01            |                              |                |                          |                       |                               |             |           |                             |                    |           |
| L. Johnson domestic                              | 14N/124-11N1                       | 9-22-65      | 646        | 7.2                                   | 19   | 22  | 9.2              | 1.0         | 0               | 135                            | 17                                | 6.0                           | 0.22            |                              |                |                          |                       |                               | 13          | 136       | 25                          | DHR                |           |
|  |                                    |              |            |                                       |      | 0.95                                      | 0.40             | 0.02        | 0.00            | 2.21                           | 0.35                              | 0.17                          | 0.35            |                              |                |                          |                       |                               |             |           |                             |                    |           |
| M. Hehtanen domestic                             | 14N/124-28K1                       | 8-18-64      | 358        | 7.1                                   | 22   | 23  | 8.8              | 0.21        | 0               | 122                            | 6.7                               | 6.7                           | 0.19            |                              |                |                          |                       |                               | 12          | 132       | 32                          | DHR                |           |
|  |                                    |              |            |                                       |      | 1.73                                      | 0.38             | 0.00        | 2.00            |                                |                                   |                               |                 |                              |                |                          |                       |                               |             |           |                             |                    |           |
| City of Ukiah municipal                          | 15N/124-16E1                       | 9-22-65      | 255        | 7.7                                   | 21   | 16  | 9.2              | 0.4         | 0               | 185                            | 6.1                               | 1.5                           | 0.9             |                              |                |                          |                       |                               | 19          | 148       | 0                           | DHR                |           |
|  |                                    |              |            |                                       |      | 1.05                                      | 1.15             | 0.01        | 0.00            | 3.03                           | 0.13                              | 0.42                          | 0.01            |                              |                |                          |                       |                               |             |           |                             |                    |           |
| Reglus Meter Co. municipal                       | 15N/124-21H1                       | 8-18-64      | 257        | 7.2                                   | 23   | 13  | 8.4              | 1.1         | 0               | 125                            | 6.6                               | 7.0                           | 1.0             |                              |                |                          |                       |                               | 15          | 103       | 1                           | DHR                |           |
|  |                                    |              |            |                                       |      | 1.07                                      | 0.96             | 0.03        | 0.00            | 2.05                           | 0.14                              | 0.20                          | 0.02            |                              |                |                          |                       |                               |             |           |                             |                    |           |
| D. Roggli domestic & irrigation                  | 15N/124-35D1                       | 9-22-65      | 265        | 8.4                                   | 32   | 14  | 9.2              | 1.0         | 0               | 140                            | 7.9                               | 4.0                           | 3.2             |                              |                |                          |                       |                               | 15          | 111       | 0                           | DHR                |           |
|  |                                    |              |            |                                       |      | 1.16                                      | 1.30             | 0.02        | 0.00            | 2.29                           | 0.16                              | 0.11                          | 0.05            |                              |                |                          |                       |                               |             |           |                             |                    |           |
| F. Brown domestic                                | 16N/124-5D1                        | 8-19-64      | 362        | 7.4                                   | 11.0 | 18  | 30               | 0.7         | 4               | 203                            | 0.3                               | 2.1                           | 0.5             |                              |                |                          |                       |                               | 32          | 138       | 0                           | DHR                |           |
|  |                                    |              |            |                                       |      | 1.60                                      | 1.00             | 0.02        | 0.00            | 2.87                           | 0.04                              | 0.39                          | 0.01            |                              |                |                          |                       |                               |             |           |                             |                    |           |
| F. Brown irrigation                              | 16N/124-5D2                        | 8-19-64      | 335        | 7.2                                   | 16   | 20  | 23               | 0.6         | 0               | 135                            | 1.8                               | 26                            | 1.0             |                              |                |                          |                       |                               | 27          | 135       | 0                           | DHR                |           |
|  |                                    |              |            |                                       |      | 1.04                                      | 1.00             | 0.00        | 0.00            | 2.86                           | 0.70                              | 0.70                          | 0.02            |                              |                |                          |                       |                               |             |           |                             |                    |           |
| Pacific Gas & Electric Co. domestic & industrial | 16N/124-9Q1                        | 9-20-65      | 323        | 7.7                                   | 26   | 17  | 28               | 0.8         | 0               | 180                            | 0.6                               | 16                            | 1.0             |                              |                |                          |                       |                               | 35          | 111       | 0                           | DHR                |           |
|  |                                    |              |            |                                       |      | 1.42                                      | 1.42             | 0.02        | 0.00            | 2.95                           | 0.01                              | 0.45                          | 0.02            |                              |                |                          |                       |                               |             |           |                             |                    |           |
|  |                                    |              |            |                                       |      | 18  | 38               | 1.0         | 0               | 244                            | 5.4                               | 7.0                           | 0.9             |                              |                |                          |                       |                               | 37          | 138       | 0                           | DHR                |           |
|  |                                    |              |            |                                       |      | 1.46                                      | 1.95             | 0.02        | 0.00            | 4.00                           | 0.11                              | 0.20                          | 0.01            |                              |                |                          |                       |                               |             |           |                             |                    | DHR       |
|  |                                    |              |            |                                       |      | 408                                       |                  |             |                 |                                |                                   |                               |                 |                              |                |                          |                       |                               |             |           |                             |                    |           |

TABLE E - I  
ANALYSES OF GROUND WATER

| Owner and use                | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos of 25° C) | pH   | Mineral constituents in equivalents per million |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | Total dissolved solids in ppm | Per-cent sodium | Hardness as CaCO <sub>3</sub> |      | Analyzed by |     |     |     |     |     |     |     |     |    |    |    |
|------------------------------|------------------------------------|--------------|------------|--|------|---|----------------|-------------|---------------|--------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|----------------------------|--------------------|-------------------------------|-----------------|-------------------------------|------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|
|                              |                                    |              |            |  |      | Calcium (Ca)                                    | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Posa-carbon (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) | Silica (SiO <sub>2</sub> ) | Other constituents |                               |                 | Total                         | N.C. |             | ppm |     |     |     |     |     |     |     |    |    |    |
| J. E. Nelson domestic        | 17N/124-18A1                       | 8-19-64      | 8.0        | 1940                                       | 7.5  | UKAAN VALLEY (1-15) (Cont'd)                    |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 518                           | 0.9             | 63                            | 1280 | 86          | 121 | 0   | DMR |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 1.80  | 0.62           | 3.57        | 1.0           | 0                              | 2.20                            | 0.3                        | 14.61         | 0.01                       |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 0.75  | 0.77           | 9.4         | 0.41          | 0.01                           | 0.80                            | 11                         | 6.5           | 1.1                        | 0.0          | 0.0       | 0.0                        | 0.0                |                               |                 |                               |      |             |     |     |     | 0.0 | 0.0 | 0.0 | 0.0 | 160 | 21 | 76 | 10 |
| H. Matheve domestic          | 17N/124-28A1                       | 9-20-65      | 6.7        | 208  | 9.8  | SANEL VALLEY (1-16)                             |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 0.19                          | 0.16            | 0.0                           | 22   | 78          | 12  | DMR |     |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 0.75  | 0.81           | 9.8         | 0.43          | 0.00                           | 1.31                            | 0.23                       | 6.6           | 0.19                       |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
| A. Debarcantonio domestic    | 12N/114-2F1                        | 8-18-64      | 7.8        | 393  | 2.1  | SANEL VALLEY (1-16)                             |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 17                            | 1.0             | 0.2                           | 215  | 11          | 184 | 6   | DMR |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 1.95  | 1.73           | 1.1         | 1.4           | 0                              | 2.17                            | 0.35                       | 5.8           | 0.02                       |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
| E. F. Nawn Irrigation        | 13N/114-7D1                        | 8-18-64      | 7.1        | 386  | 2.3  | SANEL VALLEY (1-16)                             |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 12                            | 1.5             | 0.2                           | 162  | 12          | 142 | 4   | DMR |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 0.95  | 1.89           | 9.2         | 0.4           | 0                              | 3.69                            | 0.23                       | 5.7           | 0.16                       |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 1.20  | 2.47           | 3.0         | 0.48          | 0.00                           | 2.77                            | 0.19                       | 6.6           | 0.19                       |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
| J. H. Pomeroy Co. Irrigation | 13N/114-7L1                        | 6-23-65      | 7.3        | 228  | 9.5  | SANEL VALLEY (1-16)                             |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 7.9                           | 5.0             | 0.3                           | 121  | 20          | 84  | 0   | DMR |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 0.90  | 0.78           | 0.43        | 0.03          | 0.00                           | 1.77                            | 0.16                       | 0.14          | 0.02                       |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
| A. Damiano unused            | 13N/114-1882                       | 6-23-65      | 7.1        | 359  | 2.2  | SANEL VALLEY (1-16)                             |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 12                            | 3.4             | 2.4                           | 193  | 19          | 149 | 0   | DMR |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 1.20  | 1.78           | 1.6         | 1.0           | 0                              | 1.87                            | 0.25                       | 10            | 0.28                       |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
| J. H. Pomeroy Co. domestic   | 13N/114-1802                       | 6-23-65      | 6.8        | 351  | 1.78 | SANEL VALLEY (1-16)                             |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 8.7                           | 6.6             | 2.2                           | 126  | 22          | 91  | 0   | DMR |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 0.97  | 0.52           | 1.1         | 0             | 1.92                           | 0.21                            | 6.0                        | 0.17          |                            |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
| J. H. Pomeroy Co. Irrigation | 13N/114-1801                       | 8-18-64      | 7.1        | 220  | 1.9  | SANEL VALLEY (1-16)                             |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 10                            | 2.1             | 0.6                           | 126  | 22          | 91  | 0   | DMR |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 0.95  | 0.87           | 0.52        | 0.03          | 0.00                           | 1.92                            | 0.21                       | 6.0           | 0.17                       |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
| I. J. Milovyna domestic      | 13N/114-18E2                       | 6-23-65      | 7.1        | 205  | 1.78 | SANEL VALLEY (1-16)                             |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 8.7                           | 6.6             | 2.2                           | 126  | 22          | 91  | 0   | DMR |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 0.97  | 0.52           | 1.1         | 0             | 1.92                           | 0.21                            | 6.0                        | 0.17          |                            |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |
| A. Damiano domestic          | 13N/114-18E1                       | 6-23-65      | 6.5        | 65   | 1.78 | SANEL VALLEY (1-16)                             |                |             |               |                                |                                 |                            |               |                            |              |           |                            |                    | 8.7                           | 6.6             | 2.2                           | 126  | 22          | 91  | 0   | DMR |     |     |     |     |     |    |    |    |
|                              |                                    |              |            |  |      | 0.97  | 0.52           | 1.1         | 0             | 1.92                           | 0.21                            | 6.0                        | 0.17          |                            |              |           |                            |                    |                               |                 |                               |      |             |     |     |     |     |     |     |     |     |    |    |    |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                                | Slots well name and other number | Date sampled | Temp in °F | Specific conduct- in micro-mhos at 25° C | pH          | Mineral constituents in parts per million |                  |             |                 |                                |                                   |                              |                 |                              |                |                  | Total dissolved solids in ppm | Per- cent solids in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Analyzed by |                    |     |     |
|--|----------------------------------|--------------|------------|--|-------------|---|------------------|-------------|-----------------|--------------------------------|-----------------------------------|------------------------------|-----------------|------------------------------|----------------|------------------|-------------------------------|-------------------------|---|-------------|--------------------|-----|-----|
|  |                                  |              |            |  |             | Calcium (Ca)                              | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Carbon- ate (CO <sub>3</sub> ) | Bicor- bonate (HCO <sub>3</sub> ) | Sul- fate (SO <sub>4</sub> ) | Chlo- ride (Cl) | Ni- trate (NO <sub>3</sub> ) | Fluo- ride (F) | Boro- Silico (B) |                               |                         |   |             | Other constituents |     |     |
| I. J. Milovina Irrigation                    | 13W/11W-18J1                     | 6-23-65      | 61         | 267                                      | 7.2         | 21<br>1.05                                | 13<br>1.11       | 3.2<br>0.36 | 1.2<br>0.03     | 0.00                           | 118<br>1.94                       | 9.9<br>0.21                  | 5.0<br>0.14     | 8.6<br>0.14                  | 0.6            |                  | 142                           | 14                      | 108                                     | 11          | DNR                |     |     |
|  | 13W/11W-19K2                     | 6-23-65      |            |  |             |   |                  |             |                 |                                |                                   |                              |                 |                              | 1.6            |                  |                               |                         |   |             |                    | DNR |     |
| J. Rongo gardening                           | 13W/11W-19H1                     | 6-22-65      | 64         | 302                                      | 7.0         | 26<br>1.30                                | 13<br>1.22       | 10<br>0.43  | 1.3<br>0.03     | 0.00                           | 344<br>2.36                       | 13<br>0.27                   | 5.5<br>0.16     | 3.2<br>0.05                  | 0.3            |                  | 164                           | 14                      | 126                                     | 8           | DNR                |     |     |
|  | Hopland Public Utility District  | 8-18-64      |            | 336                                      | 7.5         | 28<br>1.40                                | 20<br>1.08       | 9.0<br>0.39 | 0.8<br>0.02     | 0.00                           | 163<br>2.67                       | 26<br>0.54                   | 7.9<br>0.22     | 1.6<br>0.02                  | 0.3            |                  | 185                           | 11                      | 154                                     | 20          | DNR                |     |     |
| C. Ashurst                                   | 9-30-65                          |              | 309        |  |             |   |                  |             |                 |                                |                                   |                              |                 | 0.3                          |                |                  |                               |                         |   |             | DNR                |     |     |
|  | 13N/11W-19P1                     | 6-23-65      | 63         | 284                                      | 7.2         | 18<br>0.90                                | 20<br>1.06       | 5.7<br>0.25 | 0.8<br>0.02     | 0.00                           | 141<br>2.31                       | 9.7<br>0.20                  | 4.4<br>0.12     | 5.2<br>0.08                  | 0.0            |                  | 163                           | 9                       | 128                                     | 14          | DNR                |     |     |
| Grace Ranch Irrigation, domestic and stock   | 13W/11W-20H1                     | 8-18-64      |            | 357                                      | 7.1         | 48<br>1.40                                | 23<br>1.06       | 11<br>0.48  | 1.2<br>0.03     | 0.00                           | 183<br>2.98                       | 18<br>0.40                   | 8.5<br>0.24     | 4.6<br>0.07                  | 0.2            |                  | 199                           | 13                      | 163                                     | 14          | DNR                |     |     |
|  | 9-29-65                          |              | 391        | 6.9                                      | 6.9         | 29<br>1.45                                | 26<br>1.37       | 10<br>0.44  | 0.00            | 0.00                           | 183<br>3.00                       | 7.6<br>0.21                  | 0.2             |                              | 0.2            |                  |                               |                         |   |             | 11                 | 171 | 21  |
| Redwood Hereford Ranch Irrigation & domestic | 9W/8W-7Q1                        | 9-23-64      |            | 583                                      | 7.6         | 2.6<br>0.13                               | 1.3<br>0.11      | 132<br>5.74 | 5.4<br>0.16     | 0.00                           | 306<br>5.02                       | 1.0<br>0.02                  | 36<br>1.02      | 0.2<br>0.00                  | 0.3            |                  | 425                           | 94                      | 12                                      | 0           | USGS               |     |     |
|  | 8-3-65                           |              | 570        |  |             |   |                  | 135<br>5.87 |                 |                                |                                   |                              |                 |                              | 0.9<br>0.05    |                  |                               |                         |   |             |                    | DNR |     |
| H. B. Remmel Irrigation                      | 10W/9W-18R1                      | 9-23-64      |            | 292                                      | 8.5         | 34<br>1.70                                | 14<br>1.12       | 8.5<br>0.37 | 1.2<br>0.03     | 0.27                           | 150<br>2.46                       | 13<br>0.27                   | 4.5<br>0.13     | 0.2<br>0.00                  | 0.4            |                  | 154                           | 11                      | 141                                     | 5           | USGS               |     |     |
|  | 10W/9W-20L1                      | 9-23-64      |            | 527                                      | 8.5         | 22<br>1.10                                | 53<br>4.38       | 11<br>0.48  | 0.4<br>0.01     | 0.33                           | 272<br>4.51                       | 16<br>0.33                   | 7.0<br>0.20     | 1.3<br>0.21                  | 0.5            |                  | 325                           | 8                       | 274                                     | 0           | USGS               |     |     |
| W. D. Dane Irrigation                        | 8-3-65                           |              | 563        | 8.7                                      | 2.9<br>1.45 | 5.2<br>4.26                               | 13<br>0.56       | 13<br>0.47  | 0.56            | 284<br>4.65                    | 14<br>0.24                        | 8.6<br>0.24                  | 0.2             | 0.1                          |                |                  |                               |                         |   |             | 286                | 29  | DNR |
|  | 11W/10W-28H1                     | 9-23-64      | 305        | 7.7                                      | 28<br>1.40  | 18<br>1.08                                | 8.5<br>0.37      | 0.9<br>0.02 | 0.00            | 180<br>2.95                    | 1.0<br>0.02                       | 4.2<br>0.12                  | 0.3<br>0.00     | 0.4                          |                |                  | 194                           | 11                      | 144                                     | 0           | USGS               |     |     |
| C. Pellegrini domestic                       | 11W/10W-33G1                     | 8-3-65       | 277        |  |             |   |                  |             |                 |                                |                                   |                              |                 | 0.4                          |                |                  |                               |                         |   |             |                    | DNR |     |
|  | 9-23-64                          |              | 194        | 6.6                                      | 11<br>0.55  | 6.0<br>0.49                               | 14<br>0.61       | 0.7<br>0.00 | 0.00            | 55<br>0.90                     | 1.0<br>0.02                       | 1.2<br>0.48                  | 14<br>0.23      | 0.1                          |                |                  | 130                           | 37                      | 52                                      | 7           | USGS               |     |     |
|  | 8-3-65                           |              | 192        | 7.0                                      | 11<br>0.55  | 7.4<br>0.61                               | 16<br>0.70       | 0.00        | 0.00            | 54<br>0.88                     | 0.00                              | 17<br>0.48                   | 0.0             | 0.0                          |                |                  |                               |                         |   |             | 58                 | 14  | DNR |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                                       | State well number and other number | Date sampled | Temp in F | Specific conductance in micro-mhos per 25 C | pH  | Mineral constituents in parts per million |                |             |               |                                 |                            |               |                            |              |           | Total dissolved solids in ppm | Per cent sodium in ppm | Hardness as CaCO <sub>3</sub> |                    | Analyzed by |           |      |
|---|------------------------------------|--------------|-----------|---|-----|---|----------------|-------------|---------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|-------------------------------|------------------------|-------------------------------|--------------------|-------------|-----------|------|
|   |                                    |              |           |   |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) |                               |                        | Silica (SiO <sub>2</sub> )    | Other constituents |             | Total ppm | N    |
| J. J. Wilson<br>domestic & stock                    | 6N/7H-18R1                         | 9-22-64      | 8.7       | 678   | 8.7 | 34  | 40             | 52          | 1.3           | 37                              | 264                        | 28            | 47                         | 13           | 0.2       | 0.01                          | 0.1e-                  | 441                           | 31                 | 268         | 0         | USGS |
|   |                                    | 8-5-65       | 770       | 770   | 8.5 | 1.70                                      | 3.26           | 2.26        | 0.03          | 1.23                            | 4.00                       | 0.58          | 1.33                       | 0.21         |           |                               |                        |                               |                    |             |           |      |
| C. Mallory<br>domestic                              | 6N/8H-381                          | 9-23-64      | 8.3       | 422   | 8.3 | 0.0                                       | 39             | 18          | 1.4           | 6                               | 128                        | 8.0           | 44                         | 0.1          | 0.03      | 0.1e-                         | 302                    | 19                            | 160                | 48          | USGS      |      |
|   |                                    | 8-4-65       | 458       | 458   | 8.4 | 0.00                                      | 3.20           | 0.78        | 0.04          | 0.13                            | 2.10                       | 0.17          | 1.24                       | 0.34         |           |                               |                        |                               |                    |             |           |      |
| Coteati Public Utility<br>District                  | 6N/8H-35A2                         | 9-22-64      | 8.3       | 327   | 8.3 | 15  | 8.4            | 33          | 1.8           | 0                               | 109                        | 5.4           | 38                         | 0.0          | 0.0       | 0.0                           | 232                    | 49                            | 72                 | 0           | DMR       |      |
|   |                                    | 9-24-64      | 336       | 336   | 8.5 | 0.75                                      | 0.69           | 1.44        | 0.05          | 0.00                            | 1.79                       | 0.11          | 1.07                       | 0.01         |           |                               |                        |                               |                    |             |           |      |
| City of Sebastopol<br>Water Department<br>municipal | 6N/9H-2G1                          | 9-24-64      | 8.5       | 225   | 8.5 | 14  | 26             | 17          | 1.0           | 8                               | 149                        | 16            | 12                         | 0.0          | 0.01      | 0.1e-                         | 236                    | 21                            | 134                | 0           | USGS      |      |
|   |                                    | 8-4-65       | 226       | 226   | 8.4 | 0.70                                      | 1.96           | 0.74        | 0.03          | 0.27                            | 2.44                       | 0.33          | 0.36                       | 0.05         |           |                               |                        |                               |                    |             |           |      |
| D. S. Moore<br>Irrigation & domestic                | 7N/7H-15C1                         | 9-24-64      | 8.4       | 250   | 8.4 | 12  | 12             | 22          | 4.1           | 5                               | 138                        | 0.0           | 4.5                        | 0.0          | 0.0       | 0.07                          | 205                    | 36                            | 80                 | 0           | USGS      |      |
|   |                                    | 8-4-65       | 525       | 525   | 8.5 | 0.50                                      | 1.00           | 0.96        | 0.10          | 0.17                            | 2.26                       | 0.00          | 0.13                       | 0.01         |           |                               |                        |                               |                    |             |           |      |
| E. F. Richards<br>Irrigation<br>domestic            | 7N/7H-29D1                         | 9-24-64      | 8.4       | 250   | 8.4 | 14  | 11             | 22          | 1.9           | 2                               | 133                        | 0.5           | 5.8                        | 0.0          | 0.0       | 0.0                           | 189                    | 27                            | 86                 | 0           | DMR       |      |
|   |                                    | 8-4-65       | 574       | 574   | 8.5 | 0.75                                      | 0.97           | 0.65        | 0.05          | 0.07                            | 2.18                       | 0.01          | 0.16                       | 0.00         |           |                               |                        |                               |                    |             |           |      |
| H. E. Samuelson<br>domestic                         | 7N/8H-3L1                          | 9-24-64      | 8.4       | 506   | 8.4 | 32  | 21             | 38          | 5.2           | 5                               | 139                        | 5.0           | 49                         | 0.3          | 0.02      | 0.1e-                         | 366                    | 63                            | 114                | 0           | USGS      |      |
|   |                                    | 8-4-65       | 574       | 574   | 8.5 | 0.00                                      | 2.28           | 3.92        | 0.06          | 0.00                            | 5.67                       | 0.02          | 0.51                       | 0.03         |           |                               |                        |                               |                    |             |           |      |
| C. Borden<br>domestic                               | 7N/8H-5C1                          | 9-24-64      | 8.4       | 479   | 8.4 | 32  | 21             | 38          | 5.2           | 5                               | 139                        | 5.0           | 49                         | 0.0          | 0.02      | 0.1e-                         | 366                    | 63                            | 114                | 0           | USGS      |      |
|   |                                    | 8-4-65       | 574       | 574   | 8.5 | 0.00                                      | 2.28           | 3.92        | 0.06          | 0.00                            | 5.67                       | 0.02          | 0.51                       | 0.03         |           |                               |                        |                               |                    |             |           |      |
| H. Remuison<br>Irrigation                           | 7N/8H-18Q1                         | 9-24-64      | 8.4       | 479   | 8.4 | 32  | 21             | 38          | 5.2           | 5                               | 139                        | 5.0           | 49                         | 0.0          | 0.02      | 0.1e-                         | 366                    | 63                            | 114                | 0           | USGS      |      |
|   |                                    | 8-4-65       | 574       | 574   | 8.5 | 0.00                                      | 2.28           | 3.92        | 0.06          | 0.00                            | 5.67                       | 0.02          | 0.51                       | 0.03         |           |                               |                        |                               |                    |             |           |      |

**TABLE E-1**  
**ANALYSES OF GROUND WATER**

| Owner and use                            | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25 C) | pH          | Mineral constituents in parts per million |                 |             |                |                               |                                  |                             |                |                             |               | Total dissolved solids in ppm | Per. dis-sol-ium | Hardness as CaCO <sub>3</sub> | Analyzed By |           |                            |                    |
|--|------------------------------------|--------------|------------|---|-------------|---|-----------------|-------------|----------------|-------------------------------|----------------------------------|-----------------------------|----------------|-----------------------------|---------------|-------------------------------|------------------|-------------------------------|-------------|-----------|----------------------------|--------------------|
|  |                                    |              |            |   |             | Calcium (Ca)                              | Magne-sium (Mg) | Sodium (Na) | Potas-sium (%) | Carbon-ate (CO <sub>3</sub> ) | Bicar-bonate (HCO <sub>3</sub> ) | Sul-fate (SO <sub>4</sub> ) | Chlo-ride (Cl) | Ni-trate (NO <sub>3</sub> ) | Fluo-ride (F) |                               |                  |                               |             | Boran (B) | Silica (SiO <sub>2</sub> ) | Other constituents |
| C. Dotti<br>irrigation & stock           | 7N/84-30F1                         | 9-23-64      | 790        | 8.6                                       | 50<br>2.50  | 41<br>3.38                                | 1.96            | 4.5         | 1.5            | 24                            | 152                              | 60                          | 2.71           | 31                          | 0.1           | 0.02 (01s.)                   | 500              | 25                            | 294         | 130       | USGS                       |                    |
|  |                                    | 8-4-65       | 1020       |   |             |   | 6.1             | 0.06        | 0.80           | 2.49                          | 1.25                             | 124                         | 106            | 1.71                        | 0.1           |                               |                  |                               |             |           |                            | DMR                |
| A. Marx<br>domestic & irrigation         | 7N/84-33N1                         | 9-24-64      | 351        | 8.6                                       | 0.0<br>0.00 | 27<br>2.18                                | 36              | 1.6         | 1.6            | 175                           | 1.0                              | 14                          | 0.8            | 0.0                         | 0.0           | 0.02 (01s.)                   | 252              | 41                            | 109         | 109       | USGS                       |                    |
|  |                                    | 8-4-65       | 378        | 7.3                                       | 21<br>1.05  | 14<br>1.15                                | 36              | 0.00        | 1.57           | 2.87                          | 0.02                             | 16                          | 0.45           | 0.1                         | 0.1           |                               |                  |                               |             |           |                            | DMR                |
| C. H. Gilbert<br>domestic                | 7N/94-9F1                          | 9-24-64      | 156        | 7.8                                       | 8.8<br>0.44 | 4.4<br>0.37                               | 13              | 1.2         | 0              | 58                            | 2.0                              | 11                          | 0.5            | 0.0                         | 0.0           | 1.26 (01s.)                   | 151              | 41                            | 40          | 0         | USGS                       |                    |
|  |                                    | 8-4-65       | 158        | 8.0                                       | 10<br>0.50  | 6.4<br>0.36                               | 15              | 0.00        | 0.95           | 0.95                          | 0.15                             | 12                          | 0.34           | 0.01                        | 0.0           | 0.0                           |                  |                               |             |           |                            | DMR                |
| Sebastopol Meat Co.<br>Industrial & Irr. | 7N/94-36N1                         | 8-4-65       | 392        |   |             |   |                 |             |                |                               |                                  |                             |                |                             |               |                               |                  |                               |             |           | DMR                        |                    |
| H. A. Faught<br>Irrigation               | 8N/84-2001                         | 8-3-65       | 545        | 8.4                                       | 23<br>1.15  | 23<br>1.91                                | 52              | 3           | 0.10           | 246                           | 4.06                             | 31                          | 0.87           | 0.2                         |               |                               |                  |                               |             |           |                            | DMR                |
|  |                                    | 9-24-64      | 240        | 8.2                                       | 16<br>0.80  | 8.5<br>0.70                               | 16              | 2.6         | 0.07           | 93                            | 1.52                             | 5.0                         | 21             | 3.2                         | 0.0           | 0.01 (01s.)                   | 202              | 31                            | 75          | 0         | USGS                       |                    |
| Redwood Ranch, Inc.<br>Irrigation        | 8N/94-2301                         |              |            |   |             |   |                 |             |                |                               |                                  |                             |                |                             |               |                               |                  |                               |             |           |                            |                    |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                     | State well number and other number | Date sampled | Temp in F | Specific conductance (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                |             |               |                              |                                 | Total dissolved solids in ppm | Permeability in ppm | Headbase as CaCO <sub>3</sub> |               | Analyzed by |                            |              |            |
|-----------------------------------|------------------------------------|--------------|-----------|--|-----|---|----------------|-------------|---------------|------------------------------|---------------------------------|-------------------------------|---------------------|-------------------------------|---------------|-------------|----------------------------|--------------|------------|
|                                   |                                    |              |           |  |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) |                               |                     | Sulfate (SO <sub>4</sub> )    | Chloride (Cl) |             | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Barium (B) |
|                                   |                                    |              |           |  |     | SAN FRANCISCO BAY REGION (No. 2)          |                |             |               |                              |                                 |                               |                     |                               |               |             |                            |              |            |
|                                   |                                    |              |           |  |     | PETALUMA VALLEY (2-1-00)                  |                |             |               |                              |                                 |                               |                     |                               |               |             |                            |              |            |
| H. Clotie domestic & stock        | 3N/64-1Q1                          | 3-65         |           | 1200                                       | 8.2 | 3.2                                       | 3.1            | 23.2        | 5             | 0                            | 58.2                            | 5                             | 15.2                | 7                             | 0.1           | 0.3         | 207                        | 0            | DKR        |
| O. White domestic & irrigation    | 3N/64-3C1                          | 3-65         |           | 11000                                      | 7.8 | 1.58                                      | 2.56           | 10.10       | 0.13          | 0.00                         | 9.69                            | 0.10                          | 4.27                | 0.11                          | 0.01          |             | 3100                       | 24.21        | DKR        |
| S. K. Herzog Co. domestic & stock | 3N/64-1181                         | 3-65         |           | 1900                                       | 7.9 | 36.1                                      | 43.5           | 166.0       | 50            | 0                            | 8.79                            | 40                            | 4.261               | 0                             | 0.2           | 0.4         | 266                        | 0            | DKR        |
| C. Strozel stock                  | 3N/64-1581                         | 8-5-65       |           | 184  |     | 18.00                                     | 44.00          | 72.00       | 1.28          | 0.00                         | 13.58                           | 0.85                          | 119.60              | 0.00                          | 0.01          | 0.2         |                            |              | DKR        |
| Rupprecht dom., irr., & stock     | 3N/64-1881                         | 9-22-64      |           | 651  |     | 1.90                                      | 3.42           | 14.80       | 3.7           | 0                            | 59.0                            | 3                             | 3.04                | 11                            | 0.1           | 0.18        | 73                         |              | DKR        |
| K. Johnson domestic               | 3N/74-14F1                         | 9-22-64      |           | 674  |     |   |                |             | 0.09          | 0.00                         | 9.66                            | 0.07                          | 10.25               | 0.18                          | 0.01          |             |                            |              | DKR        |
| Lopes domestic                    | 4N/64-7H1                          | 9-64         |           | 1130                                       |     |   |                |             |               |                              |                                 |                               | 18                  |                               |               |             |                            |              | DKR        |
| Lopes irrigation                  | 4N/64-7H2                          | 3-65         |           | 1110                                       | 7.9 | 6.9                                       | 7.6            | 90          | 0.4           | 0                            | 6.39                            | 35                            | 5.3                 | 33                            | 0.2           | 2.0         | 478                        | 0            | DKR        |
| L. A. Bourke domestic & stock     | 4N/64-21Q1                         | 9-64         |           | 4020                                       |     | 3.44                                      | 5.13           | 3.90        | 0.01          | 0.00                         | 10.48                           | 0.72                          | 1.51                | 0.53                          | 0.01          |             |                            |              | DKR        |
| S. K. Herzog Co. stock            | 4N/64-27R1                         | 9-64         |           | 584  |     | 8.0                                       | 4.4            | 76.0        | 5             | 0                            | 50.5                            | 24.0                          | 88.6                | 0                             | 0.4           | 2.0         | 380                        | 0            | DKR        |
|                                   |                                    | 3-65         |           | 1160                                       | 8.1 | 4.00                                      | 3.60           | 33.05       | 0.13          | 0.00                         | 8.28                            | 4.99                          | 24.99               | 0                             | 0.02          |             | 2384                       | 81           | DKR        |
|                                   |                                    | 3-65         |           | 1120                                       |     | 2.1                                       | 1.1            | 2.25        | 1             | 0                            | 3.04                            | 25                            | 4.29                | 0                             | 0.1           | 1.0         |                            |              | DKR        |
|                                   |                                    | 3-65         |           | 1120                                       | 8.4 | 1.05                                      | 0.94           | 9.80        | 0.03          | 0.00                         | 0.47                            | 0.33                          | 1.66                | 0.00                          | 0.01          |             |                            |              | DKR        |
|                                   |                                    | 3-65         |           | 584  |     | 4.0                                       | 2.6            | 18.0        | 2.2           | 5.4                          | 4.28                            | 15                            | 34                  | 0.96                          | 0.8           |             |                            |              | DKR        |
|                                   |                                    | 3-65         |           | 1120                                       |     | 1.98                                      | 2.14           | 7.85        | 0.06          | 0.18                         | 7.01                            | 0.32                          | 4.59                | 0.02                          | 0.01          |             | 204                        | 0            | DKR        |



TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                   | State well number and other number | Date sampled | Temp in °F | Specific conduct- (micro- mhos at 25° C) | pH           | Mineral constituents in — equivalents per million |                  |             |                 |  |                                   |                              |                 |                             |                | Total dis- solved in ppm | Per- cent dis- solved in ppm | Hardness as CaCO <sub>3</sub> | Analyzed by |             |                            |
|---------------------------------|------------------------------------|--------------|------------|--|--------------|---|------------------|-------------|-----------------|--|-----------------------------------|------------------------------|-----------------|-----------------------------|----------------|--------------------------|------------------------------|-------------------------------|-------------|-------------|----------------------------|
|                                 |                                    |              |            |  |              | Calcium (Ca)                                      | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Polys- sum (CO <sub>3</sub> , HCO <sub>3</sub> ) | Bicar- bonate (HCO <sub>3</sub> ) | Sul- fare (SO <sub>4</sub> ) | Chlo- ride (Cl) | Ni- tro- (NO <sub>3</sub> ) | Fluo- ride (F) |                          |                              |                               |             | Boron (B)   | Silico (SiO <sub>2</sub> ) |
| O. White irrigation & stock     | 4N/6W-5381                         | 3-65         | 8300       | 7.7                                      | 319<br>13,90 | 438<br>36,00                                      | 1160<br>49.57    | 21<br>0.56  | 0<br>0.00       | 531<br>8.70                                      | 8<br>0.17                         | 3347<br>94.40                | 3<br>0.05       | 0.1<br>0.01                 | 0.2            | 6460                     | 49                           | 2595                          | 2100        | DMR         |                            |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             |             | 9550<br>269.40             |
| Union Oil Co. Industrial        | 4N/7W-201                          | 3-65         | 21000      | 7.4                                      | 369<br>18.40 | 1920<br>158.00                                    | 30.0<br>131.00   | 60<br>1.02  | 0<br>0.00       | 113<br>1.85                                      | 10665<br>22.20                    | 10014<br>282.40              | 0<br>0.00       | 0.1<br>0.01                 | 0.8            | 19760                    | 8820                         | 8728                          | DMR         |             |                            |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             | 176<br>4.96 | 0                          |
| G. Hylee domestic & stock       | 5W/6W-2001                         | 3-65         | 1450       | 8.3                                      | 102<br>5.44  | 50<br>4.06  | 137<br>5.95      | 2.3<br>0.00 | 7.2<br>0.24     | 6.99<br>7.20                                     | 197<br>3.27                       | 167<br>4.70                  | 0<br>0.00       | 0.2<br>0.01                 | 0.3            | 6460                     | 49                           | 2595                          | 2100        | DMR         |                            |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             |             | 141<br>3.98                |
| N. J. Matzen domestic           | 5W/7W-803                          | 9-2-64       | 902        | 7.8                                      | 166<br>8.28  | 32<br>2.58  | 115<br>5.00      | 2<br>0.03   | 0<br>0.00       | 2.28<br>3.74                                     | 44<br>0.92                        | 345<br>9.73                  | 81<br>1.31      | 0.2<br>0.01                 | 0.0            | 6460                     | 49                           | 2595                          | 2100        | DMR         |                            |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             |             | 310<br>8.74                |
| Al's Barber Shop domestic       | 5W/7W-2013                         | 3-65         | 1550       | 7.8                                      | 166<br>8.28  | 32<br>2.58  | 115<br>5.00      | 2<br>0.03   | 0<br>0.00       | 2.28<br>3.74                                     | 44<br>0.92                        | 345<br>9.73                  | 81<br>1.31      | 0.2<br>0.01                 | 0.0            | 6460                     | 49                           | 2595                          | 2100        | DMR         |                            |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             |             | 310<br>8.74                |
| H. E. Clark dom., irr., & stock | 5W/7W-3422                         | 9-2-64       | 867        | 8.7                                      | 8<br>0.38    | 6<br>0.32   | 210<br>9.13      | 1.5<br>0.04 | 25.8<br>0.86    | 388<br>6.37                                      | 17<br>0.37                        | 75<br>2.13                   | 1<br>0.02       | 0.2<br>0.01                 | 0.1            | 6460                     | 49                           | 2595                          | 2100        | DMR         |                            |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             |             | 66                         |
| R. H. Sartori irrigation        | 5W/7W-2561                         | 9-64         | 559        | 8.2                                      | 27<br>1.35   | 34<br>2.79  | 36<br>1.57       | 3.3<br>0.08 | 0<br>0.00       | 236<br>3.87                                      | 20<br>0.42                        | 43<br>1.21                   | 12<br>0.19      | 0.1<br>0.0                  | 0.1            | 373                      | 27                           | 207                           | 13          | USGS        |                            |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             |             | 57<br>1.59                 |
| 3-65                            | 3-65                               | 660          | 7.9        | 58<br>2.89                               | 32<br>2.63   | 41<br>1.80  | 3<br>0.08        | 0<br>0.00   | 304<br>4.98     | 32<br>0.67                                       | 57<br>1.59                        | 16<br>0.16                   | 0.1<br>0.01     | 0.0                         | 0.1            | 373                      | 27                           | 207                           | 13          | DMR         |                            |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             |             | 159                        |
| E. P. Nunn domestic             | 3W/3W-1861                         | 9-22-64      | 1170       | 11.0                                     | 91<br>3.96   | 91<br>3.96  | 91<br>3.96       | 91<br>3.96  | 91<br>3.96      | 91<br>3.96                                       | 91<br>3.96                        | 91<br>3.96                   | 91<br>3.96      | 91<br>3.96                  | 91<br>3.96     | 148<br>4.18              | 16<br>0.22                   | 144<br>4.06                   | 12<br>0.19  | 0.2         | DMR                        |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             |             |                            |
| D. L. Pichene domestic          | 3W/3W-1862                         | 9-22-64      | 1380       | 11.0                                     | 103<br>4.46  | 103<br>4.46                                       | 103<br>4.46      | 103<br>4.46 | 103<br>4.46     | 103<br>4.46                                      | 103<br>4.46                       | 103<br>4.46                  | 103<br>4.46     | 103<br>4.46                 | 103<br>4.46    | 158<br>4.46              | 50<br>0.81                   | 158<br>4.46                   | 50<br>0.81  | 0.1         | DMR                        |
|                                 |                                    |              |            |  |              |   |                  |             |                 |  |                                   |                              |                 |                             |                |                          |                              |                               |             |             |                            |

TABLE E - I  
ANALYSES OF GROUND WATER

| Owner and use                | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos/cm @ 25° C) | pH | Mineral constituents in       |                |             |               |                                      |                                 |                            | parts per million |                            |              |              |                            | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> |       | Analyzed by |
|------------------------------|------------------------------------|--------------|------------|--|----|-------------------------------|----------------|-------------|---------------|--------------------------------------|---------------------------------|----------------------------|-------------------|----------------------------|--------------|--------------|----------------------------|-------------------------------|-------------------------------|-------|-------------|
|                              |                                    |              |            |  |    | Calcium (Ca)                  | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl)     | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Bromine (Br) | Silica (SiO <sub>2</sub> ) |                               | Other constituents            | Total |             |
| Napa County Airport domestic | 4N/4H-211                          | 9-25-64      | 803        |  |    | MARIA VALLEY (2-2.01) (cont.) |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               |                               | DMR   |             |
|                              |                                    |              |            |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               |                               |       |             |
| N. Rhodes domestic           | 4N/4H-5C1                          | 8-5-65       | 1810       |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
|                              |                                    | 9-25-64      | 313        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
| T. Raven domestic            | 4N/4H-5D2                          | 8-5-65       | 268        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
|                              |                                    | 9-25-64      | 752        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
| Press Wireless domestic      | 4N/4H-7A1                          | 8-5-65       | 711        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
|                              |                                    | 9-25-64      | 721        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
| P. Rogers domestic & stock   | 4N/4H-12B1                         | 8-5-65       | 773        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
|                              |                                    | 9-25-64      | 799        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
| G. Lawrence domestic & stock | 4N/4H-13E1                         | 8-5-65       | 840        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
|                              |                                    | 9-25-64      | 1570       |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
| V. Basham domestic           | 4N/4H-14C2                         | 8-5-65       | 1570       |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
|                              |                                    | 9-25-64      | 2270       |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
| M. L. George domestic        | 5N/4H-9Q2                          | 8-5-65       | 521        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
|                              |                                    | 9-25-64      | 714        | 8.1  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
| Silverado Motel domestic     | 5N/4H-11F3                         | 8-5-65       | 728        |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |
|                              |                                    | 9-25-64      | 3072       |  |    |                               |                |             |               |                                      |                                 |                            |                   |                            |              |              |                            |                               | DMR                           |       |             |





TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                           | State well number and other number | Date sampled | Temp in °F | Specific conduct- (micro- mhos at 25° C) | pH  | Mineral constituents in |                  |             |                 |                 |                              | parts per million                 |                 |                              |                | Total dis- solved in ppm | Per- cent dis- solved | Head- press- at CaCO <sub>3</sub> |                            | Analyz- ed by |                    |       |      |     |
|---|------------------------------------|--------------|------------|--|-----|-------------------------|------------------|-------------|-----------------|-----------------|------------------------------|-----------------------------------|-----------------|------------------------------|----------------|--------------------------|-----------------------|-----------------------------------|----------------------------|---------------|--------------------|-------|------|-----|
|   |                                    |              |            |  |     | Calcium (Ca)            | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Chlor- ide (Cl) | Sulf- ate (SO <sub>4</sub> ) | Bicor- bonate (HCO <sub>3</sub> ) | Chlor- ide (Cl) | Ni- trate (NO <sub>3</sub> ) | Fluor- ide (F) |                          |                       | Boron (B)                         | Silica (SiO <sub>2</sub> ) |               | Other constituents | Total | N.C. | ppm |
| D. Stamos domestic                      | 6N/6N-2651                         | 3-65         |            | 420                                      | 8.2 | 5.024                   | 0.10             | 3.60        | .83             | 0.21            | .8                           | 0.00                              | 162             | 2.42                         | 5.0            | 1.54                     | 0.00                  | 1.0                               | 0.05                       | 1.4           | 87                 | 17    | 0    | DWR |
|   |                                    |              |            |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      |     |
| Taylor domestic                         | 3N/1E-481                          | 9-24-64      | 1440       | 1420                                     |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      | DWR |
|   |                                    |              |            |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      |     |
| McHugh Livestock Co. stock              | 3N/1E-21D1                         | 9-24-64      | 1800       | 1800                                     |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      | DWR |
|   |                                    |              |            |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      |     |
| McHugh Livestock Co. domestic           | 3N/1E-22F2                         | 9-24-64      | 1900       | 1750                                     | 8.8 | 1.00                    | 2.36             | .29         | 338             | .36             | 426                          | 6.98                              |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      | DWR |
|   |                                    |              |            |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      |     |
| McHugh Livestock Co. Irrigation & stock | 3N/1E-22F3                         | 9-21-65      | 1480       | 1010                                     |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      | DWR |
|   |                                    |              |            |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      |     |
| C. Stewart domestic                     | 4N/1E-8F1                          | 9-21-65      | 994        | 3640                                     | 7.9 | 2.30                    | 2.00             | .74         | 125             | 0.00            | 237                          | 3.88                              |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      | DWR |
|   |                                    |              |            |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      |     |
| Fish & Game Commission domestic         | 4N/1E-33A1                         | 9-24-64      | 3650       | 1280                                     |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      | DWR |
|   |                                    |              |            |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      |     |
| Ireilly domestic                        | 4N/24-4D1                          | 9-24-64      | 1380       | 373                                      |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      | DWR |
|   |                                    |              |            |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      |     |
| Southern Pacific RR domestic            | 4N/24-502                          | 9-22-65      | 358        |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      | DWR |
|   |                                    |              |            |  |     |                         |                  |             |                 |                 |                              |                                   |                 |                              |                |                          |                       |                                   |                            |               |                    |       |      |     |



TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                     | State well number and other number | Date sampled | Temp in F | Specific conductance (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                |             |               |  |                                 |                            |               |                            |              | Total dissolved solids in ppm | Per cent total Hardness as CaCO <sub>3</sub> | Analyzed by |                            |                    |     |
|-----------------------------------|------------------------------------|--------------|-----------|--|-----|---|----------------|-------------|---------------|--|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|--|-------------|----------------------------|--------------------|-----|
|                                   |                                    |              |           |  |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium carbonate (CaCO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |  |             | Silica (SiO <sub>2</sub> ) | Other constituents |     |
| C. Corletto domestic & irrigation | 1N/1W-4A1                          | 7-20-64      |           | 627  | 8.1 | 105                                       | 3.8            | 29          | 0.7           | 0                                      | 284                             | 54                         | 25            | 10                         |              |                               | 357  | 18          | 278                        | 45                 | DHR |
|                                   |                                    | 9-23-65      |           | 597  | 8.2 | 5.26                                      | 0.31           | 1.26        | 0.02          | 0.00                                   | 4.65                            | 1.12                       | 0.70          | 0.16                       |              |                               |  | 20          | 266                        | 43                 | DHR |
| S.H. Cowell Irrigation            | 1N/1W-4R1                          | 7-20-64      |           | 1170                                       | 8.2 | 47  | 36             | 30          | 0             | 272                                    | 4.46                            | 26                         | 46            |                            |              |                               | 708  | 33          | 396                        | 154                | DHR |
|                                   |                                    | 9-23-65      |           | 1310                                       |     | 2.36                                      | 2.97           | 1.30        | 0.00          | 4.46                                   | 5.2                             | 1.06                       | 1.75          | 0.74                       |              |                               |  |             |                            |                    |     |
| F. Baker domestic                 | 2N/1W-30J1                         | 7-20-64      |           | 1020                                       | 8.2 | 167                                       | 6.3            | 56          | 0.7           | 0                                      | 434                             | 102                        | 49            | 27                         |              |                               | 617  | 22          | 443                        | 187                | DHR |
|                                   |                                    | 9-23-65      |           | 968  | 8.2 | 8.33                                      | 0.52           | 2.44        | 0.02          | 0.00                                   | 7.11                            | 2.12                       | 1.38          | 0.44                       |              |                               |  | 24          | 432                        | 101                | DHR |
| J. Oshrow gardening               | 2N/1W-30K1                         | 9-23-65      |           | 1360                                       |     | 4.04                                      | 4.59           | 2.78        | 0.00          | 6.92                                   | 1.44                            | 51                         | 1.44          |                            |              |                               |  |             |                            |                    | DHR |
|                                   |                                    | 7-20-64      |           | 1080                                       | 8.1 | 1.28                                      | 0.99           | 46          | 0.5           | 0                                      | 36.2                            | 76                         | 110           | 25                         |              |                               | 648  | 17          | 480                        | 183                | DHR |
| R. B. Oehlwe domestic             | 2N/2W-13Y1                         | 7-20-64      |           | 828  | 7.8 | 35  | 24             | 98          | 1.6           | 0                                      | 219                             | 44                         | 112           | 12                         |              |                               | 408  | 53          | 188                        | 8                  | DHR |
|                                   |                                    | 9-23-65      |           | 867  | 8.3 | 1.75                                      | 2.01           | 4.26        | 0.04          | 0.00                                   | 3.59                            | 0.92                       | 3.16          | 0.19                       |              |                               |  | 51          | 209                        | 15                 | DHR |
| Hartman domestic                  | 2N/2W-26B1                         | 7-20-64      |           | 431  | 3.3 | 20  | 18             | 36          | 2.0           | 0                                      | 102                             | 49                         | 45            | 0.0                        |              |                               | 237  | 39          | 122                        | 38                 | DHR |
|                                   |                                    | 9-23-65      |           | 1000                                       |     | 1.00                                      | 1.44           | 1.57        | 0.05          | 0.00                                   | 1.67                            | 1.02                       | 1.32          | 0.00                       |              |                               |  |             |                            |                    |     |
| J. D. Nallen domestic             | 2N/2W-26J1                         | 7-20-64      |           | 1230                                       | 8.4 | 140                                       | 3.4            | 119         | 0.6           | 4                                      | 319                             | 105                        | 150           | 49                         |              |                               | 734  | 42          | 364                        | 96                 | DHR |
|                                   |                                    | 9-23-65      |           | 1230                                       |     | 6.99                                      | 0.78           | 5.18        | 0.02          | 0.13                                   | 5.23                            | 2.19                       | 4.23          | 0.79                       |              |                               |  |             |                            |                    |     |
| A. Sobactant domestic             | 1N/1W-7K1                          | 7-20-64      |           | 2310                                       | 8.2 | 207                                       | 30             | 289         | 1.7           | 0                                      | 44.2                            | 531                        | 192           | 28                         |              |                               | 1620   | 49          | 642                        | 263                | DHR |
|                                   |                                    | 9-23-65      |           | 2260                                       | 8.3 | 10.33                                     | 2.50           | 12.57       | 0.04          | 0.00                                   | 7.57                            | 11.89                      | 5.56          | 0.47                       |              |                               |  | 53          | 589                        | 255                | DHR |



TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                            | State well number and other number | Date sampled | Temp. in °F | Specific conduct. (micro-mhos at 25° C) | pH           | Mineral constituents in equivalents per million |                 |              |               |                              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Headpress at CaCO <sub>3</sub> |                            | Analyzed by |
|--|------------------------------------|--------------|-------------|---|--------------|---|-----------------|--------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|--------------------------------|----------------------------|-------------|
|  |                                    |              |             |   |              | Calcium (Ca)                                    | Magne-sium (Mg) | Sodium (Na)  | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               | Boron (B)                      | Silica (SiO <sub>2</sub> ) |             |
| C. Landis domestic                       | 1N/1N-29C1                         | 7-20-64      | 2020        | 8.0                                     | 148<br>7.38  | 50<br>4.13                                      | 220<br>9.57     | 1.0<br>0.02  | 0<br>0.00     | 529<br>8.67                  | 238<br>4.96                     | 7.11                       | 24<br>0.39    | 1.0                        | 1210         | 45                            | 576                            | 142                        | DMR         |
|  |                                    | 9-23-65      | 2030        | 8.0                                     | 175<br>6.74  | 48<br>10.35                                     | 338<br>10.35    | 0<br>0.00    | 560<br>8.85   | 0                            | 560                             | 358<br>7.28                | 258           | 0.9                        | 46           | 594                           | 151                            | 0                          | DMR         |
| C. Hook domestic                         | 1N/2N-11N1                         | 7-20-64      | 1200        | 8.4                                     | 118<br>5.89  | 1.2<br>1.02                                     | 3.0<br>2.78     | 0.11<br>0.08 | 4.80<br>7.87  | 28<br>0.58                   | 131<br>3.70                     | 131<br>3.70                | 0.0           | 1.3                        | 700          | 45                            | 346                            | 0                          | DMR         |
|  |                                    | 9-23-65      | 1130        | 8.4                                     | 72<br>3.55   | 34<br>5.87                                      | 135<br>3.58     | 10<br>0.33   | 461<br>7.56   | 0                            | 461                             | 123<br>3.47                | 123           | 0.0                        | 48           | 318                           | 0                              | 0                          | DMR         |
| J. E. Wells domestic & irrigation        | 1N/2N-13P1                         | 7-20-64      | 1540        | 7.8                                     | 121<br>6.04  | 62<br>5.13                                      | 125<br>3.44     | 0.4<br>0.01  | 595<br>9.77   | 109<br>2.27                  | 146<br>3.27                     | 146<br>3.27                | 38<br>0.81    | 1.3                        | 926          | 33                            | 559                            | 70                         | DMR         |
|  |                                    | 9-23-65      | 1430        | 14.30                                   |              |   |                 |              |               |                              |                                 |                            |               |                            |              |                               |                                |                            | DMR         |
| F. H. Dunham domestic                    | 2N/2N-27R1                         | 7-20-64      | 1730        | 8.5                                     | 111<br>0.55  | 34<br>2.83                                      | 308<br>13.40    | 4.7<br>0.12  | 30<br>1.00    | 419<br>6.87                  | 0.0                             | 324<br>9.14                | 0.0           | 6.7                        | 979          | 79                            | 169                            | 0                          | DMR         |
|  |                                    | 9-22-65      | 1680        | 8.5                                     | 40<br>2.00   | 30<br>2.46                                      | 295<br>12.83    | 18<br>0.60   | 472<br>7.74   | 0                            | 472                             | 281<br>8.21                | 281           | 0.0                        | 74           | 223                           | 0                              | 0                          | DMR         |
| A. Buceaglia domestic                    | 2N/2N-36E1                         | 7-20-64      | 3240        | 7.8                                     | 256<br>12.77 | 131<br>10.81                                    | 262<br>11.40    | 0.9<br>0.02  | 626<br>10.26  | 415<br>8.64                  | 495<br>13.96                    | 495                        | 120           | 1.3                        | 2150         | 32                            | 1180                           | 667                        | DMR         |
|  |                                    | 9-22-65      | 3280        |   |              |   |                 |              |               |                              |                                 |                            |               |                            |              |                               |                                |                            | DMR         |
| S. Rock domestic                         | 2N/2N-36E2                         | 7-20-64      | 1730        | 8.2                                     | 212<br>10.38 | 38<br>3.17                                      | 105<br>4.37     | 1.6<br>0.04  | 626<br>10.26  | 38<br>0.79                   | 253<br>7.11                     | 253                        | 5.1           | 0.5                        | 1030         | 25                            | 688                            | 175                        | DMR         |
|  |                                    | 9-22-65      | 1700        | 8.4                                     | 130<br>6.89  | 90<br>7.38                                      | 500<br>5.00     | 8<br>0.27    | 590<br>9.67   | 0                            | 590                             | 7.19                       | 0.08          | 0.4                        | 26           | 694                           | 197                            | 0                          | DMR         |
| Manasse Block Tanning Co. Industrial     | 1S/4N-6A1                          | 6-22-65      | 1290        | 8.5                                     | 94<br>4.69   | 56<br>4.58                                      | 95<br>4.13      | 1.6<br>0.04  | 8<br>0.27     | 343<br>5.62                  | 98<br>2.04                      | 176<br>4.96                | 27<br>0.44    | 0.1                        | 855          | 31                            | 464                            | 170                        | DMR         |
|  |                                    | 6-22-65      | 67          | 10.10                                   | 8.6          | 35<br>1.75                                      | 28<br>2.31      | 2.7<br>0.07  | 14<br>3.84    | 234<br>0.58                  | 28<br>0.58                      | 164<br>4.63                | 11<br>0.18    | 0.2                        | 518          | 58                            | 20                             | 0                          | DMR         |
| A. Ratto irrigation                      | 2S/3N-28C1                         | 6-22-65      | 1070        | 8.0                                     | 71<br>3.34   | 27<br>2.23                                      | 46<br>3.95      | 3.6<br>0.09  | 0<br>0.00     | 219<br>3.59                  | 44<br>0.92                      | 186<br>5.25                | 0.6           | 0.3                        | 684          | 42                            | 289                            | 109                        | DMR         |
|  |                                    | 6-22-65      | 1120        | 8.1                                     | 70<br>3.49   | 26<br>2.12                                      | 110<br>4.78     | 3.6<br>0.09  | 0<br>0.00     | 227<br>3.72                  | 39<br>0.81                      | 211<br>5.95                | 0.4           | 0.3                        | 709          | 46                            | 281                            | 95                         | DMR         |
| Alameda Municipal Golf Course irrigation | 2S/3N-30A1                         | 6-22-65      |             |   |              |   |                 |              |               |                              |                                 |                            |               |                            |              |                               |                                |                            | DMR         |



TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                                   | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25° C) | pH | Mineral constituents, in parts per million |                |             |               |                                 |                            |               |                            |              |             | Total dissolved solids in ppm | Hardness of CaCO <sub>3</sub> | Analyzed by |
|---|------------------------------------|--------------|------------|--|----|--|----------------|-------------|---------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------|-------------------------------|-------------------------------|-------------|
|   |                                    |              |            |  |    | Calcium (Ca)                               | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Barium (Ba) |                               |                               |             |
| SANTA CLARA VALLEY - EAST BAY. (2-9-61) (Cont.) |                                    |              |            |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               |                               |             |
| Southern Pacific RR Irrigation                  | 4S/1W-7P2                          | 10-64        | 943        |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 3-29-65      | 1050       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               |                               | DAR         |
|   |                                    | 9-20-65      | 898        |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               |                               | DAR         |
| Southern Pacific RR Irrigation                  | 4S/1W-7R1                          | 10-64        | 1160       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 3-29-65      | 1740       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 9-17-65      | 1620       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               |                               | DAR         |
| Decoto Masonic Home dom., farm, & garden        | 4S/1W-7R5                          | 10-64        | 905        |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 3-15-65      | 1040       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 9-15-65      | 1030       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               |                               | DAR         |
| J. S. Andrade Irrigation                        | 4S/1W-17E2                         | 3-65         | 2070       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 9-15-65      | 1440       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 10-64        | 907        |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
| H. Faria Irrigation                             | 4S/1W-18C2                         | 3-15-65      | 1130       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 9-15-65      | 1150       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 10-64        | 1440       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
| Pacific States Steel Industrial                 | 4S/1W-18C1                         | 3-11-65      | 1730       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 9-15-65      | 1560       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    | 3-24-65      | 3490       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
| American Forge Co. Industrial                   | 4S/1W-18H3                         | 9-16-65      | 3340       |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |
|   |                                    |              |            |  |    |  |                |             |               |                                 |                            |               |                            |              |             |                               | DAR                           |             |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                               | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25 °C) | pH          | Mineral constituents in parts per million - equivalents per million |                |             |               |                                 |                            |               |                            |              |           |                            | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> ppm | Analyzed by |
|---|------------------------------------|--------------|------------|--|-------------|---|----------------|-------------|---------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|----------------------------|-------------------------------|-----------------------------------|-------------|
|   |                                    |              |            |  |             | Calcium (Ca)  | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) | Silica (SiO <sub>2</sub> ) |                               |                                   |             |
| M. Rose Irrigation & domestic               | 4S/1W-18W7                         | 10-64        | 2180       | 7.8  | 164<br>8.18 | 103<br>8.48   | 72<br>3.13     | 3.9<br>0.10 | 0<br>0.00     | 81<br>1.33                      | 56<br>1.17                 | 580<br>16.36  | 4.6<br>0.07                | 0.0          | 14.50     | 834                        | 768                           | DIRR                              |             |
|   |                                    | 3-16-65      | 1610       | 8.3  | 146<br>7.28 | 62<br>5.11  | 60<br>2.61     | 3.0<br>0.08 | 0<br>0.00     | 220<br>3.60                     | 66<br>1.37                 | 360<br>10.16  | 3.4<br>0.05                | 0.3          | 1200      | 620                        | 440                           | DIRR                              |             |
| Rhodes - Jameleon Industrial & Irr.         | 4S/1W-19A1                         | 10-5-64      | 958        | 8.3  | 167<br>4.54 | 183<br>5.16   | 41<br>1.16     | 7.70        | 167<br>4.71   | 133<br>3.75                     | 3.5<br>0.06                | 0.4           | 0.5                        | 309          | 58        | 170                        | 36                            | DIRR                              |             |
|   |                                    | 10-64        | 1080       | 8.6  | 129<br>3.64 | 129<br>3.64   | 82<br>2.31     | 236<br>6.83 | 63<br>1.86    | 41<br>1.16                      | 1.86<br>0.02               | 0.02          | 0.5                        | 309          | 58        | 170                        | 36                            | DIRR                              |             |
| Santa Cruz Portland Cement Co. not in use   | 4S/1W-20D2                         | 3-16-65      | 626        | 8.2  | 39<br>1.95  | 18<br>1.45  | 48<br>2.09     | 2.1<br>0.05 | 0<br>0.00     | 1.03<br>2.67                    | 41<br>0.95                 | 66<br>1.86    | 1.6<br>0.02                | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |
|   |                                    | 9-15-65      | 1350       | 8.2  | 135<br>3.49 | 78<br>2.30  | 42<br>1.83     | 2.6<br>0.07 | 0<br>0.00     | 236<br>6.83                     | 63<br>1.86                 | 41<br>1.16    | 1.86<br>0.02               | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |
| California Nursery Co. Industrial           | 4S/1W-20E1                         | 10-2-64      | 940        | 8.2  | 135<br>3.49 | 78<br>2.30  | 42<br>1.83     | 2.6<br>0.07 | 0<br>0.00     | 236<br>6.83                     | 63<br>1.86                 | 41<br>1.16    | 1.86<br>0.02               | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |
|   |                                    | 3-30-65      | 866        | 8.2  | 135<br>3.49 | 78<br>2.30  | 42<br>1.83     | 2.6<br>0.07 | 0<br>0.00     | 236<br>6.83                     | 63<br>1.86                 | 41<br>1.16    | 1.86<br>0.02               | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |
| Clements Construction Industrial            | 4S/1W-20N3                         | 10-23-64     | 771        | 7.5  | 70<br>3.49  | 28<br>2.30  | 42<br>1.83     | 2.6<br>0.07 | 0<br>0.00     | 236<br>6.83                     | 63<br>1.86                 | 41<br>1.16    | 1.86<br>0.02               | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |
|   |                                    | 9-15-65      | 818        | 8.2  | 135<br>3.49 | 78<br>2.30  | 42<br>1.83     | 2.6<br>0.07 | 0<br>0.00     | 236<br>6.83                     | 63<br>1.86                 | 41<br>1.16    | 1.86<br>0.02               | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |
| Pacific Cement & Aggregate, Inc. Industrial | 4S/1W-20N5                         | 10-64        | 1480       | 8.2  | 135<br>3.49 | 78<br>2.30  | 42<br>1.83     | 2.6<br>0.07 | 0<br>0.00     | 236<br>6.83                     | 63<br>1.86                 | 41<br>1.16    | 1.86<br>0.02               | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |
|   |                                    | 8-17-64      | 580        | 8.2  | 135<br>3.49 | 78<br>2.30  | 42<br>1.83     | 2.6<br>0.07 | 0<br>0.00     | 236<br>6.83                     | 63<br>1.86                 | 41<br>1.16    | 1.86<br>0.02               | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |
| Citizen's Utilities municipal               | 4S/1W-21F2                         | 10-2-64      | 598        | 8.2  | 135<br>3.49 | 78<br>2.30  | 42<br>1.83     | 2.6<br>0.07 | 0<br>0.00     | 236<br>6.83                     | 63<br>1.86                 | 41<br>1.16    | 1.86<br>0.02               | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |
|   |                                    | 10-2-64      | 598        | 8.2  | 135<br>3.49 | 78<br>2.30  | 42<br>1.83     | 2.6<br>0.07 | 0<br>0.00     | 236<br>6.83                     | 63<br>1.86                 | 41<br>1.16    | 1.86<br>0.02               | 0.5          | 309       | 58                         | 170                           | 36                                | DIRR        |





**TABLE E-1**  
**ANALYSES OF GROUND WATER**

| Owner and use                           | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos per 25° C) | pH   | Mineral constituents in parts per million |                  |             |                 |                                |                                   |                              |                 |                              |                | Total dissolved solids in ppm | Per cent sodium | Hardness as CaCO <sub>3</sub> |                            | Analyzed by |                    |
|---|------------------------------------|--------------|------------|---|------|---|------------------|-------------|-----------------|--------------------------------|-----------------------------------|------------------------------|-----------------|------------------------------|----------------|-------------------------------|-----------------|-------------------------------|----------------------------|-------------|--------------------|
|   |                                    |              |            |   |      | Calcium (Ca)                              | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Carbon- ate (CO <sub>3</sub> ) | Bicar- bonate (HCO <sub>3</sub> ) | Sul- fide (SO <sub>4</sub> ) | Chlo- ride (Cl) | Ni- trate (NO <sub>3</sub> ) | Fluo- ride (F) |                               |                 | Boron (B)                     | Silica (SiO <sub>2</sub> ) |             | Other constituents |
| A. J. Rezende Irrigation                | 4S/1W-2282                         | 10-21-64     | 8.2        | 1210  | 8.2  | 1.4                                       | 19               | 235         | 7.6             | 0                              | 386                               | 46                           | 72              | 2.0                          |                | 3.7                           | 726             | 115                           | 0                          | DAR         |                    |
|   |                                    | 3-14-65      | 1440       |   | 0.70 | 1.60                                      | 10.22            | 0.19        | 0.00            | 9.60                           | 0.96                              | 2.03                         | 0.03            |                              |                |                               |                 |                               |                            | DAR         |                    |
|   |                                    | 9-15-65      | 826        | 8.4   | 34   | 18  | 112              | 5.8         | 4               | 311                            | 62                                | 56                           | 5.2             |                              |                | 1.2                           | 462             | 59                            | 0                          | DAR         |                    |
|   |                                    | 3-24-65      | 777        |   | 1.70 | 1.50                                      | 4.87             | 0.15        | 0.13            | 5.10                           | 1.29                              | 1.52                         | 0.08            |                              |                |                               |                 |                               |                            | DAR         |                    |
|   |                                    | 9-15-65      | 819        | 8.0   | 58   | 33  | 62               | 2.1         | 0               | 328                            | 72                                | 48                           | 7.3             |                              |                | 0.8                           | 453             | 32                            | 280                        | 11          | DAR                |
| Alameda County Water District Municipal | 4S/1W-28014                        | 10-2-64      | 522        | 7.9   | 31   | 23  | 42               | 2.4         | 0               | 189                            | 50                                | 32                           | 4.2             |                              |                | 0.3                           | 297             | 36                            | 162                        | 7           | DAR                |
|   |                                    | 3-15-65      | 674        |   | 1.55 | 1.69                                      | 1.83             | 0.06        | 0.00            | 3.10                           | 1.04                              | 0.90                         | 0.07            |                              |                |                               |                 |                               |                            | DAR         |                    |
|   |                                    | 9-15-65      | 653        | 8.2   | 56   | 21  | 45               | 2.3         | 0               | 256                            | 52                                | 39                           | 3.6             |                              |                | 0.4                           | 339             | 30                            | 227                        | 17          | DAR                |
| Bodilly domestic & irrigation           | 4S/1W-28104                        | 10-64        | 910        | 8.6   | 88   | 38  | 44               | 2.2         | 11              | 260                            | 78                                | 105                          | 4.0             |                              |                | 0.5                           | 555             | 20                            | 378                        | 146         | DAR                |
|   |                                    | 3-16-65      | 857        |   | 4.39 | 3.16                                      | 1.91             | 0.06        | 0.37            | 4.26                           | 1.62                              | 2.96                         | 0.06            |                              |                |                               |                 |                               |                            | DAR         |                    |
|   |                                    | 9-15-65      | 849        | 8.6   | 79   | 33  | 64               | 2.6         | 13              | 250                            | 70                                | 91                           | 2.5             |                              |                | 0.6                           | 489             | 23                            | 335                        | 109         | DAR                |
| Alameda County Water District Municipal | 4S/1W-28109                        | 10-2-64      | 718        |   | 3.94 | 2.75                                      | 1.91             | 0.07        | 0.43            | 4.10                           | 1.46                              | 2.57                         |                 |                              |                |                               |                 |                               |                            | DAR         |                    |
|   |                                    | 3-16-65      | 730        |   |      |   |                  |             |                 |                                |                                   |                              |                 |                              |                |                               |                 |                               |                            | DAR         |                    |
|   |                                    | 9-15-65      | 738        |   |      |   |                  |             |                 |                                |                                   |                              |                 |                              |                |                               |                 |                               |                            | DAR         |                    |
|   |                                    | 10-1-64      | 483        |   | 36   | 15  | 63               | 1.6         | 0               | 193                            | 38                                | 26                           | 2.2             |                              |                | 0.3                           | 267             | 38                            | 151                        | 0           | DAR                |
| Washington Township Hospital domestic   | 4S/1W-28105                        | 3-30-65      | 574        |   | 1.80 | 1.22                                      | 1.87             | 0.04        | 0.00            | 3.10                           | 0.79                              | 0.73                         | 0.04            |                              |                |                               |                 |                               |                            | DAR         |                    |
|   |                                    | 9-15-65      | 539        | 8.3   | 38   | 17  | 46               | 2.0         | 0               | 219                            | 40                                | 26                           | 2.5             |                              |                | 0.3                           | 280             | 37                            | 165                        | 0           | DAR                |
|   |                                    | 10-26-64     | 2150       |   | 1.90 | 1.40                                      | 2.00             | 0.05        | 0.00            | 3.59                           | 0.83                              | 3.35                         | 0.73            |                              |                |                               |                 |                               |                            | DAR         |                    |
| Perk Place Irrigation                   | 4S/1W-28111                        | 10-26-64     | 2150       |   |      |   |                  |             |                 |                                |                                   |                              |                 |                              |                |                               |                 |                               |                            | DAR         |                    |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                           | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25° C) | pH | Mineral constituents in parts per million      |                |             |               |                            |                                 |               |                            |              |             | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> | Analyzed by |                            |           |
|---|------------------------------------|--------------|------------|--|----|--|----------------|-------------|---------------|----------------------------|---------------------------------|---------------|----------------------------|--------------|-------------|-------------------------------|-------------------------------|-------------|----------------------------|-----------|
|   |                                    |              |            |  |    | Calcium (Ca)                                   | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Sulfate (SO <sub>4</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Barium (Ba) |                               |                               |             | Other constituents         |           |
|   |                                    |              |            |  |    |  |                |             |               |                            |                                 |               |                            |              |             |                               |                               |             | Silica (SiO <sub>2</sub> ) | Total ppm |
|   |                                    |              |            |  |    | SANTA CLARA VALLEY - EAST BAY (C-5-01) (Cont.) |                |             |               |                            |                                 |               |                            |              |             |                               |                               |             |                            |           |
|   | 45/14-2811 (Cont.)                 | 3-28-65      | 2020       |  |    | 138  | 69             | 106         | 3.2           | 0                          | 300                             | 173           | 160                        | 87           | 0.6         |                               |                               |             | DMR                        |           |
|   |                                    | 9-15-65      | 2040       |  |    | 689  | 5,06           | 4,61        | 0.08          | 0.00                       | 8.20                            | 3,60          | 3,95                       | 1,40         |             |                               |                               |             | DMR                        |           |
|   | 45/14-2811                         | 9-20-65      | 1430       |  |    |  |                |             |               |                            |                                 |               |                            |              |             |                               |                               |             | DMR                        |           |
| F. Iacola domestic & irrigation         | 45/14-2811                         | 9-20-65      | 1630       | 8.3  |    |  |                |             |               |                            |                                 |               |                            |              |             |                               |                               |             | DMR                        |           |
| L. S. Williams domestic                 | 45/14-2811                         | 9-20-65      | 2380       | 8.1  |    | 182  | 102            | 154         | 3.6           | 0                          | 516                             | 93            | 401                        | 48           |             |                               |                               |             | DMR                        |           |
| C. Caldero domestic                     | 45/14-2918                         | 10-64        | 2200       |  |    | 9,08   | 8,40           | 6,70        | 0.09          | 0.00                       | 8,46                            | 1,94          | 13,00                      | 0.77         |             | ABS 0.0                       |                               |             | DMR                        |           |
|   |                                    | 3-16-65      |            |  |    |  |                |             |               |                            |                                 |               |                            |              |             |                               |                               |             | DMR                        |           |
|   |                                    | 9-15-65      | 2720       | 8.3  |    | 197  | 115            | 176         | 4.4           | 0                          | 428                             | 84            | 625                        | 48           | 0.8         |                               |                               |             | DMR                        |           |
|   |                                    | 9-15-65      | 1720       | 8.1  |    | 211  | 30             | 66          | 3.6           | 0                          | 77                              | 53            | 464                        | 30           | 0.3         |                               |                               |             | DMR                        |           |
| Alameda County Water District municipal | 45/14-29112                        | 10-21-64     | 2020       |  |    | 10,33  | 2,44           | 2,87        | 0.09          | 0.00                       | 1,26                            | 1,10          | 13,09                      | 0.48         |             | ABS 0.0                       |                               |             | DMR                        |           |
|   |                                    | 3-26-65      |            |  |    |  |                |             |               |                            |                                 |               |                            |              |             |                               |                               |             | DMR                        |           |
|   |                                    | 9-16-65      | 2490       | 7.8  |    | 245  | 97             | 62          | 3.7           | 0                          | 192                             | 48            | 647                        | 0.12         | 0.3         |                               |                               |             | DMR                        |           |
|   |                                    | 10-5-64      | 741        | 8.3  |    | 12,22  | 7,96           | 2,70        | 0.09          | 0.00                       | 3,15                            | 1,00          | 18,25                      | 7.6          |             |                               |                               |             | DMR                        |           |
| Alameda County Water District municipal | 48/14-3083                         | 3-16-65      | 767        |  |    | 46   | 16             | 78          | 1.8           | 0                          | 166                             | 46            | 111                        | 2.4          | 0.4         | ABS 0.0                       |                               |             | DMR                        |           |
|   |                                    | 9-15-65      | 973        | 8.6  |    | 71   | 18             | 93          | 2.2           | 12                         | 186                             | 48            | 160                        | 2.5          | 0.3         |                               |                               |             | DMR                        |           |
| K. Sokkigahama irrigation               | 48/14-3083                         | 9-20-65      | 1090       |  |    | 3,34   | 1,46           | 4,04        | 0.06          | 0.40                       | 3,02                            | 1,00          | 4,31                       | 0.04         |             |                               |                               |             | DMR                        |           |
| Ilkamaon domestic                       | 48/14-3142                         | 10-20-64     | 1560       |  |    |  |                |             |               |                            |                                 |               |                            |              |             |                               |                               |             | DMR                        |           |
|   |                                    | 3-23-65      | 1770       |  |    |  |                |             |               |                            |                                 |               |                            |              |             |                               |                               |             | DMR                        |           |
|   |                                    | 9-15-65      | 2230       |  |    |  |                |             |               |                            |                                 |               |                            |              |             |                               |                               |             | DMR                        |           |



TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                                  | State well number and other number | Date sampled | Temp in °F | Specific conduct- (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                  |             |                 |                                |                                   | Total dis- solved in ppm | Parti- cles and silt in ppm | Hardness as CaCO <sub>3</sub> |                 | Analyzed by |                              |               |           |                            |
|--|------------------------------------|--------------|------------|---|-----|---|------------------|-------------|-----------------|--------------------------------|-----------------------------------|--------------------------|-----------------------------|-------------------------------|-----------------|-------------|------------------------------|---------------|-----------|----------------------------|
|  |                                    |              |            |   |     | Calcium (Ca)                              | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Carbon- ate (CO <sub>3</sub> ) | Bicar- bonate (HCO <sub>3</sub> ) |                          |                             | Sul- fate (SO <sub>4</sub> )  | Chlo- ride (Cl) |             | Ni- trate (NO <sub>3</sub> ) | Flo- ride (F) | Boron (B) | Silica (SiO <sub>2</sub> ) |
| SANTA CLARA VALLEY - EAST BRK (2-9-01) (Cont.) |                                    |              |            |   |     |   |                  |             |                 |                                |                                   |                          |                             |                               |                 |             |                              |               |           |                            |
| Alameda County Water District Municipal        | 4S/1W-3183                         | 10-2-64      | 7.9        | 939                                     | 7.9 | 64  | 31               | 59          | 2.5             | 0.0                            | 92                                | 51                       | 192                         | 5.5                           | 0.3             | 562         | 31                           | 286           | 211       | DWR                        |
|  |                                    | 9-15-65      | 788        | 8.3                                     | 788 | 8.3                                       | 42               | 22          | 85              | 2.3                            | 0                                 | 250                      | 57                          | 80                            | 3.6             | 0.4         | 428                          | 48            | 197       | 0                          |
| F. Batschart domestic & irrigation             | 4S/1W-3245                         | 10-64        | 2730       | 2730                                    | 7.7 | 122                                       | 42               | 131         | 3.0             | 0                              | 88                                | 38                       | 144                         | 1.1                           | 0               | 1120        | 478                          | 407           |           | DWR                        |
|  |                                    | 3-17-65      | 3080       | 3080                                    | 7.7 | 610                                       | 345              | 570         | 0.08            | 0.00                           | 144                               | 0.79                     | 17.52                       | 0.02                          | 0               |             |                              |               |           |                            |
| Alameda County Water District Municipal        | 4S/1W-3321                         | 10-21-64     | 1740       | 1740                                    | 7.7 | 122                                       | 42               | 131         | 3.0             | 0                              | 88                                | 38                       | 144                         | 1.1                           | 0               | 1120        | 478                          | 407           |           | DWR                        |
|  |                                    | 3-31-65      | 1540       | 1540                                    | 7.7 | 610                                       | 345              | 570         | 0.08            | 0.00                           | 144                               | 0.79                     | 17.52                       | 0.02                          | 0               |             |                              |               |           |                            |
| L. S. Williams irrigation                      | 4S/1W-3331                         | 10-22-64     | 964        | 964                                     | 7.9 | 32  | 47               | 91          | 3.0             | 0                              | 255                               | 91                       | 75                          | 64                            | 0.4             | 561         | 274                          | 65            |           | DWR                        |
|  |                                    | 3-65         | 1120       | 1120                                    | 7.9 | 160                                       | 387              | 396         | 0.08            | 0.00                           | 418                               | 1.89                     | 2.12                        | 1.03                          | 0.4             |             |                              |               |           |                            |
| J. Pionetta domestic & irrigation              | 4S/1W-3331                         | 9-15-65      | 1010       | 1010                                    | 8.3 | 39  | 51               | 88          | 3.0             | 0                              | 264                               | 117                      | 88                          | 63                            | 0.6             | 582         | 38                           | 308           | 92        | DWR                        |
|  |                                    | 10-26-64     | 4760       | 4760                                    | 8.3 | 135                                       | 420              | 383         | 0.08            | 0.00                           | 433                               | 2.44                     | 2.48                        | 0.69                          | 0.6             |             |                              |               |           |                            |
| R. Clarta domestic & irrigation                | 4S/1W-3381                         | 10-64        | 1200       | 1200                                    | 8.3 | 39  | 63               | 129         | 3.2             | 0                              | 481                               | 84                       | 91                          | 55                            | 0.9             | 714         | 44                           | 359           | 0         | DWR                        |
|  |                                    | 3-17-65      | 1520       | 1520                                    | 8.3 | 195                                       | 522              | 561         | 0.08            | 0.00                           | 756                               | 1.75                     | 2.57                        | 0.89                          | 0.9             |             |                              |               |           |                            |
| 8. Rose domestic                               | 4S/1W-3404                         | 10-6-64      | 1320       | 1320                                    | 7.9 | 88  | 52               | 98          | 2.6             | 0                              | 324                               | 38                       | 184                         | 86                            | 0.0             | 805         | 436                          | 170           |           | DWR                        |
|  |                                    | 3-17-65      | 1400       | 1400                                    | 7.9 | 439                                       | 432              | 426         | 0.07            | 0.00                           | 531                               | 0.79                     | 5.19                        | 1.39                          | 0.0             |             |                              |               |           |                            |
| O. N. Hirsch irrigation                        | 4S/1W-3482                         | 9-15-65      | 1190       | 1190                                    | 8.3 | 97  | 60               | 82          | 2.3             | 0                              | 408                               | 31                       | 133                         | 37                            | 0.1             | 639         | 30                           | 408           | 74        | DWR                        |
|  |                                    | 10-1-64      | 585        | 585                                     | 7.9 | 484                                       | 331              | 357         | 0.06            | 0.00                           | 609                               | 0.64                     | 3.73                        | 0.60                          | 0.0             |             |                              |               |           |                            |
|  |                                    |              |            |   |     | 120                                       | 146              | 326         | 0.05            | 0.00                           | 453                               | 0.31                     | 1.02                        | 0.01                          |                 |             |                              |               |           | DWR                        |





**TABLE E-1**  
**ANALYSES OF GROUND WATER**

| Owner and use                            | State well number and other number | Date sampled | Temp. in °F | Specific conductance in micromhos at 25°C | pH | Mineral constituents in parts per million equivalents per million |                |             |               |  |                                 |                            | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub><br>Total ppm | Analyzed by |               |                            |
|--|------------------------------------|--------------|-------------|---|----|---|----------------|-------------|---------------|--|---------------------------------|----------------------------|-------------------------------|--|-------------|---------------|----------------------------|
|  |                                    |              |             |   |    | Calcium (Ca)  | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium carbonate (CaCO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) |                               |  |             | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) |
|  |                                    |              |             |   |    | SANTA CLARA VALLEY - EAST WAY (2-9-01) (cont.)                    |                |             |               |  |                                 |                            |                               |  |             |               |                            |
| Alameda County Water District municipal  | 4S/24-12C1 (Cont.)                 | 9-15-65      | 606         |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
| Western Pacific RR domestic & irrigation | 4S/24-12N4                         | 9-15-65      | 1070        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
| Western Pacific RR irrigation            | 4S/24-12Z2                         | 10-7-64      | 955         |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
|  |                                    | 3-65         | 537         |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
|  |                                    | 9-15-65      | 955         |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
| Logan High School irrigation             | 4S/24-13A1                         | 10-7-64      | 1370        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
| J. May irrigation                        | 4S/24-13C2                         | 10-7-64      | 2060        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
|  |                                    | 3-31-65      | 1350        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
|  |                                    | 9-15-65      | 1710        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
| C. Conno irrigation                      | 4S/24-13E2                         | 10-64        | 4200        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
|  |                                    | 3-19-65      | 2740        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
|  |                                    | 9-15-65      | 2080        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
| W. Sliva domestic                        | 4S/24-13E5                         | 3-31-65      | 854         |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
| T. E. Harvey irrigation                  | 4S/24-14E1                         | 10-12-64     | 4531        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
|  |                                    | 3-19-65      | 4830        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
|  |                                    | 9-15-65      | 5100        |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |
| A. Garton domestic & irrigation          | 4S/24-14J1                         | 10-9-64      | 656         |   |    |   |                |             |               |  |                                 |                            |                               |  |             |               | DMR                        |

**TABLE E-1**  
**ANALYSES OF GROUND WATER**

| Owner and use                  | State well number and other number | Date sampled | Temp in F | Specific conductance (micro-mhos per 25 C) | pH  | Mineral constituents in equivalents per million   |                  |             |                 |   |                                 |                              |                 |                              |                | Total dissolved solids in ppm | Total inorganic solids in ppm | Hardness as CaCO <sub>3</sub> |                                  | Analyzed by |                    |
|--------------------------------|------------------------------------|--------------|-----------|--|-----|---|------------------|-------------|-----------------|---|---------------------------------|------------------------------|-----------------|------------------------------|----------------|-------------------------------|-------------------------------|-------------------------------|----------------------------------|-------------|--------------------|
|                                |                                    |              |           |  |     | Calcium (Ca)                                      | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Calcium- Carbon- ate (CaCO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sul- fate (SO <sub>4</sub> ) | Chlo- ride (Cl) | Nit- rate (NO <sub>3</sub> ) | Fluor- ide (F) |                               |                               | Boron (B)                     | Silico- nite (SiO <sub>2</sub> ) |             | Other constituents |
| A. Caeon domestic & irrigation | 45/24-1411                         | 3-19-65      |           | 838  |     | SANTA CLARA VALLEY - EAST BAY (2-19-61) (Cont'd.) |                  |             |                 |   |                                 |                              |                 |                              |                |                               |                               |                               |                                  | DHR         |                    |
|                                |                                    | 9-15-65      |           | 922  | 8.2 | 62  | 4.9              | 4.8         | 2.6             | 0   | 307                             | 5.8                          | 69              | 1.95                         | 11             | 0.3                           | 563                           | 22                            | 355                              | 103         | DHR                |
|                                |                                    | 10-64        |           | 472  | 8.1 | 32  | 1.4              | 38          | 1.9             | 0   | 185                             | 43                           | 35              | 8.7                          | 0.39           | 0.14                          | 274                           | 37                            | 140                              | 14          | DHR                |
|                                |                                    | 3-19-65      |           | 628  |     | 160   | 1.70             | 1.65        | 0.05            | 0.00                                      | 2.52                            | 0.90                         | 33              | 0.93                         |                |                               |                               |                               |                                  |             | DHR                |
|                                |                                    | 9-15-65      |           | 667  | 8.5 | 38  | 2.8              | 3.7         | 2.4             | 7   | 284                             | 42                           | 33              | 11                           | 0.33           | 0.18                          | 368                           | 23                            | 262                              | 29          | DHR                |
| King Irrigation                | 45/24-1514                         | 10-20-64     |           | 585  | 8.3 | 63  | 1.1              | 4.0         | 3.1             | 0   | 179                             | 60                           | 51              | 1.8                          | 0.29           | 352                           | 29                            | 204                           | 57                               | DHR         |                    |
|                                |                                    | 3-18-65      |           | 763  |     | 314   | 0.94             | 1.74        | 0.00            | 0.00                                      | 2.93                            | 1.25                         | 1.44            | 0.29                         |                |                               |                               |                               |                                  |             | DHR                |
|                                |                                    | 9-15-65      |           | 805  | 8.2 | 88  | 2.5              | 2.6         | 3.0             | 0   | 287                             | 55                           | 66              | 1.5                          | 0.24           | 448                           | 19                            | 324                           | 89                               | DHR         |                    |
| H. H. Peterson Irrigation      | 45/24-22P2                         | 10-64        |           | 580  | 8.6 | 30  | 5.8              | 9.0         | 1.7             | 1.3                                       | 238                             | 61                           | 23              | 0.4                          | 0.01           | 352                           | 66                            | 99                            | 0                                | DHR         |                    |
|                                |                                    | 3-17-65      |           | 569  |     | 150   | 0.48             | 3.92        | 0.04            | 0.43                                      | 3.90                            | 0.85                         | 0.8             | 0.70                         |                |                               |                               |                               |                                  |             | DHR                |
|                                |                                    | 9-15-65      |           | 579  | 8.7 | 29  | 8.1              | 85          | 1.0             | 1.1                                       | 244                             | 42                           | 35              | 1.0                          | 0.02           | 320                           | 63                            | 106                           | 0                                | DHR         |                    |
| Patterson Ranch Irrigation     | 45/24-23F2                         | 10-12-64     |           | 707  | 7.8 | 57  | 2.7              | 3.7         | 2.5             | 0   | 170                             | 80                           | 88              | 8.2                          | 0.13           | 437                           | 24                            | 255                           | 116                              | DHR         |                    |
|                                |                                    | 3-23-65      |           | 732  |     | 284   | 2.25             | 1.61        | 0.06            | 0.00                                      | 2.79                            | 1.25                         | 2.48            | 0.13                         |                |                               |                               |                               |                                  |             | DHR                |
|                                |                                    | 9-15-65      |           | 697  | 8.0 | 67  | 2.0              | 34          | 2.2             | 0   | 224                             | 52                           | 61              | 8.3                          | 0.13           | 403                           | 23                            | 248                           | 64                               | DHR         |                    |
| L. Croce Irrigation            | 45/24-24D4                         | 10-64        |           | 622  | 8.3 | 57  | 2.4              | 32          | 2.2             | 0   | 235                             | 50                           | 34              | 1.3                          | 0.21           | 362                           | 22                            | 243                           | 50                               | DHR         |                    |
|                                |                                    | 3-18-65      |           | 643  |     | 284   | 2.02             | 1.39        | 0.06            | 0.00                                      | 3.85                            | 1.04                         | 35              | 0.99                         |                |                               |                               |                               |                                  |             | DHR                |
|                                |                                    | 9-15-65      |           | 656  | 8.5 | 66  | 2.2              | 33          | 2.2             | 1.6                                       | 251                             | 46                           | 35              | 1.0                          | 0.16           | 323                           | 34                            | 256                           | 24                               | DHR         |                    |
| Amarel Irrigation              | 45/24-24F6                         | 10-22-64     |           | 3100                                       | 8.2 | 381   | 5.9              | 121         | 4.0             | 0   | 235                             | 110                          | 206             | 5.7                          | 0.92           | 2140                          | 18                            | 1220                          | 1030                             | DHR         |                    |
|                                |                                    |              |           | 1975                                       |     | 437   |                  | 526         | 0.10            | 0.00                                      | 3.85                            | 2.29                         | 232             | 40                           |                |                               |                               |                               |                                  |             | DHR                |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                         | State well number and other number | Date sampled | Temp in F | Specific conductance in micro-mhos at 25° C | pH   | Mineral constituents in parts per million |                |             |               |                                      |                                 |                            |               |                            |              | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Analyzed by |           |                            |                    |
|---------------------------------------|------------------------------------|--------------|-----------|---|--|---|----------------|-------------|---------------|--------------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|---|-------------|-----------|----------------------------|--------------------|
|                                       |                                    |              |           |   |  | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |   |             | Boron (B) | Silica (SiO <sub>2</sub> ) | Other constituents |
| Neutral irrigation                    | 48/24-2476 (Cont.)                 | 9-15-65      | 3920      | 8.0   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 2470         | 15                            | 1620                                    | DMR         |           |                            |                    |
|                                       |                                    |              |           |   | 34.6   | 185                                       | 130            | 4.7         | 0             | 313                                  | 122                             | 1030                       | 28            |                            |              |                               |   |             | 0.4       |                            |                    |
|                                       |                                    |              |           |   | 17.16  | 15.21                                     | 3.66           | 0.12        | 0.00          | 5.13                                 | 2.34                            | 29.06                      | 0.45          |                            |              |                               |   |             |           |                            |                    |
| J. A. Machado irrigation              | 48/24-2421                         | 10-22-64     | 1510      | 8.2   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 1020         | 18                            | 582                                     | DMR         |           |                            |                    |
|                                       |                                    |              |           |   | 9.53   | 2.10                                      | 2.52           | 0.09        | 0.00          | 2.05                                 | 1.69                            | 10.04                      | 31            |                            |              |                               |   |             | 0.4       | ABS 0.0                    |                    |
|                                       |                                    |              |           |   | 2.26   | 5.2                                       | 2.26           | 0.09        | 0.00          | 2.88                                 | 1.77                            | 235                        | 0.50          |                            |              |                               |   |             |           |                            |                    |
| M. Kiloml domestic & irrigation       | 48/24-2446                         | 9-16-65      | 1550      | 8.1   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 1080         | 16                            | 605                                     | 461         | DMR       |                            |                    |
|                                       |                                    |              |           |   | 14.1   | 6.1                                       | 5.2            | 3.5         | 0             | 176                                  | 85                              | 344                        | 10            |                            |              |                               |   |             |           | 0.4                        |                    |
|                                       |                                    |              |           |   | 7.04   | 5.05                                      | 2.26           | 0.09        | 0.00          | 2.88                                 | 1.77                            | 9.70                       | 0.16          |                            |              |                               |   |             |           |                            |                    |
| H. H. Patterson domestic & irrigation | 48/24-26A1                         | 10-12-64     | 629       | 8.2   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 376          | 22                            | 256                                     | 46          | DMR       |                            |                    |
|                                       |                                    |              |           |   | 3.74   | 1.67                                      | 1.43           | 2.4         | 0             | 256                                  | 57                              | 38                         | 5.1           |                            |              |                               |   |             |           | 0.2                        |                    |
|                                       |                                    |              |           |   | 3.79   | 1.40                                      | 1.35           | 0.05        | 0.20          | 3.84                                 | 1.10                            | 1.52                       | 0.08          |                            |              |                               |   |             |           |                            |                    |
| H. H. Patterson domestic & irrigation | 48/24-26A2                         | 9-15-65      | 1020      | 8.1   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 664          | 35                            | 302                                     | 221         | DMR       |                            |                    |
|                                       |                                    |              |           |   | 105  | 9.6                                       | 75             | 2.9         | 0             | 99                                   | 47                              | 227                        | 9.0           |                            |              |                               |   |             |           | 0.3                        | ABS 0.0            |
|                                       |                                    |              |           |   | 3.24   | 0.79                                      | 3.26           | 0.07        | 0.00          | 1.62                                 | 0.98                            | 6.40                       | 0.14          |                            |              |                               |   |             |           |                            |                    |
| H. H. Patterson domestic & irrigation | 48/24-26C1                         | 9-15-65      | 1270      | 8.0   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 756          | 28                            | 420                                     | 213         | DMR       |                            |                    |
|                                       |                                    |              |           |   | 116  | 32  | 77             | 2.9         | 0             | 233                                  | 35                              | 221                        | 6.4           |                            |              |                               |   |             |           | 0.3                        |                    |
|                                       |                                    |              |           |   | 5.79   | 2.60                                      | 3.35           | 0.07        | 0.00          | 4.15                                 | 1.14                            | 6.23                       | 0.10          |                            |              |                               |   |             |           |                            |                    |
| H. H. Patterson domestic & irrigation | 48/24-27L1                         | 10-2-64      | 502       | 8.3   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 292          | 70                            | 75                                      | 0           | DMR       |                            |                    |
|                                       |                                    |              |           |   | 28   | 1.2                                       | 84             | 1.9         | 0             | 223                                  | 45                              | 22                         | 1.2           |                            |              |                               |   |             |           | 0.3                        | ABS 0.0            |
|                                       |                                    |              |           |   | 1.40   | 0.10                                      | 3.65           | 0.05        | 0.00          | 3.65                                 | 0.94                            | 0.62                       | 0.02          |                            |              |                               |   |             |           |                            |                    |
| Boylacqua irrigation                  | 48/24-35B1                         | 9-15-65      | 587       | 5.8   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 25           |                               |   |             | DMR       |                            |                    |
|                                       |                                    |              |           |   |  |   |                |             |               |                                      |                                 |                            |               |                            |              |                               |   |             |           |                            |                    |
|                                       |                                    |              |           |   |  |   |                |             |               |                                      |                                 |                            |               |                            |              |                               |   |             |           |                            |                    |
| Laelo Salt Co. Industrial             | 48/24-35F1                         | 9-15-65      | 1480      | 6.2   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 28           |                               |   |             | DMR       |                            |                    |
|                                       |                                    |              |           |   |  |   |                |             |               |                                      |                                 |                            |               |                            |              |                               |   |             |           |                            |                    |
|                                       |                                    |              |           |   |  |   |                |             |               |                                      |                                 |                            |               |                            |              |                               |   |             |           |                            |                    |
| E. R. Blacow dom., irr., & stock      | 58/14-401                          | 10-1-64      | 592       | 6.2   | SANTA CLARA VALLEY - EAST HAY (2-9-01) (Cont.) |   |                |             |               |                                      |                                 |                            |               |                            | 38           |                               |   |             | DMR       |                            |                    |
|                                       |                                    |              |           |   |  |   |                |             |               |                                      |                                 |                            |               |                            |              |                               |   |             |           |                            |                    |
|                                       |                                    |              |           |   |  |   |                |             |               |                                      |                                 |                            |               |                            |              |                               |   |             |           |                            |                    |

TABLE E-1  
ANALYSES OF GROUND WATER







**TABLE E-1**  
**ANALYSES OF GROUND WATER**

| Owner and use                      | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos/cm at 25°C) | pH          | Mineral constituents in parts per million |                |             |               |                                      |                                 |                            |               |                            |              | Total dissolved solids in ppm | Percent Total N.C. ppm | Analyzed by |              |
|------------------------------------|------------------------------------|--------------|------------|--|-------------|---|----------------|-------------|---------------|--------------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|------------------------|-------------|--------------|
|                                    |                                    |              |            |  |             | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                        |             | Bromide (Br) |
| R. Murray domestic                 | 65/1E-28A4                         | 7-31-64      | 65         | 8.6  | 53<br>2.64  | 22<br>1.84                                | 56<br>2.74     | 2.1<br>0.03 | 1.2<br>0.40   | 2.68<br>4.39                         | 59<br>1.23                      | 3.2<br>0.90                | 3.0<br>0.05   | 0.6                        | 353          | 224                           | 0                      | DHR         |              |
|                                    |                                    | 7-21-65      | 681        |  |             |   |                |             |               |                                      |                                 | 30<br>0.85                 |               |                            | 368          |                               |                        | DHR         |              |
| J. Machado domestic & irrigation   | 65/1E-30N1                         | 7-29-64      | 70         | 8.5  | 50<br>2.50  | 15<br>1.24                                | 42<br>1.83     | 1.5<br>0.04 | 6<br>0.20     | 2.54<br>4.16                         | 33<br>0.69                      | 23<br>0.65                 | 2.0<br>0.03   | 0.1                        | 292          | 187                           | 0                      | DHR         |              |
|                                    |                                    | 7-21-65      | 823        |  |             |   |                |             |               |                                      |                                 | 44<br>1.32                 |               | 0.2                        | 440          |                               |                        | DHR         |              |
| J. S. Garcia domestic & irrigation | 65/1W-1181                         | 7-28-64      | 70         | 8.7  | 69<br>3.44  | 18<br>1.48                                | 35<br>1.52     | 1.5<br>0.04 | 1.3<br>0.43   | 2.78<br>4.56                         | 37<br>0.77                      | 23<br>0.65                 | 0.2<br>0.00   | 0.1                        | 304          | 246                           | 0                      | DHR         |              |
|                                    |                                    | 7-22-65      | 614        |  |             |   |                |             |               |                                      |                                 | 23<br>0.65                 |               | 0.1                        | 330          |                               |                        | DHR         |              |
| A. French domestic & irrigation    | 65/1W-14E1                         | 7-22-65      | 659        |  |             |   |                |             |               |                                      | 80<br>2.26                      |                            | 0.1           | 396                        |              |                               | DHR                    |             |              |
| S. Chyfeban irrigation             | 65/1W-15N3                         | 8-21-64      | 62         | 3.76   | 24<br>1.20  | 9.2<br>0.76                               | 44<br>1.91     | 0.7<br>0.02 | 0<br>0.00     | 1.93<br>3.16                         | 1.7<br>0.35                     | 1.2<br>0.34                | 0.8<br>0.01   | 0.1                        | 240          | 98                            | 0                      | DHR         |              |
|                                    |                                    | 7-22-65      | 70         | 4.39   |             |   |                |             |               |                                      |                                 | 10<br>0.28                 |               | 0.1                        | 251          |                               |                        | DHR         |              |
| Burrell irrigation                 | 65/1W-15Q1                         | 7-31-64      | 70         | 8.6  | 60<br>2.99  | 36<br>2.92                                | 48<br>2.09     | 1.7<br>0.04 | 1.2<br>0.40   | 3.24<br>5.31                         | 58<br>1.21                      | 3.1<br>0.87                | 7.1<br>0.11   | 0.1                        | 424          | 26                            | 296                    | 11          | DHR          |
|                                    |                                    | 7-20-64      | 71         | 2400   | 8.0         | 154<br>7.68                               | 56<br>4.59     | 206<br>8.96 | 2.3<br>0.06   | 0<br>2.98                            | 1.82<br>2.98                    | 67<br>1.39                 | 5.88<br>16.59 | 1.9<br>0.03                | 0.3          | 1320                          | 42                     | 614         | 465          |
| R. T. Collier Corp. Industrial     | 65/1W-16A1                         | 8-25-65      | 2640       | 8.0  | 172<br>8.28 | 89<br>6.96                                | 202<br>8.79    | 3.1<br>0.08 | 0<br>2.06     | 1.26<br>2.06                         | 117<br>2.44                     | 1.7<br>0.41                | 1.98<br>0.40  | 0.3                        | 1750         | 36                            | 778                    | 675         | DHR          |
|                                    |                                    | 8-21-64      | 70         | 4.20   | 8.3         | 27<br>1.35                                | 9.6<br>0.79    | 53<br>2.31  | 0.7<br>0.02   | 4<br>0.13                            | 2.16<br>3.54                    | 1.9<br>0.40                | 0.5<br>0.01   | 0.1                        | 252          | 52                            | 107                    | 0           | USGS         |
| C. H. Dunton irrigation            | 65/1W-17M1                         | 9-23-65      | 449        |  |             |   |                |             |               |                                      | 14<br>0.39                      |                            | 0.1           | 237                        |              |                               | DHR                    |             |              |
| F. A. Wilcox Bros. irrigation      | 65/1W-26D1                         | 7-22-65      | 68         | 4.72   |             |   |                |             |               |                                      | 15<br>0.42                      |                            |               |                            |              |                               |                        | DHR         |              |
| F. A. Wilcox                       | 65/1W-28K                          | 9-4-64       | 537        | 7.9  | 63<br>3.14  | 12<br>1.02                                | 27<br>1.17     | 1.7<br>0.04 | 0<br>4.10     | 2.20<br>4.10                         | 30<br>0.62                      | 1.8<br>0.31                | 4.0<br>0.06   | 0.2                        | 305          | 22                            | 208                    | 3           | DHR          |
|                                    |                                    | 9-18-64      | 64         | 518  | 8.4         | 56<br>2.79                                | 18<br>1.45     | 28<br>1.22  | 1.2<br>0.03   | 4<br>0.13                            | 2.28<br>3.74                    | 4.7<br>0.98                | 1.5<br>0.42   | 0.2                        | 318          | 22                            | 212                    | 18          | DHR          |
| Liton Construction Co. irrigation  | 65/1W-2734                         |              |            |  |             |   |                |             |               |                                      |                                 |                            |               |                            |              |                               |                        |             |              |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                              | State well number and other number | Date sampled | Temp in F | Specific conductance (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                |             |               |                                 |                            |               |                            |              |           | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> |                    | Analyzed by |       |      |
|--|------------------------------------|--------------|-----------|--|-----|---|----------------|-------------|---------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|-------------------------------|-------------------------------|--------------------|-------------|-------|------|
|  |                                    |              |           |  |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) |                               | Silica (SiO <sub>2</sub> )    | Other constituents |             | Total | N.C. |
| G. H. Fukumoto domestic & irrigation       | 6S/14-29C1                         | 8-21-64      | 68        | 504  | 8.4 | 47  | 18             | 37          | 1.1           | 8                               | 326                        | 33            | 25                         | 6.5          | 0.1       |                               | 29                            | 191                | 0           | DMR   |      |
|  |                                    | 7-23-65      |           | 566  |     | 2.55                                      | 1.47           | 1.01        | 0.03          | 0.27                            | 3.70                       | 0.69          | 0.71                       | 0.10         | 0.2       |                               |                               | 305                |             |       | DMR  |
| O. P. Glabach domestic & irrigation        | 6S/14-31E3                         | 9-24-65      | 66        | 574  |     |   |                |             |               |                                 |                            |               |                            |              |           |                               |                               |                    |             | DMR   |      |
|  |                                    | 1-13-65      | 48        | 553  | 8.6 | 26  | 12             | 78          | 2.0           | 18                              | 218                        | 22            | 38                         | 1.8          | 0.2       | Iron (0.1a) 0.12              | 34.9                          | 59                 | 115         | 0     | USGS |
| El Camino Vet. Hosp. domestic              | 6S/24-5Q1                          | 1-13-65      | 50        | 1230                                       | 8.6 | 1.30                                      | 1.00           | 3.39        | 0.03          | 0.60                            | 3.57                       | 0.46          | 1.07                       | 0.03         | 0.3       | Iron (0.1a) 0.05              | 61.8                          | 34                 | 444         | 109   | USGS |
|  |                                    | 1-13-65      | 50        | 1230                                       | 8.6 | 4.84                                      | 4.04           | 4.52        | 0.02          | 1.30                            | 5.38                       | 2.73          | 3.78                       | 0.01         | 0.5       | Iron (0.1a) 0.02              | 66.4                          | 38                 | 394         | 137   | USGS |
| W. H. Snyder domestic                      | 6S/24-7A1                          | 1-13-65      | 50        | 1220                                       | 8.6 | 14  | 87             | 109         | 0.7           | 22                              | 270                        | 105           | 165                        | 40           | 0.5       | Iron (0.1a) 0.02              | 278                           | 45                 | 150         | 0     | DMR  |
|  |                                    | 8-25-64      | 68        | 551  | 8.7 | 38  | 13             | 57          | 1.7           | 16                              | 236                        | 18            | 33                         | 0.4          | 0.2       | ABS 0.0                       | 282                           |                    |             |       | DMR  |
| Resentias domestic                         | 6S/24-9H1                          | 7-23-65      |           | 586  |     | 1.90                                      | 1.10           | 2.48        | 0.04          | 0.53                            | 3.87                       | 0.37          | 35                         | 0.1          |           |                               |                               |                    |             |       | DMR  |
|  |                                    | 8-25-64      | 66        | 595  | 8.3 | 51  | 16             | 50          | 1.5           | 0                               | 276                        | 44            | 24                         | 0.2          | 0.2       |                               | 319                           |                    | 192         | 0     | DMR  |
| J. Joaquin irrigation                      | 6S/24-9Q2                          | 7-23-65      | 67        | 570  |     | 2.56                                      | 1.30           | 2.18        | 0.04          | 0.00                            | 4.52                       | 0.92          | 0.70                       | 0.1          |           |                               |                               |                    |             |       | DMR  |
|  |                                    | 8-26-64      | 70        | 633  | 8.2 | 43  | 32             | 41          | 1.5           | 0                               | 312                        | 13            | 32                         | 2.3          | 0.2       |                               | 315                           |                    | 239         | 0     | DMR  |
| California Water Serv. Company - Municipal | 6S/24-20N1                         | 8-24-64      | 68        | 519  | 8.3 | 35  | 20             | 42          | 0.04          | 0.00                            | 3.11                       | 0.27          | 0.90                       | 0.12         | 0.6       |                               | 276                           |                    | 170         | 0     | DMR  |
|  |                                    | 8-27-65      | 519       |  |     | 1.75                                      | 1.65           | 1.83        | 0.03          | 0.00                            | 3.90                       | 0.67          | 0.70                       | 0.01         | 0.1       |                               | 270                           |                    |             |       | DMR  |
| Mountain View High School irrigation       | 6S/24-29C2                         | 8-23-64      | 66        | 824  | 7.8 | 74  | 36             | 42          | 1.5           | 0                               | 387                        | 16            | 46                         | 26           | 0.1       |                               | 453                           |                    | 332         | 15    | DMR  |
|  |                                    | 9-28-65      | 800       |  |     | 3.69                                      | 2.94           | 1.83        | 0.04          | 0.00                            | 6.34                       | 0.33          | 6.3                        | 0.9          | 0.0       |                               | 432                           |                    |             |       | DMR  |
| H. Wastell domestic & irrigation           | 6S/24-34M1                         | 8-25-64      | 66        | 582  | 7.5 | 66  | 24             | 23          | 0.9           | 0                               | 284                        | 23            | 28                         | 22           | 0.2       |                               | 338                           |                    | 264         | 31    | USGS |
|  |                                    | 8-11-65      | 624       |  |     | 3.29                                      | 1.99           | 1.00        | 0.02          | 0.00                            | 4.65                       | 0.48          | 31                         | 0.87         | 0.0       |                               |                               |                    |             |       |      |

**TABLE E-1**  
**ANALYSES OF GROUND WATER**

| Owner and use | State well number and other number | Date sampled | Temp in °F (micro-conductivity at 25°C) | Specific conductance in µmhos/cm (micro-conductivity at 25°C) | pH | Mineral constituents in parts per million        |                |             |               |  |                                 |                            |               |                            |              | Total dissolved solids in ppm | Percent of total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Analyzed by |              |                            |                    |  |  |
|---------------|------------------------------------|--------------|---|---|----|--|----------------|-------------|---------------|--|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|--|---|-------------|--------------|----------------------------|--------------------|--|--|
|               |                                    |              |   |   |    | Calcium (Ca)                                     | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium carbonate (CaCO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |  |   |             | Bromine (Br) | Silica (SiO <sub>2</sub> ) | Other constituents |  |  |
|               |                                    |              |   |   |    | SANTA CLARA VALLEY - SOUTH BAY (24-9,02) (Cont.) |                |             |               |  |                                 |                            |               |                            |              |                               |  |   |             |              |                            |                    |  |  |
|               |                                    |              |   |   |    | 7.7  | 5.5            | 9.0         | 1.1           | 0                                      | 256.                            | 107                        | 8.4           | 36                         |              |                               |  | 774                                     | 32          | 420          | 0                          | USGS               |  |  |
|               |                                    |              |   |   |    | 3.84   | 4.56           | 3.92        | 0.03          | 9.24                                   | 2.23                            | 2.37                       | 0.58          |                            |              |                               |  |   |             |              |                            |                    |  |  |
|               |                                    |              |   |   |    | 10.0   | 8.6            | 5.2         | 0.8           | 28                                     | 6.75                            | 2.2                        | 9.0           | 1.1                        |              |                               |  | 585                                     | 18          | 501          | 6.5                        | DMR                |  |  |
|               |                                    |              |   |   |    | 3.09   | 6.92           | 2.26        | 0.02          | 0.93                                   | 7.78                            | 0.56                       | 2.54          | 0.18                       |              |                               |  | 582                                     | 20          | 469          | 3.5                        | DMR                |  |  |
|               |                                    |              |   |   |    | 10.6   | 9.6            | 3.4         | 1.0           | 22                                     | 4.85                            | 2.2                        | 6.0           | 1.0                        |              |                               |  |   |             |              |                            |                    |  |  |
|               |                                    |              |   |   |    | 8.6  | 7.07           | 2.35        | 0.02          | 0.73                                   | 7.95                            | 0.26                       | 2.34          | 0.04                       |              |                               |  |   |             |              |                            |                    |  |  |
|               |                                    |              |   |   |    | 7.6  | 5.1            | 1.8         | 1.2           | 0                                      | 208                             | 4.8                        | 1.3           | 5.8                        | 0.0          |                               |  | 254                                     | 202         | 4.2          | 4.2                        | DMR                |  |  |
|               |                                    |              |   |   |    | 10.5-64  | 2.35           | 1.49        | 0.05          | 0.00                                   | 3.41                            | 1.01                       | 0.37          | 0.09                       |              |                               |  | 296                                     | 14          | 231          | 4.8                        | DMR                |  |  |
|               |                                    |              |   |   |    | 9-29-65  | 5.5            | 2.3         | 1.7           | 1.2                                    | 6.9                             | 20.9                       | 5.6           | 1.2                        | 1.0          |                               |  |   |             |              |                            |                    |  |  |
|               |                                    |              |   |   |    | 2.74   | 1.88           | 0.74        | 0.03          | 0.23                                   | 3.42                            | 1.16                       | 0.34          | 0.16                       |              |                               |  |   |             |              |                            |                    |  |  |
|               |                                    |              |   |   |    | 7-29-64  | 7.6            | 1.9         | 1.6           | 2.7                                    | 2.6                             | 3.01                       | 1.62          | 4.6                        | 0.7          |                               |  | 590                                     | 48          | 265          | 0                          | DMR                |  |  |
|               |                                    |              |   |   |    | 3.69   | 1.60           | 5.05        | 0.07          | 0.87                                   | 4.93                            | 3.37                       | 1.30          | 0.01                       |              |                               |  |   |             |              |                            |                    |  |  |
|               |                                    |              |   |   |    | 8-20-65  | 9.86           | 4.6         | 1.5           | 2.2                                    | 1.6                             | 4.28                       | 7.8           | 10.0                       | 1.8          |                               |  | 574                                     | 44          | 336          | 0                          | DMR                |  |  |
|               |                                    |              |   |   |    | 7-29-64  | 2.94           | 3.77        | 5.44          | 0.06                                   | 0.57                            | 7.01                       | 1.62          | 2.62                       | 0.29         |                               |  | 614                                     | 64          | 336          | 0                          | DMR                |  |  |
|               |                                    |              |   |   |    | 8-19-65  | 13.70          | 3.77        | 5.44          | 0.06                                   | 0.57                            | 7.01                       | 1.62          | 2.62                       | 0.29         |                               |  | 642                                     | 64          | 336          | 0                          | DMR                |  |  |
|               |                                    |              |   |   |    | 7-29-64  | 6.6            | 3.8         | 6.0           | 0.8                                    | 0                               | 3.28                       | 4.4           | 4.2                        | 2.0          |                               |  | 394                                     | 33          | 268          | 0                          | DMR                |  |  |
|               |                                    |              |   |   |    | 8-19-65  | 8.72           | 3.11        | 2.61          | 0.02                                   | 0.00                            | 5.79                       | 0.92          | 1.18                       | 0.32         |                               |  | 474                                     | 25          | 352          | 20                         | DMR                |  |  |
|               |                                    |              |   |   |    | 7-29-64  | 6.4            | 5.1         | 5.4           | 0.6                                    | 2.4                             | 3.56                       | 6.1           | 4.1                        | 9.3          |                               |  | 437                                     | 25          | 352          | 20                         | DMR                |  |  |
|               |                                    |              |   |   |    | 8-19-65  | 8.61           | 4.19        | 2.35          | 0.02                                   | 0.80                            | 5.83                       | 1.27          | 1.16                       | 0.15         |                               |  | 453                                     | 12          | 222          | 28                         | DMR                |  |  |
|               |                                    |              |   |   |    | 7-29-64  | 6.8            | 4.4         | 2.7           | 1.0                                    | 0.8                             | 2.20                       | 2.9           | 1.2                        | 8.3          |                               |  | 272                                     | 12          | 222          | 28                         | DMR                |  |  |
|               |                                    |              |   |   |    | 8-10-65  | 4.50           | 2.24        | 0.61          | 0.02                                   | 0.27                            | 3.60                       | 0.34          | 0.13                       |              |                               |  | 226                                     | 13          | 122          | 8                          | DMR                |  |  |
|               |                                    |              |   |   |    | 8-10-65  | 6.6            | 2.24        | 0.61          | 0.02                                   | 0.27                            | 3.60                       | 0.34          | 0.13                       |              |                               |  | 160                                     | 13          | 122          | 8                          | DMR                |  |  |
|               |                                    |              |   |   |    | 7-27-64  | 7.0            | 9.97        | 8.2           | 1.1                                    | 0                               | 4.41                       | 1.16          | 2.9                        | 4.9          |                               |  | 621                                     | 14          | 480          | 11.8                       | DMR                |  |  |
|               |                                    |              |   |   |    | 8-12-65  | 7.13           | 4.49        | 5.10          | 1.61                                   | 0.03                            | 7.23                       | 2.42          | 0.82                       | 0.79         |                               |  | 394                                     | 14          | 480          | 11.8                       | DMR                |  |  |
|               |                                    |              |   |   |    | 8-5-64   | 5.68           | 4.7         | 3.4           | 1.1                                    | 0                               | 2.10                       | 1.8           | 2.2                        | 3.4          |                               |  | 313                                     | 14          | 258          | 8.6                        | DMR                |  |  |
|               |                                    |              |   |   |    | 8-19-65  | 6.3            | 2.34        | 2.81          | 0.03                                   | 0.00                            | 3.44                       | 1.06          | 0.62                       | 0.55         |                               |  | 230                                     | 14          | 193          | 27                         | DMR                |  |  |
|               |                                    |              |   |   |    | 8-19-65  | 8.7            | 3.6         | 2.5           | 1.2                                    | 1.2                             | 1.79                       | 3.4           | 1.2                        | 9.0          |                               |  | 230                                     | 14          | 193          | 27                         | DMR                |  |  |
|               |                                    |              |   |   |    | 1.80   | 2.06           | 0.36        | 0.03          | 0.40                                   | 2.93                            | 0.71                       | 0.34          | 0.14                       |              |                               |  |   |             |              |                            |                    |  |  |



**TABLE E-1**  
**ANALYSES OF GROUND WATER**

| Owner and use                         | Site well number and other number | Date sampled | Temp in F | Specific conductance (micro-mhos @ 25 C) | pH  | Mineral constituents in parts per million      |                |             |               |                              |                                 |                            |               |                            |              |           |                            | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Analyzed by |                    |
|---------------------------------------|-----------------------------------|--------------|-----------|--|-----|--|----------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|----------------------------|-------------------------------|---|-------------|--------------------|
|                                       |                                   |              |           |  |     | Calcium (Ca)                                   | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) | Silica (SiO <sub>2</sub> ) |                               |   |             | Other constituents |
|                                       |                                   |              |           |  |     | SANTA CLARA VALLEY - SOUTHWAY (2-P.02) (cont.) |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| H. Rambe Irrigation                   | 9S/2E-2C1                         | 7-27-64      | 67        | 701                                      | 8.5 | 67   | 35             | 29          | 1.1           | 7                            | 280                             | 54                         | 29            | 43                         | 0.1          | 427       | 17                         | 312                           | 70                                      | DMR         |                    |
|                                       |                                   |              |           |  |     | 334  | 289            | 1.26        | 0.03          | 0.23                         | 4.59                            | 1.12                       | 0.82          | 0.69                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| J. Martinez Irrigation                | 9S/3E-2B3                         | 8-13-65      | 62        | 545                                      | 8.3 | 29   | 30             | 1.1         | 0             | 205                          | 48                              | 21                         | 21            | 0.1                        | 296          | 24        | 200                        | 32                            | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 170  | 230            | 1.30        | 0.03          | 0.00                         | 3.36                            | 1.00                       | 0.59          | 0.34                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| J. Chiri Irrigation                   | 9S/3E-3B3                         | 7-27-64      | 68        | 472                                      | 8.3 | 39   | 23             | 22          | 1.1           | 0                            | 207                             | 32                         | 15            | 0.1                        | 267          | 20        | 194                        | 24                            | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 193  | 153            | 0.96        | 0.03          | 0.00                         | 3.59                            | 0.67                       | 0.59          | 0.29                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| J. Chiri Irrigation                   | 9S/2E-3B3                         | 8-16-65      | 477       |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| J. Chiri Irrigation                   | 9S/2E-3B3                         | 7-27-64      | 69        | 480                                      | 7.6 | 18   | 18             | 25          | 1.8           | 0                            | 212                             | 24                         | 18            | 0.0                        | 280          | 22        | 185                        | 11                            | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 220  | 150            | 1.09        | 0.05          | 0.00                         | 3.47                            | 0.50                       | 0.51          | 0.27                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| J. Chiri Irrigation                   | 9S/2E-3B3                         | 8-17-65      | 62        | 478                                      | 8.5 | 40   | 23             | 21          | 1.4           | 0                            | 222                             | 8.6                        | 25            | 0.0                        | 232          | 21        | 194                        | 2                             | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 200  | 188            | 1.04        | 0.04          | 0.40                         | 5.04                            | 0.18                       | 0.70          | 0.05                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| T. F. Bishop Co. Irrigation           | 2S/1W-2Z1                         | 6-21-65      | 65        | 1010                                     | 8.2 | 76   | 17             | 108         | 2.5           | 0                            | 302                             | 13                         | 198           | 0.2                        | 540          | 47        | 260                        | 12                            | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 379  | 140            | 470         | 0.06          | 0.00                         | 4.95                            | 0.27                       | 4.46          | 0.01                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| City of Livermore Industrial & stock  | 2S/2E-2K1                         | 7-1-64       | 68        | 6600                                     | 7.4 | 272  | 74             | 1010        | 2.7           | 0                            | 200                             | 18                         | 2130          | 62                         | 4040         | 69        | 983                        | 819                           | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 1357   | 607            | 4394        | 0.07          | 0.00                         | 3.28                            | 0.37                       | 60.09         | 0.02                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| City of Livermore Industrial & stock  | 6-18-65                           | 6-18-65      | 66        | 6510                                     | 7.9 | 292  | 57             | 1030        | 3.5           | 0                            | 210                             | 34                         | 2060          | 53                         | 4700         | 70        | 964                        | 792                           | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 1657   | 469            | 4480        | 0.09          | 0.00                         | 3.44                            | 0.71                       | 58.11         | 0.00                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| H. Garavente stock                    | 2S/2E-3C1                         | 7-1-64       | 1800      | 8.3                                      | 12  | 15   | 390            | 0.8         | 0             | 600                          | 85                              | 236                        | 8.4           | 12                         | 1080         | 90        | 93                         | 0                             | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 0.60   | 1.26           | 16.96       | 0.02          | 0.00                         | 9.83                            | 1.77                       | 6.66          | 0.14                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| F. Gustenich domestic                 | 2S/2E-3C2                         | 7-1-64       | 2860      | 8.3                                      | 70  | 44   | 455            | 1.6         | 0             | 379                          | 76                              | 650                        | 34            | 6.8                        | 1570         | 73        | 356                        | 45                            | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 349  | 362            | 1979        | 0.04          | 0.00                         | 6.21                            | 1.58                       | 18.34         | 0.55                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| F. Gustenich domestic                 | 6-18-65                           | 6-18-65      | 66        | 3040                                     | 8.2 | 322  | 459            | 19479       | 0.06          | 0.00                         | 6.11                            | 1.62                       | 19.44         | 6.7                        | 1680         | 71        | 392                        | 86                            | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| R. H. Ming domestic & stock           | 3S/1W-1C2                         | 6-21-65      | 59        | 1200                                     | 8.6 | 109  | 57             | 67          | 0.7           | 20                           | 303                             | 178                        | 108           | 0.2                        | 814          | 22        | 506                        | 225                           | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 544  | 467            | 291         | 0.02          | 0.67                         | 4.97                            | 3.70                       | 3.05          | 0.32                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| Alameda County domestic               | 3S/1E-5Q1                         | 6-18-65      | 64        | 1160                                     | 8.4 | 45   | 64             | 107         | 1.8           | 10                           | 384                             | 63                         | 117           | 1.9                        | 675          | 50        | 293                        | 0                             | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 224  | 3181           | 596         | 0.05          | 0.33                         | 6.46                            | 1.31                       | 3.30          | 0.42                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| J. Lima Irrigation                    | 3S/1E-8H1                         | 6-17-65      | 64        | 958                                      | 8.3 | 39   | 60             | 104         | 2.4           | 0                            | 306                             | 104                        | 88            | 0.8                        | 554          | 46        | 264                        | 13                            | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 195  | 332            | 452         | 0.06          | 0.00                         | 5.02                            | 2.16                       | 4.03          | 0.03                       |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
|                                       |                                   |              |           |  |     |  |                |             |               |                              |                                 |                            |               |                            |              |           |                            |                               |   |             |                    |
| U. S. Air Force domestic & Irrigation | 3S/1E-8H3                         | 6-17-65      | 936       | 8.1                                      | 61  | 62   | 43             | 21          | 0             | 360                          | 60                              | 83                         | 16            | 0.4                        | 547          | 18        | 407                        | 112                           | DMR                                     |             |                    |
|                                       |                                   |              |           |  |     | 306  | 509            | 183         | 0.03          | 0.00                         | 5.90                            | 1.23                       | 2.34          | 0.22                       |              |           |                            |                               |   |             |                    |

TABLE E - I  
ANALYSES OF GROUND WATER

| Owner and use                              | Stots well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                |             |               |                                 |                            |               |                            |              |            | Total dissolved in ppm | Per cent sodium | Hardness as CaCO <sub>3</sub> Total ppm | Analyzed by |                            |                    |
|--|------------------------------------|--------------|------------|--|-----|---|----------------|-------------|---------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|------------|------------------------|-----------------|---|-------------|----------------------------|--------------------|
|  |                                    |              |            |  |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Barium (B) |                        |                 |   |             | Silica (SiO <sub>2</sub> ) | Other constituents |
|  |                                    |              |            |  |     | LIVERMORE VALLEY (2-10.00) (Cont.)        |                |             |               |                                 |                            |               |                            |              |            |                        |                 |   |             |                            |                    |
| E. M. Kemp Irrigation                      | 35/IE-9K2                          | 6-21-65      | 64         | 1090                                       | 8.4 | 6.7                                       | 6.6            | 64          | 2.5           | 8                               | 38.2                       | 70            | 100                        | 29           | 1.0        |                        | 668             | 24                                      | 439         | DMR                        |                    |
|  |                                    |              |            |  |     | 3.34                                      | 5.43           | 2.78        | 0.06          | 0.27                            | 6.35                       | 1.46          | 2.82                       | 0.47         |            |                        |                 |   |             |                            |                    |
| N. Nelson Irrigation                       | 35/IE-9L1                          | 6-17-65      | 63         | 1390                                       | 8.2 | 9   | 7.2            | 100         | 3.0           | 0                               | 508                        | 88            | 148                        | 25           | 1.7        |                        | 852             | 29                                      | 535         | DMR                        |                    |
|  |                                    |              |            |  |     | 4.69                                      | 6.00           | 4.35        | 0.08          | 0.00                            | 8.33                       | 1.83          | 4.18                       | 0.40         |            |                        |                 |   |             |                            |                    |
| R. E. Ernestino domestic                   | 35/IE-9P2                          | 6-22-65      |            | 1340                                       | 8.3 | 11.0                                      | 6.7            | 8.1         | 3.4           | 0                               | 693                        | 86            | 164                        | 26           | 1.4        |                        | 863             | 24                                      | 549         | DMR                        |                    |
|  |                                    |              |            |  |     | 5.49                                      | 5.48           | 3.52        | 0.09          | 0.00                            | 8.08                       | 1.79          | 4.06                       | 0.42         |            |                        |                 |   |             |                            |                    |
| R. Kause domestic & irrigation             | 35/IE-10E1                         | 6-16-65      |            | 1050                                       | 8.2 | 8.1                                       | 5.6            | 5.6         | 2.4           | 0                               | 399                        | 60            | 95                         | 24           | 0.7        |                        | 628             | 22                                      | 433         | DMR                        |                    |
|  |                                    |              |            |  |     | 4.04                                      | 4.61           | 2.44        | 0.06          | 0.00                            | 6.54                       | 1.25          | 2.68                       | 0.39         |            |                        |                 |   |             |                            |                    |
| H. J. Kaiser Ind. Irrigation               | 35/IE-10Q1                         | 6-17-65      | 64         | 627  | 8.1 | 2.89                                      | 2.11           | 1.35        | 0.05          | 0.00                            | 4.00                       | 1.08          | 1.10                       | 0.08         | 0.3        |                        | 377             | 21                                      | 250         | DMR                        |                    |
|  |                                    |              |            |  |     |   |                |             |               |                                 |                            |               |                            |              |            |                        |                 |   |             |                            |                    |
| Jameison Irrigation                        | 35/IE-11E1                         | 6-18-65      | 64         | 1320                                       | 8.0 | 7.8                                       | 8.7            | 6.5         | 2.6           | 0                               | 430                        | 49            | 189                        | 14           | 0.6        |                        | 825             | 20                                      | 552         | DMR                        |                    |
|  |                                    |              |            |  |     | 3.89                                      | 7.14           | 2.83        | 0.07          | 0.00                            | 7.05                       | 1.02          | 5.33                       | 0.22         |            |                        |                 |   |             |                            |                    |
| E. Hoemann domestic & irrigation           | 35/IE-11H1                         | 6-18-65      | 65         | 936  | 8.5 | 5.0                                       | 6.2            | 4.9         | 2.1           | 7.0                             | 30.3                       | 45            | 105                        | 22           | 0.4        |                        | 565             | 22                                      | 381         | DMR                        |                    |
|  |                                    |              |            |  |     | 2.50                                      | 5.11           | 2.13        | 0.05          | 0.23                            | 4.97                       | 0.84          | 2.96                       | 0.35         |            |                        |                 |   |             |                            |                    |
| California Back & Gravel Co. - domestic    | 35/IE-13P2                         | 6-18-65      |            | 715  | 8.6 | 5.5                                       | 2.8            | 5.5         | 1.9           | 1.6                             | 250                        | 43            | 63                         | 0.7          | 0.8        |                        | 409             | 32                                      | 252         | DMR                        |                    |
|  |                                    |              |            |  |     | 2.74                                      | 2.29           | 2.39        | 0.05          | 0.53                            | 4.10                       | 0.30          | 1.78                       | 0.01         |            |                        |                 |   |             |                            |                    |
| H. J. Kaiser Inc. domestic                 | 35/IE-15L1                         | 6-18-65      | 63         | 552  | 8.1 | 2.56                                      | 1.96           | 1.14        | 0.04          | 0.00                            | 3.64                       | 0.83          | 0.85                       | 0.21         | 0.2        |                        | 325             | 20                                      | 225         | DMR                        |                    |
|  |                                    |              |            |  |     |   |                |             |               |                                 |                            |               |                            |              |            |                        |                 |   |             |                            |                    |
| H. C. Bush abandoned                       | 35/IE-16A1                         | 6-17-65      |            | 803  | 8.0 | 7.9                                       | 3.8            | 3.6         | 2.9           | 0                               | 378                        | 54            | 33                         | 12           | 0.2        |                        | 467             | 18                                      | 356         | DMR                        |                    |
|  |                                    |              |            |  |     | 3.94                                      | 3.17           | 1.57        | 0.07          | 0.00                            | 6.20                       | 1.12          | 0.93                       | 0.19         |            |                        |                 |   |             |                            |                    |
| M. Krebs Irrigation                        | 35/IE-17H2                         | 6-17-65      |            | 1200                                       | 8.0 | 9.8                                       | 6.6            | 4.8         | 2.6           | 0                               | 349                        | 77            | 182                        | 19           | 0.5        |                        | 758             | 17                                      | 515         | DMR                        |                    |
|  |                                    |              |            |  |     | 4.89                                      | 5.60           | 2.09        | 0.07          | 0.00                            | 5.72                       | 1.60          | 4.53                       | 0.31         |            |                        |                 |   |             |                            |                    |
| San Francisco Water Dept. municipal & irr. | 35/IE-19A5                         | 7-1-64       | 62         | 404  | 7.9 | 6.7                                       | 2.8            | 3.2         | 1.7           | 0                               | 295                        | 50            | 30                         | 13           | 0.3        | ABS 0.0                | 391             | 20                                      | 284         | DMR                        |                    |
|  |                                    |              |            |  |     | 3.34                                      | 2.33           | 1.39        | 0.04          | 0.00                            | 4.84                       | 1.04          | 0.85                       | 0.21         |            |                        |                 |   |             |                            |                    |
| California Water Service Company municipal | 35/IE-4H1                          | 7-1-64       |            | 698  | 8.2 | 1.80                                      | 6.9            | 3.6         | 1.5           | 0                               | 292                        | 34            | 44                         | 34           | 0.4        |                        | 616             | 21                                      | 296         | DMR                        |                    |
|  |                                    |              |            |  |     | 1.90                                      | 4.01           | 1.57        | 0.04          | 0.00                            | 4.78                       | 0.71          | 1.26                       | 0.26         |            |                        |                 |   |             |                            |                    |
| J. Schenone Irrigation                     | 35/IE-4H1                          | 6-18-65      |            | 726  | 8.2 | 2.40                                      | 4.6            | 3.3         | 2.0           | 0                               | 302                        | 40            | 40                         | 46           | 0.4        |                        | 442             | 19                                      | 312         | DMR                        |                    |
|  |                                    |              |            |  |     | 2.20                                      | 4.03           | 1.44        | 0.05          | 0.00                            | 4.95                       | 0.83          | 1.13                       | 0.64         |            |                        |                 |   |             |                            |                    |
| Gondolfo domestic                          | 35/IE-6P1                          | 6-21-65      |            | 1030                                       | 8.5 | 2.40                                      | 4.33           | 3.96        | 0.07          | 0.33                            | 5.84                       | 1.50          | 2.65                       | 0.14         | 1.9        |                        | 1560            | 43                                      | 739         | DMR                        |                    |
|  |                                    |              |            |  |     |   |                |             |               |                                 |                            |               |                            |              |            |                        |                 |   |             |                            |                    |

**TABLE E-1**  
ANALYSES OF GROUND WATER

| Owner and use                                       | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                |             |               |  |                                 |                            |               |                            |              | Total solids in ppm | Per cent solids in ppm | Hardness as CaCO <sub>3</sub> |                            | Analyzed by |                    |
|---|------------------------------------|--------------|------------|--|-----|---|----------------|-------------|---------------|--|---------------------------------|----------------------------|---------------|----------------------------|--------------|---------------------|------------------------|-------------------------------|----------------------------|-------------|--------------------|
|   |                                    |              |            |  |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium carbonate (CaCO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                     |                        | Boron (B)                     | Silica (SiO <sub>2</sub> ) |             | Other constituents |
| H. L. Hegemann<br>domestic & irrigation             | 3S/2E-7K1                          | 7-1-64       |            | 770  | 8.1 | 64  | 60             | 27          | 1.7           | 0                                      | 340                             | 37                         | 67            | 29                         |              |                     | 433                    | 14                            | 357                        | 78          | DKR                |
|   |                                    | 6-18-65      | 62         | 761  | 8.3 | 220                                       | 493            | 117         | 0.04          | 0.00                                   | 537                             | 777                        | 132           | 47                         | 29           |                     | 497                    | 14                            | 358                        | 0           | DKR                |
| California Water<br>Service Company<br>multiple use | 3S/2E-8H1                          | 7-1-64       |            | 632  | 8.0 | 244                                       | 471            | 26          | 2.1           | 0                                      | 344                             | 42                         | 63            | 29                         |              |                     | 368                    | 28                            | 232                        | 39          | DKR                |
|   |                                    | 6-22-65      | 70         | 635  | 8.4 | 180                                       | 300            | 37          | 1.7           | 0                                      | 235                             | 26                         | 145           | 22                         | 69           | ABS 0.0             | 390                    | 25                            | 240                        | 53          | DKR                |
| Amles Nursery<br>domestic & irrigation              | 3S/2E-10H1                         | 7-1-64       | 67         | 798  | 8.1 | 43  | 31             | 79          | 2.0           | 0                                      | 284                             | 52                         | 75            | 31                         |              |                     | 464                    | 42                            | 233                        | 17          | DKR                |
|   |                                    | 6-18-65      |            | 835  | 8.2 | 61  | 33             | 72          | 2.3           | 0                                      | 261                             | 58                         | 80            | 24                         |              |                     | 476                    | 41                            | 242                        | 28          | DKR                |
| B. G. Wood<br>irrigation                            | 3S/2E-29D1                         | 7-1-64       | 67         | 789  | 8.3 | 65  | 35             | 50          | 1.8           | 0                                      | 301                             | 58                         | 61            | 16                         |              |                     | 443                    | 26                            | 306                        | 59          | DKR                |
|   |                                    | 6-21-65      |            | 768  | 8.0 | 92  | 32             | 48          | 2.0           | 0                                      | 275                             | 58                         | 60            | 14                         |              |                     | 456                    | 27                            | 285                        | 59          | DKR                |
| J. Amarel   | 3S/2E-19C1                         | 6-18-65      |            | 1640                                       | 8.4 | 160                                       | 379            | 209         | 2.60          | 0.05                                   | 451                             | 121                        | 169           | 222                        |              |                     | 984                    | 67                            | 270                        | 0           | DKR                |







**TABLE E - I**  
**ANALYSES OF GROUND WATER**

| Owner and use                            | Site well number and other number | Date sampled | Temp in F | Specific conductance (micro-mhos at 25 C) | pH         | Mineral constituents in parts per million |                |             |               |                                 |                            |                            |                |                            |                            |              | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> |                                 | Analyzed by |              |             |                            |                    |
|--|-----------------------------------|--------------|-----------|---|------------|---|----------------|-------------|---------------|---------------------------------|----------------------------|----------------------------|----------------|----------------------------|----------------------------|--------------|-------------------------------|-------------------------------|---------------------------------|-------------|--------------|-------------|----------------------------|--------------------|
|  |                                   |              |           |   |            | Calcium (Ca)                              |                |             |               |                                 |                            | Sulfate (SO <sub>4</sub> ) |                | Magnesium (Mg)             |                            | Sodium (Na)  |                               | Potassium (K)                 | Bicarbonate (HCO <sub>3</sub> ) |             | Fluoride (F) | Barium (Ba) | Silica (SiO <sub>2</sub> ) | Other constituents |
|  |                                   |              |           |   |            | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Calcium (Ca)               | Magnesium (Mg) | Sulfate (SO <sub>4</sub> ) | Sulfate (SO <sub>4</sub> ) | Calcium (Ca) |                               | Nitrate (NO <sub>3</sub> )    |                                 |             |              |             |                            |                    |
| PALMERO VALLEY (3-2-68) (Cont.)          |                                   |              |           |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
| City of Watonville domestic & industrial | 12S/2E-18K2                       | 9-22-64      |           | 452                                       |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 9-24-65      | 8.6       | 42<br>2.10                                | 18<br>1.46 | 24<br>1.04                                | 9<br>0.30      | 192<br>3.15 | 13<br>0.37    | 2.03<br>1.32                    | 82<br>0.94                 | 0.1                        |                |                            | 23                         | 178          | 5                             | DMR                           |                                 |             |              |             |                            |                    |
| J. Fenoglio domestic & irrigation        | 12S/2E-30N1                       | 8-16-64      | 66        | 766                                       |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 8-24-65      | 8.5       | 46<br>2.30                                | 30<br>2.46 | 46<br>2.00                                | 6<br>0.20      | 155<br>2.54 | 47<br>0.98    | 73<br>0.94                      | 58<br>0.94                 | 0.0                        |                |                            | 427                        | 29           | 238                           | 101                           | DMR                             |             |              |             |                            |                    |
| Reiger domestic                          | 12S/2E-31A1                       | 9-23-64      | 433       |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 9-24-65      | 517       |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
| Zumino - Tornavaca irrigation            | 12S/2E-31K1                       | 8-11-64      | 1290      |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 8-24-65      | 8.6       | 105<br>5.24                               | 66<br>5.45 | 83<br>3.61                                | 5.1<br>0.13    | 176<br>2.88 | 77<br>1.60    | 321<br>9.06                     | 15<br>0.24                 | 0.2                        |                |                            | 894                        | 25           | 535                           | 371                           | DMR                             |             |              |             |                            |                    |
| Johnson irrigation                       | 12S/2E-32K1                       | 9-23-64      | 532       |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 9-24-65      | 595       | 45<br>2.24                                | 30<br>2.50 | 40<br>1.74                                | 16<br>0.53     | 226<br>3.70 | 32<br>0.90    | 2.28<br>0.90                    |                            | 0.1                        |                |                            | 27                         | 237          | 25                            | DMR                           |                                 |             |              |             |                            |                    |
| Dr. Rogers irrigation                    | 12S/2E-32L1                       | 9-24-65      | 623       |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 8-16-64      | 8.5       | 31<br>1.55                                | 39<br>3.21 | 42<br>1.83                                | 6<br>0.20      | 263<br>4.31 | 42<br>0.90    | 40<br>1.13                      | 2.2<br>0.04                | 0.3                        |                |                            | 364                        | 28           | 238                           | 12                            | DMR                             |             |              |             |                            |                    |
| G. Hurley irrigation                     | 12S/2E-32N1                       | 9-2-65       | 1690      |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 8-16-64      | 1690      |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
| Tanimura Bros. irrigation                | 12S/3E-9Q1                        | 9-2-65       | 378       |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 8-31-65      | 506       |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
| C. McGinnis domestic & irrigation        | 12S/3E-19H1                       | 8-31-65      | 2160      |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 8-31-65      | 2160      |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
| H. Fukuba irrigation                     | 12S/3E-30A1                       | 8-31-65      | 1990      |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 8-16-64      | 1990      |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
| Hurley domestic & irrigation             | 13S/1E-1A1                        | 7-20-65      | 267       |   |            |   |                |             |               |                                 |                            |                            |                |                            |                            |              |                               |                               |                                 |             |              |             |                            |                    |
|  |                                   | 9-1-65       | 267       | 14<br>0.70                                | 8<br>0.66  | 25<br>1.09                                | 0<br>0.03      | 77<br>1.26  | 43<br>0.09    | 27<br>0.76                      | 24<br>0.39                 | 0.0                        |                |                            | 194                        | 44           | 68                            | 5                             | DMR                             |             |              |             |                            |                    |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                               | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos/cm at 25° C) | pH  | Mineral constituents in parts per million |                |              |               |              |                                 |                            |               |                            |              | Total dissolved solids in ppm | Percent sodium | Hardness as CaCO <sub>3</sub> |                    | Analyzed by |       |      |
|---|------------------------------------|--------------|------------|---|-----|---|----------------|--------------|---------------|--------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------------------------|----------------|-------------------------------|--------------------|-------------|-------|------|
|   |                                    |              |            |   |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na)  | Potassium (K) | Calcium (Ca) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) |                               |                | Barium (Ba)                   | Other constituents |             | Total | N.C. |
|   |                                    |              |            |   |     | PALM BEACH COUNTY (Cont.)                 |                |              |               |              |                                 |                            |               |                            |              |                               |                |                               |                    |             |       |      |
| J. H. Struve Irrigation                     | 13S/2E-5M1                         | 8-24-65      | 63         | 1180  | 8.5 | 69<br>3.44                                | 54<br>4.33     | 92<br>4.00   | 4.5<br>0.12   | 1.6<br>0.47  | 222<br>3.64                     | 185<br>3.85                | 3.16<br>0.84  | 52<br>0.84                 | 0.2          |                               | 723            | 33                            | 394                | 183         | DNR   |      |
| G. H. Hurley Irrigation                     | 13S/2E-6E2                         | 8-14-64      | 66         | 1640  |     |   |                |              |               |              |                                 |                            | 354<br>0.56   | 9.99                       |              |                               |                |                               |                    |             | DNR   |      |
|   |                                    | 7-20-65      | 68         | 1660  |     | 55<br>2.74                                | 53<br>4.33     | 154<br>6.70  | 5.2<br>0.13   | 4<br>0.13    | 108<br>1.77                     | 105<br>2.19                | 311<br>8.77   | 30<br>0.58                 | 0.2          |                               | 826            | 48                            | 354                | 259         | DNR   |      |
| F. Conway & Sons Irrigation                 | 13S/2E-6E1                         | 9-23-64      | 1030       |   |     |   |                |              |               |              |                                 |                            | 153<br>4.32   |                            |              |                               |                |                               |                    |             | DNR   |      |
|   |                                    | 9-24-65      | 1320       | 8.5   |     | 19<br>0.95                                | 57<br>0.47     | 235<br>10.22 | 8<br>0.27     |              | 197<br>3.43                     |                            | 238<br>6.71   |                            | 0.2          |                               |                |                               |                    | 71          | 0     | DNR  |
| Monterey Bay Salt Co. domestic & Industrial | 13S/2E-7E1                         | 7-20-65      | 932        |   |     |   |                | 166<br>7.22  |               |              |                                 |                            | 111<br>3.13   |                            | 0.2          |                               |                |                               |                    |             | DNR   |      |
|   |                                    |              |            |   |     | GILROY-HOLLISTER BASIN (3E-3.00)          |                |              |               |              |                                 |                            |               |                            |              |                               |                |                               |                    |             |       |      |
| T. Andrade Irrigation                       | 9S/3E-25N3                         | 6-8-65       | 60         | 408   |     |   |                |              |               |              |                                 |                            | 27<br>0.43    |                            |              |                               |                |                               |                    |             | DNR   |      |
| P. L. Hudson Irrigation                     | 10S/3E-1E2                         | 6-8-65       | 60         | 479   |     |   |                |              |               |              |                                 |                            | 50<br>0.79    |                            |              |                               |                |                               |                    |             | DNR   |      |
| J. Orlando domestic & Irrigation            | 10S/3E-23J1                        | 6-8-65       | 457        | 7.7   |     | 31<br>1.55                                | 26<br>2.17     | 18<br>0.78   | 0             | 0.00         | 184<br>3.02                     |                            | 21<br>0.59    |                            | 0.0          |                               |                |                               | 17                 | 186         | 35    | DNR  |
| E. H. Henderson domestic & Irrigation       | 10S/3E-26J1                        | 6-8-65       | 450        |   |     |   |                |              |               |              |                                 |                            | 30<br>0.48    |                            |              |                               |                |                               |                    |             | DNR   |      |
| Vovinkel domestic                           | 10S/4E-17F1                        | 6-8-65       | 751        |   |     |   |                |              |               |              |                                 |                            | 48<br>1.35    |                            | 0.1          |                               |                |                               |                    |             | DNR   |      |
| E. Nichols domestic & Irrigation            | 10S/4E-18E2                        | 6-8-65       | 61         | 497   | 7.5 | 38<br>1.90                                | 28<br>2.18     | 18<br>0.78   | 0             | 0.00         | 210<br>3.44                     |                            | 15<br>0.42    |                            | 0.0          |                               |                |                               | 16                 | 204         | 32    | DNR  |
| W. Hanzl domestic & Irrigation              | 10S/4E-18J1                        | 6-8-65       | 61         | 451   |     |   |                | 24<br>1.04   |               |              |                                 |                            | 17<br>0.48    |                            | 0.1          |                               |                |                               |                    |             | DNR   |      |
| D. Wolfe domestic & Irrigation              | 10S/4E-28E2                        | 6-8-65       | 560        |   |     |   |                | 33<br>1.44   |               |              |                                 |                            | 33<br>0.95    |                            | 0.0          |                               |                |                               |                    |             | DNR   |      |
| S. Armondariz domestic & Irrigation         | 10S/4E-34L5                        | 6-8-65       | 791        | 7.0   |     | 56<br>2.79                                | 41<br>3.34     | 47<br>2.04   | 0             | 0.00         | 329<br>5.39                     |                            | 47<br>1.32    |                            | 0.0          |                               |                |                               | 25                 | 307         | 37    | DNR  |
| J. Santos Irrigation                        | 11S/4E-3L2                         | 6-8-65       | 1030       |   |     |   |                | 62<br>2.70   |               |              |                                 |                            | 60<br>1.89    |                            | 0.2          |                               |                |                               |                    |             | DNR   |      |



**TABLE E-1**  
**ANALYSES OF GROUND WATER**

| Owner and<br>use                  | State well<br>number and<br>other number | Date<br>sampled | Temp<br>in °F<br>(micro-<br>dial 25° C) | Specific<br>conduct-<br>ance<br>in µF<br>(micro-<br>dial 25° C) | pH | Mineral constituents in<br>parts per million |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               | Total<br>dissolved<br>solids<br>in ppm | Per-<br>cent<br>Iron | Analyzed<br>by |                    |      |      |      |     |     |     |  |
|-----------------------------------|--|-----------------|---|---|----|--|------------------------|----------------|------------------|--------------------------------------|------------------------------------|------------------------------------|-----------------------|--|----------------------|----------------------|-------------------------------|--|----------------------|----------------|--------------------|------|------|------|-----|-----|-----|--|
|                                   |  |                 |   |   |    | Calcium<br>(Ca)                              | Magne-<br>sium<br>(Mg) | Sodium<br>(Na) | Potassium<br>(K) | Carbon-<br>ate<br>(CO <sub>3</sub> ) | Bicarbonate<br>(HCO <sub>3</sub> ) | Sul-<br>fate<br>(SO <sub>4</sub> ) | Chlo-<br>ride<br>(Cl) | Ni-<br>tro-<br>gen<br>(NO <sub>3</sub> ) | Flu-<br>oride<br>(F) | Brom-<br>ine<br>(Br) | Silica<br>(SiO <sub>2</sub> ) |  |                      |                | Other constituents |      |      |      |     |     |     |  |
| P. Nunez<br>domestic              | 128/38-3301<br>(Cont.)                   |                 |   |   |    | GLORY-HOLLISTER BASIN (3-3-00) (Cont.)       |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |
|                                   |  |                 |   |   |    | 6-1-65                                       | 1220                   | 8.5            | 54               | 70                                   | 120                                | 21                                 | 415                   | 191                                      | 0.70                 | 6.80                 | 3.98                          |  |                      |                | 1.6                | 0.02 | 792  | 4.24 | 49  | DHR |     |  |
|                                   |  |                 |   |   |    | 7-2-65                                       | 64                     | 1230           | 8.0              | 54                                   | 65                                 | 114                                | 0                     | 433                                      | 195                  | 74                   | 0.6                           |  |                      |                | 0.7                | 754  | 38   | 404  | 49  | DHR |     |  |
|                                   |  |                 |   |   |    | 8-11-65                                      | 78                     | 1230           | 7.9              | 53                                   | 66                                 | 118                                | 0                     | 432                                      | 192                  | 0.9                  | 0.9                           |  |                      |                | 753                | 406  | 406  | DHR  |     |     |     |  |
|                                   |  |                 |   |   |    | 9-2-65                                       | 63                     | 1220           | 8.3              | 50                                   | 88                                 | 119                                | 0                     | 447                                      | 192                  | 73                   | 0.7                           |  |                      |                | 0.7                | 784  | 406  | 406  | DHR |     |     |  |
|                                   |  |                 |   |   |    | 3-9-65                                       | 64                     | 2080           | 8.4              | 71                                   | 113                                | 230                                | 7.2                   | 350                                      | 452                  | 172                  | 1.2                           |  |                      |                | 1.0                | 1310 | 46   | 640  | 150 | DHR |     |  |
|                                   |  |                 |   |   |    | 4-1-65                                       | 65                     | 2120           | 8.5              | 73                                   | 113                                | 235                                | 9                     | 265                                      | 388                  | 15                   | 0.24                          |  |                      |                | 1.5                | 1430 | 647  | 647  | DHR |     |     |  |
|                                   |  |                 |   |   |    | 5-3-65                                       | 64                     | 2150           | 8.5              | 73                                   | 97                                 | 238                                | 16                    | 252                                      | 412                  | 10                   | 0.16                          |  |                      |                | 0.16               | 1410 | 581  | 581  | DHR |     |     |  |
|                                   |  |                 |   |   |    | 6-1-65                                       | 62                     | 2190           | 8.5              | 67                                   | 123                                | 274                                | 17                    | 265                                      | 442                  | 8.2                  | 0.13                          |  |                      |                | 1.0                | 1480 | 672  | 181  | DHR |     |     |  |
|                                   |  |                 |   |   |    | 7-2-65                                       | 66                     | 2210           | 8.3              | 70                                   | 114                                | 262                                | 8.7                   | 0  | 264                  | 456                  | 200                           |  |                      |                | 1.5                | 1.0  | 1460 | 46   | 646 | 184 | DHR |  |
|                                   |  |                 |   |   |    | 8-11-65                                      | 63                     | 2230           | 8.1              | 72                                   | 116                                | 258                                | 0                     | 268                                      | 462                  | 0.00                 | 0.00                          |  |                      |                | 0.00               | 1480 | 655  | 655  | DHR |     |     |  |
|                                   |  |                 |   |   |    | 9-2-65                                       | 63                     | 2220           | 8.4              | 67                                   | 117                                | 274                                | 13                    | 265                                      | 463                  | 210                  | 1.5                           |  |                      |                | 0.24               | 1680 | 648  | 648  | DHR |     |     |  |
| L. Lopez<br>domestic & irrigation | 128/38-3311                              |                 |   |   |    | GLORY-HOLLISTER BASIN (3-3-00) (Cont.)       |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |
|                                   |  |                 |   |   |    | 3-10-65                                      | 1770                   | 8.2            | 85               | 133                                  | 154                                | 7.2                                | 0                     | 172                                      | 284                  | 97                   | 1.3                           |  |                      |                | 1.0                | 988  | 30   | 760  | 127 | DHR |     |  |
|                                   |  |                 |   |   |    | 4-1-65                                       | 58                     | 1870           | 8.4              | 77                                   | 130                                | 167                                | 9                     | 293                                      | 280                  | 0.0                  | 2.74                          |  |                      |                | 0.0                | 1260 | 727  | 727  | DHR |     |     |  |
|                                   |  |                 |   |   |    | 5-3-65                                       | 57                     | 2010           | 8.4              | 96                                   | 150                                | 167                                | 13                    | 852                                      | 309                  | 0.0                  | 0.00                          |  |                      |                | 0.00               | 1320 | 856  | 856  | DHR |     |     |  |
|                                   |  |                 |   |   |    | 6-1-65                                       | 63                     | 1910           | 8.6              | 93                                   | 137                                | 184                                | 21                    | 872                                      | 259                  | 0.5                  | 0.01                          |  |                      |                | 0.01               | 1280 | 798  | 49   | DHR |     |     |  |
|                                   |  |                 |   |   |    | 7-2-65                                       | 65                     | 1760           | 8.1              | 85                                   | 113                                | 162                                | 4.9                   | 0  | 293                  | 238                  | 92                            |  |                      |                | 0.2                | 0.2  | 1150 | 34   | 678 | 28  | DHR |  |
|                                   |  |                 |   |   |    | 8-11-65                                      | 71                     | 1720           | 8.1              | 80                                   | 106                                | 167                                | 0                     | 700                                      | 268                  | 246                  | 0.00                          |  |                      |                | 0.00               | 1080 | 634  | 634  | DHR |     |     |  |
|                                   |  |                 |   |   |    | 9-2-65                                       | 66                     | 1740           | 8.1              | 79                                   | 112                                | 167                                | 0                     | 806                                      | 225                  | 91                   | 1.5                           |  |                      |                | 0.02               | 1120 | 657  | 657  | DHR |     |     |  |
|                                   |  |                 |   |   |    | 3-9-65                                       | 60                     | 1520           | 8.9              | 50                                   | 101                                | 156                                | 3.6                   | 33                                       | 492                  | 240                  | 16                            |  |                      |                | 0.2                | 0.9  | 992  | 38   | 540 | 48  | DHR |  |
|                                   |  |                 |   |   |    |  |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |
|                                   |  |                 |   |   |    |  |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |
|                                   |  |                 |   |   |    |  |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |
|                                   |  |                 |   |   |    |  |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |
|                                   |  |                 |   |   |    |  |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |
|                                   |  |                 |   |   |    |  |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |
|                                   |  |                 |   |   |    |  |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |
|                                   |  |                 |   |   |    |  |                        |                |                  |                                      |                                    |                                    |                       |  |                      |                      |                               |  |                      |                |                    |      |      |      |     |     |     |  |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use        | State well number and other number | Date sampled   | Temp in F   | Specific conduct. in F (micro-mhos at 25° C) | pH   | Mineral constituents in |                |             |               |                              |                                 | anions per million equivalents per million |               |                            |              |           |                            | Total dissolved solids in ppm | Per- cent total dissolved solids | Hardness as CaCO <sub>3</sub> |           | Analyzed by |          |     |     |     |     |     |     |     |     |
|----------------------|------------------------------------|--|-------------|--|------|-------------------------|----------------|-------------|---------------|------------------------------|---------------------------------|--|---------------|----------------------------|--------------|-----------|----------------------------|-------------------------------|----------------------------------|-------------------------------|-----------|-------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|
|                      |                                    |  |             |  |      | Calcium (Ca)            | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> )                 | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) | Silica (SiO <sub>2</sub> ) |                               |                                  | Other constituents            | Total ppm |             | N.C. ppm |     |     |     |     |     |     |     |     |
| R. Lico Irrigation   | 128/58-1312 (Cont.)                | 4-1-65   | 60          | 1870   | 8.0  | 84                      | 128            | 167         | 0             | 0                            | 872                             | 223  | 2.4           | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 737 |     | DHR |     |     |     |     |     |
|                      |                                    | 5-3-65   | 65          | 1860   | 8.3  | 54                      | 176            | 166         | 0             | 0                            | 867                             | 210  | 6.0           | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 655 |     | DHR |     |     |     |     |
|                      |                                    | 6-1-65   | 64          | 1890   | 8.2  | 46                      | 126            | 152         | 0             | 0                            | 817                             | 248  | 2.2           | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 636 | 0   | DHR |     |     |     |     |
|                      |                                    | 7-2-65   | 66          | 1980   | 8.0  | 38                      | 136            | 162         | 4.2           | 0                            | 818                             | 308  | 8.7           | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 807 | 136 | DHR |     |     |     |
|                      |                                    | 8-11-65  | 66          | 2060   | 7.8  | 107                     | 138            | 176         | 0             | 0                            | 733                             | 385  | 7.6           | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 834 |     | DHR |     |     |     |
|                      |                                    | 9-2-65   | 62          | 2150   | 8.2  | 106                     | 146            | 174         | 0             | 0                            | 720                             | 453  | 13            | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 864 |     | DHR |     |     |     |
|                      |                                    | 3-2-65   | 57          | 1190   | 8.2  | 58                      | 64             | 105         | 2.6           | 0                            | 376                             | 228  | 26            | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 735 | 36  | 408 | 101 | DHR |     |
|                      |                                    | 4-1-65   | 54          | 1210   | 8.6  | 22                      | 65             | 112         | 0.07          | 0                            | 400                             | 613  | 4.75          | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 0   | 398 |     | DHR |     |     |
|                      |                                    | 5-3-65   | 57          | 1220   | 8.6  | 22                      | 66             | 110         | 0             | 0                            | 398                             | 206  | 4.4           | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 0   | 403 |     | DHR |     |     |
|                      |                                    | 6-1-65   | 60          | 1200   | 8.3  | 52                      | 72             | 113         | 0             | 0                            | 381                             | 221  | 6.0           | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 0   | 424 | 112 | DHR |     |     |
| J. Gonzalez domestic | 128/58-1481                        | 7-2-65   | 66          | 1200   | 8.2  | 54                      | 65             | 108         | 3.5           | 0                            | 368                             | 224  | 7.5           | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 404 | 102 | DHR |     |     |     |
|                      |                                    | 8-11-65  | 72          | 1230   | 7.9  | 52                      | 68             | 112         | 0             | 0                            | 368                             | 228  | 2.12          | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 412 |     | DHR |     |     |     |
|                      |                                    | 9-2-65   | 62          | 1220   | 8.5  | 53                      | 68             | 114         | 1.1           | 0                            | 357                             | 230  | 7.9           | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 414 |     | DHR |     |     |     |
|                      |                                    | 6-2-65   | 1340        |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     | DHR |     |     |
|                      |                                    | 6-9-65   | 440         | 7.5  | 19   | 12                      | 55             | 0           | 0             | 231                          | 3.79                            | 0.62                                       | 0             | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 56  | 95  | 0   | DHR |     |     |
|                      |                                    | 6-9-65   | 1340        |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     |     | DHR |     |
|                      |                                    | 6-9-65   | 2270        | 8.1  | 53   | 61                      | 368            | 0           | 0             | 596                          | 9.77                            | 3.11                                       | 0             | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 66  | 364 | 0   | DHR |     |     |
|                      |                                    | 6-9-65   | 1380        |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     |     | DHR |     |
|                      |                                    | 6-9-65   | 1440        |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     |     | DHR |     |
|                      |                                    | P. Rovella domestic & irrigation<br>S. Brandon domestic & reock<br>E. F. Broadfoot & Son domestic<br>C. T. Fillingim domestic & irrigation<br>V. Lompae irrigation<br>V. Lompae irrigation | 128/58-16A1 | 6-2-65                                       | 1340 |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     |     |     | DHR |
| 6-9-65               | 440                                |  |             | 7.5  | 19   | 12                      | 55             | 0           | 0             | 231                          | 3.79                            | 0.62                                       | 0             | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 56  | 95  | 0   | DHR |     |     |
| 6-9-65               | 1340                               |  |             |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     |     | DHR |     |
| 6-9-65               | 2270                               |  |             | 8.1  | 53   | 61                      | 368            | 0           | 0             | 596                          | 9.77                            | 3.11                                       | 0             | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 66  | 364 | 0   | DHR |     |     |
| 6-9-65               | 1380                               |  |             |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     |     | DHR |     |
| 6-9-65               | 1440                               |  |             |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     |     | DHR |     |
| 6-9-65               | 1340                               |  |             |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     |     | DHR |     |
| 6-9-65               | 440                                |  |             | 7.5  | 19   | 12                      | 55             | 0           | 0             | 231                          | 3.79                            | 0.62                                       | 0             | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 0   | 56  | 95  | 0   | DHR |     |
| 6-9-65               | 1340                               |  |             |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     |     |     | DHR |
| 6-9-65               | 2270                               |  |             | 8.1  | 53   | 61                      | 368            | 0           | 0             | 596                          | 9.77                            | 3.11                                       | 0             | 0                          | 0            | 0         | 0                          | 0                             | 0                                | 0                             | 0         | 0           | 0        | 0   | 0   | 0   | 66  | 364 | 0   | DHR |     |
| 6-9-65               | 1380                               |  |             |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     | DHR |     |     |
| 6-9-65               | 1440                               |  |             |  |      |                         |                |             |               |                              |                                 |  |               |                            |              |           |                            |                               |                                  |                               |           |             |          |     |     |     |     |     | DHR |     |     |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use  | Stie well number and other number | Date sampled | Temp in °F | Specific condence (micro mhos/cm at 25° C) | Mineral constituents in parts per million |                |             |               |                                 |                              |                                 |                            |                                |              | Total dissolved solids (in ppm) | Percent total from ppm | Hardness as CaCO <sub>3</sub> Total ppm | Analyzed by |           |                            |     |     |
|--|-----------------------------------|--------------|------------|--|---|----------------|-------------|---------------|---------------------------------|------------------------------|---------------------------------|----------------------------|--------------------------------|--------------|---------------------------------|------------------------|---|-------------|-----------|----------------------------|-----|-----|
|  |                                   |              |            |  | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Perchlorate (ClO <sub>4</sub> ) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Other constituents             |              |                                 |                        |   |             |           |                            |     |     |
|  |                                   |              |            |  |   |                |             |               |                                 |                              |                                 |                            | Nitrate (NO <sub>3</sub> )     | Fluoride (F) |                                 |                        |   |             | Boron (B) | Silica (SiO <sub>2</sub> ) |     |     |
| R. M. Chuck domestic & irrigation                              | 13S/2E-13N1                       | 9-1-65       |            | 238  |   |                |             |               |                                 |                              |                                 | 2.8<br>1.22                | <u>SALINAS VALLEY (3-4.00)</u> |              |                                 |                        |   |             |           |                            |     |     |
|  | 13S/2E-17N1                       | 7-21-64      | 66         | 1580                                       | 8.4                                       | 70<br>3.49     | 62<br>3.50  | 172<br>7.48   | 8.6<br>0.22                     | 7<br>0.23                    | 195<br>3.20                     | 46<br>0.83                 |                                | 36<br>1.02   | 4.0<br>0.06                     | 0.2                    | 926                                     | 51          | 350       | 178                        | DMR |     |
|  |                                   | 7-20-65      | 66         | 1510                                       | 8.7                                       | 72<br>3.89     | 35<br>2.90  | 172<br>7.48   | 2.5<br>0.24                     | 18<br>0.60                   | 170<br>2.79                     | 37<br>0.77                 |                                | 38<br>1.07   | 3.4<br>0.09                     | 0.2                    | 937                                     | 52          | 330       | 161                        | DMR |     |
| T. Leonardini domestic & irrigation                            | 13S/2E-19N1                       | 7-21-64      |            | 1110                                       |   |                |             |               |                                 |                              |                                 |                            |                                | 216<br>6.04  |                                 |                        |   |             |           |                            |     | DMR |
|  |                                   | 7-21-65      | 1070       |  |   |                |             |               |                                 |                              |                                 |                            |                                | 207<br>5.84  |                                 |                        |   |             |           |                            |     | DMR |
|  |                                   | 7-21-64      | 72         | 1040                                       |   |                |             |               |                                 |                              |                                 |                            |                                | 190<br>5.36  |                                 |                        |   |             |           |                            |     | DMR |
| California Artichoke & Vegetable Growers domestic & irrigation | 13S/2E-20K2                       | 7-21-65      | 932        |  |   |                |             |               |                                 |                              |                                 |                            |                                | 160<br>4.51  |                                 |                        |   |             |           |                            |     | DMR |
|  | 13S/2E-29C4                       | 8-13-64      | 68         | 1560                                       | 5.1                                       | 56<br>2.79     | 26<br>2.15  | 168<br>7.35   | 3.0<br>0.08                     | 0                            | 0.00                            | 71<br>1.48                 |                                | 280<br>7.90  | 264<br>3.84                     | 0.1                    | 907                                     | 59          | 247       | 247                        | DMR |     |
| Permanenti Industrial J. J. King irrigation                    | 13S/2E-31D2                       | 7-21-64      | 71         | 890  |   |                |             |               |                                 |                              |                                 |                            |                                | 173<br>4.88  |                                 |                        |   |             |           |                            |     | DMR |
|  |                                   | 7-21-65      | 962        |  |   |                |             |               |                                 |                              |                                 |                            |                                | 184<br>5.19  |                                 |                        |   |             |           |                            |     | DMR |
|  | 13S/2E-31K2                       | 7-22-64      | 70         | 635  |   |                |             |               |                                 |                              |                                 |                            |                                | 69<br>1.95   |                                 |                        |   |             |           |                            |     | DMR |
| Molera Estate domestic   |                                   | 7-21-65      | 586        |  |   |                |             |               |                                 |                              |                                 |                            |                                | 64<br>1.80   |                                 |                        |   |             |           |                            |     | DMR |
|  | 8. Bellone irrigation             | 7-22-64      | 71         | 775  |   |                |             |               |                                 |                              |                                 |                            |                                | 116<br>4.96  |                                 |                        |   |             |           |                            |     | DMR |
| E. Bellone irrigation  |                                   | 8-11-65      | 1680       |  |   |                |             |               |                                 |                              |                                 |                            |                                |              |                                 |                        |   |             |           |                            |     | DMR |
|  | 13S/2E-31N2                       | 7-22-64      | 72         | 1320                                       |   |                |             |               |                                 |                              |                                 |                            |                                | 247<br>6.97  |                                 |                        |   |             |           |                            |     | DMR |
|  |                                   | 7-21-65      | 1190       |  |   |                |             |               |                                 |                              |                                 |                            |                                | 270<br>7.62  |                                 |                        |   |             |           |                            |     | DMR |
| irrigation   | 13S/2E-32A2                       | 7-21-64      | 74         | 623  |   |                |             |               |                                 |                              |                                 |                            |                                | 32<br>2.00   |                                 |                        |   |             |           |                            |     | DMR |
|  |                                   | 7-21-65      | 534        |  |   |                |             |               |                                 |                              |                                 |                            |                                | 34<br>2.09   |                                 |                        |   |             |           |                            |     | DMR |

TABLE E-1  
ANALYSES OF GROUND WATER

**TABLE E-1**  
**ANALYSES OF GROUND WATER**

| Owner and use                               | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                |             |               |  |                                 |                            |               |                            |              |             | Total dissolved solids in ppm | Per cent sodium | Hardness as CaCO <sub>3</sub> | Analyzed by |                            |                    |
|---|------------------------------------|--------------|------------|--|-----|---|----------------|-------------|---------------|--|---------------------------------|----------------------------|---------------|----------------------------|--------------|-------------|-------------------------------|-----------------|-------------------------------|-------------|----------------------------|--------------------|
|   |                                    |              |            |  |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Calcium carbonate (CaCO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Barium (Ba) |                               |                 |                               |             | Silica (SiO <sub>2</sub> ) | Other constituents |
|   |                                    |              |            |  |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 |                               |             |                            |                    |
| SALTIMUS VALLEY (34-4,00) (Cont.)           |                                    |              |            |  |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 |                               |             |                            |                    |
| O. P. Overhouse irrigation                  | 13S/2E-32C1                        | 7-21-64      | 67         | 558  |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 | DHR                           |             |                            |                    |
|   |                                    | 7-21-65      |            | 527  |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 | DHR                           |             |                            |                    |
| Mohera Estate irrigation                    | 13S/2E-32N1                        | 7-23-64      | 69         | 612  |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 | DHR                           |             |                            |                    |
|   |                                    | 8-11-65      |            | 548  |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 | DHR                           |             |                            |                    |
| C. Risotti irrigation                       | 13S/2E-33R1                        | 7-23-64      | 67         | 923  | 8.5 | 86/419                                    | 31/256         | 60/261      | 3.3/0.08      | 9/3.77                                 | 230/2,008                       | 100/2,008                  | 103/2,300     | 0.18/0.79                  |              | 0.1         |                               | 598             | 28                            | 338         | 135                        | DHR                |
|   |                                    | 7-22-65      | 66         | 613  | 8.7 | 36/269                                    | 16/129         | 52/226      | 3.6/0.09      | 10/3.08                                | 188/3,008                       | 68/3,008                   | 62/1,775      | 3.0/0.05                   |              | 0.2         |                               | 364             | 36                            | 199         | 29                         | DHR                |
| R. Hollenbeck domestic & irrigation         | 13S/2E-441                         | 9-1-65       | 67         | 345  | 8.1 | 19/0.95                                   | 6.7/0.35       | 36/1.57     | 1.1/0.03      | 0/0.00                                 | 90/1.48                         | 1.8/0.04                   | 48/1.35       | 1.2/0.19                   |              | 0.1         |                               | 222             | 51                            | 75          | 1                          | DHR                |
| C. Lightfoot domestic & irrigation          | 13S/2E-29A1                        | 9-1-65       | 69         | 491  | 8.2 | 21/1.05                                   | 9.1/0.75       | 55/239      | 1.5/0.06      | 0/0.00                                 | 63/1.03                         | 1.5/0.03                   | 101/245       | 13/0.21                    |              | 0.0         |                               | 310             | 56                            | 90          | 38                         | DHR                |
| Wm. Fogel domestic                          | 14S/1E-24Q2                        | 9-3-65       |            | 1350                                       |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 |                               |             |                            | DHR                |
| Marina Del Mar School domestic & irrigation | 14S/1E-23K1                        | 9-2-65       | 65         | 593  | 7.8 | 32/1.65                                   | 12/1.01        | 31/222      | 2.1/0.05      | 0/0.00                                 | 37/0.61                         | 4.1/0.08                   | 108/305       | 56/0.70                    |              | 0.0         |                               | 376             |                               | 133         | 103                        | DHR                |
| L. Martin irrigation                        | 14S/2E-6Q1                         | 8-13-64      | 73         | 571  |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 |                               |             |                            | DHR                |
|   |                                    | 7-22-65      |            | 561  |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 |                               |             |                            | DHR                |
| E. Struve domestic & irrigation             | 14S/2E-6R2                         | 7-22-65      |            | 547  |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 |                               |             |                            | DHR                |
| J. Jefferson irrigation                     | 14S/2E-8H2                         | 8-13-64      | 72         | 492  |     |   |                |             |               |  |                                 |                            |               |                            |              | 0.0         |                               |                 |                               |             |                            | DHR                |
|   |                                    | 8-18-65      |            | 459  |     |   |                |             |               |  |                                 |                            |               |                            |              | 0.1         |                               |                 |                               |             |                            | DHR                |
| D. V. Orcutt irrigation                     | 14S/2E-9K1                         | 8-7-64       | 68         | 1470                                       |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 |                               |             |                            | DHR                |
|   |                                    | 8-18-65      |            | 2660                                       |     |   |                |             |               |  |                                 |                            |               |                            |              |             |                               |                 |                               |             |                            | DHR                |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                     | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million equivalents per million |                  |             |                 |                                |                                 |                            |                 |                              |                | Total dissolved solids in ppm | Per cent iron | Hardness as CaCO <sub>3</sub> Total ppm | NIC ppm | Analyzed by |
|-----------------------------------|------------------------------------|--------------|------------|--|-----|---|------------------|-------------|-----------------|--------------------------------|---------------------------------|----------------------------|-----------------|------------------------------|----------------|-------------------------------|---------------|---|---------|-------------|
|                                   |                                    |              |            |  |     | Calcium (Ca)  | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Carbon- ate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chlo- ride (Cl) | Ni- trate (NO <sub>3</sub> ) | Fluor- ide (F) |                               |               |   |         |             |
| J. P. Rodgers Irrigation          | 14S/2E-1101                        | 7-31-64      | 66         | 592  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
|                                   |                                    | 8-9-65       | 593        |  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   |         | DMR         |
| E. C. Eaton domestic & irrigation | 14S/2E-1201                        | 8-5-64       | 67         | 533  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
|                                   |                                    | 8-9-65       | 523        |  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
| L. A. Wilder domestic             | 14S/2E-1401                        | 7-29-64      | 70         | 618  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
|                                   |                                    | 7-28-65      | 388        |  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
| Monterey County Bank Irrigation   | 14S/2E-1511                        | 7-29-64      | 63         | 640  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
|                                   |                                    | 7-27-65      | 614        |  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
| J. M. Orcutt Irrigation           | 14S/2E-16A1                        | 7-27-65      | 675        |  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
|                                   |                                    | 7-24-64      | 64         | 1450                                       | 8.3 |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
| J. G. Armstrong, Co. Irrigation   | 14S/2E-1801                        | 8-7-64       | 70         | 900  | 8.3 |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
|                                   |                                    | 7-28-65      | 70         | 918  | 8.2 |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
| M. T. De Sappe Irrigation         | 14S/2E-2381                        | 7-31-64      | 65         | 1110                                       |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
|                                   |                                    | 9-4-65       | 558        |  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
| D. P. McFadden Irrigation         | 14S/2E-3301                        | 7-29-64      | 71         | 467  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
|                                   |                                    | 7-28-65      | 467        |  |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
| A. Lanini Irrigation              | 14S/2E-30E1                        | 7-31-64      | 62         | 1710                                       |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |
|                                   |                                    | 8-9-65       | 67         | 1980                                       |     |   |                  |             |                 |                                |                                 |                            |                 |                              |                |                               |               |   | DMR     |             |



TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                                       | State well number and other number | Date sampled | Temp in F | Specific con- (micro- mhos at 25° C) | pH  | Mineral constituents in parts per million |             |              |             |                             |                         |              |                        |              |           | Total dis- (solids in ppm) | Per- Cent sulf- (sum) | Hardness as CaCO <sub>3</sub> |                    | Analyzed by |       |      |
|---|------------------------------------|--------------|-----------|--------------------------------------|-----|---|-------------|--------------|-------------|-----------------------------|-------------------------|--------------|------------------------|--------------|-----------|----------------------------|-----------------------|-------------------------------|--------------------|-------------|-------|------|
|   |                                    |              |           |                                      |     | Calcium (Ca)                              | Magne- (Mg) | Sodium (Na)  | Potas- (K)  | Bicarb- (HCO <sub>3</sub> ) | Sul- (SO <sub>4</sub> ) | Chlo- (Cl)   | Ni- (NO <sub>3</sub> ) | Fluo- (F)    | Boron (B) |                            |                       | Silice (SiO <sub>2</sub> )    | Other constituents |             | Total | N.C. |
| Pacific Gas & Electric municipal                    | 148/3E-33C1                        | 8-26-64      | 68        | 621                                  | 8.3 | 72<br>3.59                                | 6.0<br>0.49 | 4.6<br>2.00  | 2.6<br>0.07 | 0<br>0.00                   | 1.64<br>2.69            | 1.9<br>0.20  | 91<br>2.57             | 1.7<br>0.27  | 0.0       | 0.0                        | 389                   | 32                            | 204                | 70          | DMR   |      |
|   |                                    | 8-24-65      | 72        | 786                                  | 8.8 | 68<br>3.39                                | 2.2<br>1.84 | 6.3<br>2.74  | 3.3<br>0.08 | 1.8<br>0.60                 | 1.72<br>2.82            | 8.5<br>1.77  | 94<br>2.65             | 7.3<br>0.12  | 0.1       | 0.1                        | 513                   | 34                            | 262                | 85          | DMR   |      |
| P. Calabrese domestic                               | 155/1E-22C1                        | 9-3-65       | 65        | 881                                  | 8.6 | 57<br>2.86                                | 2.0<br>1.66 | 8.8<br>3.83  | 4.4<br>0.11 | 1.98<br>0.27                | 6.3<br>3.24             | 5.3<br>1.31  | 1.22<br>3.44           | 4.2<br>0.07  | 0.0       | 0.0                        | 509                   | 45                            | 225                | 50          | DMR   |      |
|   |                                    | 9-3-65       | 66        | 736                                  |     |   |             |              |             |                             |                         |              |                        |              |           |                            |                       |                               |                    |             |       | DMR  |
| O. Veach domestic                                   | 155/1E-23O1                        | 9-3-65       | 64        | 537                                  | 8.0 | 19<br>0.95                                | 9.6<br>0.79 | 5.9<br>2.37  | 2.1<br>0.05 | 0<br>0.00                   | 6.0<br>0.98             | 1.5<br>0.31  | 90<br>2.34             | 0.28<br>0.45 | 0.0       | 0.0                        | 314                   | 59                            | 87                 | 38          | DMR   |      |
|   |                                    | 7-30-64      | 65        | 453                                  |     |   |             |              |             |                             |                         |              |                        |              |           |                            |                       |                               |                    |             |       | DMR  |
| L. Fiehe irrigation                                 | 155/2E-2Q1                         | 7-30-65      | 434       |                                      |     |   |             |              |             |                             |                         |              |                        |              |           |                            |                       |                               |                    |             |       | DMR  |
|   |                                    | 8-14-64      | 65        | 1070                                 |     |   |             |              |             |                             |                         |              |                        |              |           |                            |                       |                               |                    |             |       | DMR  |
| D. McFadden irrigation                              | 155/3E-4K3                         | 8-6-64       | 70        | 648                                  |     |   |             |              |             |                             |                         |              |                        |              |           |                            |                       |                               |                    |             |       | DMR  |
|   |                                    | 8-4-65       | 612       |                                      |     |   |             |              |             |                             |                         |              |                        |              |           |                            |                       |                               |                    |             |       | DMR  |
| R. Teraji irrigation                                | 155/3E-5Q4                         | 8-4-65       | 63        | 2360                                 |     |   |             |              |             |                             |                         |              |                        |              |           |                            |                       |                               |                    |             |       | DMR  |
|   |                                    | 8-12-64      |           |                                      |     |   |             |              |             |                             |                         |              |                        |              |           |                            |                       |                               |                    |             |       |      |
| Sprackels Sugar Co. irrigation                      | 155/3E-16M1                        | 8-12-64      |           | 1120                                 | 8.2 | 133<br>6.62                               | 4.4<br>3.65 | 5.1<br>2.22  | 3.8<br>0.10 | 0<br>0.00                   | 3.54<br>4.58            | 2.0<br>5.80  | 6.5<br>1.83            | 1.2<br>0.02  | 0.1       | 0.1                        | 752                   | 18                            | 515                | 225         | DMR   |      |
|   |                                    | 8-11-64      | 64        | 1320                                 | 8.2 | 133<br>6.64                               | 4.8<br>3.91 | 9.6<br>4.18  | 1.4<br>0.36 | 0<br>0.00                   | 6.26<br>10.26           | 4.6<br>0.96  | 11.5<br>3.24           | 7.4<br>0.12  | 0.1       | 0.1                        | 771                   | 28                            | 528                | 15          | DMR   |      |
| J. Violini irrigation                               | 165/2E-17P1                        | 9-8-65       | 622       |                                      |     |   |             |              |             |                             |                         |              |                        |              |           |                            |                       |                               |                    |             |       | DMR  |
|   |                                    | 9-13-65      | 64        | 920                                  | 8.5 | 82<br>4.14                                | 1.9<br>1.33 | 7.1<br>3.09  | 3.6<br>0.09 | 8<br>0.27                   | 2.65<br>4.02            | 4.5<br>0.94  | 1.26<br>3.55           | 2.8<br>0.04  | 0.0       | 0.0                        | 534                   | 31                            | 284                | 70          | DMR   |      |
| Corral de Tierra Country Club domestic & irrigation | 165/2E-3J1                         | 8-13-64      | 60        | 1720                                 | 8.2 | 135<br>6.74                               | 7.2<br>5.93 | 13.7<br>5.96 | 4.6<br>0.12 | 0<br>0.00                   | 2.78<br>4.56            | 4.4<br>9.24  | 1.32<br>3.72           | 0.61<br>0.98 | 0.4       | 0.4                        | 1160                  | 32                            | 634                | 406         | DMR   |      |
|   |                                    | 8-9-65       | 62        | 1690                                 | 8.1 | 130<br>6.49                               | 7.4<br>6.10 | 12.5<br>5.44 | 4.4<br>0.11 | 0<br>0.00                   | 3.18<br>5.21            | 4.04<br>8.41 | 1.24<br>3.50           | 0.50<br>0.81 | 0.3       | 0.3                        | 1150                  | 30                            | 630                | 369         | DMR   |      |



TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use           | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                |             |               |                                 |                            |               |                            |              |           |                            |                    |     | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> | Analyzed by |
|-------------------------|------------------------------------|--------------|------------|--|-----|---|----------------|-------------|---------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|----------------------------|--------------------|-----|-------------------------------|-------------------------------|-------------|
|                         |                                    |              |            |  |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) | Silica (SiO <sub>2</sub> ) | Other constituents |     |                               |                               |             |
| A. Durate Irrigation    | 205/8B-381                         | 9-14-64      | 65         | 1700                                       | 8.3 | 172                                       | 5.5            | 4.4         | 0             | 238                             | 400                        | 178           | 16                         | 1.0          |           | 1160                       | 43                 | 488 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 7.48                                      | 4.56           | 0.11        | 0.00          | 4.23                            | 8.33                       | 5.02          | 0.26                       |              |           |                            |                    |     |                               |                               |             |
| K. Esde Irrigation      | 215/9B-2411                        | 7-22-65      | 65         | 1810                                       | 8.2 | 178                                       | 93             | 5.2         | 0             | 319                             | 414                        | 165           | 19                         | 0.9          |           | 1210                       | 41                 | 548 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 7.74                                      | 7.66           | 0.13        | 0.00          | 5.23                            | 8.62                       | 4.85          | 0.31                       |              |           |                            |                    |     |                               |                               |             |
| Glav Estate Irrigation  | 225/10B-17N1                       | 7-20-65      | 62         | 525  | 8.5 | 154                                       | 113            | 6.4         | 0             | 216                             | 653                        | 118           | 25                         | 0.6          |           | 1400                       | 32                 | 693 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 6.70                                      | 9.26           | 0.16        | 0.00          | 3.54                            | 13.60                      | 3.33          | 0.40                       |              |           |                            |                    |     |                               |                               |             |
| L. Rosenberg Irrigation | 225/10B-34G1                       | 7-20-65      | 67         | 952  | 7.9 | 31  | 29             | 1.6         | 8             | 194                             | 63                         | 20            | 2.1                        | 0.1          |           | 321                        | 25                 | 199 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 1.60                                      | 2.38           | 1.35        | 0.04          | 0.27                            | 3.18                       | 1.31          | 0.56                       | 0.03         |           |                            |                    |     |                               |                               |             |
| J. Hartman Irrigation   | 235/8B-8K1                         | 9-1-65       | 68         | 300  | 8.0 | 2.83                                      | 2.43           | 0.11        | 0.00          | 4.42                            | 2.29                       | 2.14          | 0.09                       | 0.4          |           | 578                        | 31                 | 309 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 225                                       | 36             | 0           | 0             | 312                             | 372                        | 174           | 4                          | 1.18         |           |                            |                    |     |                               |                               |             |
| 245/11E-25N1            | 5-4-65                             | 73           | 1650       | 8.0  | 7.7 | 11.96                                     | 2.96           | 0.10        | 0.00          | 5.20                            | 7.85                       | 4.91          | 0.06                       | 0.2          |           | 1086                       |                    | 295 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 222                                       | 57             | 0           | 0             | 297                             | 530                        | 105           | 0.0                        | 0.75         |           |                            |                    |     |                               |                               |             |
| 245/11E-2601            | 5-3-65                             | 65           | 1700       | 7.7  | 8.2 | 9.65                                      | 4.69           | 0.13        | 0.00          | 4.87                            | 11.03                      | 2.96          | 0.00                       | 0.2          |           | 1158                       |                    | 464 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 30  | 32             | 0           | 0             | 268                             | 48                         | 35            | 5                          | 0.12         |           |                            |                    |     |                               |                               |             |
| 245/11E-33R1            | 5-3-65                             | 65           | 560        | 7.9  | 8.2 | 1.30                                      | 2.63           | 0.05        | 0.00          | 4.39                            | 1.00                       | 0.99          | 0.08                       | 0.2          |           | 332                        |                    | 252 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 172                                       | 48             | 0           | 0             | 476                             | 301                        | 135           | 5                          | 0.67         |           |                            |                    |     |                               |                               |             |
| 245/11E-35A1            | 5-3-65                             | 66           | 1250       | 8.0  | 8.0 | 3.95                                      | 3.8            | 0           | 0             | 411                             | 187                        | 113           | 3                          | 0.4          |           | 788                        |                    | 272 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 2.30                                      | 3.13           | 8.48        | 0.08          | 6.74                            | 3.89                       | 3.19          | 0.05                       | 0.12         |           |                            |                    |     |                               |                               |             |
| 245/13E-17F1            | 10-1-66                            |              | 1575       | 8.2  | 7.9 | 7.48                                      | 7.81           | 0.08        | 0.00          | 7.80                            | 6.27                       | 3.81          | 0.08                       | 0.4          |           | 1039                       |                    | 520 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 165                                       | 19             | 0           | 0             | 340                             | 97                         | 60            | 3                          | 0.98         |           |                            |                    |     |                               |                               |             |
| 255/11E-1A1             | 5-4-65                             | 75           | 880        | 8.2  | 8.0 | 7.17                                      | 1.32           | 0.05        | 0.00          | 5.57                            | 2.02                       | 1.69          | 0.05                       | 0.2          |           | 530                        |                    | 114 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 142                                       | 80             | 0           | 0             | 581                             | 166                        | 85            | 0                          | 0.53         |           |                            |                    |     |                               |                               |             |
| 255/12E-5R1             | 5-4-65                             | 62           | 1300       | 8.0  | 8.0 | 6.17                                      | 6.58           | 0.10        | 0.00          | 9.52                            | 3.46                       | 2.40          | 0.00                       | 0.2          |           | 818                        |                    | 446 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 105                                       | 51             | 0           | 0             | 330                             | 154                        | 98            | 11                         | 0.41         |           |                            |                    |     |                               |                               |             |
| 255/12E-8G1             | 5-4-65                             | 65           | 1040       | 8.0  | 8.0 | 4.57                                      | 2.84           | 0.10        | 0.00          | 5.41                            | 3.21                       | 2.76          | 0.18                       | 0.2          |           | 643                        |                    | 352 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 132                                       | 63             | 0           | 0             | 344                             | 265                        | 182           | 39                         | 0.48         |           |                            |                    |     |                               |                               |             |
| 255/12E-8R1             | 5-4-65                             | 64           | 1550       | 8.0  | 8.0 | 5.76                                      | 5.18           | 0.10        | 0.00          | 5.64                            | 5.52                       | 5.13          | 0.63                       | 0.2          |           | 966                        |                    | 536 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 3.24                                      | 3.4            | 0           | 0             | 258                             | 62                         | 52            | 6                          | 0.40         |           |                            |                    |     |                               |                               |             |
| 255/12E-1801            | 5-3-65                             |              | 665        | 8.0  | 8.0 | 2.70                                      | 2.80           | 0.05        | 0.00          | 4.23                            | 1.29                       | 1.66          | 0.10                       | 0.2          |           | 387                        |                    | 228 | DHR                           |                               |             |
|                         |                                    |              |            |  |     | 62  | 34             | 0           | 0             | 258                             | 62                         | 52            | 6                          | 0.40         |           |                            |                    |     |                               |                               |             |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use | State well number and other number | Date sampled | Temp in °F | Specific conductance in micro-mhos/cm at 25° C | pH  | Mineral constituents, in parts per million |                |             |               |                                 |                            |               |                            |              |           | Total dissolved solids in ppm | Percent total solids in ppm | Hardness as CaCO <sub>3</sub> (Total) ppm | Analyzed by |
|---------------|------------------------------------|--------------|------------|--|-----|--|----------------|-------------|---------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|-------------------------------|-----------------------------|---|-------------|
|               |                                    |              |            |  |     | Calcium (Ca)                               | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) |                               |                             |   |             |
|               |                                    |              |            |  |     | SALINAS VALLEY (3-4-00) (Cont.)            |                |             |               |                                 |                            |               |                            |              |           |                               |                             |   |             |
|               | 255/12E-16K2                       | 5-4-65       | 68         | 61.0   | 8.1 | 34.1                                       | 35.1           | 44.1        | 2.0           | 269.1                           | 14.1                       | 50.1          | 18.1                       | 0.2          | 0.35      |                               | 330                         | 229                                       | DMR         |
|               | 255/12E-16K3                       | 5-4-65       | 70         | 75.0   | 8.2 | 42.1                                       | 45.1           | 62.1        | 3.0           | 299.1                           | 74.1                       | 21.1          | 0.2                        | 0.30         |           | 440                           | 290                         | DMR                                       |             |
|               | 255/12E-16L2                       | 5-4-65       | 64         | 2300   | 7.5 | 227.1                                      | 287.1          | 4.0         | 622.1         | 692.1                           | 2.34                       | 2.0           | 0.2                        | 1.18         |           | 1848                          | 917                         | DMR                                       |             |
|               | 255/12E-26L1                       | 10-21-66     | 480        | 480  | 8.0 | 33.1                                       | 24.1           | 67.1        | 2.0           | 234.1                           | 26.1                       | 34.1          | 0.2                        | 0.29         |           | 280                           | 181                         | DMR                                       |             |
|               | 5-5-65                             | 70           | 520        | 520  | 8.1 | 36.1                                       | 26.1           | 39.1        | 2.0           | 244.1                           | 19.1                       | 41.1          | 0.2                        | 0.23         |           | 283                           | 197                         | DMR                                       |             |
|               | 255/12E-26M1                       | 10-20-64     | 70         | 600  | 8.3 | 20.1                                       | 20.1           | 99.1        | 2.0           | 278.1                           | 54.1                       | 32.1          | 0.2                        | 0.74         |           | 375                           | 132                         | DMR                                       |             |
|               | 255/12E-27D1                       | 5-4-65       | 78         | 630  | 8.2 | 26.1                                       | 26.1           | 86.1        | 2.0           | 292.1                           | 53.1                       | 36.1          | 0.2                        | 0.43         |           | 373                           | 167                         | DMR                                       |             |
|               | 255/12E-28B1                       | 5-4-65       | 72         | 1320   | 7.9 | 52.1                                       | 76.1           | 145.1       | 5.0           | 378.1                           | 221.1                      | 144.1         | 0.2                        | 0.59         |           | 846                           | 442                         | DMR                                       |             |
|               | 255/12E-28M1                       | 10-1-64      | 2012       | 2012   | 7.9 | 324.1                                      | 167.1          | 730.1       | 3.0           | 481.1                           | 479.1                      | 206.1         | 0.6                        | 0.60         |           | 1456                          | 809                         | DMR                                       |             |
|               | 255/12E-28M4                       | 5-4-65       | 60         | 1280   | 8.2 | 106.1                                      | 57.1           | 113.1       | 2.0           | 386.1                           | 264.1                      | 103.1         | 0.2                        | 0.30         |           | 835                           | 499                         | DMR                                       |             |
|               | 255/12E-33K2                       | 5-5-65       | 60         | 2175   | 7.6 | 153.1                                      | 112.1          | 227.1       | 2.0           | 655.1                           | 415.1                      | 277.1         | 0.1                        | 0.58         |           | 1509                          | 843                         | DMR                                       |             |
|               | 255/12E-35C1                       | 10-21-64     | 1840       | 2860   | 8.2 | 92.1                                       | 59.1           | 300.1       | 6.0           | 575.1                           | 345.1                      | 196.1         | 0.2                        | 1.09         |           | 1294                          | 472                         | DMR                                       |             |
|               | 255/12E-35E1                       | 10-20-64     | 2880       | 2880   | 8.2 | 166.1                                      | 100.1          | 300.1       | 3.0           | 386.1                           | 568.1                      | 401.1         | 0.2                        | 1.24         |           | 1735                          | 826                         | DMR                                       |             |
|               | 255/13E-19B1                       | 10-1-64      | 535        | 660  | 8.2 | 32.1                                       | 27.1           | 34.1        | 2.0           | 235.1                           | 7.1                        | 38.1          | 0.6                        | 0.12         | 40        | 328                           | 204                         | DMR                                       |             |
|               | 255/14E-33K1                       | 10-8-64      | 660        | 880  | 8.2 | 32.1                                       | 22.1           | 85.1        | 3.0           | 313.1                           | 45.1                       | 25.1          | 0.4                        | 0.58         |           | 367                           | 171                         | DMR                                       |             |
|               | 265/12E-3B2                        | 4-26-65      | 880        | 880  | 8.7 | 35.1                                       | 28.1           | 132.1       | 3.0           | 183.1                           | 134.1                      | 108.1         | 0.1                        | 0.53         |           | 555                           | 203                         | DMR                                       |             |
|               | 265/12E-3K3                        | 4-26-65      | 530        | 530  | 8.2 | 39.1                                       | 22.1           | 39.1        | 9.0           | 230.1                           | 15.1                       | 58.1          | 0.2                        | 0.16         |           | 302                           | 188                         | DMR                                       |             |

TABLE E-1  
ANALYSES OF GROUND WATER

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25° C) | pH   | Mineral constituents in parts per million |                |             |               |                              |                                 |                            |               |                            |              |            |                            | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> Total ppm | Analyzed by |
|---------------|------------------------------------|--------------|------------|--|------|---|----------------|-------------|---------------|------------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|------------|----------------------------|-------------------------------|---|-------------|
|               |                                    |              |            |  |      | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Carbonate (CO <sub>3</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Barium (B) | Silica (SiO <sub>2</sub> ) |                               |   |             |
|               |                                    |              |            |  |      | SALINAS VALLEY (3-4,000) (cont.)          |                |             |               |                              |                                 |                            |               |                            |              |            |                            |                               |   |             |
|               | 26S/12E-311                        | 4-26-65      | 1430       | 8.1  | 91   | 48  | 170            | 19          | 0             | 328                          | 274                             | 183                        | 0             | 0                          | 0.2          | 0.78       | 947                        | 425                           | DMR                                     |             |
|               | 26S/12E-5A2                        | 12-18-64     | 800        | 7.8  | 434  | 395                                       | 739            | 0           | 0             | 538                          | 570                             | 516                        | 0             | 0                          | 0.17         |            | 483                        | 349                           | DMR                                     |             |
|               | 26S/12E-9L1                        | 4-1-65       | 972        | 7.5  | 56   | 52  | 43             | 2           | 0             | 241                          | 150                             | 47                         | 10            | 0.1                        | 0.41         |            | 536                        | 280                           | DMR                                     |             |
|               | 26S/12E-9L2                        | 4-1-65       | 1203       | 7.4  | 269  | 428                                       | 187            | 0           | 0             | 375                          | 312                             | 149                        | 0             | 0.5                        | 0.05         |            | 703                        | 351                           | DMR                                     |             |
|               | 26S/12E-9R1                        | 5-5-65       | 1280       | 7.6  | 83   | 35  | 125            | 2           | 0             | 303                          | 115                             | 87                         | 18            | 0.1                        | 0.37         |            | 821                        | 472                           | DMR                                     |             |
|               | 26S/12E-16G4                       | 5-5-65       | 1140       | 7.7  | 474  | 469                                       | 587            | 2           | 0             | 494                          | 130                             | 165                        | 14            | 0.1                        | 0.30         |            | 702                        | 438                           | DMR                                     |             |
|               | 26S/12E-21D1                       | 5-6-65       | 1900       | 8.1  | 539  | 337                                       | 330            | 0           | 0             | 573                          | 218                             | 275                        | 0             | 1.0                        | 1.28         |            | 1218                       | 365                           | DMR                                     |             |
|               | 26S/12E-21L1                       | 5-5-65       | 980        | 7.8  | 52   | 17  | 145            | 2           | 0             | 293                          | 98                              | 142                        | 91            | 0.1                        | 0.35         |            | 597                        | 200                           | DMR                                     |             |
|               | 26S/12E-22R2                       | 10-9-64      | 625        | 7.8  | 259  | 140                                       | 630            | 0           | 0             | 541                          | 283                             | 79                         | 223           | 0.0                        | 0.00         |            | 388                        | 175                           | DMR                                     |             |
|               | 5-6-65                             | 660          | 660        | 8.1  | 1760 | 1787                                      | 387            | 2           | 0             | 295                          | 18                              | 67                         | 11            | 0.6                        | 0.31         |            | 388                        | 194                           | DMR                                     |             |
|               | 26S/12E-33R2                       | 5-28-65      | 1264       | 7.5  | 1390 | 1797                                      | 335            | 2           | 0             | 290                          | 36                              | 68                         | 0             | 0.2                        | 0.30         |            | 789                        | 442                           | DMR                                     |             |
|               | 26S/12E-33R2                       | 5-6-65       | 680        | 7.8  | 106  | 43  | 113            | 3           | 0             | 356                          | 222                             | 95                         | 1             | 0.9                        | 0.44         |            | 302                        | 302                           | DMR                                     |             |
|               | 26S/13E-4L1                        | 10-8-64      | 1497       | 8.1  | 529  | 354                                       | 491            | 0           | 0             | 583                          | 525                             | 268                        | 0             | 0.2                        | 0.12         |            | 363                        | 413                           | DMR                                     |             |
|               | 26S/14E-16R1                       | 4-20-65      | 673        | 7.8  | 374  | 230                                       | 149            | 0           | 0             | 297                          | 38                              | 50                         | 0             | 0.3                        | 1.25         | 50         | 380                        | 77                            | DMR                                     |             |
|               | 26S/14E-34D1                       | 10-8-64      | 435        | 7.9  | 21   | 6   | 119            | 3           | 0             | 284                          | 39                              | 43                         | 8             | 0.6                        | 0.43         |            | 260                        | 145                           | DMR                                     |             |
|               | 26S/15E-2R1                        | 10-9-64      | 2158       | 8.1  | 180  | 7   | 640            | 3           | 0             | 170                          | 29                              | 45                         | 8             | 0.8                        | 0.12         |            | 1356                       | 119                           | DMR                                     |             |
|               | 26S/15E-20R1                       | 10-9-64      | 374        | 7.8  | 205  | 126                                       | 749            | 0           | 0             | 465                          | 481                             | 121                        | 0             | 0.2                        | 1.17         |            | 218                        | 127                           | DMR                                     |             |

TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                |              |               |                                 |                            |               |                            |              |           |                            | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> | Analyzed by |
|---------------|------------------------------------|--------------|------------|--|-----|---|----------------|--------------|---------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|----------------------------|-------------------------------|-------------------------------|-------------|
|               |                                    |              |            |  |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na)  | Potassium (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) | Silica (SiO <sub>2</sub> ) |                               |                               |             |
|               |                                    |              |            |  |     | SALINAS VALLEY (3-4-00) (cont.)           |                |              |               |                                 |                            |               |                            |              |           |                            |                               |                               |             |
|               | 265/156-2802                       | 10-8-64      | 77         | 4205                                       | 7.6 | 360<br>17.96                              | 142<br>11.68   | 510<br>22.17 | 6<br>0.15     | 327<br>5.36                     | 1276<br>26.57              | 663<br>18.70  | 14<br>0.23                 | 0.7          | 1.34      | 3134                       | 1483                          | DHR                           |             |
|               | 265/166-3181                       | 10-7-64      |            | 1490                                       | 8.0 | 32<br>1.60                                | 24<br>1.97     | 315<br>13.70 | 12<br>0.31    | 338<br>5.54                     | 368<br>7.66                | 115<br>3.24   | 55<br>0.89                 | 1.2          | 2.50      | 1091                       | 179                           | DHR                           |             |
|               | 275/106-15681                      | 10-18-64     | 65         | 710  | 8.0 | 81<br>4.04                                | 36<br>2.96     | 303<br>14.2  | 1<br>0.03     | 303<br>4.97                     | 148<br>3.08                | 21<br>0.59    | 0.1                        | 0.09         | 472       | 350                        | DHR                           |                               |             |
|               | 275/106-15682                      | 10-18-64     | 70         | 810  | 8.2 | 98<br>1.90                                | 16<br>1.32     | 142<br>6.17  | 2<br>0.05     | 365<br>5.98                     | 140<br>2.91                | 23<br>0.65    | 2                          | 0.1          | 0.26      | 543                        | 161                           | DHR                           |             |
|               | 275/118-1611                       | 4-30-65      |            | 1060                                       | 8.0 | 162<br>8.08                               | 54<br>4.44     | 22<br>0.96   | 1<br>0.03     | 451<br>7.39                     | 247<br>5.14                | 32<br>0.90    | 0                          | 0.4          | 0.08      | 740                        | 627                           | DHR                           |             |
|               | 275/128-302                        | 10-1-64      |            | 752  | 7.9 | 58<br>2.89                                | 38<br>3.13     | 62<br>1.83   | 2<br>0.05     | 308<br>5.05                     | 15<br>0.31                 | 81<br>2.28    | 8                          | 0.4          | 0.10      | 445                        | 301                           | DHR                           |             |
|               |                                    | 5-5-65       | 70         | 700  | 7.9 | 54<br>2.69                                | 38<br>3.13     | 47<br>2.04   | 2<br>0.05     | 315<br>5.16                     | 19<br>0.27                 | 95<br>2.68    | 2                          | 0.1          | 0.13      | 406                        | 291                           | DHR                           |             |
|               | 275/128-442                        | 5-5-65       | 62         | 900  | 8.0 | 54<br>2.69                                | 22<br>1.81     | 125<br>5.44  | 2<br>0.05     | 338<br>5.54                     | 133<br>2.77                | 57<br>1.61    | 0                          | 0.6          | 0.37      | 560                        | 225                           | DHR                           |             |
|               | 275/128-902                        | 5-6-65       |            | 875  | 7.9 | 85<br>4.24                                | 49<br>4.03     | 49<br>2.13   | 2<br>0.05     | 361<br>5.92                     | 110<br>2.29                | 75<br>2.12    | 2                          | 0.1          | 0.20      | 550                        | 414                           | DHR                           |             |
|               | 275/128-2101                       | 5-6-65       | 61         | 1460                                       | 7.7 | 94<br>4.69                                | 72<br>6.33     | 125<br>5.44  | 3<br>0.08     | 429<br>7.03                     | 237<br>4.83                | 128<br>3.61   | 35                         | 0.2          | 0.42      | 911                        | 551                           | DHR                           |             |
|               | 275/128-2181                       | 10-1-64      |            | 1075                                       | 7.8 | 122<br>6.09                               | 52<br>4.28     | 46<br>2.00   | 1<br>0.03     | 331<br>5.43                     | 246<br>5.08                | 55<br>1.55    | 5                          | 0.4          | 0.11      | 720                        | 519                           | DHR                           |             |
|               |                                    | 5-6-65       | 60         | 1035                                       | 8.1 | 129<br>6.44                               | 50<br>4.11     | 45<br>1.96   | 1<br>0.03     | 367<br>6.02                     | 248<br>5.16                | 52<br>1.47    | 3                          | 0.2          | 0.17      | 709                        | 528                           | DHR                           |             |
|               | 275/128-2993                       | 5-6-65       | 61         | 1060                                       | 7.6 | 102<br>5.09                               | 64<br>5.26     | 42<br>1.83   | 2<br>0.05     | 338<br>5.54                     | 235<br>4.89                | 65<br>1.83    | 1                          | 0.2          | 0.11      | 677                        | 518                           | DHR                           |             |
|               | 275/128-3222                       | 5-6-65       | 60         | 930  | 7.5 | 85<br>4.24                                | 61<br>5.02     | 41<br>1.78   | 2<br>0.05     | 329<br>5.39                     | 194<br>4.04                | 50<br>1.41    | 3                          | 0.2          | 0.14      | 598                        | 463                           | DHR                           |             |
|               | 275/128-3203                       | 5-7-65       | 60         | 770  | 7.6 | 64<br>3.19                                | 50<br>4.11     | 35<br>1.52   | 1<br>0.03     | 250<br>4.10                     | 157<br>3.27                | 46<br>1.30    | 3                          | 0.2          | 0.08      | 479                        | 365                           | DHR                           |             |
|               | 275/128-4381                       | 5-7-65       | 63         | 1220                                       | 7.7 | 106<br>5.29                               | 75<br>6.17     | 59<br>2.57   | 3<br>0.08     | 420<br>6.88                     | 231<br>4.81                | 89<br>2.51    | 2                          | 0.1          | 0.14      | 772                        | 573                           | DHR                           |             |
|               | 275/128-991                        | 10-4-64      |            | 650  | 8.2 | 13<br>0.65                                | 9<br>0.74      | 20<br>5.65   | 2<br>0.05     | 359<br>5.88                     | 20<br>0.42                 | 21<br>0.59    | 5                          | 0.3          | 0.37      | 422                        | 70                            | DHR                           |             |

**TABLE E - I**  
**ANALYSES OF GROUND WATER**

| Owner and use | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos or 2.5 Cl) | pH  | Mineral constituents in parts per million |                |             |               |                            |                                 |               |                            |              |           | Total dissolved solids in ppm | Per cent solids in ppm | Hardness as CaCO <sub>3</sub> ppm | Analyzed by |                            |                    |
|---------------|------------------------------------|--------------|------------|---|-----|---|----------------|-------------|---------------|----------------------------|---------------------------------|---------------|----------------------------|--------------|-----------|-------------------------------|------------------------|-----------------------------------|-------------|----------------------------|--------------------|
|               |                                    |              |            |   |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potassium (K) | Sulfate (SO <sub>4</sub> ) | Bicarbonate (HCO <sub>3</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) |                               |                        |                                   |             | Silica (SiO <sub>2</sub> ) | Other constituents |
|               |                                    |              |            |   |     |   |                |             |               |                            |                                 |               |                            |              |           |                               |                        |                                   |             |                            |                    |
|               |                                    |              |            |   |     | SALLINAS VALLEY (3-4-00) (Cont.)          |                |             |               |                            |                                 |               |                            |              |           |                               |                        |                                   |             |                            |                    |
|               | 27S/15E-13A1                       | 10-7-64      | 73         | 4595  | 7.8 | 205                                       | 81             | 77.0        | 5             | 0.0                        | 301                             | 957           | 890                        | 47           | 0.7       | 1.34                          |                        | 3095                              | 845         | DKR                        |                    |
|               |                                    |              |            |   |     | 10.23                                     | 6.66           | 33.48       | 0.13          | 0.00                       | 4.93                            | 19.72         | 25.10                      | 0.76         |           |                               |                        | 416                               | 115         | DKR                        |                    |
|               | 27S/16E-23R1                       | 10-7-64      |            | 630   | 8.0 |   | 11.6           | 4           | 0             | 268                        | 60                              | 53            | 10                         | 0.8          | 0.58      |                               |                        |                                   |             | DKR                        |                    |
|               |                                    |              |            |   |     | 1.40                                      | 0.90           | 5.04        | 0.10          | 0.00                       | 4.41                            | 1.25          | 1.44                       | 0.16         |           |                               |                        | 402                               | 309         | DKR                        |                    |
|               | 28S/12E-4G1                        | 5-6-65       | 60         | 660   | 7.4 | 61  | 38             | 32          | 1             | 0                          | 263                             | 103           | 37                         | 0.0          | 0.2       | 0.05                          |                        | 422                               | 320         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.04                                      | 3.13           | 1.39        | 0.03          | 0.00                       | 4.31                            | 2.14          | 1.04                       |              |           |                               |                        | 517                               | 414         | DKR                        |                    |
|               | 28S/12E-4J2                        | 5-6-65       | 60         | 680   | 7.5 | 66  | 39             | 26          | 1             | 0                          | 231                             | 143           | 33                         | 4            | 0.2       | 0.14                          |                        | 422                               | 320         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.19                                      | 3.21           | 1.13        | 0.03          | 0.00                       | 3.79                            | 2.94          | 0.93                       | 0.06         |           |                               |                        | 517                               | 414         | DKR                        |                    |
|               | 28S/12E-10I3                       | 5-6-65       | 64         | 860   | 7.8 | 77  | 54             | 37          | 2             | 0                          | 351                             | 89            | 71                         | 14           | 0.2       | 0.12                          |                        | 563                               | 399         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.84                                      | 4.44           | 1.61        | 0.05          | 0.00                       | 5.75                            | 1.85          | 2.00                       | 0.23         |           |                               |                        | 417                               | 312         | DKR                        |                    |
|               | 28S/12E-10E2                       | 10-9-64      |            | 868   | 7.9 | 72  | 49             | 40          | 1             | 0                          | 323                             | 136           | 52                         | 2            | 0.5       | 0.08                          | 27                     | 563                               | 399         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.94                                      | 4.03           | 1.74        | 0.03          | 0.00                       | 5.29                            | 2.19          | 1.47                       | 0.03         |           |                               |                        | 417                               | 312         | DKR                        |                    |
|               | 28S/12E-14J2                       | 5-5-65       | 60         | 690   | 7.6 | 69  | 36             | 34          | 1             | 0                          | 281                             | 98            | 40                         | 3            | 0.1       | 0.09                          |                        | 377                               | 297         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.44                                      | 2.80           | 1.48        | 0.03          | 0.00                       | 4.61                            | 2.04          | 1.13                       | 0.05         |           |                               |                        | 601                               | 459         | DKR                        |                    |
|               | 28S/12E-20A1                       | 5-5-65       | 63         | 650   | 7.6 | 68  | 31             | 25          | 2             | 0                          | 283                             | 74            | 37                         | 1            | 0.2       | 0.12                          |                        | 322                               | 240         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.39                                      | 2.55           | 1.09        | 0.05          | 0.00                       | 4.64                            | 1.54          | 1.04                       | 0.02         |           |                               |                        | 330                               | 264         | DKR                        |                    |
|               | 28S/12E-14E1                       | 5-5-65       | 56         | 1000  | 7.4 | 98  | 52             | 43          | 2             | 0                          | 328                             | 154           | 76                         | 15           | 0.1       | 0.11                          |                        | 358                               | 263         | DKR                        |                    |
|               |                                    |              |            |   |     | 4.89                                      | 4.28           | 1.87        | 0.05          | 0.00                       | 5.38                            | 3.21          | 2.16                       | 0.26         |           |                               |                        | 394                               | 256         | DKR                        |                    |
|               | 28S/12E-24F2                       | 5-5-65       | 66         | 560   | 7.7 | 50  | 28             | 30          | 1             | 0                          | 224                             | 67            | 29                         | 7            | 0.2       | 0.08                          |                        | 564                               | 434         | DKR                        |                    |
|               |                                    |              |            |   |     | 2.50                                      | 2.10           | 1.30        | 0.03          | 0.00                       | 3.67                            | 1.39          | 0.82                       | 0.11         |           |                               |                        | 372                               | 246         | DKR                        |                    |
|               | 28S/12E-25E1                       | 5-5-65       | 61         | 580   | 7.4 | 63  | 26             | 23          | 1             | 0                          | 232                             | 68            | 28                         | 7            | 0.4       | 0.04                          |                        | 378                               | 254         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.14                                      | 2.14           | 1.00        | 0.03          | 0.00                       | 3.80                            | 1.42          | 0.79                       | 0.11         |           |                               |                        | 321                               | 240         | DKR                        |                    |
|               | 28S/13E-30A1                       | 5-5-65       | 66         | 600   | 7.3 | 56  | 30             | 30          | 1             | 0                          | 232                             | 86            | 32                         | 9            | 0.2       | 0.08                          |                        | 358                               | 263         | DKR                        |                    |
|               |                                    |              |            |   |     | 2.79                                      | 2.47           | 1.30        | 0.03          | 0.00                       | 3.86                            | 1.79          | 0.90                       | 0.13         |           |                               |                        | 394                               | 256         | DKR                        |                    |
|               | 28S/16E-14A1                       | 10-7-64      |            | 565   | 7.9 | 55  | 29             | 33          | 1             | 0                          | 219                             | 94            | 66                         | 8            | 0.8       | 0.07                          |                        | 564                               | 434         | DKR                        |                    |
|               |                                    |              |            |   |     | 2.74                                      | 2.38           | 1.43        | 0.03          | 0.00                       | 3.59                            | 1.86          | 1.13                       |              |           |                               |                        | 372                               | 246         | DKR                        |                    |
|               | 29S/13E-505                        | 5-4-65       | 61         | 940   | 7.1 | 80  | 57             | 61          | 0             | 0                          | 299                             | 120           | 59                         | 10           | 0.1       | 0.04                          |                        | 378                               | 254         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.88                                      | 4.69           | 1.78        | 0.00          | 0.00                       | 4.90                            | 3.54          | 1.66                       | 0.16         |           |                               |                        | 321                               | 206         | DKR                        |                    |
|               | 29S/13E-8H1                        | 5-4-65       | 65         | 650   | 7.5 | 74  | 15             | 48          | 1             | 0                          | 303                             | 40            | 39                         | 6            | 0.1       | 0.03                          |                        | 378                               | 254         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.69                                      | 1.23           | 2.09        | 0.03          | 0.00                       | 4.97                            | 0.83          | 1.10                       | 0.10         |           |                               |                        | 321                               | 206         | DKR                        |                    |
|               | 29S/13E-8H1                        | 5-3-65       | 65         | 680   | 7.5 | 77  | 15             | 43          | 1             | 0                          | 306                             | 41            | 40                         | 6            | 0.1       | 0.05                          |                        | 378                               | 254         | DKR                        |                    |
|               |                                    |              |            |   |     | 3.64                                      | 1.23           | 2.04        | 0.03          | 0.00                       | 5.02                            | 0.85          | 1.13                       | 0.10         |           |                               |                        | 321                               | 206         | DKR                        |                    |
|               | 29S/13E-8H1                        | 5-3-65       | 63         | 580   | 7.5 | 43  | 24             | 37          | 2             | 0                          | 191                             | 31            | 35                         | 5.5          | 0.2       | 0.00                          |                        | 321                               | 206         | DKR                        |                    |
|               |                                    |              |            |   |     | 2.15                                      | 1.97           | 1.61        | 0.05          | 0.00                       | 3.13                            | 0.65          | 0.99                       | 0.89         |           |                               |                        | 321                               | 206         | DKR                        |                    |



TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use                    | State well number and other number | Date sampled | Temp in °F | Specific conduct- (micro-mhos at 25° C) | pH  | Mineral constituents in parts per million |                  |             |                 |                                |                                   | Total dissolved solids in ppm | Hardness as CaCO <sub>3</sub> |                 | Analyzed by |                              |                |           |                            |                    |
|----------------------------------|------------------------------------|--------------|------------|---|-----|---|------------------|-------------|-----------------|--------------------------------|-----------------------------------|-------------------------------|-------------------------------|-----------------|-------------|------------------------------|----------------|-----------|----------------------------|--------------------|
|                                  |                                    |              |            |   |     | Calcium (Ca)                              | Magne- sium (Mg) | Sodium (Na) | Potas- sium (K) | Carbon- ate (CO <sub>3</sub> ) | Bicor- bonate (HCO <sub>3</sub> ) |                               | Sul- fate (SO <sub>4</sub> )  | Chlo- ride (Cl) |             | Ni- trate (NO <sub>3</sub> ) | Fluo- rine (F) | Baron (B) | Silico (SiO <sub>2</sub> ) | Other constituents |
|                                  |                                    |              |            |   |     | SALINAS VALLEY (3-4.00) (GRN.)            |                  |             |                 |                                |                                   |                               |                               |                 |             |                              |                |           |                            |                    |
|                                  | 295/13E-18H1                       | 5-4-65       | 63         | 730                                     | 7.5 | 58<br>2.89                                | 33<br>2.71       | 56<br>2.43  | 1<br>0.03       | 0<br>0.00                      | 31.5<br>5.16                      | 62<br>1.29                    | 46<br>1.30                    | 6<br>0.10       | 0.1         | 0.06                         | 417            | 280       | DMR                        |                    |
|                                  | 295/13E-19H1                       | 5-3-65       |            | 650                                     | 8.4 | 47<br>2.35                                | 39<br>3.21       | 60<br>1.74  | 1<br>0.03       | 6<br>0.20                      | 25.4<br>4.16                      | 70<br>1.46                    | 41<br>1.16                    | 10<br>0.16      | 0.1         | 0.10                         | 379            | 278       | DMR                        |                    |
|                                  | 295/13E-19H2                       | 5-3-65       |            | 640                                     | 8.2 | 45<br>2.25                                | 40<br>3.29       | 33<br>1.43  | 1<br>0.03       | 0<br>0.00                      | 25.2<br>4.13                      | 82<br>1.81                    | 33<br>0.93                    | 12<br>0.19      | 0.1         | 0.11                         | 375            | 277       | DMR                        |                    |
|                                  | 295/13E-21F1                       | 5-3-65       | 58         | 570                                     | 7.6 | 98<br>4.89                                | 11<br>0.90       | 13<br>0.57  | 1<br>0.03       | 0<br>0.00                      | 27.6<br>4.52                      | 38<br>0.79                    | 12<br>0.34                    | 3.4<br>0.55     | 0.1         | 0.06                         | 343            | 290       | DMR                        |                    |
|                                  | 305/15E-10G2                       | 10-4-64      |            | 435                                     | 8.0 | 43<br>2.15                                | 18<br>1.48       | 35<br>1.57  | 1<br>0.03       | 0<br>0.00                      | 19.7<br>3.29                      | 34<br>0.71                    | 38<br>0.79                    | 21<br>0.34      | 0.8         | 0.10                         | 279            | 182       | DMR                        |                    |
|                                  | 305/15E-21C1                       | 10-4-64      |            | 570                                     | 7.8 | 50<br>2.50                                | 28<br>2.30       | 39<br>1.70  | 1<br>0.03       | 0<br>0.00                      | 20.1<br>3.29                      | 94<br>1.96                    | 22<br>0.62                    | 28<br>0.45      | 0.4         | 0.12                         | 361            | 240       | DMR                        |                    |
|                                  |                                    |              |            |   |     | CARMEL VALLEY (3-7.00)                    |                  |             |                 |                                |                                   |                               |                               |                 |             |                              |                |           |                            |                    |
| R. Odello<br>Irrigation          | 165/1W-13L1                        | 9-3-65       | 60         | 749                                     | 8.6 | 76<br>3.79                                | 22<br>1.78       | 50<br>2.18  | 4.3<br>0.11     | 10<br>0.33                     | 210<br>3.44                       | 100<br>2.08                   | 67<br>1.89                    | 1.5<br>0.02     | 0.1         | 0.1                          | 462.28         | 279       | 90                         | DMR                |
| Carmel S. T. Plant<br>Industrial | 165/1W-13L2                        | 9-13-65      | 60         | 925                                     | 7.6 | 97<br>4.84                                | 26<br>2.17       | 96<br>4.18  | 4.6<br>0.12     | 0<br>0.00                      | 260<br>4.26                       | 112<br>2.33                   | 139<br>4.48                   | 2.1<br>0.03     | 0.1         | 0.1                          | 644.37         | 351       | 138                        | DMR                |
| B. Odello<br>Irrigation          | 165/1W-13O2                        | 8-28-64      | 60         | 868                                     | 8.5 | 79<br>3.94                                | 27<br>2.21       | 61<br>2.65  | 4.4<br>0.11     | 6<br>0.20                      | 229<br>3.75                       | 125<br>2.60                   | 84<br>2.37                    | 2.0<br>0.03     | 0.1         | 0.1                          | 476.30         | 308       | 110                        | DMR                |
| B. Odello<br>Irrigation          | 165/1W-13R1                        | 8-28-64      | 59         | 793                                     | 8.5 | 70<br>3.49                                | 24<br>1.96       | 52<br>2.30  | 3.9<br>0.10     | 20<br>0.67                     | 171<br>2.80                       | 116<br>2.37                   | 67<br>1.89                    | 1.8<br>0.03     | 0.1         | 0.1                          | 453.29         | 273       | 99                         | DMR                |
| L. P. Moran<br>domestic          | 165/1E-16L1                        | 9-8-65       | 59         | 797                                     | 8.5 | 65<br>3.24                                | 18<br>1.52       | 73<br>3.18  | 2.5<br>0.06     | 27<br>0.27                     | 182<br>2.98                       | 77<br>1.60                    | 104<br>2.93                   | 2.8<br>0.12     | 0.1         | 0.1                          | 472.40         | 238       | 76                         | DMR                |
| Herbert<br>Irrigation            | 165/1E-17G1                        | 8-28-64      | 60         | 1260                                    | 8.3 | 124<br>6.19                               | 27<br>2.20       | 95<br>4.13  | 4.1<br>0.10     | 0<br>0.00                      | 31.5<br>5.16                      | 181<br>3.77                   | 132<br>3.72                   | 0.6<br>0.01     | 0.1         | 0.1                          | 729.33         | 420       | 162                        | DMR                |
|                                  |                                    | 9-3-65       | 62         | 1180                                    | 8.6 | 117<br>5.84                               | 32<br>2.65       | 74<br>3.22  | 2.2<br>0.13     | 0<br>0.00                      | 29.2<br>4.78                      | 170<br>3.54                   | 114<br>3.22                   | 0.5<br>0.01     | 0.1         | 0.1                          | 688.27         | 425       | 159                        | DMR                |
|                                  | 165/1E-18K1                        | 8-28-64      | 59         | 680                                     | 8.4 | 64<br>3.19                                | 20<br>1.63       | 42<br>1.83  | 3.6<br>0.09     | 5<br>0.17                      | 19.5<br>3.20                      | 84<br>1.75                    | 51<br>1.44                    | 1.4<br>0.02     | 0.1         | 0.1                          | 385.27         | 241       | 72                         | DMR                |
| B. Odello<br>Irrigation          | 165/1E-18P1                        | 8-28-64      | 59         | 645                                     | 8.3 | 60<br>2.99                                | 18<br>1.49       | 37<br>1.61  | 3.6<br>0.09     | 0<br>0.00                      | 16.3<br>2.67                      | 103<br>2.14                   | 43<br>1.21                    | 7.6<br>0.12     | 0.0         | 0.0                          | 372.26         | 224       | 90                         | DMR                |

TABLE E-1  
ANALYSES OF GROUND WATER



TABLE E-1  
ANALYSES OF GROUND WATER

| Owner and use            | State well number and other number | Date sampled | Temp in °F | Specific conductance (micro-mhos/cm at 25° C) | pH  | Mineral constituents in parts per million |                |             |                         |                                 |                            |               |                            |              |           | Total dissolved solids in ppm | Per cent iron | Hardness of CaCO <sub>3</sub> |                    | Analyzed by |       |      |
|--------------------------|------------------------------------|--------------|------------|---|-----|---|----------------|-------------|-------------------------|---------------------------------|----------------------------|---------------|----------------------------|--------------|-----------|-------------------------------|---------------|-------------------------------|--------------------|-------------|-------|------|
|                          |                                    |              |            |   |     | Calcium (Ca)                              | Magnesium (Mg) | Sodium (Na) | Potas-Carbonate sum (K) | Bicarbonate (HCO <sub>3</sub> ) | Sulfate (SO <sub>4</sub> ) | Chloride (Cl) | Nitrate (NO <sub>3</sub> ) | Fluoride (F) | Boron (B) |                               |               | Silica (SiO <sub>2</sub> )    | Other constituents |             | Total | N.C. |
| E. A. Holt<br>irrigation | 165/1B-25B1                        | 8-28-64      | 60         | 454   | 8.4 | 38<br>1.90                                | 12<br>1.02     | 32<br>1.39  | 3.2<br>0.08             | 2<br>0.07                       | 125<br>2.05                | 68<br>1.42    | 26<br>0.73                 | 0.6<br>0.01  |           |                               |               | 252                           | 32                 | 146         | 40    | DHR  |
|                          |                                    | 9-7-65       | 63         | 469   | 8.3 | 43<br>2.14                                | 11<br>0.90     | 36<br>1.57  | 2.9<br>0.07             | 0<br>0.00                       | 133<br>2.18                | 77<br>1.60    | 29<br>0.82                 | 0.7<br>0.01  |           |                               |               | 283                           | 34                 | 152         | 43    | DHR  |

TABLE E-2  
RADIOASSAYS OF GROUND WATER

| State Well Number | Date Sampled | Sampled By | Analyzed By                                  | Radioassay in Pico Curies Per Liter |                     |                      |                     |
|-------------------|--------------|------------|--|-------------------------------------|---------------------|----------------------|---------------------|
|                   |              |            |  | ALPHA ACTIVITY                      |                     | BETA ACTIVITY        |                     |
|                   |              |            |  | Dissolved (Filtrate)                | Suspended (Residue) | Dissolved (Filtrate) | Suspended (Residue) |
|                   |              |            | SANTA CLARA VALLEY<br>East Bay Area (2-9.01) |                                     |                     |                      |                     |
| 12S/1W-21F2       | 9-17-64      | DWR        | DPH  | -1.14<br>+0.56                      | 1.26<br>+1.25       | 13.25<br>+12.65      | -10.53<br>+8.53     |
|                   | 12-3-64      | DWR        | DPH  | 0.41<br>+2.02                       | -0.11               | 5.26<br>+10.04       | -5.33               |
|                   | 3-4-65       | DWR        | DPH  | 0.22<br>+3.01                       | -0.48<br>+4.70      | 21.00<br>+18.33      | 1.34<br>+3.86       |
|                   | 6-8-65       | DWR        | DPH  | 3.55<br>+4.28                       | 2.44<br>+1.51       | -2.13<br>+11.80      | -1.02<br>+7.89      |
|                   | 9-2-65       | DWR        | DPH  | 0.58<br>+1.70*                      |                     | 20.0<br>+11.50*      |                     |
| 12S/1W-21P6       | 9-17-64      | DWR        | DPH  | 2.36<br>+0.90                       | -0.18<br>+0.60      | 3.01<br>+4.20        | 0.98<br>+8.79       |
|                   | 12-3-64      | DWR        | DPH  | 0.28<br>+1.59                       | 0.86<br>+0.96       | -0.26                | -3.74               |
|                   | 3-4-65       | DWR        | DPH  | -0.66<br>+1.42                      | 0.00                | 11.54<br>+14.34      | 9.61<br>+8.94       |
|                   | 6-8-65       | DWR        | DPH  | 4.27<br>+5.40                       | -0.08<br>+0.46      | 7.55<br>+11.57       | 1.77<br>+8.25       |
|                   | 9-2-65       | DWR        | DPH  | 0.08<br>+1.17*                      |                     | -12.6<br>+9.96*      |                     |

\*Values are total Alpha or total Beta

19.00M

-12.6

±1.1%

0.08

0.1

0.05

0.25

1.70

0.7

1

1.6

1.2

1.1

1.0

0.9

0.8

0.7

0.6

0.5

0.4

0.3

0.2

0.1

0.0

-0.1

-0.2

-0.3

-0.4

-0.5

-0.6

-0.7

-0.8

-0.9

-1.0

-1.1

-1.2

-1.3

-1.4

-1.5

-1.6

-1.7

-1.8

-1.9

-2.0

-2.1

-2.2

-2.3

-2.4

-2.5

-2.6

-2.7

-2.8

-2.9

-3.0

-3.1

-3.2

-3.3

-3.4

-3.5

-3.6

-3.7

-3.8

-3.9

-4.0

-4.1

-4.2

-4.3

-4.4

-4.5

-4.6

-4.7

-4.8

-4.9

-5.0

-5.1

-5.2

-5.3

-5.4

-5.5

-5.6

-5.7

-5.8

-5.9

-6.0

-6.1

-6.2

-6.3

-6.4

-6.5

-6.6

-6.7

-6.8

-6.9

-7.0

-7.1

-7.2

-7.3

-7.4

-7.5

-7.6

-7.7

-7.8

-7.9

-8.0

-8.1

-8.2

-8.3

-8.4

-8.5

-8.6

-8.7

-8.8

-8.9

-9.0

-9.1

-9.2

-9.3

-9.4

-9.5

-9.6

-9.7

-9.8

-9.9

-10.0

-10.1

-10.2

-10.3

-10.4

-10.5

-10.6

-10.7

-10.8

-10.9

-11.0

-11.1

-11.2

-11.3

-11.4

-11.5

-11.6

-11.7

-11.8

-11.9

-12.0

-12.1

-12.2

-12.3

-12.4

-12.5

-12.6

-12.7

-12.8

-12.9

-13.0

-13.1

-13.2

-13.3

-13.4

-13.5

-13.6

-13.7

-13.8

-13.9

-14.0

-14.1

-14.2

-14.3

-14.4

-14.5

-14.6

-14.7

-14.8

-14.9

-15.0

-15.1

-15.2

-15.3

-15.4

-15.5

-15.6

-15.7

-15.8

-15.9

-16.0

-16.1

-16.2

-16.3

-16.4

-16.5

-16.6

-16.7

-16.8

-16.9

-17.0

-17.1

-17.2

-17.3

-17.4

-17.5

-17.6

-17.7

-17.8

-17.9

-18.0

-18.1

-18.2

-18.3

-18.4

-18.5

-18.6

-18.7

-18.8

-18.9

-19.0

-19.1

-19.2

-19.3

-19.4

-19.5

-19.6

-19.7

-19.8

-19.9

-20.0

-20.1

-20.2

-20.3

-20.4

-20.5

-20.6

-20.7

-20.8

-20.9

-21.0

-21.1

-21.2

-21.3

-21.4

-21.5

-21.6

-21.7

-21.8

-21.9

-22.0

-22.1

-22.2

-22.3

-22.4

-22.5

-22.6

-22.7

-22.8

-22.9

-23.0

-23.1

-23.2

-23.3

-23.4

-23.5

-23.6

-23.7

-23.8

-23.9

-24.0

-24.1

-24.2

-24.3

-24.4

-24.5

-24.6

-24.7

-24.8

-24.9

-25.0

-25.1

-25.2

-25.3

-25.4

-25.5

-25.6

-25.7

-25.8

-25.9

-26.0

-26.1

-26.2

-26.3

-26.4

-26.5

-26.6

-26.7

-26.8

-26.9

-27.0

-27.1

-27.2

-27.3

-27.4

-27.5

-27.6

-27.7

-27.8

-27.9

-28.0

-28.1

-28.2

-28.3

-28.4

-28.5

-28.6


-28.7


-28.8

-28.9

-29.0

-29.1





**LEGEND**

TYPE OF DATA

- ● ◐ PRECIPITATION ONLY
- ◐ PRECIPITATION, STORAGE
- ● ◐ PRECIPITATION AND TEMPERATURE
- ◐ ◐ ◐ PRECIPITATION, TEMPERATURE AND EVAPORATION

TYPE OF GAGE


- NON-RECORDING
- RECORDING
- ◐ BOTH TYPES

USWB STATIONS SHOWN IN BLACK  
OTHER STATIONS SHOWN IN RED

**D2**  
HYDROGRAPHIC SUB-AREA NUMBER  
HYDROGRAPHIC AREA BOUNDARY  
HYDROGRAPHIC SUB-AREA BOUNDARY

STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES  
SAN FRANCISCO BAY DISTRICT

**CLIMATOLOGICAL STATIONS  
IN THE  
CENTRAL COASTAL AREA  
1965**







NORTH

-14.00  
-15.00  
-16.00  
-17.00  
-18.00  
-18.01  
-18.02  
-198.00

SAN FRA

2-1.00  
2-2.00  
2-2.01  
2-2.02  
2-3.00  
2-4.00  
2-5.00  
2-6.00  
2-9.00  
2-9.01  
2-9.02  
2-10.00  
2-22.00  
2-24.00  
2-26.00

LEGEND

WATER QUALITY CONTROL BOARD REGION NUMERAL

WATER QUALITY CONTROL BOARD REGION BOUNDARY

GROUND WATER BASIN OR UNIT


STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES  
SAN FRANCISCO BAY DISTRICT

GROUND WATER BASINS OR UNITS  
IN THE  
CENTRAL COASTAL AREA  
1965









LEGEND

- 1** WATER QUALITY CONTROL BOARD REGION NUMERAL
- WATER QUALITY CONTROL BOARD REGION BOUNDARY
- 2.00** GROUND WATER BASIN OR UNIT

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN FRANCISCO BAY DISTRICT

**GROUND WATER BASINS OR UNITS  
 IN THE  
 CENTRAL COASTAL AREA  
 1965**

SCALE OF MILES  
 0 5 10





9-1110 Sad  
8-3200 Buf

**NORTH COASTAL**

- 8a Russian
- 8b Navajo
- 8c Big River
- 9 Russian
- 9a Cuisla
- Anapo
- 10 Russian
- 10a Russian
- Totta
- 10c Noyo Riv
- 57 Russian
- 58 Big Ausf
- 59 Russian
- (Sta)
- 70 Green V
- 71 Mark We
- Healt
- 72 Santa R
- Road
- 73 Santa R
- 74 Laguna
- 75 Mark We
- 76 Mill Cr
- 77 Dry Cre
- 78 Warm Sp
- 79 Dry Cre
- 80 Russian
- (Sta)
- 81 Macoma
- 82 Big Sul
- 83 Little
- 84 Big Sul
- Plant
- 85 Ash Cre
- 86 Cumisk
- 87 Pieta C
- 88 Feliz C
- 89 Russian
- 90 McHob C
- 91 Robins
- 92 Sulphur
- 93 Sulphur
- 94 Russian
- Lake
- 95 Russian
- Lake
- 96 Cold C
- 97 Russian
- Vall
- 98 Russian
- Russ
- 99 York C
- 300 Forsyth



**LEGEND**


**SAN FRANCISCO**

- 71 Arroyo
- 72 Hapa R
- 72a Hapa R
- 73 Alameda
- 74 Lee Cot
- 82 Coyote
- 201 Altamad
- of


- ▬ WATER QUALITY CONTROL BOARD REGION NUMERAL
- ▬ WATER QUALITY CONTROL BOARD REGION BOUNDARY
- SURFACE WATER QUALITY SAMPLING STATION
- ▲ SURFACE WATER MEASUREMENT STATION

STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES  
SAN FRANCISCO BAY DISTRICT

**SURFACE WATER STATIONS  
IN THE  
CENTRAL COASTAL AREA  
1965**







1


LEGEND

- 1 WATER QUALITY CONTROL BOARD REGION NUMERAL
- WATER QUALITY CONTROL BOARD REGION BOUNDARY
- 220 ● SURFACE WATER QUALITY SAMPLING STATION
- E-O-3300 ▲ SURFACE WATER MEASUREMENT STATION


STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN FRANCISCO BAY DISTRICT

**SURFACE WATER STATIONS  
 IN THE  
 CENTRAL COASTAL AREA  
 1965**

SCALE OF MILES  
 0 5 10







STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN FRANCISCO BAY DISTRICT

HYDROLOGIC DATA  
 CENTRAL COASTAL AREA

STATUS OF SEA-WATER INTRUSION  
 SANTA CLARA VALLEY  
 EAST BAY AREA


1965


SCALE OF MILES











**LEGEND**

- APPROXIMATE LIMIT OF MONITORED AREA
- LINE OF 100 PARTS PER MILLION CHLORIDE CONCENTRATION IN 180 FOOT AQUIFER
- 1965 ———
- 1962 ———
- LINE OF 100 PARTS PER MILLION CHLORIDE CONCENTRATION IN 400 FOOT AQUIFER
- 1965 .....
- 1962 ———
- ➔ DIRECTION OF INTRUSION


STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN FRANCISCO BAY DISTRICT

HYDROLOGIC DATA  
 CENTRAL COASTAL AREA

**STATUS OF SEA-WATER INTRUSION  
 SALINAS VALLEY  
 1965**








LEGEND


- - - - - APPROXIMATE LIMIT OF MONITORED AREA
- LINE OF 100 PARTS PER MILLION CHLORIDE CONCENTRATION IN 160 FOOT AQUIFER
- 1965
- - - - -
- LINE OF 100 PARTS PER MILLION CHLORIDE CONCENTRATION IN 400 FOOT AQUIFER
- 1965
- - - - -
- 1962
- ➔ DIRECTION OF INTRUSION

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 SAN FRANCISCO BAY DISTRICT

HYDROLOGIC DATA  
 CENTRAL COASTAL AREA  
**STATUS OF SEA-WATER INTRUSION  
 SALINAS VALLEY  
 1965**



















THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE  
RECALL

MAR 11 1974

MAY 21 REC'D

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-55m-10, '68 (J404888) 458—A-31, 5





Nº 601062

California. Department  
of Water Resources.  
Bulletin.

PHYSICAL  
SCIENCES  
LIBRARY

601062  
C2  
A2  
no.130:65  
v.3  
c.2

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS

|   |  |
|---|--|
| <p>601062<br/>California. Dept.<br/>of Water Resources.<br/>Bulletin.</p> | <p>Call Number:<br/><br/>TC824<br/>C2<br/>A2<br/>no.130:65<br/>v.3<br/>c.2</p> |
|---|--|

